

SYSTEM DOCUMENTATION & USER MANUAL

ElderCare+

A Mobile Medication Adherence and Family Care Coordination Platform for Older Adults

Product definition: ElderCare+ closes the loop between a medication reminder and family visibility: the older adult confirms a dose, the system records the event, and the linked caregiver sees the result or receives a missed-dose alert.

Version 1.0 | Application 1.0.0 | 03 August 2026

Platform: Android mobile application | Framework: React Native

Care today, better tomorrow.

Document Control

Item	Value
Document title	ElderCare+ System Documentation and User Manual
Document version	1.0
Application version	1.0.0
Status	Approved baseline for complete UI design and implementation
Primary audience	Project team, instructor, evaluators, developers, UI/UX designers and end users
Scope source	ElderCare+ Topic Evaluation and consolidated project decisions

Contents

- 1. Product Overview
- 2. Users, Roles and Permissions
- 3. Functional Specification
- 4. Information Architecture and Navigation
- 5. UI/UX Standards
- 6. Complete Screen Catalog
- 7. Data and System Design
- 8. User Manual - Family Caregiver
- 9. User Manual - Older Adult
- 10. Notifications and Troubleshooting
- 11. Security, Privacy and Safety
- 12. Acceptance Checklist
- Appendix A. Terminology
- Appendix B. References

Reading guide: Sections 1-7 define the app and Figma screens; Sections 8-10 cover user procedures; Sections 11-12 cover safeguards and acceptance.

1. Product Overview

ElderCare+ is a family-centered care coordination application focused on medication adherence. It is intentionally narrower than a general health record system and stronger than a basic reminder app.

1.1 Purpose

The application helps an older adult follow a daily medication plan while giving one linked family caregiver clear, timely visibility into medication confirmations, missed doses and upcoming appointments.

1.2 Product Goals

- Make today's medication plan obvious and easy to act on.
- Record whether each scheduled dose was confirmed on time.
- Alert the linked caregiver when a scheduled dose is missed.
- Keep appointments and essential emergency information organized in one place.
- Use large, readable, low-friction controls suitable for older adults.

1.3 Included Core Scope

Module	Included capability	Primary user
Account and linking	Role-based sign-up, sign-in, account recovery and one caregiver-to-one elder linking	Both
Elder profile	Identity, conditions, allergies, blood type, care instructions, doctor and emergency contact	Caregiver manages; elder views
Medication plan	Medicine details, dosage, repeat schedule, start/end date, activation and deactivation	Caregiver
Dose adherence	Due reminder, Taken confirmation, timestamp, grace period, missed-dose escalation and history	Both
Family dashboard	Today's adherence, missed doses, next appointment and recent confirmations	Caregiver
Appointments	Create, edit, view, complete and cancel doctor visits, tests, vaccinations and checkups	Caregiver manages; elder views
Emergency profile	One-screen access to essential medical and contact information	Both

Module	Included capability	Primary user
Notifications	Medication reminders, confirmations, missed-dose alerts, appointment reminders and link events	Both

1.4 Explicitly Out of Scope

- AI or RAG medical assistant, diagnosis, treatment advice or drug-interaction decisions.
- QR medical profile, public share links or lock-screen medical records.
- SOS dispatch, direct emergency-service integration or location tracking.
- Multiple caregivers per elder, in-app chat, video calls or social feeds.
- Medicine stock tracking, pharmacy ordering, payments or insurance processing.
- Vital-sign devices, wellness journals, symptom logs and care timeline feeds.

Scope rule: A feature is added only when it directly supports medication adherence, caregiver visibility, appointments or emergency information. Everything else belongs in future work.

2. Users, Roles and Permissions




Figure 1. ElderCare+ system context and primary user responsibilities.

2.1 User Roles

Capability	Older Adult	Family Caregiver
View today's medications	Yes	Yes
Confirm a scheduled dose	Yes	No
Create or edit medications	No	Yes
View adherence history	Personal daily history	7-day and 30-day summary
Create or edit appointments	No	Yes
View appointments	Yes	Yes
Edit elder medical profile	No	Yes
View emergency information	Yes	Yes
Receive missed-dose alerts	No	Yes
Manage own account settings	Yes	Yes

2.2 Linking Model

The caregiver creates the elder care profile and generates a six-digit link code. The older adult enters the code after account creation. A code is single-use, expires after 24 hours and must be regenerated after expiration. Version 1.0 permits one active caregiver link for one elder account.

Permission boundary: The older adult confirms doses and views care information. The caregiver maintains the care plan. Destructive changes require confirmation and never erase historical dose events.

3. Functional Specification

The following requirements define the behavior represented by the Figma screens and expected from the implemented application.

3.1 Functional Requirements

ID	Requirement	Expected behavior
FR-01	Account access	Users can create an account, choose one role, verify contact information, sign in and reset a forgotten password.
FR-02	Care linking	A caregiver can generate a time-limited link code; an elder can enter it and confirm the caregiver relationship.
FR-03	Elder profile	The caregiver can maintain identity, blood type, conditions, allergies, care instructions, primary doctor and one emergency contact.
FR-04	Medication plan	The caregiver can create, edit and deactivate a medication with name, strength/form, dose instructions, start/end date and one or more repeat times.
FR-05	Dose reminder	At each scheduled time, the elder receives a notification that opens the correct dose detail.
FR-06	Dose confirmation	The elder can mark a due dose as Taken. The system records the confirmation timestamp and prevents duplicate confirmation.
FR-07	Missed-dose escalation	If no confirmation exists after the configured grace period, the dose becomes Missed and the caregiver receives an alert.
FR-08	Family dashboard	The caregiver can view today's completed, due and missed doses, recent events, adherence percentage and next appointment.
FR-09	Appointments	The caregiver can create, edit, complete or cancel appointments; both users can view appointment details and reminders.
FR-10	Emergency profile	Both users can open one concise screen containing essential medical information, current active medicines and emergency contact actions.
FR-11	Adherence report	The caregiver can review 7-day or 30-day dose totals, percentage and the list of missed doses.
FR-12	Notifications	Users can view an in-app notification center, mark items read and open the related record.

3.2 Medication Adherence Rules




Figure 2. Scheduled-dose confirmation and escalation flow.

ID	Rule	Validation
BR-01	A dose event is generated for each active schedule occurrence.	One event per medication schedule and scheduled date/time.
BR-02	A dose is Upcoming before its schedule, Due at schedule time, Taken after confirmation, or Missed after the grace period.	Status is always visible as text and icon, never color alone.
BR-03	Default grace period is 30 minutes; caregiver may set 5-120 minutes in 5-minute increments.	Input outside the range is rejected.
BR-04	Taken is accepted once. The timestamp reflects the actual confirmation time.	Repeated taps do not create duplicate events.
BR-05	Adherence percentage = $\text{Taken} \div (\text{Taken} + \text{Missed}) \times 100$.	Upcoming and Due events are excluded.
BR-06	Editing or deactivating a medication affects future doses only.	Historical events remain available in reports.
BR-07	All saved times retain the schedule time zone; the UI displays the current local time zone.	A time-zone change requires confirmation.
BR-08	The elder receives locally scheduled reminders; caregiver alerts require synchronization.	Offline confirmations show Pending sync until uploaded.

3.3 Appointment Rules

- Appointment types are Doctor Visit, Laboratory Test, Vaccination and Routine Checkup.
- Required fields are title/type, date and start time. Doctor/clinic, location and notes are optional.
- An appointment can be Upcoming, Completed or Cancelled. Past Upcoming items are labeled Overdue until completed or cancelled.
- Default reminder is 24 hours before the appointment; the caregiver may disable it or choose one available reminder interval.

4. Information Architecture and Navigation




Figure 3. Persistent navigation for the older-adult and caregiver roles.

4.1 Navigation Standards

- Use a five-item bottom navigation bar only on top-level destinations.
- Use a top app bar with screen title, Back when needed and one notification bell; no message icon because messaging is out of scope.
- Forms and details open above the related top-level destination and return to the same previous state.
- The primary action appears once per screen and remains visually dominant.
- Emergency Information is a persistent destination for the older adult and a profile action for the caregiver.

4.2 First-Run Route

1. Open Welcome, create an account and choose Older Adult or Family Caregiver.
2. Verify the account and review the short notification explanation.
3. Complete the caregiver-generated link-code flow; the app then opens the role-specific home.

5. UI/UX Standards

This section preserves the approved ElderCare+ visual identity while simplifying the component set for an older-adult care application.

5.1 Approved Brand Palette

Group	Token	Value	Use
Primary	Teal	#49C3B2	Primary elder actions, active navigation
Primary	Blue	#4A8FD8	Links, focus, informational actions
Primary	Purple	#9B6FE3	Caregiver accents and reports
Primary	Lavender	#C69AF6	Soft caregiver surfaces
Secondary	Mint	#8DE0D1	Positive supporting surfaces
Secondary	Sky Blue	#78B7F3	Informational supporting surfaces
Secondary	Slate Blue	#5A74A6	Secondary icons
Secondary	Navy	#24436D	Titles, high-emphasis actions
Neutral	White / Off White	#FFFFFF / #F8FAFC	Cards and app background
Neutral	Light / Medium Gray	#E8EDF4 / #B6C0CE	Borders and disabled controls
Neutral	Dark Gray / Charcoal	#667085 / #344054	Secondary and primary body text
Semantic override	Success / Warning / Error	#1F7A4D / #9A5B13 / #B42318	Taken, caution and missed/error states; always paired with text/icon

5.2 Simple Typography Scale

Role	Font	Weight	Size
Logo	Fredoka	Bold	40 px
Screen heading	Fredoka	SemiBold	32 px
Subheading	Poppins	SemiBold	20 px
Body text	Poppins	Regular	16 px
Button text	Poppins	Medium	16 px
Caption / label	Poppins	Regular	12 px

Typography rule: Use only these six roles. Increase device text size without clipping; do not add decorative display fonts or extra micro-text scales.

5.3 Layout and Components

Element	Standard
Design frame	Base Figma frame 360 × 800 dp; responsive to taller Android screens and system insets.
Spacing	8 dp grid; common spacing 8, 16, 24 and 32 dp.
Touch targets	Minimum 48 × 48 dp; older-adult primary buttons 56 dp high where practical.
Cards	16-24 dp corner radius, white/off-white surface, light border or soft shadow; no glassmorphism.
Inputs	Rounded fields with persistent label, focused teal outline, helper/error text and visible required markers.
Buttons	Primary filled gradient or solid teal/blue; secondary outlined; text action only for low-risk tertiary actions.
Dialogs	Top-right X for dismissing non-destructive dialogs; destructive confirmation uses Cancel and clear action label.
Status	Text + icon + semantic color: Taken, Due, Upcoming, Missed, Pending sync and Cancelled.
Motion	Short, calm transitions; no flashing, auto-advancing carousels or decorative motion.

5.4 Accessibility and Safety

- Maintain at least 4.5:1 contrast for normal text and 3:1 for large text and meaningful graphics.
- Provide descriptive accessibility labels and a logical screen-reader focus order.
- Do not encode Taken or Missed using color alone; include the status word and icon.
- Keep the Mark as Taken action separate from navigation and require a clear confirmation state.
- Explain why notification access is needed before the Android permission prompt. If denied, show an ongoing setup banner with a Settings action.
- Avoid medical recommendations. Display stored care instructions exactly as entered by the caregiver.




Figure 4. Representative core-screen anatomy for the Figma build.

6. Complete Screen Catalog

Every full-screen frame required for the version 1.0 Figma output is listed below. Dialogs and state variants are defined separately to prevent duplicate screens.

6.1 Access and First-Time Setup

ID	Screen	Role	Purpose and required UI
A-01	Splash	Both	Centered logo, tagline and loading indicator; routes to Welcome or the authenticated home.
A-02	Welcome	Both	Short product statement, Sign in and Create account. No multi-slide onboarding.
A-03	Role Selection	Both	Two large cards: Older Adult and Family Caregiver, with one-sentence responsibilities and Continue.
A-04	Create Account	Both	Name, email, password, confirm password, privacy acknowledgement and Create account.
A-05	Verify Account	Both	Six-digit verification code, resend countdown and Verify.
A-06	Sign In	Both	Email, password, Show password, Forgot password and Sign in.
A-07	Reset Password	Both	Email request state followed by new password and confirmation state.
A-08	Notification Setup	Both	Reason for reminders/alerts, Allow notifications and Not now; opens Android permission.
A-09	Create Elder Profile	Caregiver	Identity, medical summary, doctor and emergency contact. Save and continue.
A-10	Generate Link Code	Caregiver	Six-digit code, expiration time, Copy code and Generate new code.
A-11	Enter Link Code	Older Adult	Six-digit field, caregiver identity preview and Link account.
A-12	Confirm Care Link	Older Adult	Caregiver name, access summary, Confirm link and Decline.

6.2 Older-Adult Experience

ID	Screen	Purpose and required UI
E-01	Home / Today	Greeting, date, next due medication card, today's schedule, next appointment, quick Emergency action and notification bell.
E-02	Medication Schedule	Date selector, grouped Upcoming/Due/Taken/Missed dose cards and medication detail navigation.
E-03	Dose Detail	Medicine, strength, instructions, scheduled time, status, caregiver-entered note and one Mark as Taken action when Due.

ID	Screen	Purpose and required UI
E-04	Dose Confirmed	Success state with medicine, timestamp, next dose and Done; presented as a modal or confirmation sheet.
E-05	Appointments	Upcoming and Past tabs, chronological appointment cards and details.
E-06	Appointment Detail	Type, date/time, doctor/clinic, location, notes and Add to device calendar when supported.
E-07	Emergency Information	Name, birth date, blood type, allergies, conditions, current active medicines, care instructions, doctor and Call contact.
E-08	Personal Adherence	Today's count and the last seven days of Taken/Missed events without comparative analytics.

6.3 Family-Caregiver Experience

ID	Screen	Purpose and required UI
C-01	Family Dashboard	Elder identity, today's Taken/Due/Missed totals, adherence percentage, needs-attention list, next appointment and recent confirmations.
C-02	Medication List	Active and Inactive tabs, medication cards, next schedule, Add medication and detail navigation.
C-03	Add/Edit Medication	Name, strength/form, instructions, start/end date, schedule times, repeat days, grace period and Save.
C-04	Medication Detail	Full plan, active schedules, recent adherence, Edit and Deactivate. No hard delete after events exist.
C-05	Missed Dose Detail	Medicine, scheduled time, elapsed time, elder contact action and event status. No clinical advice.
C-06	Appointments	Upcoming/Past tabs, appointment cards, Add appointment and detail navigation.
C-07	Add/Edit Appointment	Type, title, date/time, doctor/clinic, location, notes, one reminder and Save.
C-08	Appointment Detail	All appointment information, Edit, Mark completed and Cancel appointment.
C-09	Adherence Report	7-day/30-day selector, percentage, Taken/Missed totals, simple trend and missed-dose list.
C-10	Elder Profile	Read summary, Edit profile, Emergency information preview and care-link status.
C-11	Edit Elder Profile	Identity, medical summary, doctor, care instructions and emergency contact with validation.

6.4 Shared Screens and State Variants

ID	Screen / state	Required UI
S-01	Notification Center	Unread/read sections, event icon, title, timestamp, related record navigation and Mark all read.
S-02	Profile and Settings	Account identity, notification status, text-size note, privacy information, unlink status and Sign out.
S-03	Privacy and Consent	Plain-language data purpose, caregiver access summary and contact/support information.
V-01	Loading	Skeleton or progress indicator preserving page structure; no indefinite blank screen.
V-02	Empty	Specific empty message and one relevant action, e.g., Add medication or Add appointment.
V-03	Offline / Pending sync	Persistent non-blocking banner; locally saved confirmation is labeled Pending sync.
V-04	Permission denied	Banner explaining reminders are off with Open Settings action.
V-05	Validation error	Field-level message and summary focus; entered values remain intact.
V-06	Destructive confirmation	Named object and consequence, Cancel and Deactivate/Cancel appointment; no vague Yes/No.
V-07	System error	Human-readable cause when known, Retry and safe return path.

Figma completion rule: Create the 34 full-screen frames A-01 to S-03 plus reusable component/state variants V-01 to V-07. Do not create separate screens for every successful form submission when a dialog or bottom sheet is sufficient.

7. Data and System Design




Figure 5. Logical architecture of the ElderCare+ application.

7.1 System Responsibilities

Layer	Responsibility
Mobile application	Role-specific UI, input validation, local reminder scheduling, secure session handling and pending-sync display.
Application API	Authentication, authorization, care-link rules, validated CRUD operations and adherence calculations.
Dose and notification service	Creates due/missed transitions, sends push alerts and records delivery attempts.
Relational database	Stores profiles, schedules, timestamped dose events, appointments and notifications with historical integrity.




Figure 6. Core relational data model.

7.2 Core Entity Definitions

Entity	Purpose	Retention rule
User	Authentication identity and immutable role while linked.	Retained until account deletion completes.
Care Link	Binds one caregiver and one elder with active/inactive status.	Inactive link retained for audit.
Elder Profile	Medical and emergency information managed by caregiver.	Current version retained; changes timestamped.
Medication	Medicine and high-level instructions.	Deactivate instead of hard delete when history exists.
Dose Schedule	Repeat days, time, amount and grace period.	Future occurrences change; past events remain.
Dose Event	One scheduled occurrence and its adherence status.	Immutable history except controlled status correction.
Appointment	Visit/test/vaccination/checkup record.	Cancelled items retained in history.
Emergency Contact	Primary person and call number.	Current active contact available to both roles.

Entity	Purpose	Retention rule
Notification	In-app record of care and system events.	Read state changes; event reference remains.

7.3 Validation Summary

- Dates and times cannot create an end date before a start date.
- Medication name, dosage instructions and at least one valid schedule are required.
- Emergency contact requires a name, relationship and valid phone number.
- Link code accepts six digits only and cannot be reused after success or expiration.
- Inputs are trimmed; error messages name the field and correction required.
- Server authorization is enforced even when a hidden UI action is manipulated.

8. User Manual - Family Caregiver

The caregiver creates and maintains the care plan, then monitors adherence. The following procedures use only version 1.0 functions.

8.1 Create and Link the Care Profile

1. Open ElderCare+ and select Create account.
2. Choose Family Caregiver, enter account details, verify the account and allow notifications.
3. Complete the elder profile. Enter accurate conditions, allergies, blood type, doctor and emergency contact.
4. Select Generate link code and give the six-digit code directly to the older adult. Do not post it publicly.
5. Wait for the older adult to confirm. The Family Dashboard opens when the link becomes Active.

8.2 Add a Medication

1. Open Medications and select Add medication.
2. Enter the medicine name, strength/form and the exact instructions supplied by a qualified professional.
3. Set the start date, optional end date, dose amount, schedule time and repeat days.
4. Keep the default 30-minute grace period or choose another valid interval.
5. Review the summary and select Save medication. Confirm that the next schedule appears on the detail screen.

Safety: ElderCare+ stores and repeats entered instructions; it does not determine dosage, interactions or whether a medication is appropriate.

8.3 Respond to a Missed Dose

1. Open the missed-dose notification or the Needs attention item on the dashboard.
2. Review the medicine, scheduled time and current event status.
3. Use the elder contact action if a welfare check is appropriate.

4. Do not edit the medication schedule merely to hide the missed event; historical adherence remains unchanged.

8.4 Manage Appointments

1. Open Calendar and select Add appointment.
2. Choose the appointment type and enter the title, date and start time.
3. Optionally add the doctor/clinic, location, notes and one reminder.
4. Select Save. To update it, open the detail and choose Edit, Mark completed or Cancel appointment.

8.5 Review Adherence

1. Open Reports from the bottom navigation.
2. Choose 7 days or 30 days.
3. Review the Taken, Missed and adherence percentage summary.
4. Open a missed item for its medicine and scheduled timestamp. Use the report as a coordination record, not a medical diagnosis.

8.6 Update Emergency Information

1. Open Profile, select the elder profile and choose Edit.
2. Update only verified information. Current active medications populate automatically.
3. Save and reopen Emergency Information to confirm the display and call number.

9. User Manual - Older Adult

The older-adult experience prioritizes today's actions, large controls and one clear medication confirmation flow.

9.1 Link the Account

1. Create an Older Adult account and complete verification.
2. Open Enter link code and type the six-digit code supplied by the family caregiver.
3. Check the caregiver's name and access summary. Select Confirm link only if the person is correct.
4. Allow notifications so medication reminders can appear on the device.

9.2 Confirm a Medication

1. Open the medication reminder or the due card on Home.
2. Read the medicine name, strength, dose instructions and scheduled time.
3. After taking the medication as instructed, select Mark as Taken once.
4. Check the Taken confirmation and timestamp, then select Done.

Important: Do not mark a medication as Taken before taking it. If the instructions are unclear or the medicine appears wrong, contact the caregiver or a qualified health professional.

9.3 View the Daily Schedule

1. Open Medications from the bottom navigation.
2. Choose the required date.
3. Read cards grouped by Due, Upcoming, Taken and Missed. Open a card for full instructions.

9.4 View Appointments

1. Open Calendar.
2. Use Upcoming for future appointments or Past for completed/cancelled records.
3. Open the appointment to see the date, time, location, doctor/clinic and notes.

9.5 Open Emergency Information

1. Open Emergency from the bottom navigation.
2. Review blood type, allergies, conditions, active medications and care instructions.
3. Select Call emergency contact when needed. The phone asks for confirmation before calling.

10. Notifications and Troubleshooting

10.1 Notification Matrix

Event	Recipient	Timing	Opens
Medication due	Older adult	At scheduled time	Dose Detail
Dose confirmed	Caregiver	Immediately after sync	Dose event / Dashboard
Dose missed	Caregiver	After grace period	Missed Dose Detail
Appointment upcoming	Both	Configured reminder; default 24 hours	Appointment Detail
Link invitation accepted	Caregiver	Immediately	Family Dashboard
Notification access off	Current user	Persistent in-app banner	System notification settings
Pending sync	Current user	While offline data is queued	Related record

10.2 Common Problems

Problem	Action
No medication reminder appeared	Open Profile > Settings and confirm notifications are enabled. Open the medication schedule and confirm the correct time, repeat days and active status.
Link code is invalid	Check all six digits and the 24-hour expiration. Ask the caregiver to generate a new code if expired or already used.
Caregiver has not seen a confirmation	Check the Pending sync banner and internet connection. Keep the app open briefly after reconnecting; do not confirm the same dose again.
Wrong medication information	Do not act on unclear instructions. Contact the caregiver and have the caregiver edit the future plan.
Cannot save a form	Review the first highlighted field, correct the value and retry. Entered values remain on screen.
App remains on loading	Check connectivity, retry once, then close and reopen the app. Existing locally scheduled reminders remain available.
Emergency contact does not call	Confirm the phone number in Elder Profile and that the device can place calls.

11. Security, Privacy and Safety

Health details are sensitive personal information. The application therefore minimizes collection, limits access by role and makes caregiver permissions explicit during linking.

11.1 Required Controls

- Authenticated access with secure password handling, session expiry and rate-limited verification/link-code attempts.
- Authorization on every care record using the active caregiver-elder link, not UI visibility alone.
- Encryption in transit and protected server-side storage; no health data in notification lock-screen previews beyond the minimum useful message.
- Explicit consent before linking and a visible explanation of what the caregiver can view or edit.
- Data minimization: no location, microphone, camera, contacts or SMS permission in version 1.0.
- Timestamped dose history and safe deactivation instead of destructive deletion.
- Account deletion and unlinking require re-authentication and clear explanation of resulting access changes.

11.2 Medical Safety Boundaries

- ElderCare+ is a coordination and adherence record, not a diagnostic or prescribing tool.
- The app never recommends dosage changes, substitutes medicines or evaluates drug interactions.
- Emergency Information is user-entered and must be verified by the caregiver; it does not replace an official medical record.
- Missed-dose alerts prompt human follow-up and do not automatically contact emergency services.
- Critical actions use explicit labels such as Mark as Taken, Deactivate medication and Cancel appointment.

12. Acceptance Checklist

The app and Figma submission are complete only when every core workflow and state below is represented and testable.

12.1 UI Deliverable Acceptance

- All 34 full-screen frames in Section 6 are present and named with their screen IDs.
- Reusable buttons, fields, cards, navigation, chips, status badges, dialogs and alerts are components with defined variants.
- Both role navigation systems are complete and no out-of-scope destination appears.
- Loading, empty, offline/pending sync, permission denied, validation, destructive confirmation and system-error variants are shown.
- The approved color palette and six-role typography system are used consistently.
- Every interactive control meets the 48 dp touch-target baseline; key older-adult actions use 56 dp height where practical.
- Prototype links cover the caregiver setup, medication creation, elder dose confirmation, missed-dose response, appointment creation and emergency information flows.

12.2 Functional Acceptance

Workflow	Pass condition
Care linking	Valid code creates one active link; expired/used code is rejected.
Medication setup	Valid plan generates future dose events and reminders.
Taken confirmation	One tap records one timestamped Taken event and updates caregiver view.
Missed escalation	No confirmation after grace period produces Missed and a caregiver alert.
Dashboard	Counts and adherence percentage match underlying Taken/Missed events.
Appointment	Create/edit/complete/cancel states appear to both linked users.
Emergency profile	Both roles see current verified information and the call action uses the saved number.
Offline confirmation	Event is labeled Pending sync, uploads once and does not duplicate.
Authorization	Older adult cannot edit care-plan records; unrelated accounts cannot access elder data.

Appendix A. Terminology

Term	Definition
Adherence	The proportion of due medication events recorded as Taken rather than Missed.
Care link	The authorized relationship connecting one family caregiver account to one older-adult account.
Dose event	One scheduled medication occurrence on a specific date and time.
Grace period	The allowed interval after schedule time before an unconfirmed dose becomes Missed.
Pending sync	A locally saved action waiting to upload because network access is unavailable.
Emergency profile	A concise authenticated view of essential medical and contact information.
Deactivation	Stopping future records while preserving history; used instead of hard deletion.

Appendix B. References

Project basis: ElderCare+ Topic Evaluation and Recommendation (attached project document).

Android accessibility: Android Developers - Make apps more accessible

<https://developer.android.com/guide/topics/ui/accessibility/apps>

Android quality: Android Developers - Core app quality guidelines

<https://developer.android.com/docs/quality-guidelines/core-app-quality>

Notifications: Android Developers - Notification runtime permission

<https://developer.android.com/develop/ui/compose/notifications/notification-permission>

Accessibility: W3C - Web Content Accessibility Guidelines 2.2 Quick Reference

<https://www.w3.org/WAI/WCAG22/quickref/>

Philippine privacy: National Privacy Commission - Republic Act No. 10173, Data Privacy Act of 2012 <https://privacy.gov.ph/data-privacy-act/>

Privacy terms: National Privacy Commission - Glossary of Data Privacy Terms

<https://privacy.gov.ph/glossary-of-data-privacy-terms/>

Document boundary: This manual defines version 1.0. Features listed as out of scope must not appear in the first-quarter Figma output unless the project scope is formally revised.