

APCS w/ Mr. Ascione



Magpie - Activity 3: Better Keyword Detection

In the previous activity, you discovered that simply searching for collections of letters in a string does not always work as intended. For example, the word “cat” is in the string “Let’s play catch!,” but the string has nothing to do with the animal. In this activity, you will trace a method that searches for a full word in the string. It will check the substring before and after the string to ensure that the keyword is actually found.

You will use some more complex String methods in this activity. The String class has many useful methods, not all of which are included in the AP Computer Science Java Subset. But they can be helpful in certain cases, so you will learn how to use the API to explore all of the methods that are built into Java.

Prepare

Have available:

- the API for the Magpie class
- the API for the String class
- *StringExplorer.java*
- *Magpie.java*
- *MagpieRunner.java*

Exploration: Using the API

One of the major benefits of using Java as a programming language is that so many library classes have already been created for it.

Open the program StringExplorer. It currently has code to illustrate the use of the `indexOf` and `toLowerCase` methods.

Open the API for String. Scroll down to the Method Summary section and find the `indexOf(String str)` method. Follow the link and read the description of the `indexOf` method.

1. What value is returned by `indexOf` if the substring does not occur in the string?
2. Add the following lines to StringExplorer to see for yourself that `indexOf` behaves as specified:

```
int notFoundPsn = sample.indexOf("slow");  
System.out.println("sample.indexOf(\"slow\") = " + notFoundPsn);
```

3. Read the description of `indexOf(String str, int fromIndex)`. Add lines to StringExplorer that illustrate how this version of `indexOf` differs from the one with one parameter.

This lab activity will use a variety of different String methods. Consult the API whenever you see one with which you are unfamiliar.

4. Exploration: Understand the new method

This version of the Magpie class has a method named findKeyword to detect keywords. This method will only find exact matches of the keyword, instead of cases where the keyword is embedded in a longer word. Run it, using the instructions provided by your teacher.

```
private int findKeyword(String statement, String goal, int startPos)
{
    String phrase = statement.trim().toLowerCase();
    goal = goal.toLowerCase();
    int psn = phrase.indexOf(goal, startPos);
    while (psn >= 0)
    {
        String before = " ", after = " ";
        if (psn > 0)
        {
            before = phrase.substring(psn - 1, psn);
        }
        if (psn + goal.length() < phrase.length())
        {
            after = phrase.substring(psn + goal.length(),
                                    psn + goal.length() + 1);
        }
        // determine the values of psn, before, and after at this point in the method.
        if (((before.compareTo("a") < 0) || (before.compareTo("z") > 0))
            && ((after.compareTo("a") < 0) || (after.compareTo("z") > 0)))
        {
            return psn;
        }
        psn = phrase.indexOf(goal, psn + 1);
    }
    return -1;
}
```

```
findKeyword("She's my sister", "sister", 0);
findKeyword("Brother Tom is helpful", "brother", 0);
findKeyword("I can't catch wild cats.", "cat", 0);
findKeyword("I know nothing about snow plows.", "no", 0);
```

Example: `findKeyword("yesterday is today's day before.", "day", 0);`

Iteration	psn	before	after
1	6	"r"	" "
2	15	"o "	" " "
3	21	" "	" "

[illegible]