

WINGMAN

AI lead qualification assistant - redacted test documentation

Outside service area:

Outside service area

Telegram test conversation

Hi.

Please send your full name, email and phone number.

[NAME] · [EMAIL] · [PHONE]

Please send the installation address and postal code.

[ADDRESS OUTSIDE SERVICE AREA] · [POSTCODE]

Sorry, we currently do not provide service in that area.

No operational electricity meter:

No operational meter

Telegram test conversation

Please send your contact details.

[NAME] · [EMAIL] · [PHONE]

Please send the installation address and postal code.

[ADDRESS] · [POSTCODE]

Do you already have an operational electricity meter?

No.

That case is not currently supported.

These two tests reproduce the two early-stop scenarios from the supplied document. Wingman first gathers identity and installation information. A location outside the configured service area is closed immediately. If the location is accepted but there is no operational electricity meter, the lead is also closed. Personal details, addresses, contact information and internal identifiers have been replaced with placeholders.

Full execution:

Qualified lead

Telegram test conversation

Please send your contact details.

[NAME] · [EMAIL] · [PHONE]

Address and postal code?

[ADDRESS] · [POSTCODE]

Operational meter / parking type / CAE interest?

Yes / Company / Yes

Preferred day for a commercial call?

[DATE]

Saved for commercial follow-up.

CRM result

Lead

LEAD-XXX

Status

Pending contact

Date

[DATE]

Successful path

Wingman CRM - Test board					
Lead	Status	Contact	Email	Phone	Next action
LEAD-001	OUTSIDE AREA	[NAME]	[EMAIL]	[PHONE]	Closed
LEAD-002	DISCARDED	[NAME]	[EMAIL]	[PHONE]	Closed
LEAD-003	PENDING CONTACT	[NAME]	[EMAIL]	[PHONE]	[DATE]


The complete test collects contact details, address and postal code, confirms an operational meter, identifies the parking type, records CAE interest and asks for a preferred commercial follow-up day.

The board is a redacted reconstruction of the test CRM result. The three rows correspond to the same three outcomes shown in the conversations.

Things to improve:


- 1. The test version uses Window Buffer Memory. For production, conversation state should move to persistent storage such as PostgreSQL or a dedicated memory layer such as Zep so the state survives restarts and can be managed independently of a single workflow execution.
- 2. During testing, the selected model showed a date-awareness limitation. Because the model is routed through OpenRouter, it can be replaced without redesigning the workflows. Production selection should balance reasoning quality, date handling and cost instead of defaulting to an unnecessarily expensive model.

3. The Monday.com board used during development belongs to a testing workspace. Production requires replacing the board reference and the column identifiers with the target board values. The actual IDs are intentionally omitted from this document. The mapping can be updated with CLI assistance and the current board/column IDs can be retrieved from Monday.com.



The agent workflow mirrors the n8n design used in the project: a normalized message enters the AI Agent, which receives the OpenRouter chat model, a bounded conversation memory and three tools. The response is formatted as a single customer-facing message. CRM actions remain in dedicated sub-workflows rather than being performed directly by the language model.

How Wingman works



Qualification logic

The system is intentionally constrained. It is not a free-form chatbot: the system prompt guides the customer through five business stages, while still allowing the model to extract several fields from a single message when the customer volunteers them early.

- 1. Identification:** Collect name, email and phone. When enough identity information exists, create or update the lead.
- 2. Location:** Collect exact address and postal code. Locations outside the configured service area are disqualified.
- 3. Meter and parking type:** Confirm an operational electricity meter and classify the parking context.
- 4. CAE interest:** Record whether the customer is interested in the CAE incentive process.
- 5. Commercial follow-up:** Collect a preferred day and mark the lead as ready for commercial contact.

Immediate persistence

The key reliability rule is immediate persistence. Whenever the customer supplies a new relevant field, Wingman calls the partial-save tool in the same turn before continuing the conversation. Several new fields can be stored in a single tool call. This prevents useful information from being lost if the user stops responding before qualification is complete.

Lead identity and CRM safety

The CRM tools do not blindly trust an internal lead code repeated by the LLM. Phone number is treated as the strongest practical identifier, with email as a secondary match, while the internal lead code is only a fallback. This reduces the risk of updating the wrong record if the model misremembers or fabricates an internal ID.

The save workflows themselves decide whether to create or update an item, map business values to the CRM labels and apply the final state. Postal-code information can also be geocoded before being written to a location field.

AI optimization and reliability

The project was also a practical introduction to AI workflow optimization. The objective was to keep the LLM responsible for language understanding and bounded decisions, while moving deterministic work into tools that can be tested independently.

- OpenRouter keeps the underlying model replaceable without rewriting the surrounding workflows.
- The agent uses a low-temperature configuration to favor consistent operational behavior.
- Conversation memory is bounded rather than sending an unlimited history on every turn.
- CRM lookup is intended for the beginning of the interaction rather than being repeated unnecessarily.
- New information is saved immediately, reducing dependence on the model remembering earlier turns perfectly.
- The customer receives one concise response per turn; internal tool calls and CRM details remain hidden.

Final states

Qualified leads are written as pending commercial contact together with the requested follow-up date. A lead outside the supported area receives the location-specific closed state. A lead without the required operational meter, or a customer who explicitly abandons the process, is written as discarded. These mappings are enforced by the completion workflow rather than left to free-form model text.

Error monitoring

A dedicated error workflow listens for failures in the orchestrator, agent and CRM tools. It formats the workflow name, failed node, error message and execution reference and sends those diagnostics to a technical Telegram chat. The customer never receives internal error details.

Privacy note: personal data, credentials, board IDs, column IDs, workflow IDs and environment-specific values are removed or replaced with neutral placeholders. No deployment secrets are included.