TLH Meta Tracking — Developer Instructions

Nov 12, 2026 · @Sagar Sharma

Summary

Apply one patch, set up the Google Sheet and three Vercel variables, test on a preview deploy, then go live. Estimated effort: about half a day. Full technical notes are in `TRACKING.md`, which the patch adds to the repo root.

What the patch does:

- "Book a Pickup" / "Book Now" buttons open the booking form; WhatsApp buttons stay WhatsApp.
- The booking form now saves to the **Bookings** tab of the Google Sheet and emails the team. Today it saves nothing.
- Meta events fire only on real actions, from both the browser (Pixel) and the server (Conversions API), deduplicated by a shared event ID.
- `Lead` fires only for bookings from cities/pincodes TLH serves. Other bookings fire `LeadOutsideServiceArea`.
- Fixes the broken store phone links and escapes user input in notification emails.

Do not do these:

- **Do not paste the Meta Pixel base code into the `<head>` or anywhere else.** It is already loaded in `src/pages/_app.js`. A second copy double-counts every PageView.
- **Do not add any `fbq('track', …)` calls by hand.** All events go through `trackMeta()` in `src/libs/meta/client.js`.
- **Do not put the Meta access token in code, commits, this doc or chat.** It goes only into Vercel as an environment variable (Step 3).
- **Do not use the Payload Helper sample** (Purchase, USD, `attribution_data`). TLH has no online purchases; the code builds the correct payload itself.

Step 1: Apply the patch

File: `0001-Meta-ads-tracking-Pixel-Conversions-API-working-book.patch` (sent separately). It was built on `main` at commit `01f0565` (10 Sep 2026).

Check first: the live site does not match `main`. Live code uses different function names (`reportConversion`) and Google Ads labels. Apply the patch on top of whatever branch is actually deployed to Vercel production.

1. Put the patch file in the repo root, next to `package.json`.
2. Run from the repo root (replace `main` with the deployed branch if different):

```
git checkout main
git pull
git checkout -b feature/meta-tracking
git am 0001-Meta-ads-tracking-Pixel-Conversions-API-working-book.patch
rm 0001-Meta-ads-tracking-Pixel-Conversions-API-working-book.patch
npm run build
git push -u origin feature/meta-tracking
```

3. If `git am` reports conflicts: run `git am --abort`, then `git apply --3way 0001-….patch`, resolve, commit.
4. Add the pincodes TLH sends you to `SERVICE_AREAS` in `src/libs/meta/config.js` (`pincodes: ["390020", "3900"]` — a prefix like `3900` covers 390001–390099). An empty list accepts the whole city.
5. Open a pull request from `feature/meta-tracking`.

Step 2: Google Sheet setup

The sheet is ready with the correct headers: TLH Website Leads. Tabs: Bookings, Contact Form, Franchise Form, Campaign Quality, Setup.

1. **Share it as Editor with the Google service account** — the email in Vercel's `NEXT_PUBLIC_GOOGLE_CLIENT_EMAIL`. Without this, every booking fails to save.
2. **Set General access to Restricted.** It is currently "Anyone with the link can edit", and it will hold customer names and mobile numbers.
3. Choose one:

- **Use this sheet for everything (recommended):** set `NEXT_PUBLIC_GOOGLE_SHEET_ID` = `1qUMSEEAQFJDVAFeZaEKy1goJPDuijMilBX747E-rOf0`. Old contact/franchise rows stay in the old sheet.
- **Keep the current sheet:** copy the Bookings tab into it (right-click tab → Copy to → existing spreadsheet), rename it exactly `Bookings`, and add columns G–I (`utm_source`, `utm_campaign`, `fbclid`) to its Contact Form tab.

4. Don't rename tabs or reorder the columns the site writes: Bookings A–U, Contact Form A–I, Franchise Form A–I. The site writes by position.

Step 3: Vercel environment variables

Add these in Vercel → Project → Settings → Environment Variables. None of them takes the `NEXT_PUBLIC_` prefix, so they never reach the browser.

Variable	Value	Environments
`META_CAPI_ACCESS_TOKEN`	Conversions API token for TLH Pixel — TLH sends it to you privately	Production + Preview
`META_TEST_EVENT_CODE`	`TEST23536`	**Preview only** — never Production
`META_GRAPH_API_VERSION`	Leave unset (code defaults to `v27.0`)	—
`NEXT_PUBLIC_GOOGLE_SHEET_ID`	Only if you chose "use this sheet" in Step 2	Production + Preview

The token must belong to **TLH Pixel, ID 756441694101905**. Do not use the "WhatsApp Marketing Message Event Sharing" dataset (2192685608186326) — it belongs to a different business account.

After go-live, ask TLH to move the existing Google key and Gmail password off `NEXT_PUBLIC_` names. They are server-only today, but that prefix exposes them if any page ever reads them. The repo is public.

Step 4: GTM, GA4 and AiSensy checks

The Pixel must have **one** source for each event — this code. Anything else sending Meta events will double-count.

- **Google Tag Manager (`GTM-WBQ4GD3X`):** the container shows a "Set Up with Meta" server connection. Check for any Meta Pixel, Meta Conversions API or Facebook tag, and pause it before go-live. The Pixel is already receiving `gtm.js` / `gtm.load` events from this container.
- **GA4 (`G-2X0VT4TX48`):** stream TLH India is set to https://www.thelaundryhouseindia.com and collecting data. No change needed; this patch doesn't touch GA4.
- **AiSensy WhatsApp widget:** TLH turns off any Meta Pixel / conversion tracking in the AiSensy dashboard on go-live day. It is the likely source of today's server events.
- **Domains:** redirect `thelaundryhouseindia.com` → `www.thelaundryhouseindia.com` in Vercel. Events currently arrive on both.

Step 5: Test on the preview deploy

Open Events Manager → TLH Pixel → **Test events**, then use the preview URL. Every action must show exactly the result below, marked Browser + Server where listed.

Action	Expected in Test events	Expected in the Sheet
Load any page	`PageView` only	—
Book a pickup: Vadodara + valid pincode	One `Lead` (Browser + Server, deduplicated)	Row in Bookings, Serviceable = Yes
Book a pickup: "Other city"	`LeadOutsideServiceArea` , no `Lead`	Row, Serviceable = No (red)
Same mobile + service again	Still one `Lead`	Second row
Tap WhatsApp 3 times quickly	One `Contact`	—
Store page: tap a phone number	`Contact` ; phone dialler opens	—
Store page: tap Location	`FindLocation`	—

Action	Expected in Test events	Expected in the Sheet
Open /services	`ViewContent`	—
Contact form	`Contact`	Row in Contact Form
Franchise form	`SubmitApplication`	Row in Franchise Form
Ad blocker on, book a pickup	`Lead` (Server only)	Row in Bookings

Also check that the team notification email arrives for each booking. Delete the test rows from the Sheet afterwards.

Step 6: Go live

Do all of these on the same day, so old and new tracking never run together.

1. **Developer:** merge to production and remove `META_TEST_EVENT_CODE` from every environment.
2. **Developer:** pause any Meta tags in GTM (Step 4).
3. **TLH (with Claude):** delete the manual Event Setup Tool rule that fires `Lead` on any "book pickup" button click. Left on, it counts every form open as a Lead.
4. **TLH:** Events Manager → TLH Pixel → Settings → turn off "Track events automatically without code".
5. **TLH:** turn off Meta tracking in the AiSensy dashboard.
6. **Developer:** book one real test pickup on production and confirm one `Lead` appears in Events Manager → Overview within 30 minutes, then mark that row Junk in the Sheet.

Expect the Lead count to drop sharply: it now counts saved bookings, not button clicks.

Reference

Item	Value
Meta Pixel (dataset)	TLH Pixel — `756441694101905`
Meta business	The Laundry House — `2020255745442489`
Meta ad account	TLH Ads — `24800243076301051`

Item	Value
Test event code	`TEST23536` (preview only)
Google Tag Manager	Account TLH — `GTM-WBQ4GD3X`
Google Analytics 4	The Laundry House (`391535157`), stream TLH India — `G-2X0VT4TX48`
Google Ads conversion (WhatsApp tap)	`AW-17387356943/rKh4COf0ifMbEI-G-OJA` (unchanged)
Google Ads conversion (booking)	Not created yet — paste into `GOOGLE_ADS_BOOKING_SEND_TO` in `reportConversion.js` when TLH creates it
Leads sheet	TLH Website Leads
Repo	`Zerror-Studios/TLH`
Technical notes	`TRACKING.md` in the repo root, after the patch