

MATERIAL SAFETY DATA SHEET

Released Edition : 01/01/2022

Page : 1 of 4

PRODUCT: KPL Green 9000 U

Doc No : KPL-001/MSDS

1	Identification of the substance / preparation and of the company undertaking.
	- Product details Trade Name: KPL Green 9000U Application of the substance / the preparation. In the manufacture of offset Ink Manufacturer / Supplier Kesar Petroproducts Ltd Plot No. D-7/1, Lote Parshuram MIDC, Tal- Khed, Dist Ratnagiri- Maharashtra. 415722 Further information obtainable from: Technical Department: - Kesar Petroproducts Ltd Plot No. D-7/1, Lote Parshuram MIDC, Tal- Khed, Dist Ratnagiri- Maharashtra. 415722
2	Hazards Identification
	Information concerning particular hazards for human and environment Not classified.
3	Composition / Information on ingredients
	Description: Pigment Green - 7 CAS No. : 1328-53-06 Chemical Formula : C₃₂ N₈ Cu Cl₁₆
4	First-aid measures
	After Inhalation: Supply fresh air. After Skin contact: Immediately wash with water and soap and rinse thoroughly After eye contact: Rinse opened eye for several minutes under running water.

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91- 22-49685657. • E-mail: info@kesarpetroproducts.com

MATERIAL SAFETY DATA SHEET

Released Edition : : 01/01/2022

Page : 2 of 4

PRODUCT: KPL Green 9000 U

Doc No : KPL-001/MSDS

5	Fire fighting measures
	• Extinguishing Media : Water / CO2 / Form • Special Fire Fighting Procedure
	Use self contained breathing apparatus and full protective equipments.
6	Accidental release measures
	• Person-related safety precautions:
	Not required.
	• Measures for environmental protection:
	Do not allow to enter sewers/surface or ground water.
	• Measures for cleaning / collecting:
	Use vacuum or wet clean up method and recover the product in a closed container.
7	Handling and storage
	• Handling:
	• Information for safe handling:
	Prevent formation of dust.
	• Information about fire – and explosion protection:
	Dust can combine with air to form an explosive mixture. Use approved dust respirator.
	• Storage:
	• Requirements to be met by storerooms and receptacles:
	Store in roofed placed at room temperature.
	Store only in unopened original receptacles.
8	Exposure controls / personal protection
	• Additional information about design of technical facilities:
	No further data; see item 7.
	• Ingredients with limit values that require monitoring at the workplace:
	TLV : 10 mg/m ³
	• Personal protective equipment:
	• General protective and hygienic measures:
	The usual precautionary measures are to be adhered to when handling chemicals.
	• Respiratory protection:
	Use suitable respiratory protective device in case of insufficient ventilation.
	• Protection of hands: Use hand gloves.
	• Eye protection: Use septic goggles

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91- 22-49685657. • E-mail: info@kesarpetroproducts.com

MATERIAL SAFETY DATA SHEET

Released Edition : 01/01/2022

Page : 3 of 4

PRODUCT: KPL Green 9000 U

Doc No : KPL-001/MSDS

9	Physical and chemical properties.
	- Form : Powder - Colour: Green - Odour: Odourless
	Change in condition
	Melting point / melting range : Undetermined
	Boiling point / boiling range: Undetermined
	Flash point: Not applicable
	Self igniting : Product is not self igniting.
	Danger of explosion: Risk of formation of explosive pigment dust / air mixtures.
	Specific Gravity : 1.6
	Solubility in / miscibility with Water : Insoluble
	pH – value : 6 - 8
10	Stability and reactivity.
	Thermal decomposition / conditions to be avoided:
	No decomposition if used according to specifications.
11	Toxicological information.
	Acute toxicity: LD50(rat) >= 5,000 mg/kg
	Primary irritant effect:
	On the skin: No irritant effect known
	On the eye: No irritant effect known
	Sensitization: No sensitization effect known
	Mutagenicity: Negative
	Additional toxicological information: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
12	Ecology information.
	General notes:
	Do not allow product to reach ground water, water course of sewage system.

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91- 22-49685657. • E-mail: info@kesarpetroproducts.com



MATERIAL SAFETY DATA SHEET

Released Edition : 01/01/2022

Page : 4 of 4

PRODUCT: KPL Grren 9000 U

Doc No : KPL-001/MSDS

13	Disposal considerations.
	• Product: Copper Phthalocyanine Green Pigment
	• Recommendation Hand over to hazardous waste disposers.
	• Uncleaned packaging:
	• Recommendation: Use septic goggles
14	Transportation information.
	• Transport / Additional information:
	UN No.: None, GGV IMDG CODE: None, RID / ADR: None, ICAO / IATA-DGR none
15	Regulatory information.
	• Designation according to EC guidelines: Not classified as “dangerous”.
	• Code letter and hazard designation of product: Not classified as “dangerous”.
	• TSCA: ALL COMPONENTS OF THIS PRODUCT ARE REGISTERED UNDER THE REGULATIONS OF THE TOXIC SUBSTANCES CONTROL ACT.
	• D.O.T. HAZARD CLASSIFICATION (49) CFR (172) : NON HAZARDOUS.
	• D.O.T. LABELS REQUIRED : NONE
	• In compliance with ECHA guidelines; product is EU-REACH registered.
16	Other information.
	This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
	• Department issuing MSDS:
	Quality Control department.
	DOCUMENT REVISION NO: 001/2023

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91- 22-49685657. • E-mail: info@kesarpetroproducts.com