



MATERIAL SAFETY DATA SHEET

Released Edition : 01/01/2022

Page : 1 of 4

PRODUCT: KPL Green 9000 D

Doc No : KPL-001/MSDS

1	Identification of the substance / preparation and of the company undertaking.
	Product details
	Trade Name: KPL Green 9000
	Application of the substance / the preparation.
	In the manufacture of solvent based Liquid Ink
	Manufacturer / Supplier
	Kesar Petroproducts Ltd
	Plot No. D-7/1 Lote Parshuram MIDC
	Tal- Khed, Dist Ratnagiri- Maharashtra 415722
	Further information obtainable from:
	Product safety department - Kesar Petroproducts Ltd Plot No.D-7/1 Lote MIDC Tal: Khed Dist Ratnagiri Maharashtra 415722
2	Hazards Identification
	Information concerning particular hazards for human and environment
	Not classified.
3	Composition / Information on ingredients
	Description:
	Pigment Green - 7
	CAS No. : 1328-53-06
	Chemical Formula : C₃₂ N₈ Cu Cl₁₆
4	First-aid measures
	After Inhalation:
	Supply fresh air.
	After Skin contact:
	Immediately wash with water and soap and rinse thoroughly
	After eye contact:
	Rinse opened eye for several minutes under running water.

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91-22-49685657 • E-mail: info@kesarpetroproducts.com

MATERIAL SAFETY DATA SHEET

Released Edition : : 01/01/2023

Page : 2 of 4

PRODUCT: KPL Green 9000 D

Doc No : KPL-001/MSDS

5	Fire fighting measures
	• Extinguishing Media : Water / CO2 / Form • Special Fire Fighting Procedure
	Use self contained breathing apparatus and full protective equipments.
6	Accidental release measures
	• Person-related safety precautions:
	Not required.
	• Measures for environmental protection:
	Do not allow to enter sewers/surface or ground water.
	• Measures for cleaning / collecting:
	Use vacuum or wet clean up method and recover the product in a closed container.
7	Handling and storage
	• Handling:
	• Information for safe handling:
	Prevent formation of dust.
	• Information about fire – and explosion protection:
	Dust can combine with air to form an explosive mixture. Use approved dust respirator.
	• Storage:
	• Requirements to be met by storerooms and receptacles:
	Store in roofed placed at room temperature.
	Store only in unopened original receptacles.
8	Exposure controls / personal protection
	• Additional information about design of technical facilities:
	No further data; see item 7.
	• Ingredients with limit values that require monitoring at the workplace:
	TLV : 10 mg/m ³
	• Personal protective equipment:
	• General protective and hygienic measures:
	The usual precautionary measures are to be adhered to when handling chemicals.
	• Respiratory protection:
	Use suitable respiratory protective device in case of insufficient ventilation.
	• Protection of hands:
	Use hand gloves.
	• Eye protection:
	Use septic goggles

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91-22-49685657 • E-mail: info@kesarpetroproducts.com

MATERIAL SAFETY DATA SHEET

Released Edition : 01/01/2023

Page : 3 of 4

PRODUCT: KPL Green 9000 D
Doc No : KPL-001/MSDS

9	Physical and chemical properties.
	- Form : Powder - Colour: Green - Odour: Odourless
	Change in condition
	Melting point / melting range : Undetermined
	Boiling point / boiling range: Undetermined
	Flash point: Not applicable
	Self igniting : Product is not self igniting.
	Danger of explosion: Risk of formation of explosive pigment dust / air mixtures.
	Specific Gravity : 1.6
	Solubility in / miscibility with Water : Insoluble
	pH – value : 6 - 8
10	Stability and reactivity.
	Thermal decomposition / conditions to be avoided:
	No decomposition if used according to specifications.
11	Toxicological information.
	Acute toxicity: LD50(rat) >= 5,000 mg/kg
	Primary irritant effect:
	On the skin: No irritant effect known
	On the eye: No irritant effect known
	Sensitization: No sensitization effect known
	Mutagenicity: Negative
	Additional toxicological information: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
12	Ecology information.
	General notes:
	Do not allow product to reach ground water, water course of sewage system.

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91-22-49685657 • E-mail: info@kesarpetroproducts.com

MATERIAL SAFETY DATA SHEET
Released Edition : 01/01/2023
Page : 4 of 4
PRODUCT: KPL Green 9000 D
Doc No : KPL-001/MSDS

	13	Disposal considerations.
		• Product: Copper Phthalocyanine Green Pigment
		• Recommendation
		Hand over to hazardous waste disposers.
		• Uncleaned packaging:
		• Recommendation: Use septic goggles
	14	Transportation information.
		• Transport / Additional information:
		UN No.: None, GGV IMDG CODE: None, RID / ADR: None, ICAO / IATA-DGR none
	15	Regulatory information.
		• Designation according to EC guidelines: Not classified as “dangerous”.
		• Code letter and hazard designation of product: Not classified as “dangerous”.
	16	Other information.
		This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
		• Department issuing MSDS:
		Quality Control department.

Kesar Petroproducts Ltd.

404, Naman Centre, C 31, G Block, BKC. Bandra (East) Mumbai - 400051 Maharashtra, India.

Tele: +91-22-49685657 • E-mail: info@kesarpetroproducts.com