simplebnf Regression Tests

Test 1: Backslash command in or-sym (\;)

Expr e ::= x | $\lambda x.e$

Test 2: or-sym with \quad

Type τ ::= `int` | `bool` | `string`

Test 3: or-sym with \mid

Expr e ::= $x \mid n \mid e + e$

Test 4: or-sym with \vert

Value v ::= $n \mid \lambda x.e$

Test 5: or-sym with plain math pipe (default)

Stmt s ::= $x \mid n \mid e + e$

Test 6: or-sym with \hspace

Pat p ::= x | _ | (p, p)

Test 7: or-sym with \ensuremath

Decl d ::= `val` | `fun` | `type`

Test 8: Empty or-sym

Expr e ::= x n $e + e$

Test 9: Default or-sym with single-line delimiters

Type τ ::= `num` | `str`
Expr e ::= $x \mid n \mid e + e$

Test 10: Custom single-line-delim with backslash or-sym

Expr e ::= x | n | $e + e$ expressions

Test 11: or-sym with \, (thin space)

Kind k ::= $\star$ | $k \to k$

Test 12: Multiple productions with backslash or-sym

Type τ ::= `num`
| `str`
Expr e ::= x | $\lambda x.e$ | $e\ e$

Test 13: Line-break delimiter inside alternative

Expr e ::= verylongtoken verylongtoken verylongtoken verylongtoken
continued tokens still part of the same alternative long form

Test 14: Full-line comments with \bnfcomment

Types

Type	τ	::=	`num` | `str`

Expressions

Expr	e	::=	$x \mid n \mid e + e$

Test 15: Multiple relations (::=, -¿, :in:)

Type	τ	::=	`num`
		|	`str`
Expr	e	::=	x
		|	$\lambda x.e$
Context	Γ	$\in$	$(x \quad \tau)$ list

Test 16: Commented LHS

Variable	x	::=	$a \mid b \mid c$
Number	n	::=	$0 \mid 1 \mid \ldots$

Test 17: or-sym with \! (negative thin space)

e		::=	$x \,\vert\, n \,\vert\, e + e$

Test 18: or-sym = purely backslash commands

Term	t	::=	$x \mid \lambda x.t \mid t\ t$

Test 19: Tilde workaround (backwards compat)

Expr	e	::=	$x \mid \lambda x.e$

Test 20: Single alternative (no //) — no split needed

Expr	e	::=	$\lambda x.e$	lambda abstraction

Test 21: Many single-line alternatives

Expr	e	::=	$a \mid b \mid c \mid d \mid e \mid f$	lots of forms

Test 22: Mixed new-line and single-line delimiters

Expr	e	::=	x	variable
		|	$n \mid m$	numerals
		|	$e + e \mid e - e$	arithmetic
		|	$\lambda x.e$	abstraction

Test 23: LHS only productions

Variable	f, x			
Location	l			
Expr	e	::=	x	variable
		|	$n \mid m$	numerals
		|	$e + e \mid e - e$	arithmetic
		|	$\lambda x.e$	abstraction

All 23 tests compiled successfully.