FIELD GUIDE / VERSION 01

Build less.
Make it yours.

Seven practical AI ideas transformed into an editable, local-first starter project.

LESS is a control-room prototype with adjustable UI, local notes, a simple transcript checker, prompts, and safe planning modules. It is NOT the original software from the presenter.

SOURCE VIDEO

Riley Brown — How Smart People Are Using AI Right Now (7 Insane Use Cases)
Published October 22, 2026 • https://youtu.be/4PO0x-myitw

The video examples are demonstrations and opinions. Hardware results, editing quality, speed claims, and prices have not all been independently reproduced.

01 / Start with the working code

Open the app/index.html file. No package manager is needed. The prototype works in a modern desktop browser; on iPhone or iPad, use a local static web server or host the folder over HTTPS for a reliable test.

The interface has eight screens: an overview plus seven modules. Click Tune UI to change the accent color, spacing density, and card corners. The app saves settings and notes to your local browser storage.

Test these actions:

MODULE	FIRST VERIFICATION
TV launcher	Add your chosen streaming website as a tile.
Device lab	Enter exact device model and check backup steps.
3D studio	Generate a four-shot brief and save one concept.
Information filter	Paste a non-sensitive item and give it a triage decision.
Agent desk	Change action type and copy the resulting prompt.
Video cleaner	Paste repeated transcript lines, then export JSON review.
My workspace	Add a task and note; export Obsidian Markdown.

Your work is stored in localStorage. Export a JSON backup before clearing browser data; this is not encrypted, synchronized cloud storage, or an enterprise data system.

02 / The seven lessons

The project converts the video into concrete tasks and separates the immediately usable from the still-experimental.

01 A quiet TV launcher

Start with your preferred apps and only three large navigation tiles.

Practice: Add one tile. Test it opens the intended URL.

02 Reversible device customization

Record exact model, firmware and your goal before using any AI-generated instructions.

Practice: Write a backup and recovery plan; do NOT delete packages.

03 AI-assisted Blender motion

Use the Motion Studio to create an original four-shot storyboard and hand it to a tool or Blender.

Practice: Inspect the included procedural Blender script; a Blender render must run on your machine.

04 Let AI filter information

Control what you read using a triage queue; connect accounts only after testing review rules.

Practice: Add a harmless sample and select keep, later or ignore.

02 / The seven lessons (continued)

05 Turn app chores into agent tasks

Build one reliable text instruction rather than a complex new app.

Practice: Choose a template, paste context, review and copy.

06 Cut filler, protect the message

Use exact transcript excerpts to spot repeated or rambling passages.

Practice: Paste at least three segments, export the proposed cut list, then manually confirm.

07 Build only your software needs

Own notes, task list, and specific workflows in one local-first control room.

Practice: Add a note and export to Obsidian-friendly Markdown.

IMPORTANT DISTINCTIONS

Verified locally: JavaScript syntax, Python syntax, DOM interactions, notes/tasks state, transcript flags, storyboard prompt and UI theme change in an isolated Chromium test. Not verified on hardware: LG TV launcher deployment, Kindle jailbreak, M5Stack firmware, Blender rendering, email integration, and production hosting.

03 / Your build workflow

Follow this order to prevent scope creep.

1. Baseline lock - record what already works before editing.

2. Remove - name the clutter or recurring action you are trying to eliminate.

3. Prototype - change only the relevant UI screen or module.

4. Verify - test with a small example and export data.

5. Device gate - verify exact model, SDK, recovery and physical hardware before installation.

6. Document - update README, prompts, Obsidian note and test log.

FILES IN THE PROJECT ZIP

app/index.html + style.css + app.js — Editable HTML/CSS/JS app; no build dependency.

prompts/MASTER_BUILD_PROMPT.md — Instructions for Claude/Codex to preserve the baseline.

prompts/SEVEN_USE_CASE_PROMPTS.md — One safe, reusable prompt per idea.

obsidian/LESS - AI Control Room.md — Canonical Obsidian-ready research and progress note.

blender/intro_scene.py — Original procedural scene for Blender 4.x; not hardware-tested.

LESS_Lesson_Guide.pdf — This compact lesson and verification checklist.

04 / Copy-ready instruction

Use this as the first message when asking a coding agent to change LESS.

> "Read the LESS files and lock the current working baseline. Tell me which files you will edit. Implement only the requested UI or feature change. Verify the feature in a browser, keep exports functioning, avoid external account changes, and document the exact acceptance checks. If the action involves firmware, TV OS changes, or email deletion, stop at a safe proposal until model compatibility and approval are confirmed."

EXAMPLE FIRST ITERATION

Goal: Make the overview cards larger for iPad landscape, without changing other modules.

Acceptance: Eight navigation options remain visible, module cards do not overlap, and all controls still work.

WHAT TO DO NEXT

1. Open the app and inspect every page. 2. Mark up the overview screenshot to identify visual changes. 3. Save the first UI decisions to the Obsidian note. 4. Keep the device integrations on hold until hardware is identified.

REFERENCES

Video: https://youtu.be/4PO0x-myitw

Supporting third-party transcript summary: https://github.com/dimthink/awesome-ai-podcast-notes (Riley Brown, 2026-10-22 entry). This source helped identify the seven concepts; its analysis includes opinions.