

ConveyClear Portal — Full Feature Dry Run

PRODUCTION ALL ROLES ALL CORE FEATURES ONE PASS

The last dry run before go-live. Walk every core function end to end on the live portal — auth & MFA, COO buyer/seller, PRC/RCF, single-client onboarding to Supabase Storage, the enquiries hub, in-portal notifications, council POCs, the staff matters board, the partner portal, user management, and RLS scoping. Tick the Success checklist as you go, then clear the pre-live security gate.

Live portal: <https://convey-clear-app.vercel.app> | DB: Supabase [yhgriqagrhylhmloctc](#) (eu-west-1) | Branch: master

1 · Seed load dry-run data	2 · Logins 2 test auth users	3 · MFA confirm + lockout SQL	4 · Walk scenarios A–L	5 · Sign-off checklist + gate
-------------------------------	---------------------------------	----------------------------------	---------------------------	----------------------------------

Part 0 — Pre-flight (on production)

0.1 Load the dry-run seed data DATABASE

Supabase → SQL Editor (or VPS pooler). Run `cc-notes` and `stuff/sql/seed_dryrun_data.sql`. It is idempotent (fixed `dd000000-...` UUIDs) — safe to re-run; a teardown block sits at the bottom. Loads a partner firm, a COO matter (buyer+seller), a BC matter, a PRC/RCF matter, an enquiry thread, and a council POC.

0.2 Create the two test logins AUTH

Logins can't be seeded from SQL (auth is Supabase-owned). Supabase → Authentication → Users → **Add user**, with these **exact** emails + a password + **Auto confirm**. The `handle_new_user()` trigger links them to the seeded profile rows and preserves the role on first sign-in.

Client login	<code>dryrun.client@example.com</code> → lands on <code>/dashboard</code> , sees the BC matter (Thabo Molefe)
Partner login	<code>dryrun.partner@sterlinghayes.co.za</code> → lands on <code>/partner</code> , sees the COO matter

Want to test reset/invite emails?

`example.com` is a black hole. Swap both emails (in the seed file AND the Auth user) to inboxes you control. Branded auth email itself is still gated on Resend SMTP/DNS (see the gate) — until then Supabase sends from its default sender with a throttle.

0.3 Confirm the staff logins exist ACCESS

Role	Email	Home	Scope
super_admin	<code>zuaan@quantratech.co.za</code>	<code>/admin</code>	everything; only role that can mint admin/super_admin
admin	<code>jukka@conveyclear.co.za</code>	<code>/admin</code>	staff + clients + partners (Google sign-in)
staff_services	<code>services@conveyclear.co.za</code>	<code>/admin</code>	pipeline Phases 1–3
staff_ops	<code>ops@conveyclear.co.za</code>	<code>/admin</code>	pipeline Phase 4 / ops

0.4 Confirm MFA before staff sign in SECURITY

MFA (TOTP) is **mandatory for staff/admin**. The first staff sign-in is **forced to enrol** at `/auth/mfa`. Sanity-check this works *before* the run, or staff lock out.

Lockout recovery (keep handy)

If a staff account can't get past the challenge: `DELETE FROM auth.mfa_factors WHERE user_id='<uid>';` — then they re-enrol on next login. **Do NOT disable TOTP at the project level** or every staff account locks out at once.

0.5 Sample upload files

Reuse any small file for uploads — e.g. from `~/Downloads/Change of Ownership_Examples`. Limits: **PDF / JPG / PNG / WebP, ≤ 50 MB**. Files go to the private Supabase Storage bucket `matter-documents` (signed URLs, not Drive).

Part 1 — Seed data reference

All fictional. Scenarios both **view** this seeded data and **create** fresh artifacts through the live flows.

Artifact	Details	Used by
Sterling & Hayes Attorneys	partner firm · <code>reception@sterlinghayes.co.za</code>	D, H
COO matter	<code>COT_COO_VELA_HOLDINGS_ERF_1234_WATERKLOOF</code> · partner-managed (no client) · COT · Phase 2 / docs_pending	A, F, G
→ Seller	Pieter van der Merwe · natural person · ID 7208155034082	A
→ Buyer	Vela Holdings (Pty) Ltd · reg 2021/445566/07 · contact Lerato Nkosi	A
BC matter	<code>COT_BC_THABO_MOLEFE_SHOP_5_BROOKLYN_MALL</code> · client-owned · status new · Trading Licence	C, G
PRC/RCF matter	<code>COJ_RCF_KHUMALO_FAMILY_TRUST_ERF_88_MENLO_PARK</code> · trust · subtype RCF · rates acct 4001234567	B, G
Enquiry	"Timeline for Erf 1234 Waterkloof clearance" · linked to the COO matter	D
Council POC	Nomsa Dlamini · COT · Rates & Taxes · linked to the COO matter	F

Part 2 — Scenario walkthroughs

A · Change of Ownership — end to end

partner → staff

The headline: two parties, one matter, per-party docs on Supabase Storage.

- As **partner** → **Refer a matter**. Service = Change of Ownership → form splits into **Seller (shown first) + Buyer** sections. Fill both (buyer is a business → contact-person fields). Add a **partner file ref**. Submit → matter created with status **new**.
- Click **Upload supporting documents now** → COO onboard form shows **shared docs once** (transfer letter, deed search, clearance figures) + **per-party** sections (ID per party; COR 14.3 for business; COC electrical for seller+COT). Upload to each or mark **Not available + reason**. Accept POPIA consent → Submit.
- As **staff** → `/admin/matters` → open the COO matter. Verify Parties card (seller before buyer, contact fields, **no banking fields**), per-party docs with working **View / Download** (signed URLs), auto-renamed files `<Owner>_<Doc>`, the COO **stage selector + phase** bar, and **status control** (new → open).
- On a party card use **Create account from party** → make a CRM contact OR a portal login (temp pw banner). Use **Rename** on a document.

Pass: COO matter has both parties (banking absent) · per-party signed View/Download work · uploads in Storage not Drive · stage/phase/status controls operate · create-account + rename work.

B · Property Rates Clearance (RCF)

partner / staff

- As **partner** → Refer a matter → Service = **Property Rates Clearance**. The RCF / RCC / RCA selector appears — pick **RCF** (RCA/RCC show a notice + block submit). Seller-details section shows above the entity section. Enter rates account no. (+ query ref for COJ). Submit.
- Open the onboard link → **municipality-specific** RCF doc set renders (COT = memo screenshot; COJ/COE = CQI screenshot; council statement required; meter readings optional). Upload + consent + submit.
- As **staff** → open the matter → **Service details** card shows subtype RCF + the `service_data` (rates acct, query ref). Confirm the seeded Khumalo RCF matter also renders.

Pass: RCF subtype + muni fields captured · RCA/RCC blocked with notice · muni-specific docs render · service-details card populated.

C · Single-client onboarding + Storage

staff → client

1. As **staff** → `/admin/matters/new` → create a client + BC matter (matter title auto-builds `MUNI_SVC_CLIENT_PROPERTY`). Copy the onboarding link, or use **Collect documents** on the matter detail (mints/reuses a 7-day link anytime).
2. Open the onboard link (prefilled from the client row) → fill details + upload FICA docs → Submit.
3. Matter detail → docs show **View / Download** via signed Storage URLs. Test the staff **Upload document** button and **Rename**.

Pass: link mints + prefills · uploads land in Supabase Storage · link marked used · staff upload + rename work.

D · Enquiries / comms hub + Call

partner ↔ staff

1. As **partner** → **New enquiry** (link the COO matter) → Send. (The seeded enquiry is already in the inbox.)
2. As **staff** → `/admin/enquiries` (open-first) → open → **Claim** (assign to me) → reply.
3. Back as **partner** → open the thread → confirm the reply. As staff, mark **Resolved**.
4. On the enquiry detail, when assigned to a staffer with a phone (set on `/account`), the **Call** `tel:` button shows. Confirm related-enquiries appear on the matter detail.

Pass: enquiry hits staff inbox · claim assigns · reply round-trips both ways · resolve works · Call button + related-enquiries render.

E · In-portal notifications

all roles

1. Open two windows (e.g. staff + partner). Trigger producers: new enquiry → staff; enquiry reply → counterpart; new referral → staff; docs uploaded → staff; matter status/phase change → matter parties.
2. Watch the **bell** (top-right, all layouts): live red-dot count via Supabase Realtime + a **ding** (first click unlocks audio; toggle on `/account`). Open the bell → mark-all-read → links jump to the right matter/enquiry.

Pass: bell updates live without refresh · ding respects the sound toggle · notification links route correctly per role.

F · Council POC directory (internal)

staff only

1. As **staff** → **Council POCs** nav → `/admin/council-pocs`: searchable directory (Nomsa Dlamini seeded) → add a POC inline → open the contact card (edit / delete / linked matters).
2. On the COO matter detail → **POC section**: confirm the linked POC, assign another, add-new, unlink.
3. **Privacy check**: sign in as **partner** and **client** → confirm **no** POC nav, and the matter detail shows **no** POC section.

Pass: directory + contact card + matter POC section work for staff · completely invisible to partner/client (staff-only RLS).

G · Matters board — filters, status, pipeline

staff / partner

1. `/admin/matters` & `/partner/matters`: default = **Active + This month**. Toggle **All statuses / All time**; search by title, municipality, or **partner file ref**; use **View more** to page.
2. On a matter: advance **phase**, change **stage** (from `services.config`), set **status** (incl. new → open). Post an internal note (verify it's **Internal**-tagged and hidden from partner/client feeds).
3. Set a matter to **Won** → confetti fires (once per matter).

Pass: default active+month · filters + search + paging work · phase/stage/status controls operate · internal notes private · Won confetti fires.

H · Partner portal

partner

1. Overview = **active-only. Clients** → client name → client detail (contact + their matters).
2. Refer a matter with a **file reference**; upload docs for a client via the onboard flow. Confirm partner sees **only** Sterling & Hayes' matters (not other firms').
3. **Call ConveyClear** dials if `NEXT_PUBLIC_CONVEYCLEAR_PHONE` is set, else opens email.

Pass: firm-scoped only · client pages load · refer + file ref + upload work · Call/Email behaves per env.

I · User management + RBAC tiers

super_admin / admin

1. As **super_admin** → `/admin/users`: create a staff/partner/client login (one-time temp pw banner). **Edit** a user (name/email/cell/role/active) and **Reset password**.
2. Sign in as plain **admin** (Jukka) → confirm you **cannot** edit or assign admin/super_admin, and cannot self-deactivate/self-demote.
3. Inline-create a **partner firm** from the user form.

Pass: create/edit/reset work · temp-pw banner persists until dismissed · tier enforcement blocks privilege escalation.

J · Account self-service

all roles

1. `/account`: **Change password** (any role). Set a **phone** (drives the Call button). Toggle **notification sound** + (staff) enquiry notifications.
2. **Two-factor** card: enrol via QR + manual secret, verify, remove (re-challenge AAL on remove). Client/partner are **not forced** — opt-in only.

Pass: password change works · phone + prefs persist · MFA enrol/verify/remove work · non-staff not forced.

K · Auth hardening + RLS scoping

all roles

1. **Google sign-in**: Continue with Google → routes to the correct dashboard per role (new Google emails → client; pre-seeded emails keep their role).
2. **Turnstile**: confirm password login, signup, and forgot-password all complete with CAPTCHA enforced.
3. **Signup** (`/auth/signup`): role is forced to **client**; honeypot present. **RLS**: client sees only own matters; partner only the firm's; staff all.

Pass: Google routes by role · CAPTCHA doesn't block real logins · signup can't self-escalate · RLS scoping holds across all three roles.

L · Legal pages + branding

visual

1. `/privacy` + `/terms` render (DRAFT banner expected until attorney review).
2. New **favicon** shows in the browser tab; logo renders on auth pages.

Pass: legal pages load · favicon + logo correct.

Part 3 — Success checklist

	Function
Auth & security	
☐	Google sign-in routes each role to the right dashboard
☐	Turnstile enforced; real password / signup / forgot-password still complete
☐	Staff forced into MFA enrol; enrol → sign-out → challenge works; client/partner not forced
☐	RLS: client sees only own; partner only firm's; staff all
Change of Ownership	
☐	COO matter shows seller (first) + buyer; no banking fields
☐	Per-party docs tagged; signed View/Download work; files auto-renamed
☐	Create-account-from-party + document rename work
PRC / RCF + BC	
☐	RCF subtype + muni fields captured; RCA/RCC blocked; service-details card shows
☐	BC onboard → uploads in Supabase Storage (not Drive); link marked used
Hub, notifications, POCs	
☐	Enquiry reaches staff inbox; Claim + reply round-trip; resolve works
☐	Notification bell updates live; ding respects toggle; links route
☐	Council POC directory works for staff; invisible to partner/client
Boards, portal, admin	
☐	Matters lists default Active + This month; filters + search + View more work
☐	Phase / stage / status controls + Won confetti; internal notes stay private
☐	Partner client pages load; Call/Email behaves; firm-scoped only
☐	User editor create/edit/reset; tier enforcement blocks escalation
☐	/account: password change + phone + notif prefs + MFA enrol all work
☐	/privacy + /terms load; favicon + logo correct

Part 4 — Pre-live security gate

Clear these before real client PII. None block the dry run itself.

☐	Rotate leaked temp passwords (super_admin / services@ / ops@) via <code>/admin/users</code> → store in Vaultwarden
☐	Email / Resend SMTP : DNS records added (hosting team) → verify domain → Supabase custom SMTP + paste branded templates → test forgot-password
☐	Supabase compute raised off NANO (SCALABILITY.md) + on Pro before real document volume
☐	Legal : attorney review of <code>/privacy</code> + <code>/terms</code> ; remove DRAFT banner
☐	Branding : OAuth consent App name + (later) Supabase Custom Domain so Google shows conveyclear.co.za — raise with Jukka alongside Pro

☐	Backups healthy (nightly Supabase → NUC) — already fixed/verified 2026-06-18
☐	portal.conveyclear.co.za live (DNS pending) → update Supabase Site URL + Redirect URLs to the real domain