

–Appendix–

Prune but Preserve: Decoupling Redundancy Suppression and Semantic Preservation for Efficient Time Series Data Clustering

Zexi Tan¹, Haoyi Xiao¹, Linhao Ouyang¹, Mengke Li², Yang Lu³ and Yiqun Zhang¹

¹Guangdong University of Technology, Guangzhou, China yqzhang@gdut.edu.cn

²Shenzhen University, Shenzhen, China mengkeli@szu.edu.cn

³Xiamen University, Xiamen, China luyang@xmu.edu.cn

I. BASELINE DESCRIPTIONS

The compared methods are selected to match the empirical questions in the main paper. Since SIGMA studies where redundancy should be controlled in the representation pipeline, the baseline set covers five relevant streams: full-sequence representation learning, input-side token exclusion, partial-observation clustering, structural subsequence indexing, and foundation-style time series modeling. This coverage allows the comparison to test whether source-level patch admission brings additional benefit beyond stronger contrastive objectives, spectral augmentation, graph-based structure modeling, or general-purpose temporal pretraining. For methods that output embeddings, final assignments are obtained by k -means with the label-provided cluster number k , following the same unsupervised protocol as the main paper.

FCACC [1] is a fuzzy cluster-aware contrastive clustering method for time series. It constructs augmented views and uses cluster-aware hard negatives to reduce the mismatch between instance-level contrast and cluster-level assignment. In this study, FCACC represents a clustering-oriented full-sequence baseline. Its comparison with SIGMA tests whether cluster-aware contrast can alleviate background-dominated feature interaction without source-level patch admission. The official implementation is available at [FCACC](#).

TFMCC [2] performs time-frequency augmented multi-level contrastive clustering. Temporal and spectral augmentations strengthen cluster-relevant patterns at multiple representation levels, yet the complete sequence remains inside the encoding pipeline. TFMCC therefore examines whether spectral-temporal contrast can handle redundancy as effectively as admission before encoder-side feature interaction. The official implementation is available at [TFMCC](#).

GTM [3] learns general time series representations for heterogeneous downstream tasks through frequency-domain attention and shared temporal modeling. Since GTM is not designed for clustering-specific data reduction, k -means is applied to its embeddings for final assignment. The comparison probes whether transferable temporal pretraining can re-

place explicit source-level admission when redundant patches dominate MTS observations. The official implementation is available at [GTM](#).

EMTC [4] is an input-side exclusion baseline for MTS clustering. It suppresses redundancy through importance-aware variate-wise masking and organizes retained content with multi-endogenous views. The comparison with SIGMA is therefore the closest test of the prune-and-preserve design. It examines whether confidence-calibrated admission, routed semantic restoration, and prototype-guided refinement provide stronger behavior after token exclusion. The official implementation is available at [EMTC](#).

FEI [5] introduces an information bottleneck in the frequency domain by masking frequency components and predicting the corresponding embeddings. This design encourages informative spectral structure without manually designed positive and negative pairs. However, FEI does not decide which input patches enter encoder-side feature interaction. Hence, FEI serves as a spectral-reduction baseline for assessing whether patch-level admission remains useful beyond frequency-oriented representation learning. The official implementation is available at [FEI](#).

MVCIMTS [6] is a contrastive multi-view clustering method for incomplete MTS. It treats variates as different views and learns complementary information through multi-view contrast. Its partial observation comes from variable-level views instead of patch-level admission. Therefore, MVCIMTS tests whether variable-wise incompleteness can provide the same clustering benefit as source-level temporal admission followed by routed restoration. The official implementation is available at [MVCIMTS](#).

k -Graph [7] converts subsequences into graph representations and clusters graph-derived features. By constructing graphs across multiple subsequence lengths, k -Graph captures recurring local patterns and provides structural descriptions for clusters. It serves as a data-centric structural baseline for datasets where shape-level or recurrence-level similarity dominates the clustering criterion. The official implementation is available at [k-Graph](#).

TimesURL [8] is a universal self-supervised representation method for time series. It combines contrastive objectives with temporal constraints to learn general embeddings. Under the prune-and-preserve question, TimesURL represents a full-sequence self-supervised baseline because redundancy control is not performed through an admissible patch set. The official implementation is available at [TimesURL](#).

UNITS [9] is a unified multi-task time series model. It represents task information as tokens within a shared modeling framework and learns transferable representations across heterogeneous domains, temporal scales, and sampling patterns. UNITS provides a foundation-style baseline for assessing whether task-unified pretraining is sufficient for redundancy-dominated MTS clustering. Its comparison with SIGMA highlights the role of source-level admission and routed semantic preservation in cluster-oriented representation learning. The official implementation is available at [UNITS](#).

II. IMPLEMENTATION DETAILS

All experiments follow the unsupervised clustering protocol in the main paper. For each UEA dataset, the training and test splits are concatenated before clustering, and labels are accessed only after clustering for metric computation. Each experiment is repeated with five random seeds, namely 2022, 2023, 2024, 2025, and 2026. The reported results correspond to the mean and standard deviation over the five runs. This protocol keeps the appendix consistent with the main-paper evaluation and makes the supplementary tables directly comparable to the representative results in Sec. IV of full paper.

The default SIGMA setting enables Confidence-Calibrated Masked Admission by setting `use_mask=1`. For the corresponding masking ablation, `use_mask=0` removes source-level admission and keeps the remaining configuration unchanged. This comparison isolates the effect of admission control before encoder-side feature interaction. Unless otherwise specified, the input noise level is set to 0. Noise perturbation is introduced only in the robustness study.

For patch-level admission, the patch length is set to $\ell_p = 4$. Given $m = \lceil t/\ell_p \rceil$ patches, the retained ratio is set to $r_a = 0.5$, and the retained patch number follows $m_a = \lceil r_a m \rceil$. Under this setting, the encoder processes half of the patch sequence after admission. The setting implements the prune-and-preserve principle at the input side. Redundant patch participation is reduced before feature interaction, and the remaining patch set keeps enough temporal context for semantic restoration.

For multi-view representation learning, the number of endogenous views is set to $n_v = 2$. Each view encoder adopts hidden dimension $d_h = 32$, and the fused clustering embedding has representation dimension $d_z = 64$. The prototype alignment temperature is set to $\tau_p = 0.1$. These values give the model a compact representation budget and sufficient capacity for organizing admitted content into complementary endogenous views. In robustness experiments, Gaussian perturbation is controlled by the noise standard deviation, and the default setting contains no added perturbation.

SIGMA is trained for $e_{\max} = 200$ epochs with mini-batch size $b = 64$. Adam optimizes the model with learning rate $\alpha = 0.001$. The loss weights are set as $\lambda_{\text{rec}} = 1.0$, $\lambda_{\text{orth}} = 0.1$, and $\lambda_{\text{pa}} = 1.0$. Here, λ_{rec} controls the reconstruction objective $\mathcal{L}_{\text{rec}}$, λ_{orth} controls the inter-view orthogonality objective $\mathcal{L}_{\text{orth}}$, and λ_{pa} controls the prototype alignment objective $\mathcal{L}_{\text{pa}}$. The reconstruction objective anchors temporal content after admission. The orthogonality objective reduces view homogenization by encouraging complementary endogenous views. Prototype alignment then sharpens the fused cluster space. Under this configuration, admission control, semantic restoration, and cluster refinement keep distinct learning roles, supporting the decoupling of redundancy suppression and semantic preservation within a compact clustering pipeline.

III. SUPPLEMENTARY RESULTS

This section extends the compressed evaluation in the main paper into a traceable empirical record. The main paper reports representative datasets and condensed diagnostics to keep the core argument focused. The appendix provides the corresponding full benchmark tables, complete ablations, additional loss curves, and mask-rate scalability tests under the same unsupervised clustering protocol defined in Sec. II. Therefore, the supplementary results do not introduce a separate evaluation setting. They make the main-paper claims verifiable at the dataset, component, optimization, and efficiency levels.

The organization follows the role assignment in SIGMA. Complete clustering results examine whether source-level admission and routed representation learning remain competitive across heterogeneous MTS collections. Component and route ablations test whether admission, endogenous view construction, semantic restoration, and prototype-guided refinement each contribute to the claimed division of roles. Additional loss curves inspect whether the staged objective remains controlled after prototype guidance is introduced. Mask-rate scalability further checks whether runtime reduction comes from fewer admitted patches before encoder-side feature interaction. Taken together, the appendix connects benchmark-level clustering quality, mechanism-level attribution, training stability, and resource-aware temporal data organization.

A. Complete Clustering Results on 30 UEA Datasets

The main paper answers Q1 through representative per-dataset comparisons and the Bonferroni-Dunn rank test. This appendix subsection makes the answer fully traceable at the dataset level. TABLE I and TABLE II report the complete results on all 30 UEA datasets under ACC, F1, NMI, and ARI. The two tables cover both the representative datasets discussed in the main paper and the remaining datasets omitted due to page limits. Hence, the appendix reports the complete benchmark record behind Q1, instead of introducing another subset evaluation.

The complete results show that SIGMA’s advantage is not produced by only a few favorable datasets. On datasets with clear cluster-revealing patterns, including Articulary-WordRecognition, BasicMotions, JapaneseVowels, PenDigits,

TABLE I
COMPLETE CLUSTERING RESULTS ON 30 UEA DATASETS EVALUATED BY ACC, F1, NMI, AND ARI, PART I. THE **BEST** AND **SECOND BEST** RESULTS ARE HIGHLIGHTED BY CELL BACKGROUND. OOM DENOTES OUT-OF-MEMORY RUNS.

Datasets	Metric	FCACC (PR '26)	GTM (ICLR '26)	EMTC (AAAI '26)	TFMCC (AAAI '26)	FEI (AAAI '25)	MVCIMTS (INFFUS '25)	k-Graph (TKDE '25)	TimesURL (AAAI '24)	UNITS (NeurIPS '24)	SIGMA (ours)
ArticulatoryWordRecognition	ACC	0.7329 ± 0.0037	0.3555 ± 0.0380	0.3547 ± 0.0185	0.5030 ± 0.0253	0.4710 ± 0.0731	0.0497 ± 0.0124	0.2838 ± 0.0159	0.6929 ± 0.0516	0.2948 ± 0.0200	0.7603 ± 0.0232
	F1	0.8039 ± 0.0055	0.3526 ± 0.0348	0.3560 ± 0.0214	0.3994 ± 0.0241	0.4974 ± 0.0815	0.0109 ± 0.0096	0.2774 ± 0.0169	0.7425 ± 0.0413	0.3114 ± 0.0243	0.7929 ± 0.0392
	NMI	0.8408 ± 0.0064	0.4708 ± 0.0311	0.5070 ± 0.0272	0.7012 ± 0.0159	0.6185 ± 0.0744	0.0314 ± 0.0428	0.3948 ± 0.0099	0.8215 ± 0.0145	0.4280 ± 0.0198	0.8276 ± 0.0165
	ARI	0.6641 ± 0.0045	0.1833 ± 0.0296	0.1615 ± 0.0271	0.4466 ± 0.0210	0.3352 ± 0.0843	0.0019 ± 0.0031	0.1224 ± 0.0091	0.6214 ± 0.0340	0.1395 ± 0.0188	0.6466 ± 0.0257
AtrialFibrillation	ACC	0.4333 ± 0.0000	0.4667 ± 0.0422	0.6133 ± 0.0499	0.4333 ± 0.0558	0.3867 ± 0.0163	0.4095 ± 0.0440	0.4400 ± 0.0389	0.4600 ± 0.0490	0.4500 ± 0.0167	0.5000 ± 0.0365
	F1	0.4303 ± 0.0028	0.4593 ± 0.0393	0.5828 ± 0.0633	0.4041 ± 0.0191	0.3543 ± 0.0194	0.3491 ± 0.0555	0.4295 ± 0.0406	0.4169 ± 0.0278	0.4343 ± 0.0089	0.4956 ± 0.0778
	NMI	0.1005 ± 0.0040	0.0726 ± 0.0277	0.2883 ± 0.0758	0.0544 ± 0.0351	0.0353 ± 0.0237	0.1445 ± 0.0821	0.1143 ± 0.0748	0.0858 ± 0.0339	0.0643 ± 0.0072	0.1251 ± 0.0390
	ARI	-0.0056 ± 0.0011	0.0051 ± 0.0258	0.1248 ± 0.0788	0.0064 ± 0.0282	-0.0360 ± 0.0089	0.1058 ± 0.0600	0.0039 ± 0.0462	0.0136 ± 0.0342	-0.0125 ± 0.0012	0.0582 ± 0.0393
BasicMovements	ACC	0.6675 ± 0.0100	0.7300 ± 0.1086	0.7950 ± 0.0292	0.9850 ± 0.0122	0.6775 ± 0.0443	0.2975 ± 0.0827	0.8875 ± 0.1321	0.7700 ± 0.1582	0.5437 ± 0.0812	0.9875 ± 0.0079
	F1	0.8228 ± 0.0098	0.7311 ± 0.1060	0.7832 ± 0.0275	0.9701 ± 0.0235	0.7351 ± 0.0723	0.1517 ± 0.0794	0.8792 ± 0.1500	0.8627 ± 0.0835	0.5705 ± 0.0412	0.9875 ± 0.0079
	NMI	0.8048 ± 0.0020	0.5569 ± 0.1633	0.6949 ± 0.0711	0.9627 ± 0.0248	0.6792 ± 0.0317	0.1007 ± 0.1775	0.8626 ± 0.0575	0.8487 ± 0.0634	0.3898 ± 0.1107	0.9665 ± 0.0191
	ARI	0.6295 ± 0.0045	0.4526 ± 0.1902	0.6085 ± 0.0606	0.9606 ± 0.0311	0.5317 ± 0.0351	0.0690 ± 0.1381	0.8174 ± 0.1218	0.7349 ± 0.1448	0.2989 ± 0.1276	0.9666 ± 0.0208
CharacterTrajectories	ACC	0.7981 ± 0.0012	0.0651 ± 0.0000	0.3000 ± 0.0261	0.3677 ± 0.0448	0.6040 ± 0.0096	0.0866 ± 0.0318	0.4500 ± 0.0167	0.0651 ± 0.0000	0.4533 ± 0.0267	0.7668 ± 0.0529
	F1	0.8583 ± 0.0012	0.0061 ± 0.0000	0.2886 ± 0.0434	0.3405 ± 0.0281	0.6289 ± 0.0099	0.0196 ± 0.0166	0.4350 ± 0.0149	0.1222 ± 0.0000	0.1703 ± 0.0373	0.8019 ± 0.0378
	NMI	0.8726 ± 0.0013	0.0000 ± 0.0000	0.3633 ± 0.0432	0.5756 ± 0.0418	0.7095 ± 0.0041	0.0682 ± 0.1107	0.5347 ± 0.0121	0.0000 ± 0.0000	0.1776 ± 0.0688	0.8261 ± 0.0315
	ARI	0.7705 ± 0.0012	0.0000 ± 0.0000	0.1756 ± 0.0296	0.1913 ± 0.0474	0.5137 ± 0.0138	0.0181 ± 0.0345	0.3211 ± 0.0193	0.0000 ± 0.0000	0.0532 ± 0.0279	0.6933 ± 0.0563
Cricket	ACC	0.9407 ± 0.0288	0.4533 ± 0.0264	0.5528 ± 0.0204	0.6922 ± 0.0664	0.5744 ± 0.0834	0.1167 ± 0.0350	0.4589 ± 0.0218	0.6722 ± 0.0813	0.4922 ± 0.0990	0.8489 ± 0.0787
	F1	0.9599 ± 0.0024	0.4393 ± 0.0376	0.5635 ± 0.0383	0.6319 ± 0.0703	0.6027 ± 0.0590	0.0417 ± 0.0250	0.4545 ± 0.0225	0.7562 ± 0.0557	0.5414 ± 0.0992	0.8838 ± 0.0523
	NMI	0.9509 ± 0.0020	0.5189 ± 0.0101	0.6181 ± 0.0286	0.7858 ± 0.0464	0.6794 ± 0.0579	0.0817 ± 0.0964	0.4752 ± 0.0228	0.7958 ± 0.0391	0.5947 ± 0.0841	0.8764 ± 0.0455
	ARI	0.9051 ± 0.0158	0.2584 ± 0.0194	0.2971 ± 0.0365	0.5842 ± 0.0827	0.4468 ± 0.0872	0.0171 ± 0.0299	0.2533 ± 0.0250	0.6028 ± 0.0783	0.3359 ± 0.1072	0.7672 ± 0.0967
DuckDuckGeese	ACC	0.3067 ± 0.0125	0.4140 ± 0.0162	0.4240 ± 0.0408	0.4720 ± 0.0172	0.3220 ± 0.0117	0.2620 ± 0.0519	0.3280 ± 0.0160	0.3220 ± 0.0147	0.2960 ± 0.0136	0.4020 ± 0.0325
	F1	0.2611 ± 0.0200	0.4042 ± 0.0246	0.4003 ± 0.0494	0.3394 ± 0.0193	0.3013 ± 0.0347	0.1650 ± 0.0575	0.3017 ± 0.0107	0.2641 ± 0.0182	0.2869 ± 0.0075	0.3819 ± 0.0291
	NMI	0.0800 ± 0.0179	0.2483 ± 0.0205	0.2082 ± 0.0380	0.2791 ± 0.0267	0.1030 ± 0.0090	0.0335 ± 0.0301	0.0958 ± 0.0101	0.1732 ± 0.0351	0.0682 ± 0.0175	0.1718 ± 0.0577
	ARI	0.0227 ± 0.0109	0.1394 ± 0.0210	0.0729 ± 0.0331	0.1780 ± 0.0248	0.0369 ± 0.0091	0.0073 ± 0.0170	0.0225 ± 0.0087	0.0375 ± 0.0110	0.0064 ± 0.0105	0.1000 ± 0.0580
EigenWorms	ACC	OOM	0.3876 ± 0.0072	OOM	OOM	0.4185 ± 0.0361	0.4324 ± 0.0024	0.3135 ± 0.0236	0.3660 ± 0.0510	0.4525 ± 0.0366	0.4332 ± 0.0402
	F1	OOM	0.2868 ± 0.0068	OOM	OOM	0.3899 ± 0.0605	0.1545 ± 0.0173	0.2920 ± 0.0180	0.3035 ± 0.0806	0.4410 ± 0.0601	0.4106 ± 0.0483
	NMI	OOM	0.0683 ± 0.0035	OOM	OOM	0.1826 ± 0.0152	0.0300 ± 0.0094	0.0848 ± 0.0181	0.0697 ± 0.0572	0.2872 ± 0.0919	0.1885 ± 0.0300
	ARI	OOM	0.0626 ± 0.0052	OOM	OOM	0.1453 ± 0.0227	0.0098 ± 0.0046	0.0400 ± 0.0160	0.0515 ± 0.0699	0.1694 ± 0.0486	0.1620 ± 0.0458
Epilepsy	ACC	0.4279 ± 0.0297	0.3869 ± 0.0404	0.5203 ± 0.0244	0.4953 ± 0.0477	0.6364 ± 0.0808	0.2953 ± 0.0324	0.6167 ± 0.0316	0.5156 ± 0.0189	0.4982 ± 0.0646	0.4756 ± 0.0321
	F1	0.4295 ± 0.0302	0.3710 ± 0.0430	0.5136 ± 0.0265	0.4147 ± 0.0552	0.6200 ± 0.0821	0.1882 ± 0.0235	0.6200 ± 0.0260	0.4979 ± 0.0080	0.5086 ± 0.0930	0.4724 ± 0.0357
	NMI	0.1397 ± 0.0347	0.1015 ± 0.0345	0.2476 ± 0.0419	0.3029 ± 0.0794	0.4079 ± 0.0773	0.0205 ± 0.0340	0.4013 ± 0.0415	0.3363 ± 0.0795	0.3126 ± 0.0851	0.2652 ± 0.0289
	ARI	0.0960 ± 0.0211	0.0814 ± 0.0434	0.1803 ± 0.0389	0.1992 ± 0.0638	0.3829 ± 0.0804	0.0076 ± 0.0184	0.3275 ± 0.0526	0.2288 ± 0.0542	0.2320 ± 0.0733	0.1889 ± 0.0197
ERing	ACC	0.6327 ± 0.0360	0.4180 ± 0.0585	0.6704 ± 0.0486	0.8607 ± 0.0218	0.7120 ± 0.0918	0.3667 ± 0.1560	0.5380 ± 0.0421	0.7433 ± 0.1161	0.4087 ± 0.0639	0.7980 ± 0.0749
	F1	0.6306 ± 0.0393	0.4117 ± 0.0586	0.6741 ± 0.0496	0.7564 ± 0.0332	0.7508 ± 0.0811	0.2682 ± 0.1646	0.5469 ± 0.0403	0.7862 ± 0.0839	0.4159 ± 0.0698	0.8003 ± 0.0701
	NMI	0.5660 ± 0.0104	0.2357 ± 0.0481	0.5487 ± 0.0473	0.7821 ± 0.0321	0.6562 ± 0.0772	0.3054 ± 0.2115	0.3843 ± 0.0143	0.7407 ± 0.0313	0.2528 ± 0.0802	0.7672 ± 0.0892
	ARI	0.4231 ± 0.0204	0.1602 ± 0.0466	0.4382 ± 0.0499	0.7051 ± 0.0415	0.5669 ± 0.0959	0.1897 ± 0.1599	0.2816 ± 0.0319	0.6467 ± 0.0757	0.1578 ± 0.0647	0.6168 ± 0.1270
EthanolConcentration	ACC	0.2992 ± 0.0025	0.2786 ± 0.0051	0.3605 ± 0.0224	0.2634 ± 0.0096	0.2901 ± 0.0017	0.2962 ± 0.0172	0.2920 ± 0.0100	0.2962 ± 0.0044	0.2691 ± 0.0034	0.2969 ± 0.0153
	F1	0.2759 ± 0.0027	0.2529 ± 0.0093	0.3458 ± 0.0279	0.4681 ± 0.0189	0.2744 ± 0.0087	0.2442 ± 0.0306	0.2882 ± 0.0110	0.2747 ± 0.0067	0.2090 ± 0.0059	0.2732 ± 0.0102
	NMI	0.0149 ± 0.0009	0.0047 ± 0.0010	0.0574 ± 0.0189	0.0124 ± 0.0098	0.0116 ± 0.0018	0.0176 ± 0.0112	0.0074 ± 0.0029	0.0199 ± 0.0025	0.0025 ± 0.0015	0.0190 ± 0.0157
	ARI	0.0012 ± 0.0003	-0.0013 ± 0.0010	0.0307 ± 0.0121	0.0003 ± 0.0007	0.0032 ± 0.0005	0.0072 ± 0.0073	0.0008 ± 0.0024	0.0039 ± 0.0009	-0.0014 ± 0.0010	0.0097 ± 0.0119
FaceDetection	ACC	0.5130 ± 0.0030	OOM	0.5146 ± 0.0047	0.5051 ± 0.0029	0.5077 ± 0.0031	OOM	0.5038 ± 0.0018	0.5001 ± 0.0000	0.5054 ± 0.0040	0.5198 ± 0.0044
	F1	0.5125 ± 0.0028	OOM	0.4808 ± 0.0369	0.6113 ± 0.0585	0.5051 ± 0.0039	OOM	0.5028 ± 0.0023	0.3336 ± 0.0000	0.5030 ± 0.0060	0.5192 ± 0.0046
	NMI	0.0005 ± 0.0002	OOM	0.0010 ± 0.0004	0.0002 ± 0.0002	0.0002 ± 0.0001	OOM	0.0001 ± 0.0000	0.0027 ± 0.0000	0.0001 ± 0.0002	0.0102 ± 0.0005
	ARI	0.0006 ± 0.0003	OOM	0.0007 ± 0.0006	0.0001 ± 0.0001	0.0002 ± 0.0002	OOM	-0.0000 ± 0.0000	0.0000 ± 0.0000	0.0001 ± 0.0003	0.0015 ± 0.0006
FingerMovements	ACC	0.5250 ± 0.0052	0.5183 ± 0.0085	0.5680 ± 0.0160	0.5072 ± 0.0055	0.5163 ± 0.0127	0.5260 ± 0.0041	0.5264 ± 0.0026	0.5192 ± 0.0082	0.5130 ± 0.0054	0.5221 ± 0.0129
	F1	0.4951 ± 0.0111	0.4982 ± 0.0212	0.5349 ± 0.0218	0.6004 ± 0.0599	0.5051 ± 0.0184	0.5230 ± 0.0023	0.4997 ± 0.0023	0.5161 ± 0.0058	0.5124 ± 0.0051	0.5183 ± 0.0074
	NMI	0.0027 ± 0.0009	0.0014 ± 0.0009	0.0210 ± 0.0132	0.0023 ± 0.0035	0.0013 ± 0.0016	0.0021 ± 0.0007	0.0028 ± 0.0005	0.0013 ± 0.0009	0.0006 ± 0.0003	0.0022 ± 0.0026
	ARI	0.0008 ± 0.0009	-0.0004 ± 0.0009	0.0121 ± 0.0087	-0.0010 ± 0.0008	-0.0005 ± 0.0021	0.0004 ± 0.0009	0.0009 ± 0.0005	-0.0006 ± 0.0013	-0.0016 ± 0.0004	0.0003 ± 0.0031
HandMovementDirection	ACC	0.2829 ± 0.0063	0.2957 ± 0.0087	0.4405 ± 0.0359	0.3248 ± 0.0164	0.3017 ± 0.0088	0.3017 ± 0.0123	0.3026 ± 0.0099	0.3120 ± 0.0097	0.3743 ± 0.0375	0.3179 ± 0.0100
	F1	0.2108 ± 0.0397	0.2907 ± 0.0061	0.4070 ± 0.0226	0.3328 ± 0.0189	0.2867 ± 0.0112	0.2667 ± 0.0205	0.2996 ± 0.0128	0.3087 ± 0.0099	0.3667 ± 0.0383	0.3145 ± 0.0104
	NMI	0.0168 ± 0.0104	0.0156 ± 0.0061	0.0910 ± 0.0245	0.0286 ± 0.0110	0.0184 ± 0.0049	0.0206 ± 0.0103	0.0144 ± 0.0047	0.0208 ± 0.0045	0.0818 ± 0.0394	0.0208 ± 0.0050
	ARI	-0.0047 ± 0.0038	0.0015 ± 0.0062	0.0475 ± 0.0166	0.0109 ± 0.0104	0.0001 ± 0.0045	0.0007 ± 0.0032	0.0003 ± 0.0032	0.0046 ± 0.0035	0.0488 ± 0.0282	0.0052 ± 0.0047
Handwriting	ACC	0.2433 ± 0.0041	0.1264 ± 0.0027	0.1536 ± 0.0097	0.1090 ± 0.0209	0.1778 ± 0.0097	0.0878 ± 0.0160	0.1708 ± 0.0101	0.1488 ± 0.0067	0.2940 ± 0.0068	0.2530 ± 0.0126
	F1	0.2418 ± 0.0080	0.1260 ± 0.0020	0.1501 ± 0.0171	0.1071 ± 0.0171	0.1741 ± 0.0071	0.0352 ± 0.0127	0.1679 ± 0.0098	0.1484 ± 0.0078	0.2881 ± 0.0075	0.2591 ± 0.0132
	NMI	0.3723 ± 0.0061	0.1523 ± 0.0052	0.1934 ± 0.0070	0.1228 ± 0.0510	0.2497 ± 0.0235	0.0637 ± 0.0274	0.2260 ± 0.0097	0.2009 ± 0.0035	0.0101 ± 0.0049	0.3652 ± 0.0139
	ARI	0.1106 ± 0.0035	0.0125 ± 0.0016	0.0254 ± 0.0036	0.0195 ± 0.0090	0.0494 ± 0.0107	0.0084 ± 0.0048	0.0429 ± 0.0045	0.0282 ± 0.0012	-0.0047 ± 0.0030	0.1134 ± 0.0113

and SelfRegulationSCP1, SIGMA obtains leading or highly competitive scores across multiple metrics. These datasets are central to the prune-and-preserve claim because sparse class-related changes can be diluted when complete sequences enter feature interaction. By restricting background-dominated patch participation before encoding and then organizing admitted content through routed objectives, SIGMA keeps compact retained representations informative for clustering. JapaneseVowels and PenDigits provide typical cases where reduced input participation still supports a strong cluster space.

Meanwhile, the full benchmark also reflects the heterogeneity of unsupervised MTS clustering. Several datasets favor specialized baselines when cluster similarity is mainly governed by shape correspondence, spectral structure, or weak label-to-signal correspondence. For example, FCACC, TFMCC, EMTC, FEI, and k -Graph obtain the best result on some individual datasets. Such cases are expected because the UEA benchmark covers diverse data sources and similarity criteria. Therefore, the key observation for Q1 is not dataset-wise dominance in every case. The more relevant finding is that

SIGMA maintains strong average behavior across different sample sizes, sequence lengths, variable dimensions, and label-provided cluster numbers k . This cross-dataset consistency is more informative for collection-scale MTS clustering than isolated wins on narrow dataset types.

B. Complete Module-Level and Route-Level Ablations

TABLE II
COMPLETE CLUSTERING RESULTS ON 30 UEA DATASETS EVALUATED BY ACC, F1, NMI, AND ARI, PART II. THE **BEST** AND **SECOND BEST** RESULTS ARE HIGHLIGHTED BY CELL BACKGROUND.

Datasets	Metric	FCACC (PR'26)	GTM (ICLR'26)	EMTC (AAAI'26)	TFMCC (AAAI'26)	FEI (AAAI'25)	MVCIMTS (INFLUS'25)	k-Graph (TKDE'25)	TimesURL (AAAI'24)	UNITS (NeurIPS'24)	SIGMA (ours)
Heartbeat	ACC	0.5844 ± 0.0079	0.5340 ± 0.0292	0.7180 ± 0.0020	0.7076 ± 0.0476	0.7090 ± 0.0000	0.6758 ± 0.0497	0.7296 ± 0.0025	0.7149 ± 0.0106	0.6244 ± 0.0238	0.6817 ± 0.0546
	F1	0.5688 ± 0.0055	0.4974 ± 0.0193	0.7553 ± 0.1598	0.6934 ± 0.0669	0.8298 ± 0.0000	0.4592 ± 0.0483	0.5461 ± 0.0071	0.7922 ± 0.0760	0.5347 ± 0.0192	0.5944 ± 0.0367
	NMI	0.0389 ± 0.0016	0.0012 ± 0.0015	0.0106 ± 0.0023	0.0465 ± 0.0073	0.0204 ± 0.0000	0.0016 ± 0.0020	0.0344 ± 0.0041	0.0300 ± 0.0207	0.0070 ± 0.0077	0.0382 ± 0.0220
	ARI	0.0258 ± 0.0062	0.0030 ± 0.0062	-0.0029 ± 0.0061	0.0966 ± 0.0306	-0.1144 ± 0.0000	0.0018 ± 0.0101	0.0875 ± 0.0071	0.0220 ± 0.0714	0.0243 ± 0.0111	0.0981 ± 0.0485
InsectWingbeat	ACC	0.1651 ± 0.0020	0.1003 ± 0.0000	0.1251 ± 0.0049	0.1099 ± 0.0024	0.1533 ± 0.0004	OOM	0.1451 ± 0.0010	0.1000 ± 0.0000	0.0872 ± 0.0071	0.1336 ± 0.0017
	F1	0.1623 ± 0.0020	0.0189 ± 0.0001	0.0945 ± 0.0222	0.0962 ± 0.0074	0.1062 ± 0.0051	OOM	0.1374 ± 0.0049	0.1818 ± 0.0000	0.0812 ± 0.0055	0.1209 ± 0.0043
	NMI	0.0428 ± 0.0011	0.0010 ± 0.0001	0.0090 ± 0.0015	0.1883 ± 0.0060	0.0339 ± 0.0008	OOM	0.0210 ± 0.0008	0.0000 ± 0.0000	0.0032 ± 0.0061	0.0146 ± 0.0015
	ARI	0.0216 ± 0.0005	0.0000 ± 0.0000	0.0027 ± 0.0013	0.0377 ± 0.0055	0.0130 ± 0.0007	OOM	0.0087 ± 0.0002	0.0000 ± 0.0000	0.0043 ± 0.0000	0.0059 ± 0.0006
JapaneseVowels	ACC	0.6286 ± 0.0530	0.1844 ± 0.0000	0.3203 ± 0.0273	0.4766 ± 0.0639	0.5198 ± 0.0223	0.1844 ± 0.0000	0.3369 ± 0.0199	0.1844 ± 0.0000	0.2619 ± 0.0271	0.8525 ± 0.0431
	F1	0.6617 ± 0.0303	0.0346 ± 0.0000	0.3325 ± 0.0365	0.4274 ± 0.0355	0.5551 ± 0.0053	0.0346 ± 0.0000	0.3069 ± 0.0236	0.3113 ± 0.0000	0.2755 ± 0.0282	0.8494 ± 0.0383
	NMI	0.5950 ± 0.0134	0.0000 ± 0.0000	0.2410 ± 0.0418	0.5250 ± 0.0397	0.4727 ± 0.0084	0.0000 ± 0.0000	0.2820 ± 0.0112	0.0000 ± 0.0000	0.1643 ± 0.0209	0.8113 ± 0.0180
	ARI	0.4771 ± 0.0389	0.0000 ± 0.0000	0.1269 ± 0.0412	0.3167 ± 0.0466	0.3049 ± 0.0281	0.0000 ± 0.0000	0.1511 ± 0.0210	0.0000 ± 0.0000	0.0648 ± 0.0171	0.7578 ± 0.0423
Libras	ACC	0.3822 ± 0.0052	0.3894 ± 0.0321	0.4011 ± 0.0315	0.3544 ± 0.0099	0.4317 ± 0.0256	0.1456 ± 0.0416	0.3844 ± 0.0208	0.2700 ± 0.0148	0.2839 ± 0.0116	0.3711 ± 0.0125
	F1	0.3931 ± 0.0193	0.3772 ± 0.0369	0.4028 ± 0.0406	0.2626 ± 0.0226	0.4438 ± 0.0298	0.0627 ± 0.0302	0.3700 ± 0.0242	0.2767 ± 0.0166	0.2853 ± 0.0157	0.3655 ± 0.0158
	NMI	0.5311 ± 0.0095	0.4697 ± 0.0327	0.4890 ± 0.0322	0.4698 ± 0.0245	0.5056 ± 0.0189	0.1311 ± 0.0783	0.5126 ± 0.0062	0.3101 ± 0.0185	0.3562 ± 0.0152	0.4086 ± 0.0259
	ARI	0.2484 ± 0.0082	0.2143 ± 0.0276	0.1881 ± 0.0295	0.2019 ± 0.0228	0.2423 ± 0.0142	0.0370 ± 0.0255	0.2532 ± 0.0127	0.0901 ± 0.0166	0.1246 ± 0.0146	0.2809 ± 0.0196
LSST	ACC	0.3434 ± 0.0022	0.1224 ± 0.0038	0.3672 ± 0.0074	0.2491 ± 0.0169	0.3327 ± 0.0037	0.3227 ± 0.0092	0.1578 ± 0.0113	0.3293 ± 0.0025	0.1805 ± 0.0098	0.2019 ± 0.0029
	F1	0.1918 ± 0.0134	0.0984 ± 0.0072	0.2055 ± 0.0297	0.2114 ± 0.0148	0.1689 ± 0.0141	0.0521 ± 0.0222	0.1149 ± 0.0053	0.2387 ± 0.0157	0.1376 ± 0.0084	0.1840 ± 0.0147
	NMI	0.1188 ± 0.0020	0.0311 ± 0.0056	0.1959 ± 0.0261	0.2066 ± 0.0198	0.1338 ± 0.0040	0.0237 ± 0.0303	0.0764 ± 0.0061	0.1398 ± 0.0038	0.0543 ± 0.0132	0.1396 ± 0.0043
	ARI	0.0453 ± 0.0007	0.0096 ± 0.0022	0.0936 ± 0.0182	0.0634 ± 0.0311	0.0859 ± 0.0106	0.0070 ± 0.0089	0.0222 ± 0.0040	0.0254 ± 0.0061	0.0207 ± 0.0068	0.0549 ± 0.0028
MotorImagery	ACC	0.5016 ± 0.0013	0.5360 ± 0.0147	0.5840 ± 0.0258	0.5048 ± 0.0072	0.5058 ± 0.0035	0.5111 ± 0.0059	0.5159 ± 0.0111	0.5127 ± 0.0048	0.5333 ± 0.0173	0.5508 ± 0.0070
	F1	0.3512 ± 0.0022	0.5084 ± 0.0319	0.5308 ± 0.0377	0.6586 ± 0.0706	0.3794 ± 0.0205	0.4565 ± 0.0416	0.5093 ± 0.0107	0.4401 ± 0.0338	0.5180 ± 0.0271	0.5362 ± 0.0175
	NMI	0.0003 ± 0.0002	0.0055 ± 0.0031	0.0540 ± 0.0291	0.0023 ± 0.0040	0.0011 ± 0.0008	0.0017 ± 0.0016	0.0012 ± 0.0011	0.0012 ± 0.0004	0.0044 ± 0.0042	0.0096 ± 0.0034
	ARI	-0.0002 ± 0.0000	0.0040 ± 0.0035	0.0254 ± 0.0160	-0.0003 ± 0.0004	-0.0003 ± 0.0001	-0.0010 ± 0.0011	-0.0010 ± 0.0014	-0.0006 ± 0.0001	0.0033 ± 0.0059	0.0082 ± 0.0028
NATOPS	ACC	0.6537 ± 0.0975	0.4861 ± 0.0512	0.3978 ± 0.0514	0.5672 ± 0.0859	0.4350 ± 0.0268	0.3267 ± 0.0919	0.3817 ± 0.0194	0.3522 ± 0.0811	0.2972 ± 0.0249	0.5022 ± 0.0157
	F1	0.6529 ± 0.0968	0.4643 ± 0.0539	0.4342 ± 0.1010	0.5167 ± 0.0816	0.4372 ± 0.0599	0.2057 ± 0.0868	0.3871 ± 0.0168	0.2131 ± 0.0691	0.2951 ± 0.0249	0.4958 ± 0.0103
	NMI	0.6454 ± 0.0805	0.4355 ± 0.0551	0.2990 ± 0.1190	0.5575 ± 0.0724	0.3896 ± 0.0459	0.2876 ± 0.1673	0.1897 ± 0.0207	0.4115 ± 0.1613	0.1097 ± 0.0324	0.5159 ± 0.0230
	ARI	0.5091 ± 0.1162	0.3056 ± 0.0590	0.1759 ± 0.0826	0.4179 ± 0.0983	0.2563 ± 0.0459	0.1603 ± 0.1191	0.1147 ± 0.0214	0.2551 ± 0.1261	0.0549 ± 0.0222	0.3489 ± 0.0284
PEMS-SF	ACC	0.4864 ± 0.0558	0.1968 ± 0.0065	0.4301 ± 0.0842	0.2268 ± 0.0179	0.3582 ± 0.0366	0.2514 ± 0.0897	0.4268 ± 0.0172	0.2377 ± 0.0102	0.4409 ± 0.0466	0.4436 ± 0.0844
	F1	0.5110 ± 0.0447	0.1941 ± 0.0064	0.4202 ± 0.0807	0.2263 ± 0.0204	0.3782 ± 0.0333	0.1185 ± 0.0734	0.4239 ± 0.0214	0.2370 ± 0.0154	0.4683 ± 0.0591	0.4902 ± 0.1198
	NMI	0.4510 ± 0.0416	0.0348 ± 0.0119	0.3687 ± 0.1015	0.1270 ± 0.0168	0.3336 ± 0.0281	0.2715 ± 0.2226	0.4593 ± 0.0196	0.1742 ± 0.0226	0.4167 ± 0.0441	0.4570 ± 0.1104
	ARI	0.2911 ± 0.0478	0.0030 ± 0.0034	0.2134 ± 0.0924	0.0374 ± 0.0156	0.1673 ± 0.0312	0.1333 ± 0.1105	0.2557 ± 0.0121	0.0651 ± 0.0082	0.2471 ± 0.0435	0.2839 ± 0.0947
PenDigits	ACC	0.4246 ± 0.0409	0.4128 ± 0.0672	0.4089 ± 0.0499	0.6548 ± 0.0159	0.3484 ± 0.0354	0.2670 ± 0.0505	0.4078 ± 0.0162	0.3647 ± 0.0150	0.4687 ± 0.0517	0.6841 ± 0.0284
	F1	0.4116 ± 0.0303	0.3971 ± 0.0746	0.4086 ± 0.0578	0.5693 ± 0.0171	0.3548 ± 0.0321	0.1710 ± 0.0688	0.3825 ± 0.0213	0.3747 ± 0.0150	0.4542 ± 0.0512	0.6938 ± 0.0411
	NMI	0.3233 ± 0.0199	0.3405 ± 0.0616	0.3994 ± 0.0617	0.6583 ± 0.0086	0.3059 ± 0.0165	0.2076 ± 0.0559	0.3390 ± 0.0131	0.2611 ± 0.0165	0.4348 ± 0.0630	0.6485 ± 0.0189
	ARI	0.2218 ± 0.0289	0.2151 ± 0.0560	0.2313 ± 0.0515	0.5196 ± 0.0193	0.1503 ± 0.0122	0.1033 ± 0.0425	0.2183 ± 0.0158	0.1528 ± 0.0112	0.2822 ± 0.0658	0.5305 ± 0.0276
PhonemeSpectra	ACC	0.1149 ± 0.0003	0.0633 ± 0.0006	0.0963 ± 0.0032	0.1124 ± 0.0038	0.1283 ± 0.0024	0.0454 ± 0.0059	0.0916 ± 0.0028	0.0871 ± 0.0023	0.0812 ± 0.0071	0.1127 ± 0.0015
	F1	0.1159 ± 0.0004	0.0605 ± 0.0010	0.0944 ± 0.0004	0.1048 ± 0.0067	0.1242 ± 0.0038	0.0099 ± 0.0028	0.0913 ± 0.0033	0.0845 ± 0.0017	0.0786 ± 0.0080	0.1126 ± 0.0017
	NMI	0.1793 ± 0.0023	0.0451 ± 0.0015	0.1386 ± 0.0089	0.2039 ± 0.0025	0.2085 ± 0.0038	0.0366 ± 0.0136	0.1090 ± 0.0036	0.1174 ± 0.0070	0.0932 ± 0.0191	0.1758 ± 0.0026
	ARI	0.0339 ± 0.0007	0.0038 ± 0.0003	0.0166 ± 0.0040	0.0424 ± 0.0048	0.0449 ± 0.0011	0.0046 ± 0.0026	0.0178 ± 0.0015	0.0186 ± 0.0020	0.0143 ± 0.0045	0.0334 ± 0.0008
RocketSports	ACC	0.4172 ± 0.0058	0.3921 ± 0.0150	0.4355 ± 0.0286	0.6205 ± 0.0400	0.4257 ± 0.0251	0.3129 ± 0.0296	0.3551 ± 0.0324	0.5036 ± 0.0475	0.3743 ± 0.0375	0.6007 ± 0.0721
	F1	0.4138 ± 0.0065	0.3898 ± 0.0135	0.4064 ± 0.0374	0.5330 ± 0.0327	0.4067 ± 0.0328	0.2105 ± 0.0508	0.3529 ± 0.0340	0.5273 ± 0.0345	0.3667 ± 0.0383	0.6006 ± 0.0707
	NMI	0.1398 ± 0.0042	0.1024 ± 0.0386	0.1138 ± 0.0264	0.4687 ± 0.0339	0.1250 ± 0.0289	0.0688 ± 0.0371	0.0601 ± 0.0348	0.3279 ± 0.0420	0.0818 ± 0.0394	0.3488 ± 0.0845
	ARI	0.0880 ± 0.0042	0.0590 ± 0.0167	0.0776 ± 0.0307	0.3723 ± 0.0445	0.0924 ± 0.0200	0.0127 ± 0.0191	0.0400 ± 0.0293	0.2394 ± 0.0441	0.0488 ± 0.0282	0.2585 ± 0.0965
SelfRegulationSCP1	ACC	0.5362 ± 0.0031	0.5447 ± 0.0307	0.7126 ± 0.0431	0.5027 ± 0.0000	0.6096 ± 0.0472	0.5537 ± 0.0342	0.5586 ± 0.0087	0.7340 ± 0.0059	0.5811 ± 0.0402	0.7754 ± 0.0128
	F1	0.5081 ± 0.0040	0.5434 ± 0.0324	0.7073 ± 0.0419	0.7065 ± 0.0000	0.6082 ± 0.0487	0.4723 ± 0.0964	0.5584 ± 0.0087	0.7184 ± 0.0076	0.5676 ± 0.0372	0.7745 ± 0.0215
	NMI	0.0059 ± 0.0009	0.0086 ± 0.0093	0.1642 ± 0.0748	0.0000 ± 0.0000	0.0421 ± 0.0290	0.0261 ± 0.0139	0.0102 ± 0.0031	0.2493 ± 0.0044	0.0328 ± 0.0305	0.2382 ± 0.0246
	ARI	0.0039 ± 0.0009	0.0100 ± 0.0128	0.1857 ± 0.0753	0.0000 ± 0.0000	0.0553 ± 0.0393	0.0154 ± 0.0124	0.0123 ± 0.0043	0.2182 ± 0.0111	0.0313 ± 0.0296	0.3028 ± 0.0274
SelfRegulationSCP2	ACC	0.5163 ± 0.0051	0.5258 ± 0.0162	0.5811 ± 0.0143	0.5027 ± 0.0000	0.5521 ± 0.0096	0.5347 ± 0.0210	0.5053 ± 0.0069	0.5432 ± 0.0054	0.5811 ± 0.0402	0.5253 ± 0.0141
	F1	0.4913 ± 0.0063	0.5242 ± 0.0166	0.5657 ± 0.0301	0.7065 ± 0.0000	0.5448 ± 0.0077	0.5302 ± 0.0239	0.5039 ± 0.0073	0.5113 ± 0.0110	0.5676 ± 0.0372	0.5163 ± 0.0084
	NMI	0.0011 ± 0.0006	0.0027 ± 0.0027	0.0234 ± 0.0043	0.0000 ± 0.0000	0.0090 ± 0.0034	0.0049 ± 0.0048	0.0002 ± 0.0004	0.0083 ± 0.0020	0.0328 ± 0.0305	0.0034 ± 0.0044
	ARI	-0.0010 ± 0.0006	0.0011 ± 0.0036	0.0224 ± 0.0083	0.0000 ± 0.0000	0.0088 ± 0.0040	0.0041 ± 0.0065	-0.0023 ± 0.0005	0.0056 ± 0.0018	0.0313 ± 0.0296	0.0009 ± 0.0038
SpokenArabicDigits	ACC	0.4902 ± 0.0258	0.1000 ± 0.0000	0.2415 ± 0.0313	0.3869 ± 0.0543	0.4655 ± 0.1073	0.1889 ± 0.0452	0.3692 ± 0.0053	0.1000 ± 0.0000	0.3054 ± 0.0040	0.4420 ± 0.0257
	F1	0.4939 ± 0.0288	0.0182 ± 0.0000	0.2320 ± 0.0343	0.3303 ± 0.0362	0.4617 ± 0.1044	0.1196 ± 0.0519	0.3713 ± 0.0084	0.1819 ± 0.0000	0.3030 ± 0.0060	0.4460 ± 0.0206
	NMI	0.4740 ± 0.0129	0.0000 ± 0.0000	0.1566 ± 0.0474	0.4331 ± 0.0777						

TABLE III
ABLATION STUDIES ON MODULE DESIGNS OF SIGMA, PART I. RED “+”
MARKS DEGRADATION FROM COMPLETE SIGMA.

Datasets (1-15)	Components		Metrics			
	CCMA	MEVG	ACC	F1	NMI	ARI
ArticulatoryWord Recognition	✓	✓	0.7329 ± 0.0395	0.7696 ± 0.0443	0.8037 ± 0.0246	0.6029 ± 0.0470
			0.7155 ± 0.0137	0.7451 ± 0.0215	0.7824 ± 0.0132	0.5728 ± 0.0248
	✓		0.7739 ± 0.0437	0.7997 ± 0.0481	0.8255 ± 0.0189	0.6570 ± 0.0427
			0.6918 ± 0.0306	0.7336 ± 0.0245	0.7709 ± 0.0187	0.5517 ± 0.0369
	✓	✓	0.4933 ± 0.0327	0.4720 ± 0.0232	0.1215 ± 0.0474	0.0443 ± 0.0492
AtrialFibrillation	✓	✓	0.4867 ± 0.0163	0.4331 ± 0.0116	0.1050 ± 0.0047	0.0404 ± 0.0051
			0.4800 ± 0.0400	0.4681 ± 0.0854	0.1365 ± 0.0448	0.0664 ± 0.0421
	✓		0.4600 ± 0.0327	0.5024 ± 0.0485	0.1000 ± 0.0087	0.0346 ± 0.0071
	✓	✓	0.9675 ± 0.0150	0.9671 ± 0.0154	0.9273 ± 0.0277	0.9169 ± 0.0363
			0.9825 ± 0.0127	0.9824 ± 0.0129	0.9497 ± 0.0366	0.9533 ± 0.0338
BasicMotions	✓	✓	0.8900 ± 0.1317	0.9203 ± 0.0746	0.8924 ± 0.0754	0.8361 ± 0.1360
			0.9700 ± 0.0100	0.9698 ± 0.0102	0.9138 ± 0.0287	0.9202 ± 0.0263
	✓	✓	0.7879 ± 0.0499	0.8091 ± 0.0408	0.8463 ± 0.0284	0.7214 ± 0.0576
			0.7824 ± 0.0547	0.8177 ± 0.0436	0.8416 ± 0.0367	0.7078 ± 0.0644
	✓	✓	0.7371 ± 0.0227	0.7610 ± 0.0346	0.8038 ± 0.0198	0.6417 ± 0.0303
Character Trajectories			0.7369 ± 0.0590	0.7699 ± 0.0708	0.8138 ± 0.0468	0.6556 ± 0.0750
	✓	✓	0.8244 ± 0.0255	0.8463 ± 0.0115	0.8522 ± 0.0167	0.7259 ± 0.0259
			0.8489 ± 0.0349	0.8739 ± 0.0420	0.8737 ± 0.0444	0.7589 ± 0.0659
	✓	✓	0.7811 ± 0.0658	0.8191 ± 0.0588	0.8346 ± 0.0364	0.6817 ± 0.0702
			0.8078 ± 0.0114	0.8292 ± 0.0241	0.8376 ± 0.0130	0.6937 ± 0.0195
Cricket	✓	✓	0.3900 ± 0.0141	0.3730 ± 0.0193	0.1749 ± 0.0375	0.0795 ± 0.0345
			0.3700 ± 0.0179	0.3600 ± 0.0253	0.1143 ± 0.0234	0.0526 ± 0.0108
	✓	✓	0.3280 ± 0.0421	0.2966 ± 0.0425	0.0869 ± 0.0246	0.0196 ± 0.0205
			0.3680 ± 0.0194	0.3449 ± 0.0235	0.1229 ± 0.0145	0.0306 ± 0.0112
	✓	✓	0.7307 ± 0.0629	0.7287 ± 0.0680	0.5996 ± 0.0590	0.5124 ± 0.0760
ERing			0.6867 ± 0.0669	0.7380 ± 0.0341	0.6238 ± 0.0426	0.5008 ± 0.0669
	✓	✓	0.7300 ± 0.0485	0.7313 ± 0.0475	0.6198 ± 0.0400	0.5226 ± 0.0569
			0.7173 ± 0.0259	0.7082 ± 0.0253	0.6112 ± 0.0390	0.5033 ± 0.0415
	✓	✓	0.4193 ± 0.0788	0.3646 ± 0.0438	0.1612 ± 0.0594	0.1515 ± 0.0726
			0.4131 ± 0.0101	0.3546 ± 0.0347	0.2196 ± 0.0211	0.1907 ± 0.0156
EigenWorms	✓	✓	0.4425 ± 0.0451	0.4077 ± 0.0359	0.1829 ± 0.0256	0.1469 ± 0.0344
			0.3822 ± 0.0462	0.3397 ± 0.0392	0.1713 ± 0.0600	0.1368 ± 0.0716
	✓	✓	0.4655 ± 0.0229	0.4573 ± 0.0233	0.2355 ± 0.0362	0.1668 ± 0.0336
			0.4640 ± 0.0291	0.4648 ± 0.0300	0.2217 ± 0.0332	0.1511 ± 0.0259
	✓	✓	0.4720 ± 0.0368	0.4705 ± 0.0382	0.2330 ± 0.0451	0.1551 ± 0.0279
Epilepsy			0.4829 ± 0.0238	0.4847 ± 0.0243	0.2418 ± 0.0298	0.1637 ± 0.0212
	✓	✓	0.3061 ± 0.0208	0.2766 ± 0.0066	0.0199 ± 0.0156	0.0108 ± 0.0123
			0.3015 ± 0.0099	0.2777 ± 0.0082	0.0114 ± 0.0033	0.0049 ± 0.0030
	✓	✓	0.3088 ± 0.0183	0.2881 ± 0.0252	0.0184 ± 0.0063	0.0104 ± 0.0062
			0.2950 ± 0.0092	0.2797 ± 0.0108	0.0124 ± 0.0061	0.0045 ± 0.0039
FaceDetection	✓	✓	0.5107 ± 0.0042	0.5100 ± 0.0049	0.0004 ± 0.0003	0.0004 ± 0.0004
			0.5051 ± 0.0028	0.5050 ± 0.0028	0.0001 ± 0.0001	0.0000 ± 0.0001
	✓	✓	0.5101 ± 0.0023	0.5092 ± 0.0027	0.0003 ± 0.0001	0.0003 ± 0.0002
			0.5063 ± 0.0076	0.5061 ± 0.0077	0.0003 ± 0.0005	0.0003 ± 0.0007
	✓	✓	0.5188 ± 0.0085	0.5142 ± 0.0086	0.0013 ± 0.0007	0.0006 ± 0.0010
FingerMovements			0.5168 ± 0.0101	0.5123 ± 0.0056	0.0013 ± 0.0015	0.0008 ± 0.0017
	✓	✓	0.5168 ± 0.0128	0.5125 ± 0.0160	0.0013 ± 0.0014	0.0005 ± 0.0019
			0.5130 ± 0.0074	0.5127 ± 0.0073	0.0006 ± 0.0007	0.0015 ± 0.0010
	✓	✓	0.3333 ± 0.0143	0.3298 ± 0.0171	0.0205 ± 0.0063	0.0060 ± 0.0052
			0.3051 ± 0.0154	0.3027 ± 0.0162	0.0139 ± 0.0036	0.0008 ± 0.0029
HandMovement Direction	✓	✓	0.3179 ± 0.0249	0.3148 ± 0.0246	0.0201 ± 0.0119	0.0049 ± 0.0111
			0.3060 ± 0.0126	0.3034 ± 0.0116	0.0144 ± 0.0029	0.0011 ± 0.0025
	✓	✓	0.2386 ± 0.0181	0.2433 ± 0.0195	0.3461 ± 0.0286	0.1006 ± 0.0180
			0.2102 ± 0.0132	0.2103 ± 0.0137	0.3030 ± 0.0188	0.0770 ± 0.0111
	✓	✓	0.2444 ± 0.0113	0.2460 ± 0.0156	0.3503 ± 0.0160	0.1050 ± 0.0109
Handwriting			0.2224 ± 0.0130	0.2234 ± 0.0113	0.3212 ± 0.0209	0.0852 ± 0.0100
	✓	✓	0.6636 ± 0.0589	0.5679 ± 0.0507	0.0391 ± 0.0232	0.0689 ± 0.0404
			0.6826 ± 0.0369	0.6002 ± 0.0271	0.0438 ± 0.0108	0.0952 ± 0.0277
	✓	✓	0.6841 ± 0.0410	0.5474 ± 0.0747	0.0328 ± 0.0106	0.0620 ± 0.0591
			0.7066 ± 0.0091	0.6463 ± 0.0947	0.0365 ± 0.0108	0.0846 ± 0.0516

TABLE IV
ABLATION STUDIES ON MODULE DESIGNS OF SIGMA, PART II. RED “+”
MARKS DEGRADATION FROM COMPLETE SIGMA.

Datasets (16-30)	Components		Metrics			
	CCMA	MEVG	ACC	F1	NMI	ARI
InsectWingbeat	✓	✓	0.1344 ± 0.0023	0.1202 ± 0.0033	0.0153 ± 0.0012	0.0061 ± 0.0007
		✓	0.1351 ± 0.0015	0.1206 ± 0.0036	0.0147 ± 0.0008	0.0064 ± 0.0001
	✓		0.1304 ± 0.0032	0.1115 ± 0.0076	0.0132 ± 0.0011	0.0048 ± 0.0013
			0.1323 ± 0.0039	0.1099 ± 0.0069	0.0139 ± 0.0017	0.0050 ± 0.0011
JapaneseVowels	✓	✓	0.8647 ± 0.0447	0.8626 ± 0.0432	0.8195 ± 0.0260	0.7682 ± 0.0565
		✓	0.8162 ± 0.0393	0.8557 ± 0.0416	0.8044 ± 0.0126	0.7321 ± 0.0429
	✓		0.8750 ± 0.0347	0.8840 ± 0.0294	0.8220 ± 0.0239	0.7847 ± 0.0385
			0.8800 ± 0.0306	0.8802 ± 0.0270	0.8140 ± 0.0272	0.7648 ± 0.0553
LSST	✓	✓	0.2042 ± 0.0087	0.1805 ± 0.0063	0.1456 ± 0.0063	0.0555 ± 0.0044
		✓	0.2018 ± 0.0106	0.1853 ± 0.0156	0.1475 ± 0.0125	0.0561 ± 0.0074
	✓		0.2096 ± 0.0131	0.1792 ± 0.0080	0.1458 ± 0.0102	0.0567 ± 0.0093
			0.2048 ± 0.0134	0.1824 ± 0.0031	0.1553 ± 0.0062	0.0589 ± 0.0052
Libras	✓	✓	0.3156 ± 0.0374	0.3162 ± 0.0405	0.4101 ± 0.0302	0.1502 ± 0.0253
		✓	0.2839 ± 0.0032	0.2979 ± 0.0079	0.3439 ± 0.0107	0.1012 ± 0.0057
	✓		0.3272 ± 0.0278	0.3460 ± 0.0497	0.4212 ± 0.0300	0.1600 ± 0.0271
			0.2883 ± 0.0069	0.2959 ± 0.0148	0.3481 ± 0.0125	0.1084 ± 0.0080
MotorImagery	✓	✓	0.5323 ± 0.0147	0.5271 ± 0.0154	0.0039 ± 0.0034	0.0025 ± 0.0046
		✓	0.5360 ± 0.0178	0.5196 ± 0.0260	0.0053 ± 0.0041	0.0041 ± 0.0050
	✓		0.5307 ± 0.0224	0.5249 ± 0.0284	0.0042 ± 0.0048	0.0032 ± 0.0066
			0.5238 ± 0.0115	0.4965 ± 0.0034	0.0035 ± 0.0038	0.0007 ± 0.0027
NATOPS	✓	✓	0.4756 ± 0.0180	0.4638 ± 0.0129	0.4697 ± 0.0383	0.3103 ± 0.0385
		✓	0.4533 ± 0.0457	0.4550 ± 0.0494	0.4481 ± 0.0457	0.2797 ± 0.0460
	✓		0.4528 ± 0.0511	0.4554 ± 0.0583	0.4444 ± 0.0859	0.2844 ± 0.0753
			0.4750 ± 0.0072	0.4797 ± 0.0059	0.4753 ± 0.0118	0.3082 ± 0.0133
PEMS-SF	✓	✓	0.3905 ± 0.0724	0.4364 ± 0.0969	0.3625 ± 0.1185	0.2028 ± 0.0839
		✓	0.2768 ± 0.0192	0.2752 ± 0.0175	0.2469 ± 0.0372	0.1170 ± 0.0271
	✓		0.4159 ± 0.0708	0.4722 ± 0.0819	0.4329 ± 0.0928	0.2465 ± 0.0908
			0.2550 ± 0.0164	0.2553 ± 0.0131	0.2111 ± 0.0293	0.0900 ± 0.0244
PenDigits	✓	✓	0.6796 ± 0.0497	0.6724 ± 0.0488	0.6440 ± 0.0381	0.5249 ± 0.0488
		✓	0.5957 ± 0.0208	0.5949 ± 0.0207	0.5736 ± 0.0164	0.4065 ± 0.0264
	✓		0.6614 ± 0.0378	0.6457 ± 0.0436	0.6188 ± 0.0319	0.4953 ± 0.0431
			0.5954 ± 0.0262	0.5955 ± 0.0250	0.5702 ± 0.0197	0.4034 ± 0.0284
PhonemeSpectra	✓	✓	0.1125 ± 0.0040	0.1119 ± 0.0039	0.1765 ± 0.0084	0.0333 ± 0.0020
		✓	0.1036 ± 0.0047	0.1044 ± 0.0044	0.1576 ± 0.0107	0.0277 ± 0.0029
	✓		0.1036 ± 0.0016	0.1027 ± 0.0021	0.1568 ± 0.0039	0.0289 ± 0.0014
RacketSports	✓	✓	0.5908 ± 0.0704	0.5918 ± 0.0700	0.3431 ± 0.0775	0.2754 ± 0.0886
		✓	0.6330 ± 0.0454	0.6263 ± 0.0497	0.4037 ± 0.0637	0.3443 ± 0.0751
	✓		0.5340 ± 0.0979	0.5410 ± 0.0966	0.3100 ± 0.1019	0.2449 ± 0.1091
			0.6026 ± 0.0949	0.6012 ± 0.0964	0.3912 ± 0.1121	0.3290 ± 0.1141
SelfRegulation SCP1	✓	✓	0.7747 ± 0.0140	0.7738 ± 0.0136	0.2371 ± 0.0269	0.3014 ± 0.0296
		✓	0.7647 ± 0.0254	0.7635 ± 0.0258	0.2224 ± 0.0410	0.2816 ± 0.0510
	✓		0.7740 ± 0.0170	0.7730 ± 0.0160	0.2387 ± 0.0412	0.3002 ± 0.0376
			0.7647 ± 0.0103	0.7644 ± 0.0099	0.2150 ± 0.0213	0.2794 ± 0.0224
SelfRegulation SCP2	✓	✓	0.5253 ± 0.0151	0.5162 ± 0.0079	0.0036 ± 0.0050	0.0010 ± 0.0042
		✓	0.5279 ± 0.0107	0.5270 ± 0.0093	0.0026 ± 0.0022	0.0010 ± 0.0029
	✓		0.5147 ± 0.0106	0.5141 ± 0.0105	0.0010 ± 0.0013	0.0013 ± 0.0017
			0.5142 ± 0.0032	0.5141 ± 0.0033	0.0006 ± 0.0003	0.0018 ± 0.0004
Spoken ArabicDigits	✓	✓	0.4260 ± 0.0202	0.4328 ± 0.0168	0.3868 ± 0.0165	0.2365 ± 0.0194
		✓	0.4712 ± 0.0196	0.4778 ± 0.0219	0.4407 ± 0.0153	0.2844 ± 0.0124
	✓		0.4477 ± 0.0191	0.4502 ± 0.0231	0.4457 ± 0.0383	0.2802 ± 0.0395
			0.4637 ± 0.0203	0.4691 ± 0.0204	0.4426 ± 0.0119	0.2821 ± 0.0086
StandWalkJump	✓	✓	0.4000 ± 0.0637	0.3740 ± 0.0724	0.0441 ± 0.0480	0.0171 ± 0.0522
		✓	0.4000 ± 0.0277	0.3749 ± 0.0372	0.0458 ± 0.0276	0.0173 ± 0.0277
	✓		0.4222 ± 0.0502	0.3944 ± 0.0506	0.0417 ± 0.0306	0.0215 ± 0.0349
			0.4148 ± 0.0544	0.3852 ± 0.0626	0.0547 ± 0.0419	0.0341 ± 0.0161
UWaveGesture Library	✓	✓	0.4164 ± 0.0435	0.4043 ± 0.0445	0.3456 ± 0.0479	0.1996 ± 0.0452
		✓	0.3373 ± 0.0086	0.3156 ± 0.0090	0.1918 ± 0.0200	0.0954 ± 0.0114
	✓		0.3945 ± 0.0411	0.3881 ± 0.0581	0.2768 ± 0.0378	0.1487 ± 0.0261
			0.3127 ± 0.0232	0.2967 ± 0.0177	0.1782 ± 0.0133	0.0860 ± 0.0156

TABLE V
ABLATION STUDIES ON ROUTE DESIGNS OF SIGMA, PART I. RED “+” MARKS DEGRADATION FROM COMPLETE SIGMA.

Datasets (1-15)	Components		Metrics				
	Recon	Contra	ACC	F1	NMI	ARI	
ArticulatoryWord Recognition	✓	✓	0.7329 ± 0.0395	0.7696 ± 0.0443	0.8037 ± 0.0246	0.6029 ± 0.0470	
	✓	✓	0.6035 ± 0.0317	0.6212 ± 0.0261	0.7016 ± 0.0278	0.4614 ± 0.0399	
	✓	✓	0.8247 ± 0.0562	0.8514 ± 0.0558	0.8747 ± 0.0426	0.7445 ± 0.0793	
	✓	✓	0.1419 ± 0.0485	0.2366 ± 0.0323	0.2485 ± 0.0639	0.0353 ± 0.0299	
AtrialFibrillation	✓	✓	0.4933 ± 0.0327	0.4720 ± 0.0232	0.1215 ± 0.0474	0.0443 ± 0.0492	
	✓	✓	0.4933 ± 0.0249	0.4763 ± 0.0291	0.0833 ± 0.0242	0.0169 ± 0.0203	
	✓	✓	0.4733 ± 0.0389	0.4520 ± 0.0542	0.0765 ± 0.0312	0.0190 ± 0.0333	
	✓	✓	0.4600 ± 0.0389	0.4518 ± 0.0598	0.0937 ± 0.0356	0.0212 ± 0.0325	
BasicMotions	✓	✓	0.9675 ± 0.0150	0.9671 ± 0.0154	0.9273 ± 0.0277	0.9169 ± 0.0363	
	✓	✓	0.9050 ± 0.1226	0.9319 ± 0.0784	0.9161 ± 0.0911	0.8633 ± 0.1575	
	✓	✓	0.6600 ± 0.0366	0.8105 ± 0.0355	0.7754 ± 0.0499	0.6063 ± 0.0482	
	✓	✓	0.5100 ± 0.0289	0.6355 ± 0.0519	0.5518 ± 0.0478	0.3927 ± 0.0402	
Character Trajectories	✓	✓	0.7879 ± 0.0499	0.8091 ± 0.0408	0.8463 ± 0.0284	0.7214 ± 0.0576	
	✓	✓	0.6714 ± 0.0832	0.7199 ± 0.0942	0.7443 ± 0.0645	0.5830 ± 0.0923	
	✓	✓	0.7389 ± 0.0708	0.7674 ± 0.0674	0.8189 ± 0.0503	0.6750 ± 0.0821	
	✓	✓	0.0651 ± 0.0000	0.1222 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
Cricket	✓	✓	0.8244 ± 0.0255	0.8463 ± 0.0115	0.8522 ± 0.0167	0.7259 ± 0.0299	
	✓	✓	0.6714 ± 0.1095	0.8001 ± 0.1052	0.8279 ± 0.0699	0.6912 ± 0.1158	
	✓	✓	0.7511 ± 0.0708	0.7828 ± 0.0339	0.7682 ± 0.0476	0.5964 ± 0.0836	
	✓	✓	0.1000 ± 0.0333	0.2018 ± 0.0960	0.0721 ± 0.1442	0.0121 ± 0.0241	
DuckDuckGeese	✓	✓	0.3900 ± 0.0141	0.3730 ± 0.0193	0.1749 ± 0.0375	0.0795 ± 0.0345	
	✓	✓	0.4740 ± 0.0546	0.4690 ± 0.0553	0.2439 ± 0.0457	0.1618 ± 0.0523	
	✓	✓	0.3880 ± 0.0306	0.3682 ± 0.0377	0.1562 ± 0.0375	0.0621 ± 0.0248	
	✓	✓	0.2000 ± 0.0000	0.3333 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
ERing	✓	✓	0.7307 ± 0.0629	0.7287 ± 0.0680	0.5996 ± 0.0590	0.5124 ± 0.0760	
	✓	✓	0.7533 ± 0.0419	0.7553 ± 0.0421	0.6735 ± 0.0240	0.5854 ± 0.0353	
	✓	✓	0.8020 ± 0.0937	0.8006 ± 0.0951	0.7408 ± 0.0702	0.6688 ± 0.1070	
	✓	✓	0.1667 ± 0.0000	0.2857 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
EigenWorms	✓	✓	0.4193 ± 0.0788	0.3646 ± 0.0438	0.1612 ± 0.0594	0.1515 ± 0.0726	
	✓	✓	0.4550 ± 0.0523	0.4150 ± 0.0632	0.2774 ± 0.0369	0.2479 ± 0.0381	
	✓	✓	0.3382 ± 0.0317	0.3009 ± 0.0439	0.0843 ± 0.0295	0.0512 ± 0.0158	
	✓	✓	0.4247 ± 0.0000	0.5962 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
Epilepsy	✓	✓	0.4655 ± 0.0229	0.4573 ± 0.0233	0.2355 ± 0.0362	0.1668 ± 0.0336	
	✓	✓	0.5716 ± 0.0429	0.5746 ± 0.0356	0.3998 ± 0.0509	0.3182 ± 0.0499	
	✓	✓	0.4320 ± 0.0292	0.4259 ± 0.0276	0.2047 ± 0.0333	0.1442 ± 0.0279	
	✓	✓	0.4291 ± 0.0332	0.4217 ± 0.0355	0.1670 ± 0.0517	0.1224 ± 0.0370	
Ethanol Concentration	✓	✓	0.3061 ± 0.0208	0.2766 ± 0.0066	0.0199 ± 0.0156	0.0108 ± 0.0123	
	✓	✓	0.2916 ± 0.0080	0.2841 ± 0.0078	0.0129 ± 0.0041	0.0032 ± 0.0014	
	✓	✓	0.3113 ± 0.0143	0.2799 ± 0.0252	0.0308 ± 0.0187	0.0144 ± 0.0106	
	✓	✓	0.3179 ± 0.0130	0.3277 ± 0.0507	0.0442 ± 0.0192	0.0238 ± 0.0127	
FaceDetection	✓	✓	0.5107 ± 0.0042	0.5100 ± 0.0049	0.0004 ± 0.0003	0.0004 ± 0.0004	
	✓	✓	0.5090 ± 0.0055	0.5086 ± 0.0056	0.0003 ± 0.0003	0.0003 ± 0.0004	
	✓	✓	0.5000 ± 0.0000	0.6667 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
	✓	✓	0.5000 ± 0.0000	0.6667 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
FingerMovements	✓	✓	0.5188 ± 0.0085	0.5142 ± 0.0086	0.0013 ± 0.0007	0.0006 ± 0.0010	
	✓	✓	0.5135 ± 0.0097	0.5114 ± 0.0111	0.0008 ± 0.0009	0.0013 ± 0.0012	
	✓	✓	0.5231 ± 0.0102	0.5188 ± 0.0102	0.0019 ± 0.0012	0.0002 ± 0.0016	
	✓	✓	0.5000 ± 0.0000	0.6667 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
HandMovement Direction	✓	✓	0.3333 ± 0.0143	0.3298 ± 0.0171	0.0205 ± 0.0063	0.0060 ± 0.0052	
	✓	✓	0.3077 ± 0.0162	0.3061 ± 0.0171	0.0148 ± 0.0062	0.0005 ± 0.0053	
	✓	✓	0.3113 ± 0.0208	0.3077 ± 0.0221	0.0215 ± 0.0075	0.0053 ± 0.0072	
	✓	✓	0.3068 ± 0.0068	0.2901 ± 0.0134	0.0201 ± 0.0043	0.0021 ± 0.0020	
Handwriting	✓	✓	0.2386 ± 0.0181	0.2433 ± 0.0195	0.3461 ± 0.0286	0.1006 ± 0.0180	
	✓	✓	0.1706 ± 0.0061	0.1741 ± 0.0083	0.2227 ± 0.0045	0.0385 ± 0.0019	
	✓	✓	0.2054 ± 0.0071	0.2071 ± 0.0059	0.2809 ± 0.0091	0.0663 ± 0.0054	
	✓	✓	0.1428 ± 0.0060	0.1408 ± 0.0057	0.1813 ± 0.0062	0.0217 ± 0.0024	
Heartbeat	✓	✓	0.6636 ± 0.0589	0.5679 ± 0.0507	0.0391 ± 0.0232	0.0689 ± 0.0404	
	✓	✓	0.5628 ± 0.0376	0.5053 ± 0.0802	0.0459 ± 0.0155	0.0065 ± 0.0412	
	✓	✓	0.7002 ± 0.0176	0.7537 ± 0.1522	0.0170 ± 0.0068	0.0161 ± 0.0034	
	✓	✓	0.7213 ± 0.0000	0.8381 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	

TABLE VI
ABLATION STUDIES ON ROUTE DESIGNS OF SIGMA, PART II. RED “+” MARKS DEGRADATION FROM COMPLETE SIGMA.

Datasets (16-30)	Components		Metrics				
	Recon	Contra	ACC	F1	NMI	ARI	
InsectWingbeat	✓	✓	0.1344 ± 0.0023	0.1202 ± 0.0033	0.0153 ± 0.0012	0.0061 ± 0.0007	
	✓	✓	0.1206 ± 0.0063	0.1104 ± 0.0111	0.0053 ± 0.0027	0.0025 ± 0.0014	
	✓	✓	0.1000 ± 0.0000	0.1818 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
	✓	✓	0.1000 ± 0.0000	0.1818 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
JapaneseVowels	✓	✓	0.8647 ± 0.0447	0.8626 ± 0.0432	0.8195 ± 0.0260	0.7682 ± 0.0565	
	✓	✓	0.8859 ± 0.0310	0.8942 ± 0.0270	0.8224 ± 0.0315	0.7627 ± 0.0522	
	✓	✓	0.6441 ± 0.1450	0.6632 ± 0.1467	0.5833 ± 0.1473	0.4328 ± 0.1564	
	✓	✓	0.1844 ± 0.0000	0.3113 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
LSST	✓	✓	0.2042 ± 0.0087	0.1805 ± 0.0063	0.1456 ± 0.0063	0.0555 ± 0.0044	
	✓	✓	0.3362 ± 0.0017	0.2228 ± 0.0094	0.1699 ± 0.0142	0.0714 ± 0.0062	
	✓	✓	0.1969 ± 0.0139	0.1776 ± 0.0102	0.1427 ± 0.0084	0.0537 ± 0.0075	
	✓	✓	0.3155 ± 0.0000	0.4797 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
Libras	✓	✓	0.3156 ± 0.0374	0.3162 ± 0.0405	0.4101 ± 0.0302	0.1502 ± 0.0253	
	✓	✓	0.3600 ± 0.0283	0.3572 ± 0.0231	0.4518 ± 0.0285	0.1916 ± 0.0259	
	✓	✓	0.4161 ± 0.0210	0.4303 ± 0.0315	0.5402 ± 0.0261	0.2622 ± 0.0231	
	✓	✓	0.2644 ± 0.0235	0.2673 ± 0.0222	0.3222 ± 0.0456	0.0927 ± 0.0307	
MotorImagery	✓	✓	0.5323 ± 0.0147	0.5271 ± 0.0154	0.0039 ± 0.0034	0.0025 ± 0.0046	
	✓	✓	0.5079 ± 0.0044	0.4726 ± 0.0036	0.0004 ± 0.0004	0.0016 ± 0.0004	
	✓	✓	0.5270 ± 0.0074	0.5048 ± 0.0179	0.0034 ± 0.0023	0.0009 ± 0.0017	
	✓	✓	OOM	OOM	OOM	OOM	
NATOPS	✓	✓	0.4756 ± 0.0180	0.4638 ± 0.0129	0.4697 ± 0.0383	0.3103 ± 0.0385	
	✓	✓	0.4972 ± 0.0478	0.4940 ± 0.0434	0.4796 ± 0.0594	0.3245 ± 0.0508	
	✓	✓	0.4328 ± 0.0428	0.4242 ± 0.0431	0.3578 ± 0.0955	0.2377 ± 0.0650	
	✓	✓	0.1967 ± 0.0600	0.3526 ± 0.1337	0.0770 ± 0.1539	0.0221 ± 0.0441	
PEMS-SF	✓	✓	0.3905 ± 0.0724	0.4364 ± 0.0969	0.3625 ± 0.1185	0.2028 ± 0.0839	
	✓	✓	0.2368 ± 0.0216	0.2476 ± 0.0355	0.1705 ± 0.0511	0.0609 ± 0.0218	
	✓	✓	0.2700 ± 0.0273	0.2785 ± 0.0369	0.1930 ± 0.0781	0.0771 ± 0.0412	
	✓	✓	0.1477 ± 0.0000	0.2574 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
PenDigits	✓	✓	0.6796 ± 0.0497	0.6724 ± 0.0488	0.6440 ± 0.0381	0.5249 ± 0.0488	
	✓	✓	0.7139 ± 0.0446	0.7030 ± 0.0448	0.6472 ± 0.0277	0.5420 ± 0.0420	
	✓	✓	0.1041 ± 0.0000	0.1885 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
	✓	✓	0.1041 ± 0.0000	0.1885 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
PhonemeSpectra	✓	✓	0.1125 ± 0.0040	0.1119 ± 0.0039	0.1765 ± 0.0084	0.0333 ± 0.0020	
	✓	✓	0.0985 ± 0.0017	0.0967 ± 0.0012	0.1443 ± 0.0051	0.0243 ± 0.0012	
	✓	✓	0.0256 ± 0.0000	0.0500 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
	✓	✓	0.0256 ± 0.0000	0.0500 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
RacketSports	✓	✓	0.5908 ± 0.0704	0.5918 ± 0.0700	0.3431 ± 0.0775	0.2754 ± 0.0886	
	✓	✓	0.6389 ± 0.0424	0.6346 ± 0.0345	0.4214 ± 0.0229	0.3526 ± 0.0483	
	✓	✓	0.4488 ± 0.0172	0.4449 ± 0.0185	0.1929 ± 0.0490	0.1187 ± 0.0352	
	✓	✓	0.4244 ± 0.0367	0.3947 ± 0.0725	0.1550 ± 0.0234	0.1061 ± 0.0245	
Self RegulationSCP1	✓	✓	0.7747 ± 0.0140	0.7738 ± 0.0136	0.2371 ± 0.0269	0.3014 ± 0.0296	
	✓	✓	0.7458 ± 0.0132	0.7421 ± 0.0156	0.2011 ± 0.0274	0.2411 ± 0.0261	
	✓	✓	0.7337 ± 0.0714	0.7246 ± 0.0859	0.1956 ± 0.0777	0.2376 ± 0.1041	
	✓	✓	0.7480 ± 0.0175	0.7477 ± 0.0176	0.1878 ± 0.0261	0.2458 ± 0.0341	
Self RegulationSCP2	✓	✓	0.5253 ± 0.0151	0.5162 ± 0.0079	0.0036 ± 0.0050	0.0010 ± 0.0042	
	✓	✓	0.5347 ± 0.0139	0.5325 ± 0.0152	0.0041 ± 0.0021	0.0030 ± 0.0029	
	✓	✓	0.5158 ± 0.0173	0.5106 ± 0.0157	0.0017 ± 0.0031	0.0003 ± 0.0040	
	✓	✓	0.5200 ± 0.0061	0.5191 ± 0.0059	0.0013 ± 0.0007	0.0009 ± 0.0009	
Spoken ArabicDigits	✓	✓	0.4260 ± 0.0202	0.4328 ± 0.0168	0.3868 ± 0.0165	0.2365 ± 0.0194	
	✓	✓	0.3631 ± 0.0512	0.3642 ± 0.0468	0.3212 ± 0.0486	0.1523 ± 0.0453	
	✓	✓	0.1000 ± 0.0000	0.1819 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
	✓	✓	0.1000 ± 0.0000	0.1819 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	
StandWalkJump	✓	✓	0.4000 ± 0.0637	0.3740 ± 0.0724	0.0441 ± 0.0480	0.0171 ± 0.0522	
	✓	✓	0.4593 ± 0.0378	0.4537 ± 0.0361	0.0530 ± 0.0194	0.0194 ± 0.0251	
	✓	✓	0.4519 ± 0.0363	0.4355 ± 0.0497	0.0543 ± 0.0236	0.0178 ± 0.0199	
	✓	✓	0.4296 ± 0.0181	0.3740 ± 0.0214	0.0924 ± 0.0506	0.0016 ± 0.0243	
UWaveGesture Library	✓	✓	0.4164 ± 0.0435	0.4043 ± 0.0445	0.3456 ± 0.0479	0.1996 ± 0.0452	
	✓	✓	0.4023 ± 0.0342	0.3992 ± 0.0359	0.2887 ± 0.0371	0.1684 ± 0.0280	
	✓	✓	0.6318 ± 0.0456	0.6520 ± 0.0381	0.5779 ± 0.0160	0.4497 ± 0.0166	
	✓	✓	0.1250 ± 0.0000	0.2222 ± 0.0000	0.0000 ± 0.0000	0.0000 ± 0.0000	




Fig. 1. Additional training-loss curves during SIGMA training on six UEA datasets. Each curve reports the mean loss across five random seeds, and the shaded band denotes standard deviation. Vertical dashed lines mark the semantic warm-up, dual-route ramp-up, and prototype-guided refinement stages.




Fig. 2. Scalability under increasing mask rates. The three panels vary N , T , and D , respectively. For each setting, execution time is normalized by the cost at zero mask rate. Shaded bands denote standard deviation, and endpoint annotations report the reduction at 90% mask rate.

D. Scalability under Increasing Mask Rates

The main paper answers Q3 by comparing runtime and memory under increasing sample size, sequence length, and input dimension. This appendix subsection further checks whether the efficiency gain follows the intended mechanism inside SIGMA. If the main cost reduction comes from admission before encoder-side feature interaction, then increasing the mask rate should reduce normalized execution time in a predictable way. Fig. 2 examines this mechanism under varying N , T , and D , corresponding to sample-side workload, sequence length, and input dimension.

The mask rate is determined by the retained patch ratio. Given patch length ℓ_p , each input sequence is divided into $m = \lceil t/\ell_p \rceil$ patches. Under retained ratio r_a , Confidence-Calibrated Masked Admission keeps $m_a = \lceil r_a m \rceil$ patches for encoder-side feature interaction. The corresponding mask rate is calculated as:

$$r_m = 1 - \frac{m_a}{m}. \quad (1)$$

In this experiment, r_m increases from 0% to 90% by decreasing r_a . A zero mask rate means that all patches participate in the encoder. A larger mask rate means that more background-dominated patches are excluded before attention computation. For each scale setting, execution time is normalized by the cost at zero mask rate, which makes the three scale factors comparable from a relative-cost perspective.

Fig. 2 shows a consistent decrease in normalized execution time as the mask rate increases. The average runtime reduction reaches 78.2% under varying N , 86.3% under varying T , and 78.8% under varying D . The reduction is most pronounced when sequence length increases, which agrees with the complexity analysis in the main paper. The dominant attention term depends on the retained patch number m_a after admission. A larger r_m reduces m_a , and the smaller retained patch set produces fewer pairwise interactions inside the encoder. Hence, the measured runtime gain comes from input-side exclusion before redundant patches can shape feature interaction.

The three scale groups also clarify how the same admission mechanism behaves under different workloads. When N increases, the same patch admission rule is applied to more samples, so the accumulated saving becomes clearer. When T increases, the benefit grows more strongly because longer sequences create more candidate patches and enlarge the full-patch attention space. When D increases, the runtime reduction remains stable because fewer admitted tokens go through high-dimensional projection and attention computation. These observations show that CCMA performs computation-aware pruning at the source. That is, CCMA does not only downweight redundant content after full encoding. It changes the admissible input set and directly reduces the dominant representation-learning cost.

REFERENCES

- [1] C. Wang, M. Du, X. Jiang, and Y. Dong, “Fuzzy cluster-aware contrastive clustering for time series,” *Pattern Recognition*, vol. 173, p. 112899, 2026.
- [2] C. Wang, M. Du, and X. Jiang, “Time-frequency augmented multi-level contrastive clustering for time series,” in *Proceedings of the AAAI Conference on Artificial Intelligence (AAAI)*, vol. 40, no. 31, 2026, pp. 26 142–26 150.
- [3] C. HE, X. Huang, G. Jiang, Z. Li, D. Lian, H. Xie, E. Chen, xijie liang, Zhengzengrong, and P. Lee, “GTM: A general time-series model for enhanced representation learning of time-series data,” in *Proceedings of the International Conference on Learning Representations (ICLR)*, 2026. [Online]. Available: <https://openreview.net/forum?id=PWM6FERWz9>
- [4] Z. Tan, X. Luo, Y. Liu, and Y. Zhang, “Mask the redundancy: Evolving masking representation learning for multivariate time-series clustering,” in *Proceedings of the AAAI Conference on Artificial Intelligence (AAAI)*, vol. 40, no. 30, 2026, pp. 25 787–25 795.
- [5] E. Fu and Y. Hu, “Frequency-masked embedding inference: A non-contrastive approach for time series representation learning,” in *Proceedings of the AAAI Conference on Artificial Intelligence (AAAI)*, vol. 39, no. 16, 2025, pp. 16 639–16 647.
- [6] Y. Li, M. Du, X. Jiang, and N. Zhang, “Contrastive learning-based multi-view clustering for incomplete multivariate time series,” *Information Fusion*, vol. 117, p. 102812, 2025.
- [7] P. Boniol, D. Tiano, A. Bonifati, and T. Palpanas, “ k -graph: A graph embedding for interpretable time series clustering,” *IEEE Transactions on Knowledge and Data Engineering*, vol. 37, no. 5, pp. 2680–2694, 2025.
- [8] J. Liu and S. Chen, “Timesurl: Self-supervised contrastive learning for universal time series representation learning,” in *Proceedings of the AAAI Conference on Artificial Intelligence (AAAI)*, vol. 38, no. 12, 2024, pp. 13 918–13 926.
- [9] S. Gao, T. Koker, O. Queen, T. Hartvigsen, T. Tsiligkaridis, and M. Zitnik, “Units: A unified multi-task time series model,” in *Proceedings of the Annual Conference on Neural Information Processing Systems (NeurIPS)*, vol. 37, 2024, pp. 140 589–140 631.