Loulou Al Afrah

Software Requirements Specification (SRS) — Multi-Store Drop Shipping Platform

Table of Contents

1. Introduction

1.1 Purpose

1.2 Scope

What the system does

1. Introduction

1.1 Purpose

This Software Requirements Specification (SRS) document translates the Business Requirements Document (BRD) of the "Loulou Al Afrah" project into clear, detailed, and testable software requirements, to be used as the single reference for the Business Owner, Project Manager, UI/UX Designers, Developers, and QA Engineers.

The system to be developed is a **Saudi e-commerce platform** operating on a **Drop Shipping** model, hosting **seven (7) specialized stores** under one unified platform, all managed from a single admin control panel, and sourcing products from two main supply sources:

1. **M5azn (مخازن)** — a Saudi drop shipping platform, integrated via a dedicated API, covering the **Royal Touch** store.

2. **AliExpress** via the **DSers** tool — covering the six other stores (Lara Beauty, Chic Essence, Hommy, Soccer Three, LifeCare, Mihrab).

The core business/technical objective is to let the end customer browse and purchase from all seven stores through a smooth, secure,with full automation of product, stock, and order synchronization with the supply sources, and a professional admin dashboard for managing stores, pricing, orders, customers, reports, and integrations, supported by an AI Chat Bot for customer service

The platform shall support both Arabic and English languages. Arabic shall be the default language, while users may switch between Arabic and English through the language selector. .

1.2 Scope

What the system does

The system is a responsive, web-based e-commerce platform that:

- Displays and lets users browse **seven specialized stores**, with a unified Landing Page for store selection and a dedicated Store Homepage per store.

- Completes online purchases and payments through multiple payment gateways.

- Lets customers track order status and shipment.

- Sends order/shipping/offer notifications via Email and SMS.
- Provides an AI Chat Bot for inquiries and shopping assistance.
- Provides full admin management of stores, products, categories, orders, customers, coupons, banners, pricing, reports, notifications, and external integrations — including a Dashboard giving a live overview of platform performance.
- Synchronizes automatically, bidirectionally, with both M5azn (products/categories/stock → platform, orders → M5azn) and AliExpress via DSers.

The Seven Stores In Scope

#	Store Name	Supply Source	Specialty
1	Royal Touch	M5azn (M5azn) – API	Men's, women's, unisex perfumes, oud & incense, scented candles
2	Lara Beauty	AliExpress via DSers	Makeup, skin care, hair care, body care
3	Chic Essence	AliExpress via DSers	Home appliances, skin/hair/body care devices, travel & camping supplies
4	Hommy	AliExpress via DSers	Home essentials, bedding, home fragrances
5	Soccer Three	AliExpress via DSers	Varied sports supplies
6	LifeCare	AliExpress via DSers	Health & medical devices/tools
7	Mihrab	AliExpress via DSers	Worship/prayer supplies

Primary Users

- **Guest:** browses products without needing to log in.

- **Registered Customer:** purchases, tracks orders, receives notifications, rates products.
- **Admin User:** manages the platform through the control panel.

Primary Processes

Product browsing, search & filter, add to cart, checkout & payment (instant or BNPL via Tabby/Tamara), order tracking, store/product/category/coupon/banner management, integration management & sync, order & customer management, reports, a comprehensive Dashboard, and system settings.

Integrations

- M5azn API — category/product/order sync and shipping status updates.
- DSers (AliExpress) — product import, stock/price sync, order fulfillment, shipping updates.
- Payment gateways: Mada, Visa/Mastercard, STC Pay, Apple Pay, Tabby, Tamara.
- Email and SMS notification services.
- AI Chat Bot with WhatsApp handoff.

Supported Channels & Languages

- Responsive web platform, supporting mobile, tablet, and desktop.
- **Supported Languages:**
  - Arabic — RTL
  - English — LTR

Arabic shall be the default language. Users can switch between Arabic and English through the .

1.3 Definitions & Abbreviations

Term	Definition
SRS	Software Requirements Specification
BRD	Business Requirements Document
UC	Use Case

FR	Functional Requirement
NFR	Non-Functional Requirement
BR	Business Rule
API	Application Programming Interface
M5azn	Saudi drop shipping platform, supply source for the Royal Touch store via API
DSers	Order/product management tool bridging the platform with AliExpress
AliExpress	Global e-commerce marketplace, supply source for the six other stores via DSers
Sync Orders	The automatic process of pushing confirmed orders from the platform to M5azn
AI Chat Bot	An automated conversational assistant for customer inquiries and shopping assistance
Drop Shipping	Retail model where the store does not keep goods in stock
Tabby / Tamara	Buy Now Pay Later (BNPL) payment gateways
Admin Dashboard	The admin's landing screen showing a real-time summary of platform performance
Tracking Number	The shipment tracking number
SKU	Stock Keeping Unit
RTL	Right-to-Left text direction (Arabic)

KPI	Key Performance Indicator

1.4 Business Rules

ID	Rule Name	Description	Conditions / Restrictions	Exceptions	Related Modules
BR-01	No Mixing of Sources in One Order	An order cannot contain products from two different supply sources (M5azn and AliExpress) at the same time	Checked when adding to cart or at checkout	None stated in the BRD	Cart, Checkout
BR-02	No Mixing of Different AliExpress Stores in One Order	Products from two different stores among the six AliExpress/DSers stores cannot be combined in one order	Checked when adding to cart or at payment	None stated in the BRD	Cart, Checkout
BR-03	Login Required to Purchase	A guest may browse products without logging in, but cannot complete checkout without logging in	Applies at Checkout	Free browsing is unrestricted	Accounts, Cart, Checkout
BR-04	Source Data Sync for the M5azn Store	Category and product data for Royal Touch is synced automatically from M5azn; admin can only edit locally-editable fields (retail price, profit margin, offers) while	Editing is restricted to local, non-synced fields	—	Store/Product Management, M5azn Integration

		preserving source data			
BR-05	Source Data Sync for the Six AliExpress Stores	Product, stock, and price data for the six stores is synced automatically from AliExpress via DSers, with admin able to set a local profit margin	—	—	Store/Product Management, DSers Integration
BR-06	Order Sync to M5azn	Any order containing a Royal Touch product must be automatically synced (Sync Orders) to M5azn immediately upon order confirmation	Requires an active API connection	On sync failure, the order is flagged "Sync Error" for admin follow-up	Order Management, M5azn Integration
BR-07	Order Forwarding via DSers	Any order containing a product from one of the six stores is automatically forwarded to the supplier via DSers for fulfillment	Requires an active DSers connection	On failure, the order is flagged "Sync Error" for admin follow-up	Order Management, DSers Integration
BR-08	Automatic Order Status & Tracking Update	When shipping status or a tracking number becomes available from the source (M5azn or AliExpress), order status and tracking must update automatically and the customer must be notified	—	—	Order Management, Notifications

BR-09	Show Price Before/After Discount	When a discount or coupon is active on a product, both the original price and the discounted price must be shown on the product page	Applies only when a discount/coupon is active	—	Product Page
BR-10	BNPL Payment Options	Customers may choose installment payment via Tabby or Tamara in addition to instant online payment	Subject to the BNPL provider's approval	—	Cart, Checkout, Payment
BR-11	ChatBot Order-Status Verification	The Chat Bot may only respond to order-status inquiries after verifying the customer's identity and linking the order to their account	Requires customer login and order-ownership verification	—	AI Chat Bot, Order Management
BR-12	Supported Platform Languages	Arabic shall be the default platform language, and users shall be able to switch to English at any time through the language selector.		—	All modules

BR-13	Unified Management of the Seven Stores	All seven stores (products, categories, pricing, stock) are managed from one unified control panel	—	—	Admin Panel
BR-14	Coupon Scope per Store	Every coupon created in the admin panel must be explicitly linked to one or more specific stores, and is rejected if applied to a product from a store it does not cover	Checked when the coupon is applied in the cart	—	Coupon Management, Cart
BR-15	Reviews Only for Verified Purchases	A customer may only rate a product if they actually purchased it and their order has been delivered (Verified Purchase)	Requires a "Delivered" order containing the product	—	Product Page, Platform Management
BR-16	Separate Favorites per Store	Each of the seven stores maintains an independent Favorites list for the customer; products saved from one store appear only in that store's favorites, and switching stores automatically switches the visible favorites list	Requires customer login	—	Product Page, Store Switching, Customer Account

BR-17	Order Cancellation Allowed Only Before Shipping	The customer can cancel the order as long as its status is **"Processing** " or **"Synced with Supplier** ." The order cannot be canceled once it has been marked as **"Shipped"** or " **Delivered** ." If the order has already been paid for, a refund request will be created and processed according to the approved payment method.	Choosing a reason for cancellation is required.	The refund process for payments made using **Tabby/Tamara** may vary according to the payment provider's policies.	Order Management, Payment, Notifications

---

2. Overall System Description

2.1 Product Perspective

Module	Description
Landing Page	Interactive display of the seven stores, promotional banners, featured products, best sellers, quick search, store selection
Store Homepage	A dedicated homepage per store showing its own banners, featured products, and categories after store selection
Authentication	Registration, login, password recovery, guest browsing
Product Browsing	Product listing, categories, search & filter by store/category, best sellers, ratings

Product Details	Multiple images, description & features, price before/after discount, ratings, availability
Cart & Checkout	Add/edit quantities, apply coupons, choose payment, enter shipping data, enforce the no-mixing rule across stores/sources
Orders (Customer)	Order status tracking, order history, tracking number
Notifications	Order status, shipping, and offer notifications via Email and SMS
AI Chat Bot	Product suggestions, FAQ answers, shopping assistance, order-status inquiries, WhatsApp handoff
Admin — Dashboard	Platform performance overview: sales, orders, customers, stock alerts, recent activity
Admin — Store & Product Management	Manage the seven stores, categories, pricing/margins, discounts/coupons, stock
Admin — Categories Management	Create and organize categories and sub-categories per store
Admin — Coupons & Promotions	Create discount coupons, scope them to stores, track usage
Admin — Banners & Homepage	Manage homepage/store banners, featured products, display order
Admin — Integrations Management	Track M5azn and DSers/AliExpress connection status, sync, product import, per-source statistics
Admin — Order Management	View/track all orders across the seven stores, identify store & supply source, update status, track payment & shipping

Admin — Customer Management	View/edit/delete/add customers, track their activity
Admin — Notifications Management	Control which notification types are sent, and view the send log
Admin — Reports & Analytics	Sales, order, profit, customer, and best-seller reports
Admin — System Settings	Shipping, payment, notification, and language settings
M5azn Integration	API connection, category/product sync, order sync (Sync Orders), shipping updates
DSers/AliExpress Integration	Product import, stock/price sync, order fulfillment, shipping updates
Payment Gateways	Mada, Visa/Mastercard, STC Pay, Apple Pay, Tabby, Tamara

2.2 User Classes

Role	Description	Access Level
Guest	Unauthenticated visitor — browses only	Read-only storefront
Registered Customer	Registered user who places orders, tracks them, receives notifications, and rates products	Full access to own data, cart, and orders
Admin User	Platform operator with full control	Full access across stores, products, categories, coupons, banners, orders, customers, integrations, reports, and settings

2.3 Design Constraints

- The platform shall support both Arabic and English languages. Arabic interfaces shall use RTL direction, while English interfaces shall use LTR direction. .

- The platform must be responsive and support all devices (mobile, tablet, desktop).

- Integrating with M5azn requires an appropriate subscription package enabling API access, with credentials and an API key obtained from M5azn per the available package — a **third-party dependency** outside the development team's control.

- Integration with AliExpress is exclusively via **DSers**, not a direct AliExpress API connection, and requires a pre-configured DSers seller account linked to an AliExpress account.

- Products from two different sources (or two different AliExpress stores) cannot be combined in a single order, due to different suppliers and fulfillment/shipping mechanics — a business constraint that must be technically enforced in the cart module.

- The required payment gateways (Mada, Visa/Mastercard, STC Pay, Apple Pay, Tabby, Tamara) each impose their own technical/contractual constraints, and compliance requirements (e.g., PCI DSS for card data) must be respected. Payment gateway credentials and the platform domain must be provided by the client.

- Brand identity (logo, colors, fonts) for the platform and each of the seven stores must be supplied by the client.

- Product, category, and stock data from external sources (M5azn/AliExpress) is largely read-only/synced from source; local editing is allowed only on specified fields (price, margin, offers) without breaking source sync.

2.4 Global Business Rules / System Architecture

ID	Rule	Description
GBR-01	Single Source of Truth per Product	Every product is linked to exactly one supply source (M5azn or AliExpress via a specific store) that does not change after import
GBR-02	Order Isolation by Source	The cart/checkout system must technically block any attempt to add products from different sources/stores to the same order (enforcing BR-01, BR-02)

GBR-03	Automatic Sync — Scheduled and Event-Based	Category, product, and stock sync from external sources runs automatically (scheduled/event-based); order sync happens immediately upon customer order confirmation
GBR-04	Multi-Store Under One Database	All seven stores are managed under the same database and platform (not separate accounts/platforms), with classification data distinguishing each store
GBR-05	Dual Order Identifier	Every order has a Platform Order ID and, when available, a Supplier Reference ID, both of which must be stored and linked
GBR-06	Extensibility for New Sources/Stores	Database and integration-module design must support adding new supply sources or stores in the future without a fundamental redesign
GBR-07	Unified Session Across All Seven Stores	A customer's login session is single, platform-wide, and re-login is never required when navigating between any of the seven stores
GBR-08	Unified Admin Audit Log	Every sensitive admin panel action (price edit, customer deletion, manual order status update, coupon edit) must be logged with admin name, date, and time in a central audit log

---

3. Functional Requirements

3.1 Authentication

ID	Requirement	Priority
FR-AUTH-01	Guest users may browse all stores and products without logging in	High
FR-AUTH-02	The system must block checkout without login, redirecting the guest to log in or register	High

FR-AUTH-03	The system must allow account creation using email, mobile number, and password	High
FR-AUTH-04	The system must verify that the email/mobile number is not already registered	High
FR-AUTH-05	The system must validate email format, Saudi mobile number format, and password strength at registration	High
FR-AUTH-06	The system must allow login via email or mobile number plus password	High
FR-AUTH-07	The system must provide password recovery via a link/code sent by email or SMS	High
FR-AUTH-08	The system must show a clear error on failed login without revealing which field (email/password) was incorrect	Medium
FR-AUTH-09	The system must allow a logged-in customer to log out	Medium
FR-AUTH-10	The system must lock the account for 15 minutes after 5 consecutive failed login attempts	High
FR-AUTH-11	The customer's login session must remain active across all seven stores without requiring re-login when switching stores (GBR-07)	High

3.2 Landing Page & Store Selection

ID	Requirement	Priority
FR-HOME-01	The Landing Page must display an interactive card for each of the seven stores, with name, specialty, and image	High
FR-HOME-02	The Landing Page must display a main promotional Hero Banner and promotions, manageable from the admin panel	High

FR-HOME-03	The Landing Page must display featured products from each store	High
FR-HOME-04	The Landing Page must display top-level categories for each store	Medium
FR-HOME-05	The Landing Page must display best-selling products	Medium
FR-HOME-06	The Landing Page must provide a quick search box that searches across all seven stores	High
FR-HOME-07	Clicking a store card must navigate to that store's Store Homepage and save the selected store in the session	High
FR-HOME-08	The Store Homepage must display banners, categories, featured products, best sellers, and offers scoped to that store only	High
FR-HOME-09	A "Switch Store" button/link must appear in the header on every store page, allowing direct navigation to any of the other six stores without re-authentication	High
FR-HOME-10	When a store has no banners, featured products, or offers, the system must gracefully hide the relevant section without leaving empty space or breaking the layout	Medium

3.3 Product Browsing

ID	Requirement	Priority
FR-PB-01	The system must display each store's product list with thumbnail, name, price, and a short description under each product	High
FR-PB-02	The system must support multiple categories per store, independently	High

FR-PB-03	The system must provide text search within a store and across all stores, with store-page search scoped to that store's products only	High
FR-PB-04	The system must support filtering by store, category, price range, and rating	High
FR-PB-05	The system must support sorting results by best-selling, newest, and price ascending/descending	Medium
FR-PB-06	The system must display a "Best Sellers" list per store	Medium
FR-PB-07	The system must display product ratings/reviews, where available, in both the listing and details pages	Medium
FR-PB-08	The system must display a clear "No Results" message when search/filter returns nothing, suggesting filter removal	Medium

3.4 Product Details Page

ID	Requirement	Priority
FR-PD-01	The product page must display multiple images (Gallery/Carousel)	High
FR-PD-02	The product page must display the detailed description and features	High
FR-PD-03	The product page must display the current price, and when a discount/coupon is active, both original and discounted price (BR-09)	High
FR-PD-04	The product page must display customer reviews and average rating	Medium
FR-PD-05	The product page must display availability status (in stock / out of stock) based on stock data synced from the source	High

FR-PD-06	The system must automatically disable "Add to Cart" when the product is out of stock	High
FR-PD-07	The product page must display variant options (e.g., perfume size, makeup shade/color) where applicable, required before enabling Add to Cart	Medium
FR-PD-08	The product page must display a "Related Products" section from the same store only	Low
FR-PD-09	The system must internally retain each product's link to its store and source so the no-mixing rule can be enforced (BR-01, BR-02)	High
FR-PD-10	The product page and product card must display an "Add to Favorites" (heart) icon, allowing a logged-in customer to save the product to the current store's favorites list (BR-16)	High
FR-PD-11	The system shall support product and category content in both Arabic and English. Where source data is available in only one language, the Admin shall be able to provide or manage the corresponding localized content without modifying the source-synchronized data.	

3.5 Cart & Checkout

ID	Requirement	Priority
FR-CART-01	The system must allow adding a product to the cart from the listing page or the details page	High
FR-CART-02	The system must allow editing cart quantities, validating against available stock	High
FR-CART-03	When adding a product to the cart, the system must check the store/source compatibility with the current cart contents, and block the addition if the product is from a different source/store (BR-01, BR-02), showing an explanatory message	High

FR-CART-04	The system must offer "Empty the current cart and start with the new store's product" as an alternative when a source conflict occurs	Medium
FR-CART-05	The system must allow applying discount coupons, validating their validity, conditions, and store scope (BR-14)	High
FR-CART-06	The system must display cart totals before and after discount	High
FR-CART-07	The system must allow payment method selection: instant online (Mada/Visa-Mastercard/STC Pay/Apple Pay) or BNPL via Tabby or Tamara	High
FR-CART-08	The system must require shipping details (name, address, city, mobile, etc.) before confirming the order	High
FR-CART-09	The system must validate completeness/correctness of shipping data before allowing progression to the payment step	High
FR-CART-10	On successful payment, the system must create the order with status "Processing" and clear only that store's cart	High
FR-CART-11	On payment failure, the system must show a clear error and keep the cart contents intact for retry	High

3.6 Orders (Customer Side)

ID	Requirement	Priority
FR-ORD-01	A logged-in customer must be able to view their order history, newest first	High
FR-ORD-02	The system must display order details: products, quantities, prices, status, and order date	High

FR-ORD-03	The system must display current order status (e.g., Processing, Synced with Supplier, Shipped, Delivered, Cancelled, Sync Error) via an order timeline	High
FR-ORD-04	The system must display the tracking number as soon as it becomes available from the source, as a clickable link	High
FR-ORD-05	The system must allow the customer to view/track shipment status once a tracking number is available	Medium
FR-ORD-06	The system shall allow customers to cancel eligible orders while the order status is Processing or Synced with Supplier.	High
FR-ORD-07	When a paid order is cancelled, the system shall create and track a refund request associated with the cancelled order. , then update order status to "Cancelled," automatically initiate a refund if the order was paid, and notify the customer and the relevant source (M5azn/DSers) of the cancellation	High

3.7 Notifications

ID	Requirement	Priority
FR-NOTIF-01	The system must notify the customer whenever order status changes	High
FR-NOTIF-02	The system must notify the customer when a shipping/tracking update becomes available	High
FR-NOTIF-03	The system must send promotional/discount notifications to registered customers	Medium
FR-NOTIF-04	Order notifications must be sent via both Email and SMS	High
FR-NOTIF-05	The system must log every notification sent, with timestamp and delivery status, for support follow-up	Medium

FR-NOTIF-06	The admin panel must allow enabling/disabling each notification type individually (order, shipping, offers)	Medium

3.8 AI Chat Bot

ID	Requirement	Priority
FR-BOT-01	The Chat Bot must suggest products relevant to the customer's interest across the seven stores	Medium
FR-BOT-02	The Chat Bot must automatically answer common FAQs	High
FR-BOT-03	The Chat Bot must assist the customer in finding suitable products while browsing/purchasing	Medium
FR-BOT-04	ChatBot shall support both Arabic and English for customer conversations and respond to customer inquiries in the selected language.	High
FR-BOT-05	The Chat Bot must verify customer identity (login) and link the order to their account before answering any order-status-specific inquiry (BR-11)	High
FR-BOT-06	The Chat Bot must answer general shipping/delivery questions without requiring login	Medium
FR-BOT-07	The Chat Bot must offer a WhatsApp handoff when it cannot resolve a query	Medium
FR-BOT-08	The Chat Bot must accept repeat queries and direct customers to answers or human support when unable to answer	Medium
FR-BOT-09	The floating Chat Bot button must be visible on all store pages at all times	Medium

3.9 Admin — Dashboard

ID	Requirement	Priority
FR-DASH-01	On login, the admin panel must display KPI summary cards: total sales, order count, customer count, pending orders	High
FR-DASH-02	The dashboard must display recent orders across all seven stores	High
FR-DASH-03	The dashboard must display a sales chart (daily/weekly/monthly)	Medium
FR-DASH-04	The dashboard must display top-selling products	Medium
FR-DASH-05	The dashboard must display low-stock alerts per store	High
FR-DASH-06	The dashboard must display recent system notifications/alerts (sync failure, failed payment)	High
FR-DASH-07	The dashboard must provide quick-access buttons to key modules (Products, Orders, Customers, Coupons)	Medium

3.10 Admin — Store & Product Management

ID	Requirement	Priority
FR-ADM-STR-01	The admin panel must manage all seven stores from one unified interface	High
FR-ADM-STR-02	The admin panel must allow editing only the locally-editable fields (retail price, profit margin, offers) without affecting synced source data (BR-04)	High
FR-ADM-STR-03	The admin panel must show each store's product list with search and filter by status/category	High

FR-ADM-STR-04	The admin panel must allow toggling a product's storefront visibility on/off without deleting it from the database	Medium
FR-ADM-STR-05	The admin panel must track stock levels per product (synced from source)	High
FR-ADM-STR-06	The admin panel must display each product's status (in stock/out of stock/paused) based on synced stock	Medium
FR-ADM-STR-07	The system must prevent the admin from directly editing source-synced fields (e.g., base description, original images) to preserve source data consistency	Medium
FR-ADM-STR-08	The system must block deletion of a product linked to active orders, with a warning message explaining why	Medium

3.11 Admin — Categories Management

ID	Requirement	Priority
FR-ADM-CAT-01	The admin panel must allow creating categories and sub-categories per store independently	High
FR-ADM-CAT-02	The admin panel must display a hierarchical tree of categories/sub-categories per store	Medium
FR-ADM-CAT-03	The system must prevent deleting a category that contains linked products without first moving those products to another category	High
FR-ADM-CAT-04	The system must allow moving a group of products from one category to another (existing or new) in bulk	Medium
FR-ADM-CAT-05	Any category addition/edit/deletion must immediately reflect on the customer-facing filter menus of the relevant store	High

3.12 Admin — Coupons & Promotions

ID	Requirement	Priority
FR-ADM-CPN-01	The admin panel must allow creating a coupon with type (percentage or fixed amount), value, minimum order value, expiry date, and usage limit	High
FR-ADM-CPN-02	The admin must select which store(s) the coupon applies to when creating it (BR-14)	High
FR-ADM-CPN-03	The system must allow enabling/disabling or deleting any coupon at any time	High
FR-ADM-CPN-04	The admin panel must display the usage count for each coupon	Medium
FR-ADM-CPN-05	The system must reject an expired or disabled coupon at checkout with a clear message	High
FR-ADM-CPN-06	The admin panel must allow setting product-level discounts directly from the product edit form	Medium

3.13 Admin — Banners & Homepage

ID	Requirement	Priority
FR-ADM-BNR-01	The admin panel must allow add/edit/delete/reorder of banners on the Landing Page and Store Homepages	High
FR-ADM-BNR-02	The system must allow setting a display schedule (start/end date) per banner, with automatic activation/deactivation	Medium
FR-ADM-BNR-03	The admin panel must allow selecting Featured Products shown on the Landing Page and each Store Homepage	High
FR-ADM-BNR-04	The admin panel must allow previewing the homepage before publishing changes	Medium

3.14 Admin — Integrations Management

ID	Requirement	Priority
FR-ADM-INT-01	The admin panel must display current M5azn API connection status (connected/disconnected/error)	High
FR-ADM-INT-02	The admin panel must display current DSers/AliExpress connection status per store, for each of the six stores	High
FR-ADM-INT-03	The admin panel must allow triggering/monitoring manual category/product/order sync in addition to automatic sync	Medium
FR-ADM-INT-04	The admin panel must display comparative statistics between the two sources (M5azn vs. AliExpress): product count, order count, completion rates	Medium
FR-ADM-INT-05	The admin panel must display most-visited products per store	Medium
FR-ADM-INT-06	The admin panel must display the completed/cancelled order ratio per store	Medium
FR-ADM-INT-07	The system must alert the admin on any sync failure (product/stock/order), showing the error reason when available from the source	High
FR-ADM-INT-08	The admin panel must let the admin search AliExpress products via DSers and import selected products into one of the six stores	High
FR-ADM-INT-09	When importing a new product via DSers, the system must require the admin to set a retail price before publishing, automatically showing the computed profit margin	High

3.15 Admin — Order Management

ID	Requirement	Priority
FR-ADM-ORD-01	The admin panel must display all orders across the seven stores in one unified view	High
FR-ADM-ORD-02	The admin panel must show each order's associated store	High
FR-ADM-ORD-03	The admin panel must show the supply source associated with the order (M5azn or DSers/AliExpress)	High
FR-ADM-ORD-04	The admin panel must show the Platform Order ID	High
FR-ADM-ORD-05	The admin panel must show the Supplier Reference ID when available	High
FR-ADM-ORD-06	The admin panel must allow manually updating order status when needed (without conflicting with automatic source updates), logging the admin name and time (GBR-08)	High
FR-ADM-ORD-07	The admin panel must show payment status and details (method, transaction ID) per order	High
FR-ADM-ORD-08	The admin panel must show shipping status per order	High
FR-ADM-ORD-09	The admin panel must show the tracking number when available	High
FR-ADM-ORD-10	The admin panel must allow filtering/searching orders by store, source, status, date, and customer	Medium
FR-ADM-ORD-11	The admin panel must allow exporting the order list as Excel or PDF	Low

FR-ADM-ORD-12	The admin panel must allow the admin to request a refund for a paid, eligible order, showing order data, payment method, and paid amount before confirmation	High
FR-ADM-ORD-13	The system must update the order status to "Refund Pending" or "Refunded" depending on the payment method after admin confirmation, logging the action with admin name and time (GBR-08)	High
FR-ADM-ORD-14	For orders paid via Tabby or Tamara, the admin panel must show a note that the refund must be completed directly through the BNPL provider's portal	Medium

3.16 Admin — Customer Management

ID	Requirement	Priority
FR-ADM-CUS-01	The admin panel must list customers with their basic data and order count	High
FR-ADM-CUS-02	The admin panel must allow editing customer data	High
FR-ADM-CUS-03	The admin panel must allow deleting a customer account, blocking deletion when active orders exist	Medium
FR-ADM-CUS-04	The admin panel must allow the admin to manually add a customer	Medium
FR-ADM-CUS-05	The admin panel must allow tracking customer activity (orders, interactions) via a dedicated profile page	Medium
FR-ADM-CUS-06	The admin panel must allow logging and tracking issues associated with a specific customer and their cause	Medium
FR-ADM-CUS-07	The admin panel must allow managing account status (activate/deactivate), immediately blocking a deactivated customer's login	Medium

3.17 Admin — Reports & Analytics

ID	Requirement	Priority
FR-ADM-REP-01	The system must provide sales reports per store and for the platform overall	High
FR-ADM-REP-02	The system must provide order reports (count, status, time period)	High
FR-ADM-REP-03	The system must provide profit reports (based on configured margins)	High
FR-ADM-REP-04	The system must provide customer reports (count, activity, top buyers)	Medium
FR-ADM-REP-05	The system must provide best-selling product reports per store	Medium
FR-ADM-REP-06	Reports must support filtering by date range and specific store	Medium
FR-ADM-REP-07	The admin panel must allow exporting any report as PDF or Excel	Low

3.18 Admin — System Settings

ID	Requirement	Priority
FR-ADM-SET-01	The admin panel must manage shipping settings	Medium
FR-ADM-SET-02	The admin panel must manage payment settings (enable/disable specific gateways)	Medium
FR-ADM-SET-03	The admin panel must manage notification settings	Medium

FR-ADM-SET-04	The admin panel must manage language settings	Low

3.19 M5azn Integration

ID	Requirement	Priority
FR-INT-M5-01	The system must connect to M5azn via a platform-specific API key	High
FR-INT-M5-02	The system must automatically sync categories and products from M5azn	High
FR-INT-M5-03	The system must automatically sync orders (Sync Orders) from the platform to M5azn immediately upon order confirmation	High
FR-INT-M5-04	The system must automatically receive shipping status and tracking number updates from M5azn	High
FR-INT-M5-05	The system must allow the admin to set a profit margin on M5azn products	High

3.20 DSers/AliExpress Integration

ID	Requirement	Priority
FR-INT-DS-01	The system must automatically import products from AliExpress via DSers for each of the six stores	High
FR-INT-DS-02	The system must automatically sync stock and prices from DSers	High
FR-INT-DS-03	The system must automatically forward orders via DSers to the appropriate supplier	High
FR-INT-DS-04	The system must receive shipping status updates from DSers	High

FR-INT-DS-05	The system must allow the admin to set a profit margin for each of the six stores' products	High

3.21 Payment Gateways

ID	Requirement	Priority
FR-PAY-01	The system must support payment via Mada	High
FR-PAY-02	The system must support payment via Visa/Mastercard	High
FR-PAY-03	The system must support payment via STC Pay	High
FR-PAY-04	The system must support payment via Apple Pay	High
FR-PAY-05	The system must support BNPL payment via Tabby	High
FR-PAY-06	The system must support BNPL payment via Tamara	High
FR-PAY-07	The system must display payment status (success/failed/pending) immediately upon gateway response	High

3.22 Product Reviews

ID	Requirement	Priority
FR-REV-01	The system must allow a customer to submit a 1–5 star rating and an optional written review for a product only after it was purchased and the order delivered (BR-15)	High

FR-REV-02	Reviews with 4 or 5 stars must be published automatically without admin review	Medium
FR-REV-03	Reviews with 3 stars or below must be routed to an admin moderation queue before publishing	Medium
FR-REV-04	The system must automatically update the product's average rating whenever a new review is published	Medium
FR-REV-05	The admin panel must allow approving or rejecting pending reviews in the moderation queue	Medium

3.23 Favorites (Wishlist)

ID	Requirement	Priority
FR-FAV-01	The system must allow a logged-in customer to add any product to the "Favorites" list of the current store from the product card or details page	High
FR-FAV-02	The favorites list must be independent per store (BR-16); products saved from one store must not appear in another store's favorites	High
FR-FAV-03	When switching stores (Store Switching), the displayed favorites list must automatically switch to match the target store's favorites	High
FR-FAV-04	If a guest (not logged in) clicks the favorites icon, the system must prompt login before saving	High
FR-FAV-05	The system must allow the customer to view a "My Favorites" page scoped to the current store from the account menu	High
FR-FAV-06	The system must allow the customer to remove a product from favorites with a single click on the heart icon	Medium

FR-FAV-07	If a saved favorite product becomes unavailable or is removed from the store, it must appear greyed out with an "Unavailable" badge in the favorites list instead of being auto-deleted	Low
FR-FAV-08	The favorites list must persist for the customer across sessions	Medium

---

4. Non-Functional Requirements

ID	Category	Requirement
NFR-01	Performance	Main page load time (Landing Page, Store Homepage, product listing) must not exceed 3 seconds under normal load
NFR-02	Performance	Core action response time (add to cart, search) must not exceed 2 seconds
NFR-03	Performance	Order sync with the source (M5azn/DSers) must complete promptly after payment confirmation to avoid delaying fulfillment
NFR-04	Availability	The platform must maintain uptime of at least 99.5% per month
NFR-05	Security	All platform traffic must be over HTTPS/SSL
NFR-06	Security	Passwords must be hashed with a secure algorithm and never stored in plain text
NFR-07	Security	The system must be protected against common vulnerabilities (SQL Injection, XSS, CSRF)
NFR-08	Security	Payment data must comply with PCI DSS standards, or be handled entirely through certified payment gateways without storing card data on the platform

NFR-09	Security	Login sessions must expire after a defined idle period, with secure logout, and must not require session regeneration when switching stores
NFR-10	Security	Sensitive admin panel actions (price edits, customer deletion, manual order status update, coupon edits) must be recorded in an audit log
NFR-11	Scalability	The system design must support adding new stores or supply sources in the future without a fundamental database redesign
NFR-12	Scalability	The system must handle increased concurrent traffic and orders during promotions/peak periods without significant performance degradation
NFR-13	Usability	The purchase journey (from product page to order confirmation) must use the fewest possible steps for a fast, easy experience
NFR-14	Usability	All interfaces must fully support RTL Arabic
NFR-15	Usability	Validation and error messages must be clear and written in understandable Arabic for the end user
NFR-16	Usability	The Store Switcher button must be visible and accessible from all pages within a store, and the switch action must complete within 2 seconds
NFR-17	Maintainability	Integration modules (M5azn/DSers) must be built modularly to ease replacing/adding a new supply source in the future
NFR-18	Maintainability	System code and internal APIs must be documented to ease future maintenance
NFR-19	Compatibility	The system must be responsive and compatible with the latest versions of Chrome, Safari, Edge, and Firefox

NFR-20	Compatibility	The platform must support mobile, tablet, and desktop devices
NFR-21	Privacy	Customer personal data (name, phone, email, address) must be protected in compliance with applicable Saudi data protection requirements
NFR-22	Privacy	Access to sensitive customer data in the admin panel must be restricted to authorized admin users only
NFR-23	Performance	Cart save/restore when switching stores must complete within 1 second

---

5. External Interface Requirements

System / External Service	Interface Type	Purpose
M5azn	REST API (M5azn-specific)	Sync categories/products, sync orders (Sync Orders), receive shipping status & tracking updates for Royal Touch
DSers	DSers tool integration	Import AliExpress products, sync stock/prices, auto-fulfill orders, update shipping status for the six stores
AliExpress	Product source (via DSers)	Actual product catalog and fulfillment supplier for the six stores' orders
Mada Gateway	Payment gateway	Instant payment via local debit cards
Visa/Mastercard Gateway	Payment gateway	Instant payment via credit cards
STC Pay	Payment gateway	Instant payment via digital wallet

Apple Pay	Payment gateway	Instant payment via Apple Pay
Tabby	BNPL payment gateway	Buy Now Pay Later option
Tamara	BNPL payment gateway	Buy Now Pay Later option
Email Service	Notification service (Email)	Order, shipping, and offer notifications
SMS Provider	Notification service (SMS)	Order and shipping notifications via SMS
WhatsApp	Conversation handoff (via Chat Bot)	Redirect the customer from the Chat Bot to direct human support

---

6. Future Enhancements (Out of Scope – Current Phase)

The following items are explicitly listed in the BRD as future plans and are **out of the current phase's scope**:

- Native mobile application (iOS/Android).
- Affiliate marketing program.
- Loyalty points system.
- Direct WhatsApp messaging as an integrated communication/sales channel (beyond the Chat Bot handoff).
- Adding new supply sources/suppliers beyond M5azn and AliExpress.
- Expanding with additional stores on the platform.

---

7. User Flow

7.1 Entry & Store Selection Flow

Trigger / Starting Point: The user opens the website.

Main Steps:

1. The user opens the site; the system displays the Landing Page.
2. The Landing Page shows: a main Hero Banner, cards for the seven stores, and a Chat Bot button.
3. The user selects a store directly from a card, or opens the Chat Bot for help.
4. On selecting a card: the system checks the store is active and checks login status.
5. If logged in: session store context is saved and the user is routed to the store without re-login.
6. If a guest: session store context is saved and the user is routed to the store as a visitor.
7. The Store Homepage renders its own banners, categories, and featured products only.

System Decision Flow:

• Selected store unavailable → "This store is currently unavailable" message.

• User uses the Chat Bot to state intent (perfumes/makeup/etc.) → the Chat Bot suggests the best-matching store among the seven.

7.2 Store Switching Flow

Trigger / Starting Point: The user is inside one of the seven stores and clicks "Switch Store" in the header.

Main Steps:

1. The user clicks the Store Switcher and selects a target store from the other six.
2. The system checks whether the current store's cart has items.
3. If empty → immediate redirect to the target store.
4. If it has items → the system shows a warning modal: "Each store's cart is separate. Your current [store] cart will be saved. Switch to [target] Store?" with "Confirm" and "Cancel" buttons.
5. On confirmation, the current store's cart is preserved, and the system navigates to the target store without requiring re-login.

6. On returning to a previously visited store, its saved cart is automatically restored.

7.3 Registration & Login Flow

Trigger / Starting Point: A guest clicks "Login / Register" from any page.

Main Steps:

1. The user clicks the account icon.
2. The system shows two options: "Login" or "Create New Account".
3. For registration: the user enters email, mobile number, and password.
4. The system validates the data and uniqueness.
5. On success, the account is created and the customer is auto-logged in.
6. For login: the user enters email/mobile and password.
7. The system validates the credentials.
8. On success, the user is redirected to their previous page or the homepage, and the session stays active across all seven stores.

Alternative Paths: Forgot password → send a recovery link/code via Email or SMS.

Error Paths: After 5 failed login attempts → the account is locked for 15 minutes.

7.4 Browsing & Search Flow Within a Store

Trigger / Starting Point: The user is on a store's page.

Main Steps:

1. The user browses the store's products or uses search/category filters.
2. Optional filters (category, price, rating) or sort (best-selling, newest) are applied.
3. The system displays matching products scoped to that store only.
4. The user clicks a product to view details.

System Decision Flow: No matching results → "No Results" state with a suggestion to clear filters.

7.5 Purchase & Checkout Flow — Royal Touch Product (M5azn Source)

Trigger / Starting Point: The customer is on a Royal Touch product page.

Main Steps:

1. The customer clicks "Add to Cart."
2. The system checks whether this store's cart is empty or already contains items from the same source.
3. On compatibility, the product is added to this store's cart specifically.
4. The customer reviews the cart, adjusts quantity, and applies a store-specific coupon if available.
5. The customer clicks "Checkout" → prompted to log in if not already (BR-03).
6. The customer enters shipping details, selects a payment method, and confirms the order.
7. On payment success, the order is created with status "Processing," and only this store's cart is cleared.
8. The system automatically sends the order to M5azn via Sync Orders (BR-06).
9. M5azn prepares the shipment, issues an invoice, and ships it.
10. The system receives the shipping status/tracking update automatically, updates the order, and notifies the customer.

System Decision Flow: If the store's cart contains items from a different source than the product being added → block the addition and show a choice: empty the cart or cancel the addition.

Error Paths: Payment failure → keep the cart and return to the payment step; order-sync failure with M5azn → flag order as "Sync Error" for admin follow-up.

7.6 Purchase & Checkout Flow — One of the Six Stores (AliExpress via DSers)

Trigger / Starting Point: The customer is on a product page from one of the six stores.

Main Steps:

1. The customer clicks "Add to Cart"; the system verifies store/source compatibility with this store's cart (BR-02).
2. The customer completes cart review, applies a coupon, logs in if needed, enters shipping details, and chooses payment.
3. On payment success, the order is created with status "Processing."
4. The system automatically forwards the order via DSers (BR-07).
5. The supplier ships the order; the system receives shipping status/tracking updates from DSers, updates the order, and notifies the customer.

7.7 AI Chat Bot Flow

Trigger / Starting Point: The user opens the Chat Bot window from any page.

Main Steps:

1. The user types a query or picks a suggested quick reply.
2. The Chat Bot analyzes the query (general question, product suggestion, store suggestion, order-status inquiry).
3. General inquiries (shipping, policies) → answered directly.
4. Product/store suggestion requests → the Chat Bot suggests products or a store among the seven based on stated interest.
5. Order-status inquiries → the Chat Bot verifies customer login and links the order to their account (BR-11) before showing any details.
6. If unable to resolve the query → the Chat Bot offers a WhatsApp handoff.

7.8 Admin Integration Management Flow (M5azn and DSers)

Trigger / Starting Point: The admin opens the "Integrations" page in the admin panel.

Main Steps:

1. The system shows current connection status for both M5azn and DSers/AliExpress, per store.
2. The admin reviews sync statistics (last sync, number of synced products/orders, errors).
3. The admin can trigger a manual sync or search for new products via DSers to import.
4. On importing a new product, the admin sets a retail price and profit margin before publishing.
5. The system shows the sync/import result (success/failure) with error details if any.

7.9 Admin Order Management Flow

Trigger / Starting Point: The admin opens the "Orders" page.

Main Steps:

1. The system displays all orders across the seven stores.
2. The admin uses filters (store, source, status, date) to narrow results.

3. The admin opens a specific order to view full details (store, source, platform order ID, supplier reference ID, payment status, shipping status, tracking number).

4. When needed, the admin updates order status manually, and the update is logged in the audit log.

7.10 Admin Dashboard Flow

Trigger / Starting Point: The admin logs into the control panel.

Main Steps:

1. The admin is automatically routed to the Dashboard after login.

2. The system displays KPI summary cards (sales, orders, customers, pending orders).

3. The system displays recent orders, a sales chart, top-selling products, low-stock alerts, and recent system notifications.

4. The admin can jump directly to any detailed module via quick-access buttons.

---

8. Use Cases

8.1 Use Cases Index

ID	Title	Group	Actor
UC-C-00	Choose Store from Landing Page	Customer	Guest / Customer
UC-C-01	Switch Between Stores	Customer	Guest / Customer
UC-C-02	Customer Registration	Customer	Guest
UC-C-03	User Login	Customer	Guest / Customer

UC-C-04	Password Recovery	Customer	Guest / Customer
UC-C-05	Browse & Search Products	Customer	Guest / Customer
UC-C-06	View Product Details	Customer	Guest / Customer
UC-C-07	Shopping Cart & Checkout	Customer	Registered Customer
UC-C-08	Track Order	Customer	Registered Customer
UC-C-09	AI ChatBot Helper	Customer	Guest / Customer
UC-C-10	Submit Product Review	Customer	Registered Customer
UC-C-11	Add Product to Favorites	Customer	Registered Customer
UC-C-12	Order Cancellation	Customer	Registered Customer
UC-A-00	Admin Dashboard	Admin	Admin
UC-A-01	Manage Products, Stock & Pricing	Admin	Admin
UC-A-02	Manage Categories & Sub-Categories	Admin	Admin

UC-A-03	Monitor & Sync M5azn Integration	Admin	Admin
UC-A-04	Import & Sync Products via DSers/AliExpress	Admin	Admin
UC-A-05	Manage Orders Across the Seven Stores	Admin	Admin
UC-A-06	Manage Customers	Admin	Admin
UC-A-07	Manage Coupons & Promotions	Admin	Admin
UC-A-08	Manage Banners & Homepage	Admin	Admin
UC-A-09	Manage Notifications	Admin	Admin
UC-A-10	View Reports & Analytics	Admin	Admin
UC-A-11	Review Moderation Queue	Admin	Admin
UC-A-12	Manage System Settings	Admin	Admin

8.2 Detailed Use Cases

Group A — Customer Use Cases

UC-C-00: Choose Store from Landing Page

Field	Details

Use Case ID	UC-C-00
Title	Choose Store from Landing Page
Description	Allows a guest or customer to enter any of the seven stores directly from a store card on the Landing Page, or via an AI ChatBot recommendation
Actor	Guest / Customer
Preconditions	The website is available; the Landing Page is available; at least one store is active and published; the AI ChatBot service is active
Triggered By	The user opening the website
Main Flow	1. The user opens the website. 2. The system displays the Landing Page with a Hero Banner, the seven store cards, and a ChatBot button. 3. The user either selects a store card directly or opens the AI ChatBot. 4. On card click: the system validates the selected store is active and checks the user's login state. 5. If authenticated: the system stores the selected store in the session and redirects to the store homepage without requiring login again. 6. If a guest: the system stores the selected store in the session and redirects to the store homepage as a visitor. 7. On using the ChatBot: the user enters a query, the AI analyzes it, recommends the most relevant store, and displays a link. 8. The user clicks the recommendation; the system stores the selected store and redirects there. 9. The user continues browsing products inside the selected store.
UI Components	Hero Banner, Store Cards (x7), Enter Store Button, AI ChatBot Button, Chat Window, Store Recommendation Card, Footer
Post Conditions	Store selection is saved in the current session; the user is redirected to the selected/recommended store; only that store's products are displayed; authenticated users remain logged in across all stores

Alternative Flow	Selected store unavailable → "This store is currently unavailable. Please try again later."; AI cannot determine the appropriate store → ChatBot displays all store options for manual selection; AI service unavailable → ChatBot shows an error, store cards remain usable
Acceptance Criteria	1. The Landing Page loads successfully. 2. The user can enter any store directly from its card. 3. The AI ChatBot can recommend the correct store based on the request. 4. The selected store is maintained throughout the session. 5. Only products belonging to the selected store are displayed. 6. Authenticated users do not need to re-login when entering a store.
Business Rules	BR-13, GBR-04, GBR-07
Related FRs	FR-HOME-01, FR-HOME-06, FR-HOME-07, FR-BOT-01, FR-BOT-03
Triggers / Leads To	UC-C-05 (Browse Products), UC-C-01 (Switch Store), UC-C-09 (ChatBot)

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
hero_banner	Promotion Banner	Banner / Slider	Displays active promotional campaigns only	At least one active banner required to show the section
store_card	Store Name	Clickable Card	Displays store image, name, and short description	Redirects to the store page; the store must be active

chatbot_button	Chat with Us	Floating Action Button	Visible on all platform pages	Must open the ChatBot window successfully
chat_window	AI Assistant	Popup Panel	Supports Arabic fully	Cannot send an empty message
store_recommendation_card	Recommended Store	Information Card	Shown only when the AI identifies a matching store	Must redirect to a valid, active store page

---

UC-C-01: Switch Between Stores

Field	Details
Use Case ID	UC-C-01
Title	Switch Between Stores
Description	Allows a guest or logged-in customer to switch between any of the seven stores without losing session state. Each store keeps an independent cart; the system preserves the previous store's cart and loads the target store's cart automatically
Actor	Guest / Customer
Preconditions	The user is currently inside one of the seven stores; the target store is active and published; a session exists (guest or authenticated)

Main Flow	1. The user clicks the Store Switch button in the header, always visible. 2. The user selects the target store. 3. The system checks whether the current store's cart has items. 4. If it has items, the system shows the Switch Store Modal: "⚠️ Shopping carts are separate per store. Your current [store] cart will be saved. Do you want to switch to [target] Store?" 5. The user clicks "Confirm Switch" or "Cancel." 6. If the cart is empty OR the user confirms: the system stores the target store in the session and navigates there. 7. If authenticated: the login session remains active — no re-login required. 8. The target store's cart loads (empty, or restored if it had prior items). 9. The previous store's cart remains saved in the background and is restored on return.
UI Components	Store Switch Button, Switch Store Modal, Modal Title, Modal Message, Confirm Switch Button, Cancel Button, Cart Preservation Notice
Post Conditions	The user is browsing the target store; the previous store's cart is preserved and isolated; the new store's cart is displayed independently; authentication state is maintained; the favorites/session context switches to the selected store
Alternative Flow	User clicks Cancel → the modal closes, no changes made; target store unavailable → "This store is currently unavailable."; a guest switches → works identically, no login prompt; user returns to a previous store → its cart is restored automatically
Acceptance Criteria	1. No re-login required for authenticated users when switching. 2. Each store's cart is independent and persists. 3. The warning modal appears correctly only when the current cart has items. 4. The switch completes within 2 seconds. 5. Guests can switch stores without login prompts.
Business Rules	BR-01, BR-02, GBR-07
Related FRs	FR-HOME-09, FR-CART-03, FR-CART-04
Related NFRs	NFR-16, NFR-23

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
store_switch_button	Switch to [Store Name]	Button / Toggle	Always visible in the header inside any store	Disabled if the target store is inactive
switch_confirmation_modal	Switch Confirmation	Popup Modal	Appears only when the current cart has items	The user must select Confirm or Cancel explicitly
confirm_switch_btn	Switch & Save	Primary Button	Proceeds with the switch	Always enabled
cancel_switch_btn	Cancel	Secondary Button	Cancels the switch, closes the modal	Always enabled

---

UC-C-02: Customer Registration

Field	Details
Use Case ID	UC-C-02
Title	Customer Registration
Description	Allows a new visitor to create a customer account to place orders and access personalized features
Actor	Guest

Preconditions	The user is not logged in; has a valid email and mobile number; the registration page is accessible
Triggered By	The user clicking Register
Main Flow	1. The user clicks Register. 2. The system displays the registration form. 3. The user enters email, mobile number, and password. 4. The user submits the form. 5. The system validates all fields for format and uniqueness. 6. On success, the system creates the account and hashes the password. 7. The system logs the customer in automatically. 8. The user is redirected to the homepage or the store they were browsing, with a welcome message.
UI Components	Registration Form, Email Input Field, Phone Number Field, Password Field, Confirm Password Field, Submit Button, Validation Messages, Link to Login Page
Post Conditions	A new customer account is created and active; the user is logged in across all seven stores
Alternative Flow	Email or mobile already registered → error message with a Login link
Acceptance Criteria	1. The user creates an account with valid, unique data successfully. 2. Duplicate email/phone is rejected with a clear message. 3. All validation messages display accurately.
Business Rules	BR-03
Related FRs	FR-AUTH-03, FR-AUTH-04, FR-AUTH-05
Related NFRs	NFR-06, NFR-15
Triggers / Leads To	UC-C-05 (Browse Products)

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
email_input	Email Address	Text Input (type=email)	Required. Max 150 chars	Must match email format, be non-empty, and unique
phone_input	Mobile Number	Text Input with +966 prefix	Required	Numbers only, min 9 digits, unique
password_input	Password	Password Input	Show/hide toggle, strength indicator	Min 8 chars, at least 1 letter and 1 number
confirm_password_input	Confirm Password	Password Input	Show/hide toggle	Must match Password field exactly
submit_btn	Create Account	Button (Primary)	Full-width, disabled until all fields are valid	All required fields must pass validation before enabling

---

UC-C-03: User Login

Field	Details
Use Case ID	UC-C-03
Title	User Login
Description	Allows a registered customer to authenticate, with the session remaining active across all seven stores

Actor	Guest / Registered Customer
Preconditions	The user has a registered, active account
Triggered By	Attempting to purchase, or clicking Login directly
Main Flow	1. The user clicks Login. 2. The system displays the login form. 3. The user enters email/mobile and password. 4. The user clicks Login. 5. The system validates credentials against the database. 6. On success, the system generates a unified platform-wide session. 7. The user is redirected to the previous page or the homepage.
UI Components	Login Form, Email Input Field, Password Input Field, Login Button, Forgot Password Link, Register Link, Error Message Area
Post Conditions	The user is authenticated across all seven stores
Alternative Flow	Forgot password → UC-C-04; account deactivated → "Account suspended, please contact support"
Acceptance Criteria	1. Valid credentials allow successful login with a unified session. 2. Invalid credentials display a generic error. 3. Account lockout triggers after 5 failed attempts for 15 minutes.
Business Rules	BR-03, GBR-07
Related FRs	FR-AUTH-06, FR-AUTH-08, FR-AUTH-10, FR-AUTH-11
Related NFRs	NFR-06, NFR-09

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations

login_email_input	Email Address / Mobile Number	Text Input	Required	Cannot be empty
login_password_input	Password	Password Input	Show/hide toggle	Cannot be empty
login_btn	Login	Button (Primary)	Full-width, shows loading spinner	Enabled only when both fields are non-empty
forgot_password_link	Forgot Password	Hyperlink	Below the password field	Navigates to UC-C-04
error_message_area	—	Alert / Inline Message	Appears above the form	Shown only on an authentication error

---

UC-C-04: Password Recovery

Field	Details
Use Case ID	UC-C-04
Title	Password Recovery
Description	Allows a registered customer to securely reset a forgotten password via an Email or SMS code
Actor	Guest / Registered Customer
Preconditions	The user has a registered account and access to the registered email/mobile number

Main Flow	1. The user clicks Forgot Password on the login page. 2. The system displays the recovery form. 3. The user enters their registered email or mobile number. 4. The system verifies the account exists and sends a verification code. 5. The user enters the code. 6. The system validates the code. 7. The system shows the new password form. 8. The user enters and confirms the new password. 9. The system updates the password and redirects to login. 10. The system sends a password-changed confirmation notification.
UI Components	Forgot Password Form, Email/Phone Input Field, Send Code Button, Verification Code Field, New Password Field, Confirm New Password Field, Reset Password Button, Back to Login Link
Post Conditions	The password is updated; the user can log in with the new password; a confirmation notification is sent
Alternative Flow	Email/phone not registered → "No account found"; code expires → a Resend option appears
Acceptance Criteria	1. The code is sent successfully to the registered contact. 2. A correct code enables the password reset. 3. An expired/invalid code is clearly rejected. 4. The new password must meet security requirements.
Related FRs	FR-AUTH-07
Related NFRs	NFR-06

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
identifier_input	Email or Phone	Text Input	Required, accepts email or	Must match a registered account

			phone format	
verification_code_input	Verification Code	Text Input	Valid for a limited time	Numbers only; rejected once expired
new_password_input	New Password	Password Input	Strength indicator	Min 8 chars, at least 1 uppercase and 1 number
confirm_new_password_input	Confirm New Password	Password Input	—	Must match the New Password field exactly
reset_password_btn	Reset Password	Button (Primary)	Disabled until both fields are valid	Both password fields must match and meet requirements

---

UC-C-05: Browse & Search Products

Field	Details
Use Case ID	UC-C-05
Title	Browse & Search Products
Description	Allows guests and customers to browse product listings, apply filters, and search within the current store
Actor	Guest / Customer

Preconditions	At least one product is published; the user has selected/been routed to a store
Main Flow	1. The user arrives at the product listing page of the selected store. 2. The system displays published products as cards (image, name, price, rating). 3. The user optionally types a search keyword. 4. The system returns real-time matching results scoped to this store only. 5. The user optionally applies filters (category, price, rating). 6. The user optionally selects a sort option. 7. The system updates the grid accordingly. 8. The user clicks a product card to open the Product Detail Page.
UI Components	Product Cards Grid, Search Bar, Category Filter, Price Range Slider, Rating Filter, Sort Dropdown, Pagination, No Results Message
Post Conditions	The user views a filtered/full product list scoped to the current store only
Alternative Flow	No products match → "No products found" with a Clear Filters suggestion; store has no products → empty state, "Products coming soon"
Acceptance Criteria	1. Product cards load with image, name, and price. 2. Search returns relevant, in-store results in real time. 3. Filters correctly narrow the listing. 4. Sort options reorder products correctly.
Related FRs	FR-PB-01 to FR-PB-08
Related NFRs	NFR-01, NFR-02
Triggers / Leads To	UC-C-06, UC-C-07

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
search_bar	Search products…	Text Input	Searches within the selected store only	Debounced 300ms; accepts Arabic and Latin text
category_filter	Category	Checkbox List	Multiple categories selectable	At least one category must exist to show the filter
price_range_slider	Price Range (SAR)	Dual-handle Range Slider	Min ≥ 0	Min value cannot exceed max value
sort_dropdown	Sort By	Select Dropdown	Default: Best Selling	One valid option must be selected
product_card	—	Card Component	Fixed height	Out-of-stock products remain visible with a badge
pagination	Load More / Pages	Pagination Bar	25 products per page	Disabled on the last page

---

UC-C-06: View Product Details

Field	Details
Use Case ID	UC-C-06
Title	View Product Details

Description	Allows customers/guests to view full product information including images, description, variants, price, and reviews
Actor	Guest / Customer
Preconditions	The product exists and is published
Main Flow	1. The user clicks a product card. 2. The system navigates to the Product Detail Page. 3. The system displays the image gallery, name, full description, and features. 4. If a discount is active, the original price shows strikethrough with the discounted price highlighted. 5. The system displays stock availability status. 6. The user optionally selects a variant (size, scent, color/shade). 7. The user sets the desired quantity. 8. The user reads customer reviews and star rating. 9. The system displays a "You May Also Like" section from the same store. 10. The user clicks Add to Cart.
UI Components	Product Image Gallery, Product Name & Brand, Price Section, Stock Status Badge, Variant Selector, Quantity Selector, Add to Cart Button, Description Tabs, Reviews & Rating Section, You May Also Like Section
Post Conditions	The user has full product information and can add the item to cart
Alternative Flow	Out of stock → Add to Cart replaced by "Notify Me"; no reviews yet → "Be the first to review"; no recommendations → the section is hidden without breaking the layout
Acceptance Criteria	1. All product info loads correctly. 2. Gallery images work correctly. 3. Discount prices display accurately. 4. Variant selection updates price/stock correctly. 5. Recommended products belong only to the current store.
Business Rules	BR-09

Related FRs	FR-PD-01 to FR-PD-09
Triggers / Leads To	UC-C-07

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
product_gallery	Product Images	Image Carousel / Gallery	Max 8 images	At least 1 image required to publish
price_section	Price (SAR)	Text Display	Bold; discount highlighted	Discounted price must be less than the original price
variant_selector	Select Option	Chip Buttons / Dropdown	Variant type depends on category (size for perfumes, color/shade for makeup)	Required before Add to Cart is enabled if variants exist
quantity_selector	Quantity	Number Stepper	Min 1, Max = available stock	Cannot exceed available stock
add_to_cart_btn	Add to Cart	Button (Primary)	Disabled until required variant selected	Product must be in stock
reviews_section	Customer Reviews	List + Star Rating	Only verified purchasers can review (BR-15)	Rating 1–5 required; text max 500 chars

related_products_section	You May Also Like	Horizontal Product Card List	Max 10 products, same store only	Hidden if no recommendations available

---

UC-C-07: Shopping Cart & Checkout

Field	Details
Use Case ID	UC-C-07
Title	Shopping Cart & Checkout
Description	Allows a customer to review the current store's cart, apply a coupon, enter shipping details, choose a payment method, and confirm the order
Actor	Registered Customer
Preconditions	The current store's cart has at least one item; all cart items belong to the same store/source
Triggered By	The customer clicking Checkout from the cart

Main Flow	1. The customer opens the cart page for the current store. 2. The system displays cart items (image, name, unit price, quantity, line total). 3. The customer optionally updates quantities or removes items. 4. The customer optionally enters a coupon code and clicks Apply. 5. The customer clicks Checkout; if not logged in, they are prompted to log in first (UC-C-03). 6. The customer enters/confirms the shipping address. 7. The customer selects a payment method. 8. The customer reviews the final order summary. 9. The customer clicks Confirm & Pay. 10. The system processes payment via the selected gateway. 11. On success, the order is created with status "Processing," and only this store's cart is cleared. 12. The system automatically forwards the order to the correct supply source (M5azn via Sync Orders, or DSers). 13. The system displays the Order Confirmation screen with the order number. 14. The system sends an order confirmation notification via Email and SMS.
UI Components	Cart Items List, Quantity Stepper per Item, Remove Item Button, Coupon Code Input + Apply Button, Order Summary Panel, Shipping Address Form, Payment Method Selector, Confirm & Pay Button, Order Confirmation Screen
Post Conditions	A new order is created with status "Processing," forwarded to the correct source; this store's cart is cleared while other stores' carts remain unaffected
Alternative Flow	Invalid coupon → "Invalid or expired coupon code"; incomplete address → validation prevents checkout from proceeding; mixed-source cart detected (edge case) → "You cannot mix products from different stores in one order"
Error Paths	Payment fails → order is NOT created; system shows error and allows retry, keeping the cart intact; order-forwarding to the supply source fails → order is created with status "Sync Error" for admin follow-up

Acceptance Criteria	1. Cart totals (subtotal, discount, shipping, total) calculate correctly. 2. Coupons apply discounts accurately and only within their store scope. 3. Payment is processed and the order is created. 4. A confirmation notification is sent. 5. Store cart isolation is maintained — checkout clears only the current store's cart.
Business Rules	BR-01, BR-02, BR-03, BR-06, BR-07, BR-10, BR-14
Related FRs	FR-CART-05 to FR-CART-11, FR-PAY-01 to FR-PAY-07, FR-INT-M5-03, FR-INT-DS-03
Related NFRs	NFR-03, NFR-05, NFR-08, NFR-13
Triggers / Leads To	UC-C-08

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
coupon_input	Coupon Code	Text Input + Button	One coupon per order maximum	Code must exist, not be expired, and match the cart's store (BR-14)
shipping_address_form	Delivery Address	Multi-field Form	Required before checkout proceeds	City, District, Street, Phone all required and non-empty
payment_method_selector	Payment Method	Radio Card Selection	One method must be selected	Card fields required when Card is selected

order_summary_panel	Order Summary	Read-only Summary Panel	Sticky on desktop, updates live	Total must be > 0 to enable Confirm button
confirm_pay_btn	Confirm & Pay	Button (Primary)	Disabled until address and payment are filled	All checkout steps must pass validation
cart_quantity_stepper	Quantity	Number Stepper	Min 1, Max = available stock	Setting quantity to 0 triggers item-removal prompt

---

UC-C-08: Track Order

Field	Details
Use Case ID	UC-C-08
Title	Track Order
Description	Allows a logged-in customer to view current status and shipment tracking details for their orders across the seven stores
Actor	Registered Customer
Preconditions	The customer is logged in; at least one order has been placed
Main Flow	1. The customer navigates to My Orders from the account menu. 2. The system displays all customer orders, newest first. 3. The customer clicks a specific order. 4. The system displays order details: items, total, shipping address, status timeline, and tracking number. 5. The customer clicks the tracking number link. 6. The system opens the carrier tracking page in a new tab.

UI Components	Orders List Table, Order Status Badge, Order Detail Card, Order Timeline Stepper, Tracking Number Hyperlink, Estimated Delivery Date
Post Conditions	The customer knows the current order status and can access carrier tracking
Alternative Flow	Tracking number not yet assigned → "Awaiting shipment from supplier"; order cancelled → red "Cancelled" badge
Acceptance Criteria	1. All customer orders are listed correctly (own orders only). 2. Order status reflects the latest source update. 3. Tracking links open the correct carrier page. 4. The timeline stepper shows accurate, non-skipping progress.
Related FRs	FR-ORD-01 to FR-ORD-05
Related NFRs	NFR-22

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
orders_list_table	My Orders	Data Table	Most recent first, paginated at 20 rows	Shows only orders for the logged-in customer
order_status_badge	Status	Badge / Tag	Color-coded per status	Must reflect actual system status only
order_timeline	Order Progress	Horizontal Stepper	Placed → Confirmed → Preparing → Shipped → Delivered	Steps progress in order only; cannot skip

tracking_number_link	Tracking Number	Hyperlink	Opens in a new tab	Greyed "Not yet assigned" when unavailable

---

UC-C-09: AI ChatBot Helper

Field	Details
Use Case ID	UC-C-09
Title	AI ChatBot Helper
Description	Allows customers/guests to get instant help through an AI-powered chatbot that answers questions, suggests products/stores, retrieves order status, and escalates to WhatsApp when needed
Actor	Guest / Customer
Preconditions	The ChatBot service is active; the user is on any storefront page
Main Flow	1. The user clicks the floating ChatBot button. 2. The chat window opens with a welcome message and quick-reply chips. 3. The user types a question or clicks a quick reply. 4. The AI engine processes the query. 5. The ChatBot responds in Arabic. 6. For order status: the ChatBot verifies login/order ownership and returns the current status. 7. For product/store queries: the ChatBot suggests relevant products/stores with links. 8. If unresolved: the ChatBot shows a WhatsApp handoff button.
UI Components	Floating ChatBot Button, Chat Window, Message Input Field, Send Button, Quick Replies, Product/Store Suggestion Cards, WhatsApp Handoff Button, Typing Indicator
Post Conditions	The query is answered or escalated; chat history is stored for the session

Alternative Flow	AI cannot match the query → fallback message and WhatsApp button; order-status query without login → login is requested first, no data is exposed
Acceptance Criteria	1. The ChatBot responds within 2 seconds. 2. Quick replies function correctly. 3. Suggestions include correct links. 4. WhatsApp handoff is functional. 5. Arabic input/output works correctly.
Business Rules	BR-11
Related FRs	FR-BOT-01 to FR-BOT-09

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
chatbot_floating_btn	Chat with us	Floating Action Button	Fixed bottom, always visible	Must not be hidden by other page elements
chat_message_input	Type a message…	Text Input	Max 300 characters	Cannot send an empty message; supports Arabic
quick_reply chips	Suggested Questions	Chip Buttons	Max 4 chips at conversation start	Each chip maps to a valid AI intent
whatsapp_handoff_btn	Chat on WhatsApp	Button with icon	Shown only when the AI cannot resolve the query	Must open a valid WhatsApp URL with a pre-filled message

UC-C-10: Submit Product Review

Field	Details
Use Case ID	UC-C-10
Title	Submit Product Review
Description	Allows verified customers who have purchased and received a product to submit a star rating and optional written review (BR-15)
Actor	Registered Customer
Preconditions	The customer is logged in and has a completed, delivered order containing the product
Main Flow	1. The customer navigates to the product page of a purchased product. 2. The system detects verified-purchaser status and displays the review form. 3. The customer selects a 1–5 star rating. 4. The customer optionally writes a text review (max 500 chars). 5. The customer submits the review. 6. The system checks the star rating. 7. If rated 4 or 5 stars → published immediately. 8. If rated 1, 2, or 3 stars → flagged and sent to admin moderation. 9. The admin approves or rejects the flagged review. 10. The customer is notified when the review is published or rejected.
UI Components	Write a Review Form, Star Rating Selector, Review Text Area, Submit Review Button, Review Moderation Notice, Published Reviews List
Post Conditions	Rating ≥ 4 → live immediately; rating ≤ 3 → in admin moderation queue; the product's average rating is updated after each new review
Alternative Flow	Non-purchaser → the review form is hidden with "Verified purchases only"; no text submitted → the star rating alone is accepted; admin rejects → the customer is notified and the review is discarded

Acceptance Criteria	1. Only verified purchasers can see/submit the review form. 2. 4–5 star reviews publish immediately without moderation. 3. 1–3 star reviews are withheld and appear in the moderation queue. 4. The average rating updates correctly after each new review. 5. The customer is notified upon publish or rejection.
Business Rules	BR-15
Related FRs	FR-REV-01 to FR-REV-05

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
star_rating_selector	Your Rating	Interactive Star Row (1–5)	Required before submitting	Must select 1–5
review_text_area	Your Review	Multi-line Text Input	Optional, max 500 chars	Character counter shown
submit_review_btn	Submit Review	Button (Primary)	Disabled until rating is selected	One review per product per customer
moderation_notice	Under Review	Informational Banner	Shown to the submitter after a low-rating submit	Displayed only for ratings 1–3, only to the submitter

---

UC-C-11: Add Product to Favorites

Field	Details
Use Case ID	UC-C-11
Title	Add Product to Favorites

Description	Allows a logged-in customer to save products to a store-specific Favorites list for easy access later (BR-16)
Actor	Registered Customer
Preconditions	The customer is logged in; the product is published and visible
Main Flow	1. The customer views a product card on the listing page or the details page. 2. The customer clicks the heart (favorite) icon on the product. 3. The system adds the product to the favorites list of the currently selected store only. 4. The heart icon switches to a filled/active state to confirm the action. 5. The customer can open "My Favorites" for the current store from the account menu. 6. The customer clicks any favorite product to go to its detail page. 7. The customer can remove a product from favorites by clicking the heart icon again.
UI Components	Heart Icon Button (on product card and details page), My Favorites Page, Favorites Product Grid, Remove from Favorites Button, Empty State Message
Post Conditions	The product is saved to this store's favorites specifically, and the list persists across sessions
Alternative Flow	A guest clicks the favorite icon → prompted to log in before saving; a favorited product is later removed from the store → appears greyed out with an "Unavailable" badge
Acceptance Criteria	1. The favorite is saved correctly and persists across sessions. 2. The heart icon accurately reflects the saved state. 3. Removing a favorite works correctly. 4. A guest is prompted to log in when attempting to save. 5. Products favorited in one store never appear in another store's favorites list.
Business Rules	BR-16

Related FRs	FR-FAV-01 to FR-FAV-08, FR-PD-10

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
favorite_heart_icon	Save to Favorites	Toggle Icon Button	Visible on all product cards and the details page	Filled (saved) vs. outline (not saved); state synced with the server
my_favorites_page	My Favorites	Product Grid Page	Shows only products from the currently active store	Shows only products saved by the logged-in customer
remove_favorite_btn	Remove	Icon Button (on card)	Removes the item from favorites immediately	No additional confirmation required
favorites_empty_state	No favorites yet	Informational Display	Shown when the list is empty	Includes a "Browse Products" CTA button

---

UC-C-12: Order Cancellation

Field	Details
Use Case ID	UC-C-12
Title	Order Cancellation
Description	Allows a logged-in customer to cancel an order that has not yet shipped, automatically initiating a refund if the order was paid (BR-17)

Actor	Registered Customer
Preconditions	The customer is logged in; order status is "Processing" or "Synced with Supplier" (not yet shipped)
Main Flow	1. The customer navigates to My Orders. 2. The customer selects the order they wish to cancel. 3. The system checks the current order status. 4. If the status allows cancellation, the system displays a "Cancel Order" button. 5. The customer clicks "Cancel Order." 6. The system shows a confirmation dialog asking for a cancellation reason. 7. The customer selects a reason and confirms. 8. The system cancels the order and updates its status to "Cancelled." 9. The system initiates a refund (if the order was paid) to the original payment method. 10. The customer receives a cancellation confirmation via Email and SMS. 11. The relevant supply source (M5azn or DSers) is notified of the cancellation to stop fulfillment.
UI Components	Cancel Order Button (on order details), Cancellation Confirmation Dialog, Cancellation Reason Dropdown, Confirm Cancellation Button, Refund Status Notice
Post Conditions	Order status updated to "Cancelled"; a refund is initiated if applicable; the customer and the supply source are notified
Alternative Flow	Order is already "Shipped" → the Cancel button is hidden with "Order already shipped, please contact support"; order is already "Delivered" → cancellation is not allowed
Acceptance Criteria	1. Cancellation is allowed only for orders with status "Processing" or "Synced." 2. A refund is correctly initiated after cancellation. 3. Cancelled order status updates immediately. 4. Notifications reach all relevant parties (customer, admin panel).
Business Rules	BR-17

Related FRs	FR-ORD-06, FR-ORD-07
Related NFRs	NFR-10, NFR-15

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
cancel_order_btn	Cancel Order	Button (Danger)	Visible only when order status allows cancellation	Hidden if the order is Shipped, Delivered, or already Cancelled
cancellation_confirmation_dialog	Confirm Cancellation	Modal Dialog	Requires reason selection before confirming	Reason dropdown must have a selection to enable Confirm
cancellation_reason_dropdown	Reason for Cancellation	Select Dropdown	Required. Options: Changed my mind, Ordered by mistake, Found a better price, Other	Must select one option
refund_status_notice	Refund Initiated	Informational Banner	Shown after successful cancellation, only if the order was paid	Displayed only if a payment was collected for this order

---

Group B — Admin Use Cases

UC-A-00: Admin Dashboard

Field	Details
Use Case ID	UC-A-00
Title	Admin Dashboard
Description	Allows the admin to view a high-level summary of platform activity and performance through dashboard widgets, including orders, revenue, customers, stock alerts, and recent activity across all seven stores
Actor	Admin
Preconditions	Admin is logged in successfully; the admin account is active with dashboard access
Main Flow	1. The admin logs into the admin panel. 2. The system redirects the admin to the Dashboard. 3. The system loads KPI summary cards. 4. The system displays recent orders across all seven stores. 5. The system displays a sales analytics chart (daily/weekly/monthly). 6. The system displays top-selling products. 7. The system checks inventory and displays low-stock alerts, if any. 8. The system displays pending reviews awaiting moderation. 9. The system shows recent notifications and system alerts. 10. The admin clicks quick-action buttons to navigate directly to key modules (Orders, Products, Customers, Coupons).
UI Components	KPI Summary Cards, Recent Orders Widget, Sales Analytics Chart, Top Selling Products Widget, Low Stock Alert Panel, Notifications Panel
Post Conditions	The admin gets a real-time overview of system performance and can navigate quickly to needed modules
Alternative Flow	No orders exist → the Recent Orders widget shows an empty state; no low-stock products → "All products sufficiently stocked"; no pending

	reviews → the counter shows 0; no chart data → "No analytics data available"
Acceptance Criteria	1. The dashboard loads successfully after login. 2. KPI cards display accurate, real-time values. 3. The sales chart updates based on the selected period. 4. Low-stock alerts appear only when the threshold is reached. 5. Notifications display recent important events correctly.
Business Rules	BR-13, GBR-04
Related FRs	FR-DASH-01 to FR-DASH-07

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
kpi_summary_cards	Orders / Revenue / Customers / Pending Orders	Metric Cards	4–6 cards at the top	Values must be calculated from valid system data
date_filter	Date Range	Date Picker	Optional	Start date ≤ End date
recent_orders_widget	Recent Orders	Data Table / Card List	Shows the latest 5–10 orders	Orders sorted by most recent first
sales_analytics_chart	Sales Overview	Line / Bar Chart	Daily / Weekly / Monthly view	Chart data must match the selected time range
low_stock_alert_panel	Low Stock Alerts	Alert List	Shows only products below	Minimum stock level is defined by inventory rules

			minimum stock level	

UC-A-01: Manage Products, Stock & Pricing

Field	Details
Use Case ID	UC-A-01
Title	Manage Products, Stock & Pricing
Description	Allows the admin to browse any store's products and edit locally-editable fields (retail price, profit margin, offers, visibility) without affecting synced source data
Actor	Admin
Preconditions	Admin is logged in with product management permissions
Main Flow	1. The admin opens the Products page and selects a store. 2. The system displays that store's product list with search and filters. 3. The admin selects a product to edit. 4. The system displays locally-editable fields (retail price, profit margin, discount/offer status) and source-synced read-only fields (base description, original images, base category). 5. The admin edits the required values and clicks Save. 6. The system validates the input (positive numbers, reasonable margin). 7. The system saves the changes and applies them immediately on the customer-facing storefront. 8. The admin may toggle a product's storefront visibility on/off without deleting it. 9. The admin may attempt to delete a product; the system checks it is not linked to active orders before allowing deletion.
UI Components	Products Data Table, Search & Filter Bar, Product Edit Form, Numeric Fields (Price/Margin), Active/Inactive Toggle, Save Button, Delete Confirmation Dialog

Post Conditions	Retail price/margin/offer status is updated on the storefront without touching source data; deleting/deactivating a product reflects immediately on the customer view
Alternative Flow	Invalid value (negative or non-numeric) → error, save blocked; deleting a product linked to active orders → blocked with a warning
Acceptance Criteria	1. The admin can edit price/margin/offers successfully with valid values. 2. Source-synced fields remain read-only on this screen. 3. Deletion is blocked for products referenced by active orders.
Business Rules	BR-04, BR-05
Related FRs	FR-ADM-STR-01 to FR-ADM-STR-08
Related NFRs	NFR-10

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
products_data_table	Products List	Data Table	Paginated; filterable by store/category/status	Must load valid product data
retail_price_field	Retail Price (SAR)	Number Input	Required, positive number	Must be > 0, max 2 decimal places
profit_margin_field	Profit Margin (%)	Number Input / Display	Computed or manually set	Must be a reasonable, non-negative value

product_active_toggle	Product Status	Toggle Switch	Active = visible; Inactive = hidden	Toggling to inactive hides it from all customers
delete_confirmation_dialog	Delete Product	Modal Dialog	Confirmation required	Cannot delete unless confirmed; blocked if active orders exist

---

UC-A-02: Manage Categories & Sub-Categories

Field	Details
Use Case ID	UC-A-02
Title	Manage Categories & Sub-Categories
Description	Allows the admin to create, edit, organize, and delete product categories and sub-categories used to classify products in each store
Actor	Admin
Preconditions	Admin is logged in with category management permissions

Main Flow	1. The admin navigates to Categories and selects a store. 2. The system displays a hierarchical tree of that store's categories. 3. The admin clicks Add New Category. 4. The admin enters the name, optionally selects a parent category, and optionally uploads a cover image. 5. The admin saves the category — it is available for product assignment immediately. 6. The admin can edit any category's name, image, or parent. 7. On attempting to delete a category with assigned products, the system offers: Move Products, Delete Category Only (if allowed), or Cancel. 8. On choosing Move Products: the system lists all products in that category. 9. The admin selects one or more products (or Select All) and a destination category (existing or new). 10. The admin confirms; the system moves the selected products. 11. The admin can then delete the now-empty category successfully.
UI Components	Add New Category Button, Category Form, Sub-Category Nesting Selector, Delete Confirmation Dialog, Search/Filter Bar, Products in Category Section, Products Data Table, Select All Checkbox, Destination Category Selector, Create New Category Button, Move Products Button
Post Conditions	The new/edited category is immediately available for product assignment and reflected in the store's filter menus
Alternative Flow	Deleting a category with assigned products → blocked with a warning unless moved first; duplicate category name within the same store → error; no products selected during move → "Please select at least one product"; no destination selected → validation message
Acceptance Criteria	1. Top-level and sub-categories can be created. 2. Sub-categories correctly nest under their parent. 3. Categories appear in the storefront filter menus. 4. Deletion is blocked while products are assigned. 5. Products can be moved to an existing or newly-created category, after which the original category can be deleted.
Related FRs	FR-ADM-CAT-01 to FR-ADM-CAT-05

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
category_name_field	Category Name	Text Input	Required, max 80 chars	Cannot be empty; unique within the same store
parent_category_field	Parent Category	Select Dropdown	Optional	Cannot assign a category as its own parent
destination_category_selector	Move To	Select Dropdown	Lists all categories except the current one	Required unless creating a new category
move_products_btn	Move Products	Primary Button	Enabled after selecting products and destination	Completes the move successfully

---

UC-A-03: Monitor & Sync M5azn Integration

Field	Details
Use Case ID	UC-A-03
Title	Monitor & Sync M5azn Integration
Description	Allows the admin to monitor M5azn connection status and trigger/track sync operations for categories, products, and orders

Actor	Admin
Preconditions	An active or previously-active M5azn API connection exists
Main Flow	1. The admin opens the "M5azn Integration" page. 2. The system displays current connection status and the last sync run. 3. The admin reviews the sync log (categories/products/orders) and results. 4. The admin clicks "Sync Now" to trigger a manual sync. 5. The system displays sync progress/result and any errors.
UI Components	Connection Status Badge, Sync Log Table, Sync Now Button, Error Alerts
Post Conditions	Category/product/order data synced with M5azn is refreshed
Alternative Flow	M5azn connection lost → a clear alert with the last successful connection date
Error Paths	A specific item (product/order) fails to sync → the error appears in the log with a retry option
Acceptance Criteria	1. Connection status is displayed accurately and live. 2. Manual sync succeeds and updates the relevant data. 3. Errors appear clearly with a way to follow up.
Business Rules	BR-04, BR-06, BR-08
Related FRs	FR-ADM-INT-01, FR-ADM-INT-03, FR-ADM-INT-07, FR-INT-M5-01 to FR-INT-M5-05

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations

connection_status_badge	Connection Status	Status Badge	Connected / Disconnected / Error	Reflects the latest actual response from the M5azn API
sync_log_table	Sync Log	Data Table	Read-only	Logs every sync operation with timestamp and result
sync_now_btn	Sync Now	Button (Secondary)	Manual, immediate sync	Disabled while a sync is already in progress

---

UC-A-04: Import & Sync Products via DSers/AliExpress

Field	Details
Use Case ID	UC-A-04
Title	Import & Sync Products via DSers/AliExpress
Description	Allows the admin to monitor DSers connection status per store (of the six), search AliExpress products, and import them after setting a retail price and margin
Actor	Admin
Preconditions	An active or previously-active DSers connection exists; the DSers account is configured and linked to AliExpress

Main Flow	1. The admin opens "DSers/AliExpress Integration" and selects one of the six stores. 2. The system displays that store's connection status. 3. The admin searches AliExpress products via the DSers search interface. 4. The system displays matching AliExpress listings. 5. The admin selects products to import. 6. DSers pulls the full product data (images, description, variants, cost price, stock). 7. The admin reviews the imported data. 8. The admin sets the retail price per product; the system displays the computed profit margin automatically. 9. The admin publishes the products to the selected store. 10. The products go live on the storefront immediately. 11. The system continues to sync stock and price periodically for imported products from DSers.
UI Components	DSers Search Bar, AliExpress Results List, Import Button, Imported Products Review Table, Retail Price Field, Margin Field, Publish Button, Sync Status Indicator
Post Conditions	New products are available in the selected store, with ongoing price/stock sync from AliExpress
Alternative Flow	AliExpress API unavailable → error shown, admin can retry; product has no images → admin is warned to upload a custom image
Acceptance Criteria	1. Products are imported with all data intact. 2. Retail price is set independently of the AliExpress price. 3. Products appear on the storefront after publishing. 4. Stock and price sync updates automatically.
Business Rules	BR-05, BR-07, BR-08
Related FRs	FR-ADM-INT-02 to FR-ADM-INT-09, FR-INT-DS-01 to FR-INT-DS-05

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations

dsers_search_bar	Search AliExpress…	Text Input	Searches the AliExpress catalog via DSers API	Min 2 characters to trigger search
retail_price_field	Retail Price (SAR)	Number Input	Editable; cost price is read-only	Must be greater than the AliExpress cost price
margin_field	Profit Margin (%)	Number Display	Auto-calculated, read-only	= ((Retail − Cost) / Retail) × 100; must be > 0
publish_btn	Publish to Store	Button (Primary)	Only after reviewing imported data	Retail price must be set before publishing
sync_status_indicator	Sync Status	Status Badge	Auto-refreshes periodically	Shows Synced / Syncing / Out of Sync

---

UC-A-05: Manage Orders Across the Seven Stores

Field	Details
Use Case ID	UC-A-05
Title	Manage Orders Across the Seven Stores
Description	Allows the admin to view, monitor, update, and manage all orders across the seven stores, including payment and shipping details
Actor	Admin

Preconditions	At least one order exists in the system
Main Flow	1. The admin opens "Orders." 2. The system displays all orders with: store, source, Platform Order ID, Supplier Reference ID, payment status, shipping status, tracking number. 3. The admin filters by store/source/status/date/customer. 4. The admin opens an order to view full details. 5. The admin reviews payment details (method, transaction ID, amount). 6. When needed, the admin updates order status manually, and the system logs the admin name and timestamp. 7. The admin can contact the relevant source (open the M5azn/DSers integration) directly from the order details page when needed. 8. For an eligible, paid order, the admin clicks "Request Refund." 9. The system opens a Refund Confirmation Dialog showing: Order ID, customer name, payment method, paid amount, refund amount, refund status. 10. The admin reviews the details and confirms the refund request. 11. The system validates refund eligibility per business rules (BR-17). 12. If eligible, the system processes the refund or marks it "Pending" depending on the payment method. 13. The system updates order status to "Refund Pending" or "Refunded," logging the action with admin name and timestamp. 14. The admin can export the filtered orders list as Excel or PDF.
UI Components	Orders Data Table, Advanced Filter Bar, Order Detail Page, Status Update Dropdown, Payment Details Section, Refund Initiation Button, Refund Confirmation Dialog, Export Button
Post Conditions	Order status is updated as needed; the refund request is processed or marked pending; all changes are logged with admin name and timestamp
Alternative Flow	No orders match the filter → "No results found"; exporting an empty result set → blocked; order already "Delivered" → status can no longer be changed; refund via Tabby or Tamara → the admin is shown a note to complete the refund through the BNPL provider's portal (FR-ADM-ORD-14); refund request cancelled before confirmation → no changes are saved; refund processing fails due to a payment gateway issue → an error is shown and the order status is kept unchanged

Acceptance Criteria	1. All orders across all seven stores are listed and filterable. 2. Status updates are saved and reflected on the customer account. 3. Refund initiation works only for paid, eligible orders. 4. Export generates a correctly formatted file.
Business Rules	BR-06, BR-07, BR-08, BR-17
Related FRs	FR-ADM-ORD-01 to FR-ADM-ORD-14
Related NFRs	NFR-10

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
orders_table	All Orders	Data Table	Paginated at 25 rows, multi-column sort	Displays orders from all seven stores
filter_bar	Filter Orders	Multi-select + Date Picker	Store, Status, Date Range, Customer	At least one filter must be set
status_dropdown	Order Status	Select Dropdown	Admin can override status in exceptional cases	Change is logged with timestamp and admin name
refund_initiation_btn	Request Refund	Action Button	Visible only for eligible, paid orders	Refund allowed only before delivery and per refund rules (BR-17)

refund_confirmation_dialog	Refund Details	Modal Dialog	Opens after clicking "Request Refund"	Refund must be confirmed before processing
export_btn	Export Orders	Split Button (PDF/Excel)	Exports the current filtered view	Cannot export an empty result set

---

UC-A-06: Manage Customers

Field	Details
Use Case ID	UC-A-06
Title	Manage Customers
Description	Allows the admin to view, search, edit, deactivate, delete, and monitor customer accounts and their activity
Actor	Admin
Preconditions	Admin is logged in with customer management permissions
Main Flow	1. The admin opens "Customers." 2. The system lists customers with name, email, phone, registration date, and order count. 3. The admin searches by name/email/phone. 4. The admin opens a customer to view their full profile, order history, total spend, and account status. 5. The admin edits contact details if needed. 6. The admin deactivates an account (blocks login) or reactivates it. 7. The admin logs a note about a customer issue and its cause. 8. The admin attempts to delete a customer; the system blocks deletion if active orders exist.

UI Components	Customers Data Table, Search & Filter Bar, Customer Profile Page, Edit Customer Form, Deactivate/Activate Button, Delete Button, Order History Section
Post Conditions	Customer record is updated; deactivated customers cannot log in
Alternative Flow	Deleting a customer with active orders → blocked with a warning; duplicate email during edit → error
Acceptance Criteria	1. All customer accounts are listed correctly. 2. Search returns accurate results. 3. Deactivation blocks login immediately. 4. Order history is visible in the profile.
Related FRs	FR-ADM-CUS-01 to FR-ADM-CUS-07
Related NFRs	NFR-10, NFR-21, NFR-22

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
customers_table	Customers	Data Table	Paginated at 25 rows, sortable	Displays all registered customers
edit_customer_form	Edit Details	Form (Name, Email, Phone)	Pre-filled with current data	Email must be unique and valid format
deactivate_btn	Deactivate Account	Button (Warning)	Reversible, requires confirmation	Confirmation dialog required
delete_customer_btn	Delete Customer	Danger Button / Dialog	Requires confirmation	Cannot delete with active orders

---

UC-A-07: Manage Coupons & Promotions

Field	Details
Use Case ID	UC-A-07
Title	Manage Coupons & Promotions
Description	Allows the admin to create, configure, and manage discount coupons scoped to one or more of the seven stores
Actor	Admin
Preconditions	Admin is logged in with coupon management permissions
Main Flow	1. The admin opens "Coupons & Promotions." 2. The system displays existing coupons with code, discount type, value, usage count, and status. 3. The admin clicks Add New Coupon. 4. The admin sets: code, discount type (percentage or fixed), value, minimum order value, usage limit, expiry date, and applicable store(s) (BR-14). 5. The admin saves the coupon — it becomes active immediately. 6. The admin may set product-level discounts directly from the product edit form. 7. The admin can deactivate or delete any coupon at any time. 8. The admin views usage count per coupon.
UI Components	Coupons List Table, Add New Coupon Button, Coupon Form, Discount Type Selector, Minimum Order Value Field, Usage Limit Field, Expiry Date Picker, Store Applicability Selector, Deactivate/Delete Actions
Post Conditions	The coupon is active and usable at checkout only within its assigned store(s); usage statistics are tracked
Alternative Flow	Duplicate coupon code → error; expiry date in the past → validation error

Acceptance Criteria	1. A coupon can be created with all required fields. 2. The discount applies correctly (% or fixed) at checkout, and only within its store scope. 3. Expiry and usage limit are enforced. 4. Deactivated coupons are rejected at checkout.
Business Rules	BR-14
Related FRs	FR-ADM-CPN-01 to FR-ADM-CPN-06

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
coupon_code_field	Coupon Code	Text Input	Required, max 20 chars, uppercase and numbers	Must be unique, no spaces
discount_type_selector	Discount Type	Radio Buttons	Percentage (%) or Fixed Amount (SAR)	Must select one type
discount_value_field	Discount Value	Number Input	Required, positive number	If %, must be 1–100
store_applicability_selector	Applicable Store	Dropdown / Multi-select	Required	Must select at least one valid store (BR-14)
expiry_date_picker	Expiry Date	Date Picker	Optional, must be a future date	Cannot be a past date

---

UC-A-08: Manage Banners & Homepage

Field	Details
Use Case ID	UC-A-08
Title	Manage Banners & Homepage
Description	Allows the admin to control the Landing Page and Store Homepage content, including promotional banners and featured products
Actor	Admin
Preconditions	Admin is logged in with content management permissions
Main Flow	1. The admin opens "Banners & Homepage." 2. The system displays a preview of the current homepage layout. 3. The admin adds/edits/reorders/deletes promotional banners. 4. For each banner, the admin uploads an image, sets alt text, a title, subtitle, and a CTA link. 5. The admin optionally sets a display schedule (start/end dates). 6. The admin manages the Featured Products section for the Landing Page/each store. 7. The admin previews changes before publishing. 8. The admin publishes — changes go live immediately.
UI Components	Banners List with Drag-to-Reorder, Add/Edit Banner Form, Banner Image Upload with Alt Text, CTA Link Field, Display Schedule Date Pickers, Featured Products Selector, Preview Button, Publish Button
Post Conditions	The homepage/store pages reflect the updated banners and featured products; scheduled banners activate/deactivate automatically
Alternative Flow	Banner image exceeds max size → upload rejected with a clear error; broken CTA link → URL validation warning
Acceptance Criteria	1. Banners can be added, reordered, and deleted. 2. Scheduled banners activate at the correct date/time. 3. The featured products section updates on the live homepage.

Related FRs	FR-ADM-BNR-01 to FR-ADM-BNR-04, FR-HOME-02, FR-HOME-03, FR-HOME-10

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
banner_image_upload	Banner Image	Drag-and-Drop Upload	Max 3MB, recommended size 1440×500px	JPG, PNG, WebP only
cta_link_field	Button URL	URL Input	Optional	Validates URL format on save
schedule_date_pickers	Display From / To	Date-Time Pickers	Optional; From must precede To	Accepts current or future dates only
featured_products_selector	Featured Products	Multi-select Dropdown	Optional; active products only	Only valid active products can be selected
publish_btn	Publish Changes	Primary Button	Enabled only when changes exist	Cannot publish invalid/incomplete data

---

UC-A-09: Manage Notifications

Field	Details
Use Case ID	UC-A-09
Title	Manage Notifications

Description	Allows the admin to configure which notifications are sent, edit their content templates, and view the notification log
Actor	Admin
Preconditions	Admin is logged in with notification settings permissions
Main Flow	1. The admin opens "Notifications." 2. The system lists all notification types (Order Confirmed, Order Shipped, Low Stock, etc.). 3. The admin enables/disables each type individually. 4. The admin edits Email/SMS content templates. 5. The admin reviews the Notification Log (timestamp, recipient, delivery status). 6. The admin filters the log by date/type/recipient/status.
UI Components	Notification Types List with Toggles, Template Editor, Notification Log Table, Filter Bar, Send Test Notification Button
Post Conditions	Notification settings and templates are saved and applied to future notifications
Alternative Flow	Template contains an invalid placeholder variable → validation warning before saving
Acceptance Criteria	1. Each notification type can be toggled individually. 2. Template edits are saved and reflected in future notifications. 3. The log shows accurate delivery status per message.
Related FRs	FR-NOTIF-06

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations

notification_toggle	Notification Active	Toggle Switch	Per notification type	Changes take effect immediately for new events
template_editor	Message Template	Rich Text / Code Editor	Supports placeholders like {customer_name}, {order_id}	Invalid placeholders are flagged
notification_log	Sent Notifications	Data Table	Paginated, read-only	Logs all sent notifications; cannot be deleted

---

UC-A-10: View Reports & Analytics

Field	Details
Use Case ID	UC-A-10
Title	View Reports & Analytics
Description	Allows the admin to view business performance reports (sales, orders, profit, customers, products) per store or platform-wide, with export
Actor	Admin
Preconditions	Admin is logged in with reports access; historical order/sales data exists

Main Flow	1. The admin opens "Reports & Analytics." 2. The system displays KPI summary cards. 3. The admin selects a report type (Sales, Orders, Products, Customers). 4. The admin applies filters (date range, specific store or all). 5. The system renders the report as charts and a sortable data table. 6. The admin optionally exports the report as PDF or Excel.
UI Components	KPI Summary Cards, Report Type Selector, Date Range Picker, Store Filter Dropdown, Line/Bar Charts, Sortable Data Table, Export Button, Top 10 Products List
Post Conditions	The admin has a complete view of platform performance and can download the report
Alternative Flow	No data for selected filters → empty state with an "Adjust filters" suggestion
Acceptance Criteria	1. KPI cards display accurate, real-time figures. 2. Charts render correctly for all supported ranges. 3. Export produces a correctly formatted file. 4. All filters update results live.
Related FRs	FR-ADM-REP-01 to FR-ADM-REP-07

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
kpi_cards	Revenue / Orders / Customers / Avg Order	Metric Card	4 cards in a row	Values from verified, completed orders only
date_range_picker	Date Range	Calendar Date Picker	Start ≤ end date	Max range 1 year at a time

store_filter_dropdown	Store Filter	Select Dropdown	Options: All Stores, or a specific store	Must apply a valid store filter
export_btn	Export (PDF/Excel)	Split Button	Exports the current visible report only	Cannot export an empty report

---

UC-A-11: Review Moderation Queue

Field	Details
Use Case ID	UC-A-11
Title	Review Moderation Queue
Description	Allows the admin to review, approve, or reject customer reviews rated 3 stars or below before publishing (BR-15)
Actor	Admin
Preconditions	Admin is logged in with moderation permissions; at least one review is pending
Main Flow	1. The admin opens the Review Moderation Queue. 2. The system displays pending reviews (rating ≤ 3) with customer name, product, rating, review text, and submission date. 3. The admin reads each review. 4. The admin clicks Approve → the review publishes immediately. 5. The admin clicks Reject → the review is discarded and the customer notified.
UI Components	Pending Reviews List, Review Detail Card, Approve Button, Reject Button
Post Conditions	Approved reviews are published and the average rating updates; rejected reviews are discarded; the customer is notified

Alternative Flow	No pending reviews → empty state message
Acceptance Criteria	1. All reviews ≤ 3 stars appear in the queue. 2. Approve publishes and updates the average. 3. Reject discards and notifies the customer.
Business Rules	BR-15
Related FRs	FR-REV-03, FR-REV-05

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
pending_reviews_list	Pending Reviews	Data Table / List	Shows reviews awaiting moderation only	—
approve_btn	Approve	Button (Success)	Publishes immediately	One click, no confirmation required
reject_btn	Reject	Button (Danger)	Requires confirmation	Confirmation dialog must appear

---

UC-A-12: Manage System Settings

Field	Details
Use Case ID	UC-A-12
Title	Manage System Settings

Description	Allows the admin to manage shipping, payment, notification, and language settings platform-wide
Actor	Admin
Preconditions	Admin is logged in
Main Flow	1. The admin opens "Settings." 2. The admin selects the relevant section (Shipping/Payment/Notifications/Language). 3. The admin edits the values (e.g., enable/disable a specific payment gateway). 4. The admin clicks Save. 5. The system applies the changes immediately to related interfaces.
UI Components	Settings Tabs, Toggle Switches, Input Fields, Save Button
Post Conditions	The required system settings are updated
Alternative Flow	Attempting to disable all payment gateways with no alternative → a warning before saving
Acceptance Criteria	1. Changes are saved and reflected immediately on relevant customer interfaces.
Related FRs	FR-ADM-SET-01 to FR-ADM-SET-04

UI Components in Details:

Component Name	UI Title / Label	Component Type	Constraints	Validations
settings_tabs	Settings Tabs	Tabs	Shipping/Payment/Notifications/Language	—

payment_gateway_toggle	Enable Gateway	Toggle Switch	Per gateway	At least one gateway must remain enabled
save_settings_btn	Save	Button (Primary)	—	Enabled only when changes exist

---

9. Reference

9.1 Traceability Matrix

Methodology Note: The original BRD does not contain numbered requirement IDs (e.g., REQ-01); it is organized into narrative sections/features instead. The matrix below therefore maps **BRD sections/features** (as written) to the corresponding Business Rules, Functional Requirements, and Use Cases in this SRS — the best mapping achievable given the BRD's structure.

BRD Section / Feature	Business Rules (BR)	Functional Requirements (FR)	Use Cases (UC)
Landing Page & Store Selection	BR-13, GBR-04, GBR-07	FR-HOME-01 to FR-HOME-10	UC-C-00, UC-C-01
Registration & Login	BR-03	FR-AUTH-01 to FR-AUTH-11	UC-C-02, UC-C-03, UC-C-04
Product Browsing	—	FR-PB-01 to FR-PB-08	UC-C-05
Product Page	BR-09	FR-PD-01 to FR-PD-09	UC-C-06

Cart & Checkout	BR-01, BR-02, BR-03, BR-10, BR-14	FR-CART-01 to FR-CART-11, FR-PAY-01 to FR-PAY-07	UC-C-07
Orders (Customer Side)	BR-08	FR-ORD-01 to FR-ORD-05	UC-C-08
Notifications	BR-08	FR-NOTIF-01 to FR-NOTIF-06	UC-C-07, UC-C-08, UC-A-09
AI Chat Bot	BR-11	FR-BOT-01 to FR-BOT-09	UC-C-09
Product Reviews	BR-15	FR-REV-01 to FR-REV-05	UC-C-10, UC-A-11
Admin Dashboard	BR-13	FR-DASH-01 to FR-DASH-07	UC-A-00
Store & Product Management	BR-04, BR-05, BR-13	FR-ADM-STR-01 to FR-ADM-STR-08	UC-A-01
Categories Management	—	FR-ADM-CAT-01 to FR-ADM-CAT-05	UC-A-02
M5azn Integration Management	BR-04, BR-06, BR-08	FR-ADM-INT-01, FR-ADM-INT-03, FR-ADM-INT-07, FR-INT-M5-01 to FR-INT-M5-05	UC-A-03
DSers/AliExpress Integration Management	BR-05, BR-07, BR-08	FR-ADM-INT-02, FR-ADM-INT-04 to FR-ADM-INT-09, FR-INT-DS-01 to FR-INT-DS-05	UC-A-04
Order Management (Admin)	BR-06, BR-07, BR-08	FR-ADM-ORD-01 to FR-ADM-ORD-11	UC-A-05

Customer Management	—	FR-ADM-CUS-01 to FR-ADM-CUS-07	UC-A-06
Coupons & Discounts	BR-14	FR-ADM-CPN-01 to FR-ADM-CPN-06	UC-A-07
Banners & Homepage Management	—	FR-ADM-BNR-01 to FR-ADM-BNR-04	UC-A-08
Reports & Statistics	—	FR-ADM-REP-01 to FR-ADM-REP-07	UC-A-10
System Settings	BR-12	FR-ADM-SET-01 to FR-ADM-SET-04	UC-A-12
M5azn Integration	BR-04, BR-06, BR-08	FR-INT-M5-01 to FR-INT-M5-05	UC-A-03
DSers/AliExpress Integration	BR-05, BR-07, BR-08	FR-INT-DS-01 to FR-INT-DS-05	UC-A-04
Payment Gateways	BR-10	FR-PAY-01 to FR-PAY-07	UC-C-07
Favorites	BR-16	FR-FAV-01 to FR-FAV-08, FR-PD-10	UC-C-11
Order Cancellation & Refunds	BR-17	FR-ORD-06, FR-ORD-07, FR-ADM-ORD-12 to FR-ADM-ORD-14	UC-C-12, UC-A-05

Open Questions / Assumptions / Points Requiring Clarification

These items are required to start actual development and were not sufficiently or explicitly specified in the BRD; they are documented here rather than assumed as final requirements:

1. **Admin Roles:** The BRD mentions "platform management" without detailing multiple admin roles or granular permissions (RBAC). Is more than one admin

role (e.g., Super Admin, order staff, accountant) with different permissions required?

2. **No Human Supplier Portal:** Unlike some other drop shipping platforms, the BRD does not describe a dedicated login portal for a human supplier, since both sources (M5azn and DSers/AliExpress) are fully automated. This assumption is confirmed in this SRS; please confirm that no manual M5azn intervention is required per order.

3. **M5azn API Technical Details:** Endpoints, exact authentication method, and rate limits are not specified — must be obtained directly from M5azn when integration begins.

4. **DSers Technical Details:** The exact connection mechanism between the platform and DSers (a dedicated DSers API, or the DSers dashboard with partial manual export/import?) is not specified — needs clarification from the provider.

5. **Coupon Rules & Limits:** Coupon type (percentage/fixed), per-customer usage limits, and interaction with source discounts are not fully specified — common fields have been assumed pending management approval.

6. **Reviews & Moderation:** The BRD mentions only "ratings" without detailing publishing/moderation logic. This SRS assumes automatic publishing for 4–5 star reviews and admin moderation for lower ratings, as a best practice — requires explicit approval, or all reviews may simply publish without moderation.

7. **Specific SMS/Email Providers:** No approved SMS or email provider is specified — left as a technical decision at implementation time.

8. **Payment Gateway Contractual Details:** Merchant account details and gateway fees are not specified — must be obtained from each provider; domain and payment credentials must be supplied by the client.

9. **Unified Order Status List:** The BRD does not define an official order status enum — this SRS proposes basic statuses (Processing, Synced, Shipped, Delivered, Cancelled, Sync Error) pending formal approval from the Business Owner.

10. **BNPL Scope (Tabby/Tamara):** No minimum/maximum order amount eligible for installments is specified — subject to each provider's policy, needs confirmation.

11. **Admin Dashboard:** No explicit detail on "Dashboard" content beyond the general reference to a "professional control panel" is given in the BRD; it has been included as a standard, expected use case for any modern admin panel — please confirm the specific KPIs required.

14. **Brand Identity:** Logo, colors, and fonts for the platform and each of the seven stores must be supplied by the client before design begins.


لؤلؤة الأفراح
منصة متعددة المتاجر بنظام الدروب شيبينج
رحلة المستخدم (العميل)
زر تبديل المتجر (Switch Store)
يمكن للعميل التبديل بين المتاجر في أي وقت
ملاحظة مهمة
لا يمكن دمج منتجات من متجرين مختلفين داخل طلب واحد بسبب اختلاف الموردين وآليات الشحن والتجهيز
المستخدم
(عميل / زائر)
1 الصفحة الرئيسية
• استعراض المتاجر السبعة
• العروض و البانر
• التصنيفات الرئيسية
• المنتجات المميزة
• البحث السريع
2 اختيار المتجر
يختار العميل أحد المتاجر السبعة
3 تصفح المنتجات
• التصنيفات
• البحث و الفلترة
• المنتجات الأكثر مبيعاً
• التقييمات
4 صفحة المنتج
• صور متعددة
• وصف و مميزات
• السعر و الخصم
• التقييمات
• حالة التوفر
5 إضافة للسلة
يتم إضافة المنتج إلى سلة المتجر الحالي
كل متجر لديه سلة مستقلة
لا يمكن دمج منتجات من متاجر مختلفة
6 إتمام الطلب
• مراجعة السلة
• إدخال بيانات الشحن
• اختيار وسيلة الدفع
(مدى - فيزا/ماستركارد
stc pay - Apple Pay
تابي - تمارا)
• تطبيق كوبون الخصم
7 الدفـع
إتمام عملية الدفع بأمان
8 معالجة الطلب
يتم إرسال الطلب تلقائياً إلى مصدر التوريد حسب المتجر
9 الشحن والتتبع
يتم الشحن من قبل المورد وتحديث حالة الطلب ورقم التتبع تلقائياً داخل المنصة
10 متابعة الطلب
يمكن للعميل متابعة حالة الطلب ورقم التتبع من حسابه
11 الإشعارات
• حالة الطلب
• الشحن
• العروض والخصومات
• عبر البريد الإلكتروني و SMS
مصادر التوريد والتكامل
متجر رويال تاتش (Royal Touch) - مخازن API (M5azn)
M5AZN
مزامنة الفئات والمنتجات
مزامنة المخزون والأسعار
استلام الطلبات (Sync Orders)
تجهيز الطلب والشحن
تحديث حالة الطلب ورقم التتبع
المتاجر الستة الأخرى - AliExpress عبر DSers
DSers
استيراد المنتجات
مزامنة المخزون والأسعار
تنفيذ الطلب تلقائياً
الشحن من المورد
تحديث حالة الطلب ورقم التتبع
المساعد الذكي (Chat Bot)
• الإجابة علي الاستفسارات
• مساعدة في اختيار المنتجات
• متابعة حالة الطلب
• التحويل إلى واتساب عند الحاجة
لوحة التحكم (الإدارة)
إدارة المتجر والمنتجات
إدارة الطلبات والمتابعة
إدارة العملاء
إدارة التكاملات والمزامنة
المدفوعات والتقارير
التقارير والإحصائيات
الإعدادات العامة (شحن - دفع - إشعارات)