

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for aboutUs.blade.php

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by Nenhum arquivo selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
 From line 1, column 1; to line 1, column 4

```
@php<    $
```


 For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
 If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
- Error** The character encoding was not declared. Proceeding using `windows-1252`.
- Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
 From line 1, column 1; to line 1, column 4

```
@php<    $
```
- Error** Element `head` is missing a required instance of child element `title`.
 From line 1, column 1; to line 1, column 4

```
@php<    $
```


 Content model for element `head`:
 If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 10, column 50

```
src= {{ asset('images/cities.
```

6. **Error** A slash was not immediately followed by `>`.

At line 10, column 58

```
asset('images/cities.png') }}
```

7. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 10, column 68

```
ages/cities.png') }} class="im
```

8. **Warning** Attribute `asset('images` is not serializable as XML 1.0.

From line 10, column 13; to line 10, column 112

```
<img id="cities_image" src= {{ asset('images/cities.png') }}  
class="img-fluid" alt="Several Cities"></img>
```

9. **Warning** Attribute `cities.png')` is not serializable as XML 1.0.

From line 10, column 13; to line 10, column 112

```
<img id="cities_image" src= {{ asset('images/cities.png') }}  
class="img-fluid" alt="Several Cities"></img>
```

10. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 10, column 13; to line 10, column 112

```
<img id="cities_image" src= {{ asset('images/cities.png') }}  
class="img-fluid" alt="Several Cities"></img>
```

11. **Error** Bad value `{{` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

From line 10, column 13; to line 10, column 112

```
<img id="cities_image" src= {{ asset('images/cities.png') }}  
class="img-fluid" alt="Several Cities"></img>
```

12. **Error** Attribute `asset('images` not allowed on element `img` at this point.

From line 10, column 13; to line 10, column 112

```
<img id="cities_image" src= {{ asset('images/cities.png') }}  
class="img-fluid" alt="Several Cities"></img>
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

13. **Error** Attribute `cities.png')` not allowed on element `img` at this point.

From line 10, column 13; to line 10, column 112

```
<img id="cities_image" src= {{ asset('images/cities.png') }}
class="img-fluid" alt="Several Cities"></img>
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

14. **Error** Attribute `}}` not allowed on element `img` at this point.

From line 10, column 13; to line 10, column 112

```
<img id="cities_image" src= {{ asset('images/cities.png') }}
class="img-fluid" alt="Several Cities"></img>
```

Attributes for element [img](#):

[Global attributes](#)[alt](#) — Replacement text for use when images are not available[src](#) — Address of the resource[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.[sizes](#) — Image sizes for different page layouts[crossorigin](#) — How the element handles crossorigin requests[usemap](#) — Name of [image map](#) to use[ismap](#) — Whether the image is a server-side image map[width](#) — Horizontal dimension[height](#) — Vertical dimension[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element[decoding](#) — Decoding hint to use when processing this image for presentation[loading](#) — Used when determining loading deferral15. **Error** Stray end tag `img`.

From line 10, column 113; to line 10, column 118

`l Cities">`16. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 14, column 53

`src= {{ asset('images/logo.pn`17. **Error** A slash was not immediately followed by `>`.

At line 14, column 61

`asset('images/logo.png') }} c`18. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 14, column 69

`images/logo.png') }} class="im`19. **Warning** Attribute `asset('images` is not serializable as XML 1.0.

From line 14, column 16; to line 14, column 104

```
<p><img id="logo_in_text" src= {{ asset('images/logo.png') }}
class="img-fluid" alt="Logo" ></img>
```

20. **Warning** Attribute `logo.png')` is not serializable as XML 1.0.

From line 14, column 16; to line 14, column 104

```
<p><img id="logo_in_text" src= {{ asset('images/logo.png') }}
class="img-fluid" alt="Logo" ></img>
```

21. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 14, column 16; to line 14, column 104

```
<p><img id="logo_in_text" src= {{ asset('images/logo.png') }}
class="img-fluid" alt="Logo" ></img>
```

22. **Error** Bad value `{{` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

From line 14, column 16; to line 14, column 104

```
<p><img id="logo_in_text" src= {{ asset('images/logo.png') }}
class="img-fluid" alt="Logo" ></img>
```

23. **Error** Attribute `asset('images` not allowed on element `img` at this point.

From line 14, column 16; to line 14, column 104

```
<p><img id="logo_in_text" src= {{ asset('images/logo.png') }}
class="img-fluid" alt="Logo" ></img>
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

24. **Error** Attribute `logo.png')` not allowed on element `img` at this point.

From line 14, column 16; to line 14, column 104

```
<p><img id="logo_in_text" src= {{ asset('images/logo.png') }}
class="img-fluid" alt="Logo" ></img>
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

25. **Error** Attribute `}` not allowed on element `img` at this point.

From line 14, column 16; to line 14, column 104

```
<p><img id="logo_in_text" src= {{ asset('images/logo.png') }}
class="img-fluid" alt="Logo" ></img>
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

26. **Error** Stray end tag `img`.

From line 14, column 105; to line 14, column 110

```
t="Logo" ></img> is an
```

27. **Error** `'` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

At line 18, column 66

```
" href = {{url('/questions')}}}
```

28. **Error** `'` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

At line 18, column 77

```
url('/questions'))}} >Browse qu
```

29. **Error** Bad value `button` for attribute `type` on element `a`: Subtype missing.

From line 18, column 36; to line 18, column 82

```
uestions"><a type="button" href = {{url('/questions')}} >Browse
```

30. **Error** Bad value `{{url('/questions')}}}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 18, column 36; to line 18, column 82

```
uestions"><a type="button" href = {{url('/questions')}} >Browse
```

Document checking completed.

Used the HTML parser.

Total execution time 15 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.5.28