

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (11)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passanger

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

DashboardPropertiesSQLStatisticsProcessespostgres/postgres...public.airline/post...postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query

Query History

1

2

3

SELECT * FROM public.airline

ORDER BY airline_id ASC

Data OutputMessagesNotifications

Showing rows: 1 to 5

Page No: 1

of 1

	airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	KC	Air Astana	Kazakhstan	2026-01-01 00:00:00	2026-01-01 00:00:00
2	2	LH	Lufthansa	Germany	2026-01-01 00:00:00	2026-01-01 00:00:00
3	3	EK	Emirates	UAE	2026-01-01 00:00:00	2026-01-01 00:00:00
4	4	TK	Turkish Airlines	Turkey	2026-01-01 00:00:00	2026-01-01 00:00:00
5	5	QR	Qatar Airways	Qatar	2026-01-01 00:00:00	2026-01-01 00:00:00

Total rows: 5

Query complete 00:00:00.261

CRLF

Ln 3, Col 25

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (11)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passanger

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

DashboardPropertiesSQLStatisticsProcessespostgres/postgres...public.airline/post...postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query

Query History

1

2

3

SELECT * FROM public.baggage

ORDER BY baggage_id ASC ;

Data OutputMessagesNotifications

Showing rows: 1 to 5

Page No: 1 of 1

	baggage_id [PK] integer	weight_in_kg numeric (4,2)	created_at timestamp without time zone	updated_at timestamp without time zone	booking_id integer
1	1	20.50	2026-10-01 06:15:00	2026-10-01 06:15:00	1
2	2	15.00	2026-10-02 09:45:00	2026-10-02 09:45:00	2
3	3	23.00	2026-10-03 12:45:00	2026-10-03 12:45:00	3
4	4	18.20	2026-10-04 03:45:00	2026-10-04 03:45:00	4
5	5	22.10	2026-10-05 19:15:00	2026-10-05 19:15:00	5

Total rows: 5

Query complete 00:00:00.254

Successfully run. Total query runtime: 254 msec. 5 rows affected.

CRLF

Ln 3, Col 1

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

AggregatesCollationsDomainsFTS ConfigurationsFTS DictionariesAa FTS ParsersFTS TemplatesForeign TablesFunctionsMaterialized ViewsOperatorsProcedures1.3 SequencesTables (11)

airlineairportbaggagebaggage_checkboarding_passbookingbooking_flightflightspassangerpassangersecurity_checkTrigger FunctionsTypesViewsSubscriptionsLogin/Group Roles

DashboardPropertiesSQLStatisticsProcessespostgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query

Query History

31

);

32

CREATE TABLE flights(

33

flight_id SERIAL not null PRIMARY KEY,

34

sch_departure_time TIMESTAMP not null,

35

sch_arrival_time TIMESTAMP not null,

36

departing_time_id INT not null,

37

arriving_airport_id INT not null,

38

departing_gate VARCHAR(50) not null,

39

arriving_gate VARCHAR(50) not null,

40

airline_id INT not null,

41

act_departure_time TIMESTAMP not null,

42

act_arrival_time TIMESTAMP not null,

43

created_at TIMESTAMP not null,

44

updated_at TIMESTAMP not null

45

);

46

CREATE TABLE booking(

47

booking_id SERIAL not null PRIMARY KEY,

48

flight_id INT not null,

49

passenger_id INT not null,

50

booking_platform VARCHAR(50) not null,

51

created_at TIMESTAMP not null,

52

updated_at TIMESTAMP not null,

53

status VARCHAR(50) not null,

54

price DECIMAL(7,2) not null

55

);

56

CREATE TABLE baggage_check(

57

baggage_check_id SERIAL not null PRIMARY KEY,

58

check_result VARCHAR(50) not null,

59

created_at TIMESTAMP not null,

60

updated_at TIMESTAMP not null,

61

booking_id INT not null,

62

);

63

);

Total rows: 5

Query complete 00:00:00.384

CRLF

Ln 198, Col 1

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

AggregatesCollationsDomainsFTS ConfigurationsFTS DictionariesAa FTS ParsersFTS TemplatesForeign TablesFunctionsMaterialized ViewsOperatorsProcedures1.3 SequencesTables (11)

airlineairportbaggagebaggage_checkboarding_passbookingbooking_flightflightspassangerpassangersecurity_checkTrigger FunctionsTypesViewsSubscriptionsLogin/Group Roles

DashboardPropertiesSQLStatisticsProcessespostgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

No limit

Query Query History

31);

32CREATE TABLE flights(

33flight_id SERIAL not null PRIMARY KEY,

34sch_departure_time TIMESTAMP not null,

35sch_arrival_time TIMESTAMP not null,

36departing_time_id INT not null,

37arriving_airport_id INT not null,

38departing_gate VARCHAR(50) not null,

39arriving_gate VARCHAR(50) not null,

40airline_id INT not null,

41act_departure_time TIMESTAMP not null,

42act_arrival_time TIMESTAMP not null,

43created_at TIMESTAMP not null,

44updated_at TIMESTAMP not null

45);

46CREATE TABLE booking(

47booking_id SERIAL not null PRIMARY KEY,

48flight_id INT not null,

49passenger_id INT not null,

50booking_platform VARCHAR(50) not null,

51created_at TIMESTAMP not null,

52updated_at TIMESTAMP not null,

53status VARCHAR(50) not null,

54price DECIMAL(7,2) not null

55);

56CREATE TABLE baggage_check(

57baggage_check_id SERIAL not null PRIMARY KEY,

58check_result VARCHAR(50) not null,

59created_at TIMESTAMP not null,

60updated_at TIMESTAMP not null,

61booking_id INT not null,

62

63

Total rows: 5

Query complete 00:00:00.384

CRLF

Ln 198, Col 1

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (11)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passanger

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

DashboardPropertiesSQLStatisticsProcessespostgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query

Query History

```
67 CREATE TABLE baggage(  
68 baggage_id SERIAL not null PRIMARY KEY,  
69 weight_in_kg DECIMAL(4,2) not null,  
70 created_at TIMESTAMP not null,  
71 updated_at TIMESTAMP not null,  
72 booking_id INT not null  
73 );  
74 CREATE TABLE boarding_pass(  
75     boarding_pass_id SERIAL not null PRIMARY KEY,  
76     booking_id INT not null,  
77     seat VARCHAR(50) not null,  
78     boarding_time TIMESTAMP not null,  
79     created_at TIMESTAMP not null,  
80     updated_at TIMESTAMP not null  
81 );  
82  
83 CREATE TABLE booking_flight(  
84 booking_flight_id SERIAL not null PRIMARY KEY,  
85 booking_id INT not null,  
86 flight_id INT not null,  
87 created_at TIMESTAMP not null,  
88 updated_at TIMESTAMP not null  
89 );  
90  
91 CREATE TABLE security_check(  
92 security_check_id SERIAL not null PRIMARY KEY,  
93 check_result VARCHAR(20) not null,  
94 created_at TIMESTAMP not null,  
95 updated_at TIMESTAMP not null,  
96 passenger_id INT not null  
97 );  
98  
99 SELECT *FROM airline info. airport.passenger.flights.booking.baggage_check.baggage.boarding pass.booking flight.security check;
```

Total rows: 5

Query complete 00:00:00.384

CRLF

Ln 198, Col 1

Object Explorer

- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passanger
 - passenger
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles

Dashboard × Properties × SQL × Statistics × Processes × postgres/postgres@PostgreSQL 18* ×

postgres/postgres@PostgreSQL 18

No limit

Query Query History

```
92 security_check_id SERIAL NOT NULL PRIMARY KEY;  
93 check_result VARCHAR(20) not null,  
94 created_at TIMESTAMP not null,  
95 updated_at TIMESTAMP not null,  
96 passenger_id INT not null  
97  
98 );  
99 SELECT *FROM airline_info, airport,passenger,flights,booking,baggage_check,baggage,boarding_pass,booking_flight,security_check;  
100  
101 ALTER TABLE airline_info RENAME TO airline;  
102 ALTER TABLE booking RENAME COLUMN price TO ticket_price;  
103  
104 ALTER TABLE flights ALTER COLUMN departing_gate TYPE TEXT;  
105 ALTER TABLE airline DROP COLUMN info_;  
106  
107  
108 ALTER TABLE security_check ADD CONSTRAINT fk_cec_passenger FOREIGN KEY(passenger_id) REFERENCES passenger(passenger_id);  
109 ALTER TABLE booking ADD CONSTRAINT fk_book_passenger FOREIGN KEY (passenger_id) REFERENCES passenger(passenger_id);  
110 ALTER TABLE baggage_check ADD CONSTRAINT fc_bc_passenger FOREIGN KEY (passenger_id) REFERENCES passenger(passenger_id);  
111  
112 ALTER TABLE baggage_check ADD CONSTRAINT fc_bc_booking FOREIGN KEY (booking_id) REFERENCES booking(booking_id);  
113 ALTER TABLE baggage ADD CONSTRAINT fc_bag_booking FOREIGN KEY (booking_id) REFERENCES booking(booking_id);  
114 ALTER TABLE boarding_pass ADD CONSTRAINT fc_bp_booking FOREIGN KEY (booking_id) REFERENCES booking(booking_id);  
115 ALTER TABLE booking_flight ADD CONSTRAINT fc_bf_booking FOREIGN KEY (booking_id) REFERENCES booking(booking_id);  
116  
117 ALTER TABLE booking_flight ADD CONSTRAINT fk_bf_flight FOREIGN KEY (flight_id) REFERENCES flights(flight_id);  
118 ALTER TABLE flights ADD CONSTRAINT fk_flight_dep_airport FOREIGN KEY (departing_time_id) REFERENCES airport(airport_id);  
119 ALTER TABLE flights ADD CONSTRAINT fk_flight_arr_airport FOREIGN KEY (arriving_airport_id) REFERENCES airport(airport_id);  
120 ALTER TABLE flights ADD CONSTRAINT fk_flight_airline FOREIGN KEY (airline_id) REFERENCES airline(airline_id);  
121  
122  
123 INSERT INTO airline (airline_code, airline_name, airline_country, created_at, updated_at) VALUES  
124 ('KC', 'Air Astana', 'Kazakhstan', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
```

Total rows: 5 Query complete 00:00:00.384

CRLF Ln 198, Col 1

Object Explorer

- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passanger
 - passenger
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - Login/Group Roles

Dashboard × Properties × SQL × Statistics × Processes × postgres/postgres@PostgreSQL 18* ×

postgres/postgres@PostgreSQL 18

No limit

Query Query History

```
123 INSERT INTO airline (airline_code, airline_name, airline_country, created_at, updated_at) VALUES
124 ('KC', 'Air Astana', 'Kazakhstan', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
125 ('LH', 'Lufthansa', 'Germany', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
126 ('EK', 'Emirates', 'UAE', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
127 ('TK', 'Turkish Airlines', 'Turkey', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
128 ('QR', 'Qatar Airways', 'Qatar', '2026-01-01 00:00:00', '2026-01-01 00:00:00');
129
130 INSERT INTO airport (airport_name, country, state_, city, created_at, updated_at) VALUES
131 ('Almaty International Airport', 'Kazakhstan', 'Almaty Region', 'Almaty', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
132 ('Frankfurt Airport', 'Germany', 'Hesse', 'Frankfurt', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
133 ('Dubai International Airport', 'UAE', 'Dubai', 'Dubai', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
134 ('Istanbul Airport', 'Turkey', 'Istanbul', 'Istanbul', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
135 ('Hamad International Airport', 'Qatar', 'Doha', 'Doha', '2026-01-01 00:00:00', '2026-01-01 00:00:00');
136
137 INSERT INTO passenger (first_name, last_name, date_of_birth, gender, country_of_citizenchip, country_of_residence, passport_number)
138 ('Dias', 'Sarsenov', '2005-04-12', 'Male', 'Kazakhstan', 'Kazakhstan', 'N1234567', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
139 ('Anna', 'Schmidt', '2002-09-15', 'Female', 'Germany', 'Germany', 'DE987654', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
140 ('Omar', 'Al-Farsi', '1998-11-20', 'Male', 'UAE', 'UAE', 'AE456123', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
141 ('Elif', 'Yilmaz', '2001-02-28', 'Female', 'Turkey', 'Turkey', 'TR789123', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
142 ('Aisha', 'Al-Thani', '2004-06-05', 'Female', 'Qatar', 'Qatar', 'QA321654', '2026-01-01 00:00:00', '2026-01-01 00:00:00');
143
144
145 INSERT INTO flights (sch_departure_time, sch_arrival_time, departing_time_id, arriving_airport_id, departing_gate, arriving_gate,
146 ('2026-10-01 08:00:00', '2026-10-01 11:00:00', 1, 2, 'Gate 3', 'Gate A1', 1, '2026-10-01 08:10:00', '2026-10-01 11:05:00', '2026-10-01 08:10:00', '2026-10-01 11:05:00', '2026-10-01 08:10:00', '2026-10-01 11:05:00'),
147 ('2026-10-02 12:00:00', '2026-10-02 16:00:00', 2, 3, 'Gate B2', 'Gate C3', 2, '2026-10-02 12:00:00', '2026-10-02 16:00:00', '2026-10-02 12:00:00', '2026-10-02 16:00:00', '2026-10-02 12:00:00', '2026-10-02 16:00:00'),
148 ('2026-10-03 15:30:00', '2026-10-03 20:00:00', 3, 4, 'Gate 5', 'Gate D4', 3, '2026-10-03 15:40:00', '2026-10-03 20:10:00', '2026-10-03 15:40:00', '2026-10-03 20:10:00', '2026-10-03 15:40:00', '2026-10-03 20:10:00'),
149 ('2026-10-04 06:00:00', '2026-10-04 09:30:00', 4, 5, 'Gate 12', 'Gate E5', 4, '2026-10-04 06:00:00', '2026-10-04 09:30:00', '2026-10-04 06:00:00', '2026-10-04 09:30:00', '2026-10-04 06:00:00', '2026-10-04 09:30:00'),
150 ('2026-10-05 22:00:00', '2026-10-06 05:00:00', 5, 1, 'Gate 8', 'Gate B4', 5, '2026-10-05 22:15:00', '2026-10-06 05:10:00', '2026-10-05 22:15:00', '2026-10-06 05:10:00', '2026-10-05 22:15:00', '2026-10-06 05:10:00'),
151
152 INSERT INTO booking (flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) VALUES
153 (1, 1, 'AirAstana App', '2026-09-01 10:00:00', '2026-09-01 10:00:00', 'Confirmed', 450.00),
154 (2, 2, 'Lufthansa Web', '2026-09-02 11:30:00', '2026-09-02 11:30:00', 'Confirmed', 680.50),
155 (3, 3, 'Emirates Site', '2026-09-03 14:00:00', '2026-09-03 14:00:00', 'Confirmed', 890.00).
```

Total rows: 5 Query complete 00:00:00.384

CRLF Ln 198, Col 1

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (11)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passanger

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

DashboardPropertiesSQLStatisticsProcessespostgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

No limit

E

Query

Query History

```
138 ('Dias', 'Sarsenov', '2003-04-12', 'Male', 'Kazakhstan', 'Kazakhstan', 'N1234567', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
139 ('Anna', 'Schmidt', '2002-09-15', 'Female', 'Germany', 'Germany', 'DE987654', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
140 ('Omar', 'Al-Farsi', '1998-11-20', 'Male', 'UAE', 'UAE', 'AE456123', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
141 ('Elif', 'Yilmaz', '2001-02-28', 'Female', 'Turkey', 'Turkey', 'TR789123', '2026-01-01 00:00:00', '2026-01-01 00:00:00'),
142 ('Aisha', 'Al-Thani', '2004-06-05', 'Female', 'Qatar', 'Qatar', 'QA321654', '2026-01-01 00:00:00', '2026-01-01 00:00:00');
143
144
145 INSERT INTO flights (sch_departure_time, sch_arrival_time, departing_time_id, arriving_airport_id, departing_gate, arriving_gate,
146 ('2026-10-01 08:00:00', '2026-10-01 11:00:00', 1, 2, 'Gate 3', 'Gate A1', 1, '2026-10-01 08:10:00', '2026-10-01 11:05:00', '2026-1
147 ('2026-10-02 12:00:00', '2026-10-02 16:00:00', 2, 3, 'Gate B2', 'Gate C3', 2, '2026-10-02 12:00:00', '2026-10-02 16:00:00', '2026-
148 ('2026-10-03 15:30:00', '2026-10-03 20:00:00', 3, 4, 'Gate 5', 'Gate D4', 3, '2026-10-03 15:40:00', '2026-10-03 20:10:00', '2026-1
149 ('2026-10-04 06:00:00', '2026-10-04 09:30:00', 4, 5, 'Gate 12', 'Gate E5', 4, '2026-10-04 06:00:00', '2026-10-04 09:30:00', '2026-
150 ('2026-10-05 22:00:00', '2026-10-06 05:00:00', 5, 1, 'Gate 8', 'Gate B4', 5, '2026-10-05 22:15:00', '2026-10-06 05:10:00', '2026-1
151
152 INSERT INTO booking (flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price) VALUES
153 (1, 1, 'AirAstana App', '2026-09-01 10:00:00', '2026-09-01 10:00:00', 'Confirmed', 450.00),
154 (2, 2, 'Lufthansa Web', '2026-09-02 11:30:00', '2026-09-02 11:30:00', 'Confirmed', 680.50),
155 (3, 3, 'Emirates Site', '2026-09-03 14:00:00', '2026-09-03 14:00:00', 'Confirmed', 890.00),
156 (4, 4, 'Skyscanner', '2026-09-04 09:15:00', '2026-09-04 09:15:00', 'Checked-in', 310.25),
157 (5, 5, 'Qatar Airways App', '2026-09-05 18:45:00', '2026-09-05 18:45:00', 'Confirmed', 750.00);
158
159
160 INSERT INTO baggage_check (check_result, created_at, updated_at, booking_id, passenger_id) VALUES
161 ('Passed', '2026-10-01 06:00:00', '2026-10-01 06:00:00', 1, 1),
162 ('Passed', '2026-10-02 09:30:00', '2026-10-02 09:30:00', 2, 2),
163 ('Passed', '2026-10-03 12:30:00', '2026-10-03 12:30:00', 3, 3),
164 ('Passed', '2026-10-04 03:30:00', '2026-10-04 03:30:00', 4, 4),
165 ('Passed', '2026-10-05 19:00:00', '2026-10-05 19:00:00', 5, 5);
166
167
168 INSERT INTO baggage (weight_in_kg, created_at, updated_at, booking_id) VALUES
169 (20.50, '2026-10-01 06:15:00', '2026-10-01 06:15:00', 1),
170 (15.00, '2026-10-02 09:45:00', '2026-10-02 09:45:00', 2),
```

Total rows: 5

Query complete 00:00:00.384

CRLF

Ln 198, Col 1

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

AggregatesCollationsDomainsFTS ConfigurationsFTS DictionariesFTS ParsersFTS TemplatesForeign TablesFunctionsMaterialized ViewsOperatorsProceduresSequencesTables (11)

airlineairportbaggagebaggage_checkboarding_passbookingbooking_flightflightspassangerpassengersecurity_checkTrigger FunctionsTypesViewsSubscriptionsLogin/Group Roles

DashboardPropertiesSQLStatisticsProcessespostgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

No limit

QueryQuery History

164('Passed', '2026-10-04 03:30:00', '2026-10-04 03:30:00', 4, 4),

165('Passed', '2026-10-05 19:00:00', '2026-10-05 19:00:00', 5, 5);

166

167

168INSERT INTO baggage (weight_in_kg, created_at, updated_at, booking_id) VALUES

169(20.50, '2026-10-01 06:15:00', '2026-10-01 06:15:00', 1),

170(15.00, '2026-10-02 09:45:00', '2026-10-02 09:45:00', 2),

171(23.00, '2026-10-03 12:45:00', '2026-10-03 12:45:00', 3),

172(18.20, '2026-10-04 03:45:00', '2026-10-04 03:45:00', 4),

173(22.10, '2026-10-05 19:15:00', '2026-10-05 19:15:00', 5);

174

175

176INSERT INTO boarding_pass (booking_id, seat, boarding_time, created_at, updated_at) VALUES

177(1, '12A', '2026-10-01 07:20:00', '2026-10-01 06:30:00', '2026-10-01 06:30:00'),

178(2, '14C', '2026-10-02 11:20:00', '2026-10-02 10:00:00', '2026-10-02 10:00:00'),

179(3, '22F', '2026-10-03 14:50:00', '2026-10-03 13:00:00', '2026-10-03 13:00:00'),

180(4, '5B', '2026-10-04 05:20:00', '2026-10-04 04:00:00', '2026-10-04 04:00:00'),

181(5, '18E', '2026-10-05 21:20:00', '2026-10-05 20:00:00', '2026-10-05 20:00:00');

182

183

184INSERT INTO booking_flight (booking_id, flight_id, created_at, updated_at) VALUES

185(1, 1, '2026-09-01 10:00:00', '2026-09-01 10:00:00'),

186(2, 2, '2026-09-02 11:30:00', '2026-09-02 11:30:00'),

187(3, 3, '2026-09-03 14:00:00', '2026-09-03 14:00:00'),

188(4, 4, '2026-09-04 09:15:00', '2026-09-04 09:15:00'),

189(5, 5, '2026-09-05 18:45:00', '2026-09-05 18:45:00');

190

191

192INSERT INTO security_check (check_result, created_at, updated_at, passenger_id) VALUES

193('Cleared', '2026-10-01 06:30:00', '2026-10-01 06:30:00', 1),

194('Cleared', '2026-10-02 10:00:00', '2026-10-02 10:00:00', 2),

195('Cleared', '2026-10-03 13:15:00', '2026-10-03 13:15:00', 3),

196('Cleared', '2026-10-04 04:15:00', '2026-10-04 04:15:00', 4)

Total rows: 5

Query complete 00:00:00.384

CRLF

Ln 198, Col 1

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passanger
 - passenger
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- Login/Group Roles
- Tablespaces

database_Lab

Dashboard × Properties × SQL × Statistics × Processes × postgres/postgres@PostgreSQL 18* ×

postgres/postgres@PostgreSQL 18

No limit

Query Query History

```
168 INSERT INTO baggage (weight_in_kg, created_at, updated_at, booking_id) VALUES
169 (20.50, '2026-10-01 06:15:00', '2026-10-01 06:15:00', 1),
170 (15.00, '2026-10-02 09:45:00', '2026-10-02 09:45:00', 2),
171 (23.00, '2026-10-03 12:45:00', '2026-10-03 12:45:00', 3),
172 (18.20, '2026-10-04 03:45:00', '2026-10-04 03:45:00', 4),
173 (22.10, '2026-10-05 19:15:00', '2026-10-05 19:15:00', 5);
174
175
176 INSERT INTO boarding_pass (booking_id, seat, boarding_time, created_at, updated_at) VALUES
177 (1, '12A', '2026-10-01 07:20:00', '2026-10-01 06:30:00', '2026-10-01 06:30:00'),
178 (2, '14C', '2026-10-02 11:20:00', '2026-10-02 10:00:00', '2026-10-02 10:00:00'),
179 (3, '22F', '2026-10-03 14:50:00', '2026-10-03 13:00:00', '2026-10-03 13:00:00'),
180 (4, '5B', '2026-10-04 05:20:00', '2026-10-04 04:00:00', '2026-10-04 04:00:00'),
181 (5, '18E', '2026-10-05 21:20:00', '2026-10-05 20:00:00', '2026-10-05 20:00:00');
182
183
184 INSERT INTO booking_flight (booking_id, flight_id, created_at, updated_at) VALUES
185 (1, 1, '2026-09-01 10:00:00', '2026-09-01 10:00:00'),
186 (2, 2, '2026-09-02 11:30:00', '2026-09-02 11:30:00'),
187 (3, 3, '2026-09-03 14:00:00', '2026-09-03 14:00:00'),
188 (4, 4, '2026-09-04 09:15:00', '2026-09-04 09:15:00'),
189 (5, 5, '2026-09-05 18:45:00', '2026-09-05 18:45:00');
190
191
192 INSERT INTO security_check (check_result, created_at, updated_at, passenger_id) VALUES
193 ('Cleared', '2026-10-01 06:30:00', '2026-10-01 06:30:00', 1),
194 ('Cleared', '2026-10-02 10:00:00', '2026-10-02 10:00:00', 2),
195 ('Cleared', '2026-10-03 13:15:00', '2026-10-03 13:15:00', 3),
196 ('Cleared', '2026-10-04 04:15:00', '2026-10-04 04:15:00', 4),
197 ('Cleared', '2026-10-05 20:15:00', '2026-10-05 20:15:00', 5);
198
199 SELECT * FROM airport;
```

Total rows: 5 Query complete 00:00:00.384

CRLF Ln 198, Col 1

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Object Explorer

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (11)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passanger

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces

database_Lab

DashboardPropertiesSQLStatisticsProcessespostgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query

Query History

180

(4, '5B', '2026-10-04 05:20:00', '2026-10-04 04:00:00', '2026-10-04 04:00:00'),

181

(5, '18E', '2026-10-05 21:20:00', '2026-10-05 20:00:00', '2026-10-05 20:00:00');

182

183

184

INSERT INTO booking_flight (booking_id, flight_id, created_at, updated_at) VALUES

185

(1, 1, '2026-09-01 10:00:00', '2026-09-01 10:00:00'),

186

(2, 2, '2026-09-02 11:30:00', '2026-09-02 11:30:00'),

187

(3, 3, '2026-09-03 14:00:00', '2026-09-03 14:00:00'),

188

(4, 4, '2026-09-04 09:15:00', '2026-09-04 09:15:00'),

189

(5, 5, '2026-09-05 18:45:00', '2026-09-05 18:45:00');

190

191

192

INSERT INTO security_check (check_result, created_at, updated_at, passenger_id) VALUES

193

('Cleared', '2026-10-01 06:30:00', '2026-10-01 06:30:00', 1),

194

('Cleared', '2026-10-02 10:00:00', '2026-10-02 10:00:00', 2),

195

('Cleared', '2026-10-03 13:15:00', '2026-10-03 13:15:00', 3),

196

('Cleared', '2026-10-04 04:15:00', '2026-10-04 04:15:00', 4),

197

('Cleared', '2026-10-05 20:15:00', '2026-10-05 20:15:00', 5);

198

199

SELECT * FROM airport;

Data OutputMessagesNotifications

Showing rows: 1 to 5

Page No: 1 of 1

	airport_id [PK] integer	airport_name character varying (50)	country character varying (50)	state_ character varying (50)	city character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	Almaty International Airp...	Kazakhstan	Almaty Region	Almaty	2026-01-01 00:00:00	2026-01-01 00:00:00
2	2	Frankfurt Airport	Germany	Hesse	Frankfurt	2026-01-01 00:00:00	2026-01-01 00:00:00
3	3	Dubai International Airport	UAE	Dubai	Dubai	2026-01-01 00:00:00	2026-01-01 00:00:00
4	4	Istanbul Airport	Turkey	Istanbul	Istanbul	2026-01-01 00:00:00	2026-01-01 00:00:00
5	5	Hamad International Airp...	Qatar	Doha	Doha	2026-01-01 00:00:00	2026-01-01 00:00:00

Total rows: 5

Query complete 00:00:00.384

CRLF

Ln 198, Col 1

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Object Explorer

Schemas (1)

public

AggregatesCollationsDomainsFTS ConfigurationsFTS DictionariesFTS ParsersFTS TemplatesForeign TablesFunctionsMaterialized ViewsOperatorsProceduresSequencesTables (10)

airlineairportbaggagebaggage_checkboarding_passbookingbooking_flightflightspassengersecurity_checkTrigger FunctionsTypesViewsSubscriptionsLogin/Group RolesTablespaces

database_Lab

Processespostgres/postgres...public.flights/post...public.baggage/po...public.baggage_check/postgres/postgres@PostgreSQL 18

public.baggage_check/postgres/postgres@PostgreSQL 18

QueryQuery History

1SELECT * FROM public.baggage_check

2ORDER BY baggage_check_id ASC

Data OutputMessagesNotifications

Showing rows: 1 to 5Page No: 1 of 1

	baggage_check_id [PK] integer	check_result character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone	booking_id integer	passenger_id integer
1	1	Passed	2026-10-01 06:00:00	2026-10-01 06:00:00	1	1
2	2	Passed	2026-10-02 09:30:00	2026-10-02 09:30:00	2	2
3	3	Passed	2026-10-03 12:30:00	2026-10-03 12:30:00	3	3
4	4	Passed	2026-10-04 03:30:00	2026-10-04 03:30:00	4	4
5	5	Passed	2026-10-05 19:00:00	2026-10-05 19:00:00	5	5

Total rows: 5Query complete 00:00:00.309CRLFLn 1, Col 1

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces

database_Lab

stgres/postgres... × public.flights/post... × public.baggage/po... × public.baggage_ch... × public.boarding_pass/postgres/postgres@PostgreSQL 18 ×

public.boarding_pass/postgres/postgres@PostgreSQL 18

Query

Query History

1

2

SELECT * FROM public.boarding_pass

ORDER BY boarding_pass_id ASC

Data Output

Messages

Notifications

Showing rows: 1 to 5

Page No: 1 of 1

	boarding_pass_id [PK] integer	booking_id integer	seat character varying (50)	boarding_time timestamp without time zone	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	1	12A	2026-10-01 07:20:00	2026-10-01 06:30:00	2026-10-01 06:30:00
2	2	2	14C	2026-10-02 11:20:00	2026-10-02 10:00:00	2026-10-02 10:00:00
3	3	3	22F	2026-10-03 14:50:00	2026-10-03 13:00:00	2026-10-03 13:00:00
4	4	4	5B	2026-10-04 05:20:00	2026-10-04 04:00:00	2026-10-04 04:00:00
5	5	5	18E	2026-10-05 21:20:00	2026-10-05 20:00:00	2026-10-05 20:00:00

Successfully run. Total query runtime: 308 msec. 5 rows affected.

PostgreSQL 18/postgres - Database connected

Total rows: 5

Query complete 00:00:00.313

CRLF

Ln 1, Col 1

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces

database_Lab

public.flights/post...public.baggage/po...public.baggage_ch...public.boarding_p...public.booking/postgres/postgres@PostgreSQL 18

public.booking/postgres/postgres@PostgreSQL 18

No limit

Query

Query History

1

2

SELECT * FROM public.booking

ORDER BY booking_id ASC

Data OutputMessagesNotifications

Showing rows: 1 to 5

Page No: 1 of 1

	booking_id [PK] integer	flight_id integer	passenger_id integer	booking_platform character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone	status character varying (50)	ticket_price numeric (7,2)
1	1	1	1	AirAstana App	2026-09-01 10:00:00	2026-09-01 10:00:00	Confirmed	450.00
2	2	2	2	Lufthansa Web	2026-09-02 11:30:00	2026-09-02 11:30:00	Confirmed	680.50
3	3	3	3	Emirates Site	2026-09-03 14:00:00	2026-09-03 14:00:00	Confirmed	890.00
4	4	4	4	Skyscanner	2026-09-04 09:15:00	2026-09-04 09:15:00	Checked-in	310.25
5	5	5	5	Qatar Airways App	2026-09-05 18:45:00	2026-09-05 18:45:00	Confirmed	750.00

Successfully run. Total query runtime: 210 msec. 5 rows affected.

PostgreSQL 18/postgres - Database connected

Total rows: 5

Query complete 00:00:00.210

CRLF

Ln 1, Col 1

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces

database_Lab

public.booking_flight/postgres/postgres@PostgreSQL 18

Query

Query History

1

2

SELECT * FROM public.booking_flight

ORDER BY booking_flight_id ASC

Data Output

Messages

Notifications

Showing rows: 1 to 5

Page No: 1 of 1

	booking_flight_id [PK] integer	booking_id integer	flight_id integer	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	1	1	2026-09-01 10:00:00	2026-09-01 10:00:00
2	2	2	2	2026-09-02 11:30:00	2026-09-02 11:30:00
3	3	3	3	2026-09-03 14:00:00	2026-09-03 14:00:00
4	4	4	4	2026-09-04 09:15:00	2026-09-04 09:15:00
5	5	5	5	2026-09-05 18:45:00	2026-09-05 18:45:00

Successfully run. Total query runtime: 389 msec. 5 rows affected.

PostgreSQL 18/postgres - Database connected

Total rows: 5

Query complete 00:00:00.389

CRLF

Ln 1, Col 1

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces

database_Lab

public.flights/postgres/postgres@PostgreSQL 18

No limit

Query

Query History

1

2

SELECT * FROM public.flights

ORDER BY flight_id ASC

Data Output

Messages

Notifications

Showing rows: 1 to 5

Page No: 1 of 1

	flight_id [PK] integer	sch_departure_time timestamp without time zone	sch_arrival_time timestamp without time zone	departing_time_id integer	arriving_airport_id integer	departing_gate text	arriving_gate character varying (50)	airline_id integer	act_departure_time timestamp
1	1	2026-10-01 08:00:00	2026-10-01 11:00:00	1	2	Gate 3	Gate A1	1	2026-10-01
2	2	2026-10-02 12:00:00	2026-10-02 16:00:00	2	3	Gate B2	Gate C3	2	2026-10-02
3	3	2026-10-03 15:30:00	2026-10-03 20:00:00	3	4	Gate 5	Gate D4	3	2026-10-03
4	4	2026-10-04 06:00:00	2026-10-04 09:30:00	4	5	Gate 12	Gate E5	4	2026-10-04
5	5	2026-10-05 22:00:00	2026-10-06 05:00:00	5	1	Gate 8	Gate B4	5	2026-10-05

Successfully run. Total query runtime: 301 msec. 5 rows affected.

PostgreSQL 18/postgres - Database connected

Total rows: 5

Query complete 00:00:00.301

CRLF

Ln 1, Col 1

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces

database_Lab

public.passenger/postgres/postgres@PostgreSQL 18

Query

Query History

1

2

SELECT * FROM public.passenger

ORDER BY passenger_id ASC

Data Output

Messages

Notifications

Showing rows: 1 to 5

Page No: 1 of 1

	passenger_id [PK] integer	first_name character varying (50)	last_name character varying (50)	date_of_birth date	gender character varying (50)	country_of_citizenship character varying (50)	country_of_residence character varying (50)	passport_number character varying (20)	created timestamp
1	1	Dias	Sarsenov	2005-04-12	Male	Kazakhstan	Kazakhstan	N1234567	2026-0
2	2	Anna	Schmidt	2002-09-15	Female	Germany	Germany	DE987654	2026-0
3	3	Omar	Al-Farsi	1998-11-20	Male	UAE	UAE	AE987654	2026-0
4	4	Elif	Yilmaz	2001-02-28	Female	Turkey	Turkey	TR789123	2026-0
5	5	Aisha	Al-Thani	2004-06-05	Female	Qatar	Qatar	QA321654	2026-0

Successfully run. Total query runtime: 323 msec. 5 rows affected.

PostgreSQL 18/postgres - Database connected

Total rows: 5

Query complete 00:00:00.323

CRLF

Ln 1, Col 1

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces

database_Lab

public.security_check/postgres/postgres@PostgreSQL 18

No limit

Query

Query History

1

2

SELECT * FROM public.security_check

ORDER BY security_check_id ASC

Data Output

Messages

Notifications

Showing rows: 1 to 5

Page No: 1 of 1

	security_check_id [PK] integer	check_result character varying (20)	created_at timestamp without time zone	updated_at timestamp without time zone	passenger_id integer
1	1	Cleared	2026-10-01 06:30:00	2026-10-01 06:30:00	1
2	2	Cleared	2026-10-02 10:00:00	2026-10-02 10:00:00	2
3	3	Cleared	2026-10-03 13:15:00	2026-10-03 13:15:00	3
4	4	Cleared	2026-10-04 04:15:00	2026-10-04 04:15:00	4
5	5	Cleared	2026-10-05 20:15:00	2026-10-05 20:15:00	5

Successfully run. Total query runtime: 306 msec. 5 rows affected.

PostgreSQL 18/postgres - Database connected

Total rows: 5

Query complete 00:00:00.306

CRLF

Ln 1, Col 1