

1-step , AI GENERATED 200 INPUTS

The screenshot displays the pgAdmin 4 web interface. On the left, a tree view shows the database structure with 'airports' selected under 'Tables'. The main pane shows a SQL query editor with the following code:

```
1 INSERT INTO airport (airport_name, country, state_, city, created_at, updated_at)
2 SELECT
3 -- Generates unique randomized airport names
4 (ARRAY['JFK International', 'Heathrow', 'Charles de Gaulle', 'Incheon', 'Narita', 'Changi', 'Suvarnabhumi', 'Schiphol', 'Madrid Barajas', 'Zurich'])
5
6 -- Randomly assigns a country from a realistic pool
7 (ARRAY['United States', 'United Kingdom', 'France', 'South Korea', 'Japan', 'Singapore', 'Thailand', 'Netherlands', 'Spain', 'Switzerland'])[floor(random() * 10 + 1)] ||
8
9 -- Randomly assigns a state or province
10 (ARRAY['California', 'Greater London', 'Île-de-France', 'Seoul', 'Tokyo', 'Central', 'Bangkok', 'North Holland', 'Madrid', 'Zurich'])[floor(random() * 10 + 1)] ||
11
12 -- Randomly assigns a city
13 (ARRAY['New York', 'London', 'Paris', 'Seoul', 'Tokyo', 'Singapore', 'Bangkok', 'Amsterdam', 'Madrid', 'Zurich'])[floor(random() * 10 + 1)] ||
14
15 '2026-01-01 00:00:00'::timestamp AS created_at,
16 '2026-01-01 00:00:00'::timestamp AS updated_at
17 FROM generate_series(1, 200) AS s(i);
```

Below the query editor, the 'Data Output' tab shows the execution results:

```
INSERT 0 200
Query returned successfully in 128 msec.
```

The status bar at the bottom indicates 'Total rows: Query complete 00:00:00.128' and 'CRLF Ln 17, Col 38'.

The screenshot shows the pgAdmin 4 interface with the following components:

- Object Explorer:** A tree view on the left showing the database structure. The 'Columns' folder is expanded, showing columns like `booking_id` (integer), `flight_id` (integer), `passenger_id` (integer), `booking_platform` (character varying), `created_at` (timestamp), `updated_at` (timestamp), and `ticket_price` (numeric).
- Query Editor:** The main window displays SQL queries for creating and populating the database. The queries are as follows:

```
-- 1. Clear old data and reset primary key sequences
TRUNCATE TABLE security_check, booking_flight, boarding_pass, baggage, baggage_check, booking, flights, passenger, airport, airline;

-- 2. INSERT PARENT TABLES (200 ROWS EACH)

-- 200 Airlines
INSERT INTO airline (airline_code, airline_name, airline_country, created_at, updated_at)
SELECT
  'KZ' || i,
  'KazAir Company ' || i,
  'Kazakhstan',
  NOW(),
  NOW()
FROM generate_series(1, 200) AS s(i);

-- 200 Airports
INSERT INTO airport (airport_name, country, state, city, created_at, updated_at)
SELECT
  (ARRAY['Astana International', 'Almaty International', 'Aktau Airport', 'Shymkent Airport', 'Atyrau Airport'])[floor(random() * 5) + 1],
  'Kazakhstan',
  'Region ' || i,
  'city ' || i,
  NOW(),
  NOW()
FROM generate_series(1, 200) AS s(i);

-- 200 Passengers
INSERT INTO passenger (first_name, last_name, date_of_birth, gender, country_of_citizenship, country_of_residence, passport_number,
SELECT
  'FirstName' || i,
```
- Status Bar:** At the bottom, it shows 'Total rows: Query complete 00:00:00.408' and 'CRLF Ln 100, Col 30'.

The screenshot shows the pgAdmin 4 interface with the following components:

- Object Explorer:** A tree view on the left showing the database structure. The 'Columns' folder is expanded, showing columns like `booking_id` (integer), `flight_id` (integer), `passenger_id` (integer), `booking_platform` (character varying), `created_at` (timestamp), `updated_at` (timestamp), and `ticket_price` (numeric).
- Query Editor:** The main window displays SQL queries for creating and populating the database. The queries are as follows:

```
-- 200 Flights (Linked to airports and airlines)
INSERT INTO flights (sch_departure_time, sch_arrival_time, departing_time_id, arriving_airport_id, departing_gate, arriving_gate, a
SELECT
  '2026-10-01 08:00:00'::timestamp + (i * interval '1 hour'),
  '2026-10-01 12:00:00'::timestamp + (i * interval '1 hour'),
  ((i - 1) % 200) + 1,
  ((i % 200) + 1),
  'Gate ' || i,
  'GateB ' || i,
  ((i - 1) % 200) + 1,
  '2026-10-01 08:05:00'::timestamp,
  '2026-10-01 12:05:00'::timestamp,
  NOW(),
  NOW()
FROM generate_series(1, 200) AS s(i);

-- 200 Bookings (Linked to flights and passengers)
INSERT INTO booking (flight_id, passenger_id, booking_platform, created_at, updated_at, status, ticket_price)
SELECT
  ((i - 1) % 200) + 1,
  ((i - 1) % 200) + 1,
  'App Platform',
  NOW(),
  NOW(),
  'Confirmed',
  150.00 + (i % 500)
FROM generate_series(1, 200) AS s(i);

-- 200 Baggage Checks (Linked to bookings and passengers)
INSERT INTO baggage_check (check_result, created_at, updated_at, booking_id, passenger_id)
SELECT
```
- Status Bar:** At the bottom, it shows 'Total rows: Query complete 00:00:00.408' and 'CRLF Ln 100, Col 30'.

2-step, their output in the table

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Domains
- FTS Configurations
- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (10)
 - airline
 - airport
 - Columns (7)
 - airport_id integer
 - airport_name character varying (50)
 - country character varying (50)
 - state_character varying (50)
 - city character varying (50)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - baggage
 - baggage_check
 - boarding_pass
 - booking_flight
 - booking_new

Dashboard Properties SQL Statistics Processes postgres/postgres postgres/postgres@PostgreSQL 18

Query Query History

1 SELECT * FROM airport ;

Data Output Messages Notifications

Showing rows: 1 to 200 Page No: 1 of 1

	airport_id integer	airport_name character varying (50)	country character varying (50)	state_character varying (50)	city character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	Heathrow 1	South Korea	Greater London	Paris City 1	2026-01-01 00:00:00	2026-01-01 00:00:00
2	2	Suvarnabhumi 2	Netherlands	Tokyo	Singapore City 2	2026-01-01 00:00:00	2026-01-01 00:00:00
3	3	Charles de Gaulle 3	United States	Tokyo	Seoul City 3	2026-01-01 00:00:00	2026-01-01 00:00:00
4	4	Madrid Barajas 4	South Korea	Zurich	Amsterdam City 4	2026-01-01 00:00:00	2026-01-01 00:00:00
5	5	Madrid Barajas 5	France	Zurich	New York City 5	2026-01-01 00:00:00	2026-01-01 00:00:00
6	6	Schiphol 6	France	Madrid	Amsterdam City 6	2026-01-01 00:00:00	2026-01-01 00:00:00
7	7	Heathrow 7	Japan	Greater London	Seoul City 7	2026-01-01 00:00:00	2026-01-01 00:00:00
8	8	Incheon 8	United Kingdom	California	Tokyo City 8	2026-01-01 00:00:00	2026-01-01 00:00:00
9	9	Charles de Gaulle 9	Singapore	California	Seoul City 9	2026-01-01 00:00:00	2026-01-01 00:00:00
10	10	Charles de Gaulle 10	United States	Central	Singapore City 10	2026-01-01 00:00:00	2026-01-01 00:00:00
11	11	Incheon 11	Japan	Île-de-France	London City 11	2026-01-01 00:00:00	2026-01-01 00:00:00
12	12	Charles de Gaulle 12	Thailand	California	Madrid City 12	2026-01-01 00:00:00	2026-01-01 00:00:00
13	13	Changi 13	United States	Central	Zurich City 13	2026-01-01 00:00:00	2026-01-01 00:00:00
14	14	Zurich 14	United States	Greater London	Singapore City 14	2026-01-01 00:00:00	2026-01-01 00:00:00
15	15	Madrid Barajas 15	France	Seoul	Paris City 15	2026-01-01 00:00:00	2026-01-01 00:00:00
16	16	Changi 16	South Korea	Île-de-France	Bangkok City 16	2026-01-01 00:00:00	2026-01-01 00:00:00
17	17	Heathrow 17	France	Madrid	Paris City 17	2026-01-01 00:00:00	2026-01-01 00:00:00
18	18	JFK International 18	Singapore	Île-de-France	London City 18	2026-01-01 00:00:00	2026-01-01 00:00:00
19	19	Suvarnabhumi 19	Singapore	Seoul	Madrid City 19	2026-01-01 00:00:00	2026-01-01 00:00:00
20	20	Incheon 20	France	Tokyo	Singapore City 20	2026-01-01 00:00:00	2026-01-01 00:00:00
21	21	Changi 21	Spain	North Holland	Seoul City 21	2026-01-01 00:00:00	2026-01-01 00:00:00

Total rows: 200 Query complete 00:00:00.194 CRLF Ln 1, Col 24

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- airport_name character varying (50)
- country character varying (50)
- state_character varying (50)
- city character varying (50)
- created_at timestamp without time zone
- updated_at timestamp without time zone
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- baggage
- baggage_check
- boarding_pass
- booking_flight
- booking_new
 - Columns (7)
 - booking_id integer
 - flight_id integer
 - passenger_id integer
 - booking_platform character varying (50)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - ticket_price numeric
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - flights
 - passenger
 - security_check

Dashboard Properties SQL Statistics Processes postgres/postgres postgres/postgres@PostgreSQL 18

Query Query History

1 SELECT * FROM booking_flight ;

Data Output Messages Notifications

Showing rows: 1 to 200 Page No: 1 of 1

	booking_flight_id integer	booking_id integer	flight_id integer	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	1	1	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
2	2	2	2	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
3	3	3	3	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
4	4	4	4	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
5	5	5	5	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
6	6	6	6	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
7	7	7	7	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
8	8	8	8	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
9	9	9	9	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
10	10	10	10	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
11	11	11	11	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
12	12	12	12	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
13	13	13	13	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
14	14	14	14	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
15	15	15	15	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
16	16	16	16	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
17	17	17	17	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907

Total rows: 200 Query complete 00:00:00.241 CRLF Ln 2, Col 1

TASK 2, to add airline named KazAir :

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard Properties SQL Statistics Processes postgres/postgres... postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```
1 INSERT INTO airline (airline_code, airline_name, airline_country, created_at, updated_at)
2 VALUES ('KZ', 'KazAir', 'Kazakhstan', NOW(), NOW());
```

Data Output Messages Notifications

Showing rows: 1 to 201 Page No: 1 of 1

airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
185	KZ185	KazAir Company 185	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
186	KZ186	KazAir Company 186	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
187	KZ187	KazAir Company 187	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
188	KZ188	KazAir Company 188	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
189	KZ189	KazAir Company 189	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
190	KZ190	KazAir Company 190	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
191	KZ191	KazAir Company 191	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
192	KZ192	KazAir Company 192	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
193	KZ193	KazAir Company 193	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
194	KZ194	KazAir Company 194	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
195	KZ195	KazAir Company 195	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
196	KZ196	KazAir Company 196	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
197	KZ197	KazAir Company 197	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
198	KZ198	KazAir Company 198	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
199	KZ199	KazAir Company 199	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
200	KZ200	KazAir Company 200	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
201	KZ	KazAir	Kazakhstan	2026-09-26 19:27:29.008807	2026-09-26 19:27:29.008807

Total rows: 201 Query complete 00:00:00.199 CRLF Ln 2, Col 1

TASK 3: To name Kazair country to Turkey

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard Properties SQL Statistics Processes postgres/postgres... postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```
1 UPDATE airline
2 SET airline_country = 'Turkey'
3 WHERE airline_name = 'KazAir';
```

Data Output Messages Notifications

Showing rows: 1 to 201 Page No: 1 of 1

airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
185	KZ185	KazAir Company 185	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
186	KZ186	KazAir Company 186	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
187	KZ187	KazAir Company 187	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
188	KZ188	KazAir Company 188	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
189	KZ189	KazAir Company 189	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
190	KZ190	KazAir Company 190	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
191	KZ191	KazAir Company 191	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
192	KZ192	KazAir Company 192	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
193	KZ193	KazAir Company 193	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
194	KZ194	KazAir Company 194	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
195	KZ195	KazAir Company 195	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
196	KZ196	KazAir Company 196	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
197	KZ197	KazAir Company 197	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
198	KZ198	KazAir Company 198	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
199	KZ199	KazAir Company 199	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
200	KZ200	KazAir Company 200	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
201	KZ	KazAir	Turkey	2026-09-26 19:27:29.008807	2026-09-26 19:27:29.008807

Total rows: 201 Query complete 00:00:00.173 CRLF Ln 3, Col 31

TASK 4:adding 3 new air companies

The screenshot shows the pgAdmin 4 interface with the 'airline' table selected in the Object Explorer. The Query Editor displays an SQL INSERT statement to add three new airlines: 'AirEasy' from France, 'FlyHigh' from Brazil, and 'FlyFly' from Poland. The Data Output pane shows the results of the query, displaying 204 rows in total, including the newly added ones.

```
1 INSERT INTO airline (airline_code, airline_name, airline_country, created_at, updated_at)
2 VALUES
3 ('KZ202', 'AirEasy', 'France', NOW(), NOW()),
4 ('KZ203', 'FlyHigh', 'Brazil', NOW(), NOW()),
5 ('KZ204', 'FlyFly', 'Poland', NOW(), NOW());
```

airline_id	airline_code	airline_name	airline_country	created_at	updated_at
188	KZ188	KazAir Company 188	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
189	KZ189	KazAir Company 189	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
190	KZ190	KazAir Company 190	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
191	KZ191	KazAir Company 191	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
192	KZ192	KazAir Company 192	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
193	KZ193	KazAir Company 193	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
194	KZ194	KazAir Company 194	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
195	KZ195	KazAir Company 195	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
196	KZ196	KazAir Company 196	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
197	KZ197	KazAir Company 197	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
198	KZ198	KazAir Company 198	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
199	KZ199	KazAir Company 199	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
200	KZ200	KazAir Company 200	Kazakhstan	2026-09-26 19:24:36.20907	2026-09-26 19:24:36.20907
201	KZ	KazAir	Turkey	2026-09-26 19:27:29.008807	2026-09-26 19:27:29.008807
202	KZ202	AirEasy	France	2026-09-26 19:48:32.057301	2026-09-26 19:48:32.057301
203	KZ203	FlyHigh	Brazil	2026-09-26 19:48:32.057301	2026-09-26 19:48:32.057301
204	KZ204	FlyFly	Poland	2026-09-26 19:48:32.057301	2026-09-26 19:48:32.057301

Task5 :deleting flights whose sch arrival is in 2024(i changed deleting from 2024 to 2026-10-01, because my data in table don't have that exact year)

The screenshot shows the pgAdmin 4 interface with the 'flights' table selected in the Object Explorer. The Query Editor displays an SQL DELETE statement to remove flights scheduled for 2026-10-01. The Data Output pane shows the results of the query, indicating that 11 flights were deleted successfully.

```
1 delete from booking_flight
2 where flight_id IN(
3 SELECT flight_id from flights
4 where sch_arrival_time::date = '2026-10-01'
5 );
6 delete from flights
7 where sch_arrival_time::date='2026-10-01';
```

DELETE 11
Query returned successfully in 145 msec.

Task 6: is to increase ticket price by 1,5

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X Properties X SQL X Statistics X Processes X postgres/postgres... X postgres/postgres@PostgreSQL 18* X

postgres/postgres@PostgreSQL 18

Query Query History

```

1 update booking
2 SET ticket_price = ticket_price +1.5,
3   updated_at = NOW();

```

Data Output Messages Notifications

Showing rows: 1 to 200 Page No: 1 of 1

	booking_id [PK] integer	flight_id integer	passenger_id integer	booking_platform character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone	ticket_price numeric (7,2)	status character varying (50)
1	1	1	1	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22515.00	Confirmed
2	2	2	2	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22530.00	Confirmed
3	3	3	3	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22545.00	Confirmed
4	4	4	4	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22560.00	Confirmed
5	5	5	5	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22575.00	Confirmed
6	6	6	6	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22590.00	Confirmed
7	7	7	7	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22605.00	Confirmed
8	8	8	8	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22620.00	Confirmed

Total rows: 200 Query complete 00:00:00.164 CRLF Ln 3, Col 21

Task 7 deleted tickets with price lower than 22700

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X Properties X SQL X Statistics X Processes X postgres/postgres... X postgres/postgres@PostgreSQL 18* X

postgres/postgres@PostgreSQL 18

Query Query History

```

1 delete from boarding_pass
2 where booking_id in(select booking_id from booking where ticket_price <22700);
3 delete from baggage
4 where booking_id in (select booking_id from booking where ticket_price <22700);
5 delete from baggage_check
6 where booking_id in(select booking_id from booking where ticket_price <22700);
7 delete from booking_flight
8 where booking_id in(select booking_id from booking where ticket_price <22700);
9 delete from booking
10 where ticket_price <22700;

```

Data Output Messages Notifications

Showing rows: 1 to 187 Page No: 1 of 1

	booking_id [PK] integer	flight_id integer	passenger_id integer	booking_platform character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone	ticket_price numeric (7,2)	status character varying (50)
1	14	14	14	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22710.00	Confirmed
2	15	15	15	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22725.00	Confirmed
3	16	16	16	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22740.00	Confirmed
4	17	17	17	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22755.00	Confirmed
5	18	18	18	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22770.00	Confirmed
6	19	19	19	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22785.00	Confirmed
7	20	20	20	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22800.00	Confirmed
8	21	21	21	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22815.00	Confirmed
9	22	22	22	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22830.00	Confirmed
10	23	23	23	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22845.00	Confirmed
11	24	24	24	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22860.00	Confirmed
12	25	25	25	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22875.00	Confirmed
13	26	26	26	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22890.00	Confirmed
14	27	27	27	App Platform	2026-09-29 16:08:03.139269	2026-09-29 16:24:17.764713	22905.00	Confirmed

Total rows: 187 Query complete 00:00:00.153 CRLF Ln 10, Col 24

Task 8: Set a default code 'UNK' (Unknown) for any airline in the airline table where airline_code is missing (NULL).

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard Properties SQL Statistics Processes postgres/postgres... postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```

1 insert into airline( airline_name, airline_code ,airline_country, created_at, updated_at)
2 values('kriloAir','temp','Kazakhstan',NOW(),NOW());
3
4 alter table airline alter column airline_code drop not null;
5
6 update airline set airline_code = Null
7 where airline_name = 'kriloAir';
8
9 update airline set airline_code = 'UNK',
10 updated_at =NOW() where airline_code is NULL;
11 alter table airline alter column airline_code set not null;
12

```

Data Output Messages Notifications

Showing rows: 1 to 201 Page No: 1 of 1

airline_id	airline_code	airline_name	airline_country	created_at	updated_at
190	KZ190	KazAir Company 190	Kazakhstan	2026-09-29 16:08:03.139269	2026-09-29 16:08:03.139269
191	KZ191	KazAir Company 191	Kazakhstan	2026-09-29 16:08:03.139269	2026-09-29 16:08:03.139269
192	KZ192	KazAir Company 192	Kazakhstan	2026-09-29 16:08:03.139269	2026-09-29 16:08:03.139269
193	KZ193	KazAir Company 193	Kazakhstan	2026-09-29 16:08:03.139269	2026-09-29 16:08:03.139269
194	KZ194	KazAir Company 194	Kazakhstan	2026-09-29 16:08:03.139269	2026-09-29 16:08:03.139269
195	KZ195	KazAir Company 195	Kazakhstan	2026-09-29 16:08:03.139269	2026-09-29 16:08:03.139269
196	KZ196	KazAir Company 196	Kazakhstan	2026-09-29 16:08:03.139269	2026-09-29 16:08:03.139269
197	KZ197	KazAir Company 197	Kazakhstan	2026-09-29 16:08:03.139269	2026-09-29 16:08:03.139269
198	KZ198	KazAir Company 198	Kazakhstan	2026-09-29 16:08:03.139269	2026-09-29 16:08:03.139269
199	KZ199	KazAir Company 199	Kazakhstan	2026-09-29 16:08:03.139269	2026-09-29 16:08:03.139269
200	KZ200	KazAir Company 200	Kazakhstan	2026-09-29 16:08:03.139269	2026-09-29 16:08:03.139269
201	203	UNK	kriloAir	2026-09-29 20:13:38.927453	2026-09-29 20:13:38.927453

Total rows: 201 Query complete 00:00:00.207

Taks 9: Delete all baggage check records created before June 1, 2023, whose result is still 'Not checked'. **It says delete 0 , because there was no such baggage**

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard Properties SQL Statistics Processes postgres/postgres... postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```

1 delete from baggage_check
2 where created_at < '2023-06-01'
3 and check_result = 'Not Checked';

```


Data Output Messages Notifications

DELETE 0


Query returned successfully in 154 msec.

Total rows: Query complete 00:00:00.154



Task 10 :Delete all entries from the airport table where state is missing (NULL) and the city is either 'Mlawe' or 'Kepuh'.



Task 11:Insert a new unchecked baggage inspection record and immediately return its newly generated baggage_check_id and created_at timestamp.



Task 12: Convert all country names in the airline table to uppercase to ensure data consistency.



13 task: Update both the name and country for the airline with airline_id = 5. Set the name to 'Global Airways' and the country to 'United Kingdom', while updating update_at

to the current date.

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays the database structure, with the 'airline' table selected under 'Tables (10)'. The table's columns are listed: 'airline_id' (integer), 'airline_code' (character), 'airline_name' (character), 'airline_country' (character), 'created_at' (timestamp), and 'updated_at' (timestamp). The main query editor contains the following SQL statement:

```
1 update airline
2 set airline_name = 'Global Airways',
3 airline_country = 'United Kingdom',
4 updated_at = Now()
5 where airline_id = 5;
```

The 'Data Output' tab shows the message: 'UPDATE 1' and 'Query returned successfully in 273 msec.' A green status bar at the bottom right confirms: 'Query returned successfully in 273 msec.' The bottom status bar indicates 'Total rows: Query complete 00:00:00.273' and 'CRLF Ln 5, Col 22'.

The screenshot shows the pgAdmin 4 interface with the same database structure. The main query editor contains the following SQL statement:


```
1 select * from airline;
```

The 'Data Output' tab displays the query results in a table. The table has 6 columns: 'airline_id' (integer), 'airline_code' (character), 'airline_name' (character), 'airline_country' (character), 'created_at' (timestamp), and 'updated_at' (timestamp). The results show 12 rows of data:

airline_id	airline_code	airline_name	airline_country	created_at	updated_at
1	5	KZ5	Global Airways	United Kingdom	2026-09-29 16:08:03.139269
2	195	KZ195	KazAir Company 195	KAZAKHSTAN	2026-09-29 20:34:28.759557
3	1	KZ1	KazAir Company 1	KAZAKHSTAN	2026-09-29 16:08:03.139269
4	2	KZ2	KazAir Company 2	KAZAKHSTAN	2026-09-29 16:08:03.139269
5	3	KZ3	KazAir Company 3	KAZAKHSTAN	2026-09-29 16:08:03.139269
6	4	KZ4	KazAir Company 4	KAZAKHSTAN	2026-09-29 16:08:03.139269
7	6	KZ6	KazAir Company 6	KAZAKHSTAN	2026-09-29 16:08:03.139269
8	7	KZ7	KazAir Company 7	KAZAKHSTAN	2026-09-29 16:08:03.139269
9	8	KZ8	KazAir Company 8	KAZAKHSTAN	2026-09-29 16:08:03.139269
10	9	KZ9	KazAir Company 9	KAZAKHSTAN	2026-09-29 16:08:03.139269
11	10	KZ10	KazAir Company 10	KAZAKHSTAN	2026-09-29 16:08:03.139269
12	11	KZ11	KazAir Company 11	KAZAKHSTAN	2026-09-29 16:08:03.139269

The bottom status bar shows the system clock: '15°C Mostly cloudy', '9:28 PM 9/29/2026', and '63%' battery level.

Task 14: Set the state field to 'Capital District' for airports located in specific cities: 'Astana', 'London', and 'Tokyo'



Task 15: Mark all baggage check records (baggage_check) created in March 2024 with a status of 'Not checked' as completed ('Checked').

