
Controlled scene / config
IUT, fault plan, resource mode
INJECT-CONFIRM
Independent truth record
evaluator only
FORBIDDEN
Evaluator truth must not enter IF-SELECT-ADMIT, IF-PRED-OBS, IF-HIST-UPDATE, or IF-EXECUTE-RECORD. IF-OBS-INTERPRET, IF-PREP-RECOVER, IF-EQUIV, and IF-RESOURCE-STOP stay algorithm-visible only. Experiment I/O: IF-EXP-SCENE, IF-EXP-INJECT, IF-EXP-TRUTH, IF-EXP-COLLECT, IF-EXP-RUN, IF-EXP-FILTER, IF-EXP-EVAL.
same declared pool and action library
evaluator only
Comparison arms
CL-T / CL-A / CL-TA / CL-LOOP
lzk, q, cost
Observations and resource log
algorithm-visible
Validity check
unconfirmed / invalid / equivalent / missing / abstain
ATTEMPT/ANSWERED DENOM.
Same pool does not gift later CL-LOOP records to other arms and does not invent sampling cost for CL-A.
Metrics with denominators
EXP-CLTAV-DETECT / LOCATE / ABLATION
comparable only
RQ / claims
no unrun numbers
INJECT-CONFIRM = injection plan + execution confirmation
ATTEMPT/ANSWERED DENOM. = attempt and answered-subset denominators