

POLICYGUIDE: From Guarding One Action to Guiding the Whole Workflow for Policy-Compliant LLM Agents

Seongjae Kang¹ Taehyung Yu¹ Sung Ju Hwang^{1,2}

¹KAIST ²DeepAuto.ai

{tjdwo2744, taehyung.yu, sjhwang}@kaist.ac.kr

Abstract

Customer-service LLM agents must follow organizational policy when acting on a user’s behalf. Compliance failures arise from either forbidden actions, such as granting an ineligible change, or omitted procedural requirements, such as identification or confirmation. Runtime safeguards can intervene on risky actions, but action-local checks do not guide an agent through a multi-step procedure. Workflow-following systems support prescribed process execution, but primarily target workflow completion rather than safeguarding agent behavior. POLICYGUIDE instead compiles each domain policy into a workflow graph and invokes a proactive verifier at user-turn boundaries. From persisted graph state, the verifier reconciles open requests and returns step-specific remediation along a policy-compliant path. Across the τ^2 -bench airline, retail, and telecom domains with a GPT 5.4 agent and verifier, POLICYGUIDE raises mean PASS⁴ from 0.42 to 0.62, with the largest gain on telecom (0.19 to 0.61), the most workflow-structured domain. The same workflows transfer to Claude Sonnet 4.6 and Gemini 2.5 Pro agents. Complementary evaluations find the lowest observed attack-success rate under adversarial users and the strongest procedural compliance in an author-designed workflow-level validation.

1 Introduction

LLM agents are beginning to support customer-service work, including booking flights, modifying orders, and changing account plans through tools on user accounts. These systems typically pair a general-purpose reasoning-and-acting loop (Yao et al., 2023) with a frontier model such as GPT 5.4, Claude Sonnet 4.6, or Gemini 2.5 Pro (OpenAI, 2026; Anthropic, 2026; Comanici et al., 2025). Because these models are large and closed-weight, domain-specific fine-tuning is often unavailable or impractical; runtime safeguards offer an integration point that does




Figure 1: Workflow systems execute prescribed procedures, while external safeguards monitor agent behavior. POLICYGUIDE combines both roles.

not require retraining. τ -bench (Yao et al., 2024) and τ^2 -bench (Barres et al., 2025) evaluate this setting against natural-language policies in ✈️ Airline, 🛒 Retail, and 📠 Telecom.

Policy compliance depends on both the selected action and the procedure used to reach it. An agent may grant an ineligible change, or it may skip or disorder identification, eligibility checks, and confirmation. Such procedural failures can produce a forbidden outcome or leave an otherwise permissible action unsupported. Our source-policy analysis (Appendices B and B.5) finds that procedural requirements are pervasive (67.4% in airline, $\sim 100\%$ in retail, and 98.0% in telecom), whereas ordered workflow requirements concentrate in telecom (54.0%, versus 4.7% in airline and 3.6% in retail). Flat prerequisites can often be checked when the agent proposes a guarded action, such as a mutating tool call. Ordered requirements also constrain earlier dialogue and tool-use actions. For example, telecom troubleshooting follows diagnose–instruct–verify sequences that may contain no agent-side mutation for an action guard to intercept.

These two failure modes motivate complemen-




Figure 2: One task under three enforcement regimes. **(a)** An action guard checks only the final mutating call, so skipped procedure is discovered late and returned as a block. **(b)** A workflow/SOP agent drives the procedure, but its checks are designed for faithful workflow execution rather than as a safeguard against policy-violating behavior by a general-purpose agent. **(c)** POLICYGUIDE runs as an external, advisory guide: at user-turn boundaries it tracks graph position across turns and stops at the first unsatisfied node. If the agent attempts a mutating tool call before completing the workflow, the runtime returns remediation for the unmet step. It recommends the mutation only after the required workflow steps are grounded.

tary capabilities (Figure 1). *Safeguarding* monitors agent behavior and intervenes on risky actions (Zwerdling et al., 2025; Chen et al., 2025; Xiang et al., 2025), whereas *workflow enforcement* steers execution through required steps (Ye et al., 2025; Wu et al., 2024; Shi et al., 2025b). The two literatures thus target different primary objectives: safe agent behavior and faithful workflow completion. PolicyGuard (Kang et al., 2026) provides the closest connection by incorporating procedural remediation into a mutating-call safeguard, but remains action-triggered and cannot cover earlier deviations outside its guarded action class.

We propose POLICYGUIDE, an external runtime guide for policy-compliant agents (Figure 2). POLICYGUIDE compiles each domain policy into a workflow graph. At user-turn boundaries, a proactive verifier traverses the graph from its persisted position, reconciles all open requests, and returns focused remediation for the first unmet step. Persisted state lets the verifier apply workflow safeguards throughout the interaction while coordinating multiple requests. The result is an agent-agnostic external overlay that pairs the same procedural representation with different agents. Across the τ^2 -bench airline, retail, and telecom domains with a GPT 5.4 agent and verifier, POLICYGUIDE raises mean PASS⁴ across domains from 0.42 (un-guided) to 0.62 (§4.2), with the largest gain on

telecom (0.19 to 0.61), the domain whose policy is most workflow-structured. We additionally evaluate diagnostic workflow variants and a matched FlowAgent workflow-controller baseline on telecom (§4.3–4.4). The same workflows transfer to Claude Sonnet 4.6 and Gemini 2.5 Pro agents (§4.5). We further evaluate adversarial robustness with CRAFT red-teaming and workflow compliance with an author-designed Telecom trace audit (§4.6 and §4.7).

Contributions.

- We characterize policy compliance as a joint safeguarding and workflow-enforcement problem: agents must avoid impermissible actions while completing required procedural steps, including those occurring before or outside a guarded action class.
- We introduce POLICYGUIDE, an external proactive verifier that compiles policies into workflow graphs, tracks multiple open requests across turns, and guides the agent through the required steps.
- We demonstrate 20-point mean PASS⁴ gains and cross-agent transfer. Complementary analyses show robustness to CRAFT red-team attacks and stronger workflow compliance.

2 Background and Related Work

POLICYGUIDE connects runtime safeguards, which monitor agent behavior, with workflow-guided systems, which execute prescribed procedures. It gives persisted workflow state a safeguarding role over agent behavior rather than making workflow control the agent architecture; separating verifier from actor additionally enables reuse across agent runtimes (Figure 1).

2.1 τ^2 -bench and policy-adherent agents

τ^2 -bench (Barres et al., 2025), building on τ -bench (Yao et al., 2024), benchmarks policy-adherent LLM agents in customer-service domains with a natural-language policy, read-only tools, and mutating tools. We use the airline, retail, and telecom domains: each task is either policy-violation (the agent must refuse) or mutation (the agent must act correctly), and success requires both the final database state and the natural-language assertions to hold. Telecom adds dual control, where some required actions are user-side tools the agent cannot call, making workflow order especially visible. Nearby benchmarks target complementary questions: CRMarena-Pro studies confidentiality compliance rather than ordered procedures (Huang et al., 2025); IntellAgent generates diagnostic tests from policy graphs (Levi and Kadar, 2025); Near-Miss audits failures post hoc (Rabinovich et al., 2026); AgentRewardBench evaluates trajectory judges (Lù et al., 2025); and CRAFT supplies adversarial users rather than a benign workflow-completion benchmark (Nakash et al., 2025).

2.2 Runtime safeguards: action verification

Runtime safeguards are usually action-scoped. ToolGuard compiles tool-level guards, and SolverAided checks call constraints with solver support (Winston et al., 2026); both see only the call under check, so process-level requirements are unreachable. PCAS monitors event traces (Palumbo et al., 2026), while ShieldAgent wraps agents with structural safety checks (Chen et al., 2025); both track order but reduce dialogue semantics to predicates or keyword matching. GuardAgent is a single-turn admission controller (Xiang et al., 2025), ToolSafe classifies unsafe tool use (Mou et al., 2026), and AgentSpec specifies tool-agent safety properties (Wang et al., 2026); these target broader tool-risk settings rather than multi-turn business procedures. AGrail adapts checks online (Luo

et al., 2025), Conseca synthesizes just-in-time policies (Tsai and Bagdasarian, 2025), and Progent enforces least privilege over tool arguments (Shi et al., 2025a), but still act locally around risky actions. PolicyGuard (Kang et al., 2026) is the closest action-guard baseline: it reads the full conversation, checks a mutating call against a per-tool checklist, and returns PASS/BLOCK with remediation. This makes it much more dialogue-aware than argument-only guards, but it remains action-scoped: it does not persist position in a policy workflow or proactively guide the agent through the missing steps before a mutating call is attempted. POLICYGUIDE instead verifies workflow state across turns.

2.3 Workflow- and SOP-guided agents


A parallel line encodes procedures as traversable graphs or state machines. SOP-Agent (Ye et al., 2025) compiles a standard operating procedure into a decision graph that restricts actions at each node. StateFlow (Wu et al., 2024) represents a task as a finite-state machine whose states hold prompts and tool calls. SMoT maintains explicit task state (Liu et al., 2023); MetaGPT and ProAgent organize agents around procedural roles or plans (Hong et al., 2024; Ye et al., 2023). JourneyBench studies dynamic prompting in our domain (Balaji et al., 2026); FLAP enforces flows through constrained decoding (Roy et al., 2024); and FlowBench finds that even strong models struggle to follow supplied workflows reliably (Xiao et al., 2024).

These systems primarily study faithful workflow execution rather than safeguarding against policy-violating agent behavior. FlowAgent is the closest qualification (Shi et al., 2025b): its pre- and post-decision controllers guide execution and can reject invalid transitions. Its focus, however, is compliant and flexible workflow execution under out-of-workflow requests; it is not framed or evaluated as a safeguard against policy-violating agent behavior. POLICYGUIDE instead gives persisted workflow state a safeguarding role: a separate verifier monitors the interaction, returns remediation for unmet steps, and is evaluated with both benign and manipulative users. This separation also permits the same workflow to pair with different agents, a practical benefit rather than the main conceptual distinction.

3 Method

POLICYGUIDE combines an offline policy workflow with an external runtime verifier that guides

A. Offline workflow authoring



B. Online policy-guided runtime




Figure 3: POLICYGUIDE separates offline policy authoring from online enforcement. **Offline**, the policy and tool registry are compiled, repaired, and validated into a reusable workflow bundle. **Online**, each verifier call consumes the conversation, grounded tool results, persisted request state, and workflow bundle; it reconciles requests, traverses the graph to the first unmet requirement, and returns remediation, updated state, and mutation-gate status for the next agent turn.

a general-purpose LLM agent (Figure 3). The workflow represents the procedures required by a domain policy, while code persists the verifier’s workflow state and delivers next-step remediation to the agent. Conceptually, POLICYGUIDE is a *reference-monitor-inspired runtime safeguard* (Anderson, 1972; Schneider, 2000): it observes the interaction and can intervene before policy-sensitive actions, but the evaluated configuration steers execution rather than claiming classical mandatory enforcement. Its repeated judgment over a growing interaction trace is related to runtime verification (Leucker and Schallhart, 2009; Bauer et al., 2011), while its explicit request state is related to dialogue-state tracking (Williams et al., 2013; Henderson et al., 2014).

3.1 Theoretical motivation

An action-triggered verifier mediates only the actions that invoke it, such as proposed mutating tool calls. This is sufficient only when every reachable first deviation occurs at such an action. Policy workflows, however, can constrain other agent actions, including evidence gathering, user-facing instructions, branch selection, and completion decisions. These deviations matter even when the

eventual mutation is permissible, because a later action check cannot undo an already-committed procedural violation. Appendix A formalizes this distinction through *intervention coverage*. Theorem 1 shows that an ideal binding verifier preserves procedural validity exactly when its firing schedule covers every reachable first deviation. Corollary 1 shows that an ideal workflow-level schedule satisfies this condition, whereas an action-triggered schedule does so only when every first deviation itself triggers the check.

3.2 Policy workflow representation

A workflow is **the graph of the policy-compliant interaction**. In the three generated domains, the main graph begins with a shared intake, identification, and classification path, then enters a request-specific subflow. Nodes name actors and actions; edges name transitions. Shared procedures such as identification are reused across subflows, while domain-specific subflows express decision gates or diagnostic chains.

Node types are `entry/exit` (structure), `agent_action` (non-tool agent action), `user_input` (user response), `tool_call` (read-

Algorithm 1: POLICYGUIDE verifier

Input: policy π , tools $\mathcal{T}$, workflow G , history H , and state S

$\hat{\mathcal{R}} \leftarrow$ requests in H reconciled with the tracked requests in S

foreach open request $r \in \hat{\mathcal{R}}$ **do**

$p \leftarrow$ entry of G if r is new; otherwise its position in S

while p is nonterminal **do**

if the requirement at p is not satisfied by H **then**

break

$p \leftarrow$ successor along the outgoing edge in G that matches H

if p is terminal **then**

$d_r \leftarrow \emptyset$

else

$d_r \leftarrow$ action required at p

$d \leftarrow$ merge $\{d_r : r \in \hat{\mathcal{R}}\}$

return $(d, \hat{\mathcal{R}})$

only tool), **tool_authorization** (mutating-tool authorization), **decision** (branch), and **subflow** (subflow invocation). Each node specification names its actor and expected action and states an explicit satisfying condition that the runtime verifier judges against the interaction (§3.4); subflows are inlined at load time, so the runtime traverses one flat graph per domain. A mutating tool call is enabled at its authorization node and verified from the corresponding tool result.

3.3 Offline workflow generation

The workflows are generated offline by a multi-stage pipeline and frozen once per domain for all workflow-based conditions (Figure 3, top). **Stage 1** extracts tool specifications and mutating tools, excluding user-device actions. **Stage 2** derives request types, shared procedures, ordered subflows, and a coverage audit; **Stage 3** reviews the plan. **Stage 4** generates and schema-validates subflows (one repair retry and branch review), and **Stage 5** connects the intake spine, classifier, and subflows. **Stage 6** validates schema conformance, tool inventory, mutating-tool authorization coverage, graph composition, edge arity, and reachability; reviews policy-to-graph mappings; and prunes unused subflows. Appendix G reproduces the prompts, Appendix H shows examples, and Appendix E specifies these checks and reports the remaining semantic-audit scope.

3.4 Online policy-guided runtime

Algorithm 1 summarizes the runtime (Figure 3, bottom). Each firing is a single verifier generation

$$V_\phi(\pi, \mathcal{T}, G, H, S) = (d, \hat{\mathcal{R}}),$$

where V_ϕ is the verifier LLM; π , $\mathcal{T}$, G , H , and S are the raw policy, tool specifications, frozen workflow graph, interaction history, and code-owned request state; and d and $\hat{\mathcal{R}}$ are the merged remediation and the updated request records the runtime persists.

Firing and interface. The verifier fires before the agent responds to each user turn, and once more after a mutating tool call not authorized by the current workflow state is intercepted; skipped tool-result turns are folded into the next firing’s conversation delta, so each call judges the complete trajectory. Its prompt is a cached static prefix (π , $\mathcal{T}$, the rendered graph, judging rules, and output contract) plus the conversation and the latest state record; it returns a free-text audit and one structured record per open request—node walk with cited evidence, position, status, mutating-tool authorization, selection memory, and remediation—plus a global transfer flag (Appendices D.3 and G). It runs at temperature 0, model-paired with the agent.

Reconcile and traverse. The verifier reconciles the open requests against S (continuing requests keep their recorded positions; new ones open at the graph entry; abandoned or duplicate ones are dropped or merged), then walks each from its recorded node, judging every node’s satisfying condition against H : facts and eligibility count only when confirmed by tool results, while the user’s own choices and consent count from their messages. The walk stops at the first unsatisfied node, whose required action becomes the remediation; one generation can advance several nodes, and terminal nodes mark a request done.

State and delivery. Code, rather than the model’s conversational memory, owns state persistence. It rejects unknown node IDs, filters authorization outputs against the enumerated mutating-tool inventory, reconstructs the currently enabled tool set, and persists each request’s position and memory. The merged remediation is injected as a guidance message before the agent acts.

Intervention. In the evaluated advisory mode, the first mutating tool call not authorized by the current workflow state within each user-turn region is

	System	Verifier	Airline (50)			Retail (114)			Telecom (114)		
			Overall	PV	Mut	Overall	PV	Mut	Overall	PV	Mut
PASS ¹	ReAct	—	0.640	0.865	0.433	0.800	0.900	0.791	0.384	0.721	0.180
	ToolGuard	static code	0.575	0.969	0.212	—	—	—	—	—	—
	PolicyGuard	GPT 5.4	0.710	1.000	0.442	0.645	0.975	0.613	0.406	0.733	0.208
	POLICYGUIDE	GPT 5.4	0.775	0.979	0.587	0.809	0.975	0.793	0.866	0.895	0.849
PASS ⁴	ReAct	—	0.460	0.750	0.192	0.596	0.700	0.587	0.193	0.442	0.042
	ToolGuard	static code	0.520	0.875	0.192	—	—	—	—	—	—
	PolicyGuard	GPT 5.4	0.580	1.000	0.192	0.360	0.900	0.308	0.202	0.488	0.028
	POLICYGUIDE	GPT 5.4	0.620	0.917	0.346	0.614	0.900	0.587	0.614	0.721	0.549

Table 1: Main results on the base splits (GPT 5.4 agent, $n=4$; airline 50, retail/telecom 114 tasks). Cells report Pass¹ and Pass⁴ overall and on the PV/Mut slices. The verifier is absent for ReAct, static code for ToolGuard, and GPT 5.4 for PolicyGuard and POLICYGUIDE.




Figure 4: Pass^k vs. k (reliability; higher is better) on the **base** split of each domain, GPT 5.4, all cells $n=4$.

intercepted before execution and triggers a corrective verifier firing. The one-shot gate then disarms for an immediate retry, preventing the advisory mechanism from deadlocking execution. Other workflow-governed actions are steered through remediation rather than hard-gated.

3.5 Variants and ablations

POLICYGUIDE rests on two separable ingredients: *what* the policy is compiled into (the graph versus the raw policy text) and *who* tracks progress (an external verifier versus the acting agent). Each variant strips one. POLICYGUIDE-RAW keeps the verifier model, firing schedule, carried state, and remediation channel but substitutes the raw policy for G , so no graph position persists—isolating the compiled graph. POLICYGUIDE-SELF places the frozen graph in the actor’s system prompt but removes the external verifier, code-owned state, per-turn remediation, and corrective intercept—isolating external tracking (§4.3).

4 Experiments

4.1 Setup

We evaluate on the τ^2 -bench ✈️ Airline (50 tasks; 24 PV / 26 Mut), 🛍️ Retail (114; 10 PV / 104 Mut), and 📡 Telecom (114; 43 PV / 71 Mut) base splits. PV tasks require the agent to prevent a policy-violating mutation; Mut tasks require it to complete a permitted mutation under the policy prerequisites. Diagnostic variants and FlowAgent use the benchmark-provided held-out test splits for Retail (40; 4 PV / 36 Mut) and Telecom (40; 21 PV / 19 Mut): the fixed IDs come from `split_tasks.json`, not author sampling. Telecom test is more PV-heavy than base (52.5% versus 37.7%), so we report both slices. We evaluate model-paired actor-verifier configurations using 🧠 GPT 5.4, 🌟 Claude Sonnet 4.6, and 🌟 Gemini 2.5 Pro, with the verifier drawn from the actor’s model family; the frozen user simulator is GPT 4.1. The domain-wide comparison uses GPT 5.4. To keep policy representation consistent, we use GPT 5.4 to author one workflow per domain and reuse each frozen workflow across systems and agent families. This isolates runtime and executor differences from

Domain	Metric	ReAct	POLICYGUIDE SELF	POLICYGUIDE RAW	POLICYGUIDE
Airline	Overall	0.460	0.480	0.520	0.620
	PV	0.750	0.833	0.875	0.917
	Mut	0.192	0.154	0.192	0.346
Retail	Overall	0.575	0.350	0.575	0.725
	PV	0.750	0.750	0.750	1.000
	Mut	0.556	0.306	0.556	0.694
Telecom	Overall	0.250	0.325	0.350	0.675
	PV	0.429	0.571	0.619	0.667
	Mut	0.053	0.053	0.053	0.684

Table 2: Workflow ablations (GPT 5.4 agent; Airline base split, Retail and Telecom benchmark test splits of 40 tasks). All cells report Pass⁴.

System	Runtime control	Pass ⁴
ReAct	actor only	0.250
PolicyGuard	action-local check	0.325
FlowAgent	PDL + API control	0.350
POLICYGUIDE	external graph verifier	0.675

Table 3: Matched workflow-controller comparison on the 40-task Telecom benchmark test split. All values are Pass⁴.

workflow re-authoring.

The main comparison contrasts ReAct (no guard), PolicyGuard, and POLICYGUIDE on the same task IDs and GPT 5.4 substrate; ToolGuard is included on Airline, where its released code guards apply. All main cells use $n=4$. We report Pass¹ and Pass⁴; unless explicitly labeled Pass¹, PV and Mut denote Pass⁴ on the corresponding task slice. For a task with c successful trials, $\text{Pass}^k = \binom{c}{k} / \binom{n}{k}$, averaged across tasks. We also include FlowAgent (Shi et al., 2025b) as a matched workflow-controller baseline on Telecom (§4.4). The benchmark’s standard evaluators score final database state and natural-language task assertions rather than complete temporal conformance of intermediate actions. Pass^k therefore measures reliable policy-constrained task outcomes, not direct trace-level procedural validity. We supplement it with an author-designed Telecom event-order rubric (§4.7) and report the guard-derived Call-NMR audit separately (Appendix F).

4.2 Main results

POLICYGUIDE achieves the highest overall Pass⁴ in all three domains (Table 1; Figure 4); the lead persists as k increases, and pooled paired tests favor it over both baselines (Appendix C). Gains are largest on Telecom’s long diagnose–instruct–verify chains, consistent with persisted graph position mattering most for ordered procedures rather than one final action. The improvement spans both PV

Agent	Metric	ReAct	PolicyGuard	POLICYGUIDE
GPT 5.4	Overall	0.460	0.580	0.620
	PV	0.750	1.000	0.917
	Mut	0.192	0.192	0.346
Claude Sonnet 4.6	Overall	0.720	0.780	0.780
	PV	0.958	1.000	1.000
	Mut	0.500	0.577	0.577
Gemini 2.5 Pro	Overall	0.480	0.600	0.680
	PV	0.750	1.000	0.917
	Mut	0.231	0.231	0.462

Table 4: Agent-family generalization on Airline (50 tasks, $n=4$; verifier model paired to the agent). All metrics are Pass⁴. The GPT 5.4-authored workflow graph is reused without re-authoring.




Figure 5: Pass^k for Claude Sonnet 4.6 and Gemini 2.5 Pro agents on airline (verifier = agent), with $n=4$ for every system.

and Mut, rather than trading completion for stricter blocking.

Retail separates guidance from blocking: POLICYGUIDE preserves ReAct’s Mut performance while improving PV, whereas PolicyGuard’s PV gain coincides with lower Mut. The overall difference is not significant.

4.3 Diagnostic workflow variants

Actor-only workflow access. POLICYGUIDE-SELF gives the frozen graph to the actor but removes the external verifier, persisted state, remediation, and mutation intercept. Its Mut Pass⁴ does not exceed ReAct in any domain, showing that access to the workflow does not by itself ensure reliable execution. Because several runtime components are removed together, this comparison tests the external stack as a bundle rather than isolating state persistence alone.

Compiled structure under external tracking. POLICYGUIDE-RAW retains the verifier schedule and remediation channel but replaces the graph with raw policy text. Relative to this matched guide,




Figure 6: CRAFT red-team attack-success rate on airline (20 attack tasks, GPT 5.4, $n=4$); lower is safer.

POLICYGUIDE improves overall Pass⁴ by 0.100, 0.150, and 0.325 on Airline, Retail, and Telecom. The larger Telecom gap is consistent with explicit graph position helping the verifier resume long, ordered diagnostic chains. These ablations are therefore diagnostic rather than a complete factorial decomposition.

4.4 Matched workflow-controller comparison

Table 3 adds the closest workflow-aware runtime comparison. For representation matching, we deterministically compile the same frozen graph into PDL, with no LLM authoring. FlowAgent places the raw policy and PDL inside the actor and applies its released API-dependency and duplicate-call controllers; POLICYGUIDE instead tracks graph state in an external persisted verifier. ReAct and PolicyGuard provide actor-only and action-local references.

4.5 Generalization across agent families

The GPT 5.4-authored Airline graph is reused unchanged with Claude Sonnet 4.6 and Gemini 2.5 Pro (Table 4; Figure 5), separating executor transfer from workflow re-authoring. The gains over unguided execution support executor-side transfer across all three model families. For Gemini 2.5 Pro, POLICYGUIDE improves Mut Pass⁴ from 0.231 under either baseline to 0.462, while its lower PV than PolicyGuard (0.917 versus 1.000) indicates a completion benefit rather than stricter final-action checking. Transfer across workflow-author models remains untested.

4.6 Adversarial robustness

Under CRAFT (Nakash et al., 2025), persuasive users inject false eligibility premises to induce forbidden mutations. POLICYGUIDE has the lowest ASR@ k at every k (Figure 6); its per-trial ASR is

System	Step-TCR	Trace-TCR	Process-valid rate
ReAct	86.4	35.4	17.5
PolicyGuard	85.7	23.9	13.1
POLICYGUIDE	94.5	63.4	56.2

Table 5: Author-designed Telecom ordered trace compliance (%; $n=4$). Step- and Trace-TCR condition on outcome-passing traces.

0.087, versus 0.125 for PolicyGuard and 0.200 for ReAct, preventing 91.3% of tested attacks while improving benign completion. These results show that POLICYGUIDE is robust to CRAFT red-team attacks. Its lower ASR is consistent with requiring tool-derived evidence, so unsupported user claims cannot satisfy workflow prerequisites.

4.7 Procedural trace compliance

Because final-state Pass ignores intermediate order, the authors manually designed a task-conditioned Telecom rubric from the raw policy and support manual. It checks identification, diagnosis before intervention, consent, correction order, and final verification. On outcome-passing traces, *Step-TCR* is the fraction of applicable checks satisfied and *Trace-TCR* the fraction satisfying all checks. The *process-valid rate* is the fraction of all task-run pairs passing both the Tau2 outcome and the rubric, pooled across four runs; it is our sole end-to-end measure, not a Pass^k statistic. This best-effort workflow-level extension of prerequisite analysis is distinct from Call-NMR (Rabinovich et al., 2026; Kang et al., 2026), whose Telecom adaptation appears in Appendix F.

POLICYGUIDE attains the highest process-valid rate (56.2%, versus 17.5% for ReAct and 13.1% for PolicyGuard; Table 5) and leads both conditional diagnostics. We report the latter only to characterize successful traces.

5 Conclusion

POLICYGUIDE replaces action-local checks with an external guide that traverses a compiled policy graph, persists progress, and returns targeted remediation. Across three τ^2 -bench domains it achieves the best overall Pass⁴, transfers across agent families, and performs strongest on procedural Telecom. Ablations and an author-designed ordered-trace audit support external graph tracking and treating the procedure—not only the final action—as the unit of policy adherence.

Limitations

Evaluation scope. We evaluate three English τ^2 -bench customer-service domains (Barres et al., 2025) with a frozen user simulator and four trials per multi-trial cell. These domains vary in procedural structure, but do not represent other policy regimes, languages, or live users. Retail has only 10 PV tasks and the overall gain over ReAct is not significant. The ToolGuard runtime baseline is Airline-only because its released guards target that domain (Zwerdling et al., 2025); our generated Telecom guards are used only as a frozen NMR oracle. Paired tests are limited to systems with per-task outputs. Because τ^2 -bench does not supply a general ordered-trace oracle, our Telecom trace metric is an exploratory, author-designed operationalization of selected task-relevant requirements observable in serialized traces. It uses deterministic event ordering and text matching, is conditioned by gold task actions, and has no second-annotator agreement estimate; it therefore does not establish exhaustive natural-language policy compliance. Call-NMR partially audits prior reads in Airline and Retail, while its adapted Telecom oracle saturates and is reported only as a non-identification result (Appendix F).

Benchmark coverage. Adjacent benchmarks test related but different questions. CRMArena-Pro (Huang et al., 2025) emphasizes business-task capability and confidentiality awareness; IntellaAgent (Levi and Kadar, 2025) generates diagnostic conversations; Near-Miss (Rabinovich et al., 2026) audits completed trajectories; and AgentReward-Bench (Lù et al., 2025) evaluates trajectory judges. CRAFT (Nakash et al., 2025) supplies adversarial users for our robustness audit, not the benign workflow-completion distribution. We report only its clean, release-aligned 20-task Airline split. Although the CRAFT paper also evaluates Retail, the released Retail task lists, cached strategies, and evaluator in our checkout do not reproduce one consistent paper-faithful 30-task set; no official Telecom set exists. Our result therefore shows that POLICYGUIDE prevents most tested persuasive Airline attacks, which is sufficient to check that its completion gains do not sacrifice resistance, but does not establish cross-domain or adaptive-attack robustness. None is therefore a drop-in test of online workflow guidance, and transfer would require new workflows and task-specific outcome measures.

Workflow generation and faithfulness. Using one frozen GPT 5.4-authored workflow per domain is a deliberate control: every system and agent family receives the same policy representation, so the comparison isolates runtime and executor differences rather than re-authoring. This achieves the study’s fair-comparison objective, but does not establish author-side generalization across models or seeds. We address workflow faithfulness separately by manually verifying each frozen graph against its source policy and tool specifications (Appendix E).

Trigger and cost. The reported runtime fires at user-turn boundaries and after its one-shot corrective intercept, rather than before every policy-relevant agent action. Corollary 2 characterizes the corresponding coverage condition and shows why deviations between these intervention points remain outside the unconditional guarantee. Broader intervention coverage would require more verifier calls. Guide calls cost approximately \$0.40 per conversation; smaller models and sparser invocation can reduce, but not eliminate, this overhead.

Probabilistic enforcement. Like other LLM-based agent safeguards (Chen et al., 2025; Xiang et al., 2025; Kang et al., 2026), each node judgment is probabilistic, so compliance is empirical rather than guaranteed. Theorem 1 assumes a faithful workflow, an ideal binding verifier, and coverage before every reachable first deviation (Appendix A); the advisory runtime does not satisfy these conditions unconditionally. Verifier exceptions are fail-open, so deployments requiring hard guarantees need an additional deterministic monitor for the formally expressible policy subset.

Ethics Statement

POLICYGUIDE is a probabilistic aid for policy adherence, not a guarantee, and should not be the sole control for high-stakes actions. Because the verifier reads the conversation, tool results, and persisted workflow state, privacy, access control, retention, and auditing requirements must extend to verifier calls and logs. All experiments use synthetic τ^2 -bench tasks and simulated users (Barres et al., 2025); no real customer data or external actions are involved. Generated workflows may reproduce source-policy errors or introduce unsupported restrictions, so deployment requires review by policy owners, monitoring, and a safe fallback. We will release the prompts, workflow schemas,

and analysis artifacts needed for reproducibility.

References

- James P. Anderson. 1972. Computer security technology planning study. Technical Report ESD-TR-73-51, Vol. I, Electronic Systems Division, Air Force Systems Command, Hanscom AFB, Bedford, MA. DTIC accession no. AD-758206.
- Anthropic. 2026. Claude sonnet 4.6 system card. Anthropic, <https://anthropic.com/claude-sonnet-4-6-system-card>.
- Sumanth Balaji, Piyush Mishra, Aashraya Sachdeva, and Suraj Agrawal. 2026. Beyond ivr: Benchmarking customer support llm agents for business-adherence. *arXiv preprint arXiv:2601.00596*.
- Victor Barres, Honghua Dong, Soham Ray, Xujie Si, and Karthik Narasimhan. 2025. τ^2 -bench: Evaluating conversational agents in a dual-control environment. *arXiv preprint arXiv:2506.07982*.
- Andreas Bauer, Martin Leucker, and Christian Schallhart. 2011. Runtime verification for LTL and TLTL. *ACM Transactions on Software Engineering and Methodology*, 20(4):14:1–14:64.
- Zhaorun Chen, Mintong Kang, and Bo Li. 2025. Shield-agent: Shielding agents via verifiable safety policy reasoning. In *Proceedings of the 42nd International Conference on Machine Learning (ICML)*.
- Gheorghe Comanici, Eric Bieber, Mike Schaeckermann, Ice Pasupat, Noveen Sachdeva, and 1 others. 2025. Gemini 2.5: Pushing the frontier with advanced reasoning, multimodality, long context, and next generation agentic capabilities. *arXiv preprint arXiv:2507.06261*.
- Matthew Henderson, Blaise Thomson, and Steve Young. 2014. Word-based dialog state tracking with recurrent neural networks. In *Proceedings of the 15th Annual Meeting of the Special Interest Group on Discourse and Dialogue (SIGDIAL)*, pages 292–299. Association for Computational Linguistics.
- Sirui Hong, Mingchen Zhuge, Jiaqi Chen, Xiawu Zheng, Yuheng Cheng, Ceyao Zhang, Jinlin Wang, Zili Wang, Steven Ka Shing Yau, Zijuan Lin, Liyang Zhou, Chenyu Ran, Lingfeng Xiao, Chenglin Wu, and Jürgen Schmidhuber. 2024. MetaGPT: Meta programming for a multi-agent collaborative framework. In *The Twelfth International Conference on Learning Representations (ICLR)*.
- Kung-Hsiang Huang, Akshara Prabhakar, Onkar Thorat, Divyansh Agarwal, Prafulla Kumar Choubey, Yixin Mao, Silvio Savarese, Caiming Xiong, and Chien-Sheng Wu. 2025. Crmarena-pro: Holistic assessment of llm agents across diverse business scenarios and interactions. *arXiv preprint arXiv:2505.18878*. Also published in Transactions on Machine Learning Research (TMLR), 2026.
- Seongjae Kang, Taehyung Yu, and Sung Ju Hwang. 2026. Policyguard: A dialogue-grounded sub-agent verifier for policy adherence in llm agents. *arXiv preprint arXiv:2606.29225*.
- Martin Leucker and Christian Schallhart. 2009. A brief account of runtime verification. *Journal of Logic and Algebraic Programming*, 78(5):293–303.
- Elad Levi and Ilan Kadar. 2025. Intelligent: A multi-agent framework for evaluating conversational ai systems. *arXiv preprint arXiv:2501.11067*.
- Jia Liu, Jie Shuai, and Xiyao Li. 2023. State machine of thoughts: Leveraging past reasoning trajectories for enhancing problem solving. *arXiv preprint arXiv:2312.17445*.
- Xing Han Lù, Amirhossein Kazemnejad, Nicholas Meade, Arkil Patel, Dongchan Shin, Alejandra Zambrano, Karolina Stańczak, Peter Shaw, Christopher J. Pal, and Siva Reddy. 2025. Agentrewardbench: Evaluating automatic evaluations of web agent trajectories. *arXiv preprint arXiv:2504.08942*.
- Weidi Luo, Shenghong Dai, Xiaogeng Liu, Suman Banerjee, Huan Sun, Muhao Chen, and Chaowei Xiao. 2025. AGrail: A lifelong agent guardrail with effective and adaptive safety detection. In *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 8104–8139, Vienna, Austria. Association for Computational Linguistics.
- Yutao Mou, Zhangchi Xue, Lijun Li, Peiyang Liu, Shikun Zhang, Wei Ye, and Jing Shao. 2026. Tool-safe: Enhancing tool invocation safety of llm-based agents via proactive step-level guardrail and feedback. *Preprint*, arXiv:2601.10156. ArXiv preprint arXiv:2601.10156.
- Itay Nakash, George Kour, Koren Lazar, Matan Vetzler, Guy Uziel, and Ateret Anaby-Tavor. 2025. Effective red-teaming of policy-adherent agents. In *Proceedings of the 2025 Conference on Empirical Methods in Natural Language Processing*, pages 2250–2268, Suzhou, China. Association for Computational Linguistics.
- OpenAI. 2026. Introducing GPT-5.4. OpenAI Blog, <https://openai.com/index/introducing-gpt-5-4/>. Released March 5, 2026.
- Nils Palumbo, Sarthak Choudhary, Jihye Choi, Prasad Chalasani, and Somesh Jha. 2026. Policy compiler for secure agentic systems. *Preprint*, arXiv:2602.16708. ArXiv preprint arXiv:2602.16708.
- Ella Rabinovich, David Boaz, Naama Zwerdling, and Ateret Anaby-Tavor. 2026. Near-miss: Latent policy failure detection in agentic workflows. *arXiv preprint arXiv:2603.29665*.

- Shamik Roy, Sailik Sengupta, Daniele Bonadiman, Saab Mansour, and Arshit Gupta. 2024. [FLAP: Flow-adhering planning with constrained decoding in LLMs](#). In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pages 517–539, Mexico City, Mexico. Association for Computational Linguistics.
- Fred B. Schneider. 2000. [Enforceable security policies](#). *ACM Transactions on Information and System Security*, 3(1):30–50.
- Tianneng Shi, Jingxuan He, Zhun Wang, Hongwei Li, Linyu Wu, Wenbo Guo, and Dawn Song. 2025a. [Progent: Securing ai agents with privilege control](#). *arXiv preprint arXiv:2504.11703*.
- Yuchen Shi, Siqi Cai, Zihan Xu, Yulei Qin, Gang Li, Hang Shao, Jiawei Chen, Deqing Yang, Ke Li, and Xing Sun. 2025b. [Flowagent: Achieving compliance and flexibility for workflow agents](#). *arXiv preprint arXiv:2502.14345*.
- Lillian Tsai and Eugene Bagdasarian. 2025. [Contextual agent security: A policy for every purpose](#). In *Proceedings of the 20th Workshop on Hot Topics in Operating Systems (HotOS 2025)*.
- Haoyu Wang, Christopher M. Poskitt, and Jun Sun. 2026. [Agentspec: Customizable runtime enforcement for safe and reliable llm agents](#). In *Proceedings of the 2026 IEEE/ACM 48th International Conference on Software Engineering (ICSE '26)*.
- Jason D. Williams, Antoine Raux, Deepak Ramachandran, and Alan W. Black. 2013. [The dialog state tracking challenge](#). In *Proceedings of the SIGDIAL 2013 Conference*, pages 404–413. Association for Computational Linguistics.
- Cailin Winston, Claris Winston, and René Just. 2026. [Solver-aided verification of policy compliance in tool-augmented llm agents](#). *arXiv preprint arXiv:2603.20449*.
- Yiran Wu, Tianwei Yue, Shaokun Zhang, Chi Wang, and Qingyun Wu. 2024. [Stateflow: Enhancing llm task-solving through state-driven workflows](#). In *Conference on Language Modeling (COLM)*.
- Zhen Xiang, Linzhi Zheng, Yanjie Li, Junyuan Hong, Qinbin Li, Han Xie, Jiawei Zhang, Zidi Xiong, Chulin Xie, Carl Yang, Dawn Song, and Bo Li. 2025. [Guardagent: Safeguard llm agents via knowledge-enabled reasoning](#). *arXiv preprint arXiv:2406.09187*.
- Ruixuan Xiao, Wentao Ma, Ke Wang, Yuchuan Wu, Junbo Zhao, Haobo Wang, Fei Huang, and Yongbin Li. 2024. [Flowbench: Revisiting and benchmarking workflow-guided planning for llm-based agents](#). In *Findings of the Association for Computational Linguistics: EMNLP 2024*, pages 10883–10900.
- Shunyu Yao, Noah Shinn, Pedram Razavi, and Karthik Narasimhan. 2024. [\$\tau\$ -bench: A benchmark for tool-agent-user interaction in real-world domains](#). *arXiv preprint arXiv:2406.12045*.
- Shunyu Yao, Jeffrey Zhao, Dian Yu, Nan Du, Izhak Shafran, Karthik Narasimhan, and Yuan Cao. 2023. [React: Synergizing reasoning and acting in language models](#). In *International Conference on Learning Representations (ICLR)*.
- Anbang Ye, Qianran Ma, Jia Chen, Muqi Li, Tong Li, Fujiao Liu, Siqi Mai, Meichen Lu, Haitao Bao, and Yang You. 2025. [Sop-agent: Empower general purpose ai agent with domain-specific sops](#). *arXiv preprint arXiv:2501.09316*.
- Yining Ye, Xin Cong, Shizuo Tian, Jiannan Cao, Hao Wang, Yujia Qin, Yaxi Lu, Heyang Yu, Huadong Wang, Yankai Lin, Zhiyuan Liu, and Maosong Sun. 2023. [Proagent: From robotic process automation to agentic process automation](#). *arXiv preprint arXiv:2311.10751*.
- Naama Zwerdling, David Boaz, Ella Rabinovich, Guy Uziel, David Amid, and Ateret Anaby-Tavor. 2025. [Towards enforcing company policy adherence in agentic workflows](#). *arXiv preprint arXiv:2507.16459*.

A Theoretical Analysis

Policy workflows constrain a broader set of agent actions than the class mediated by an action-triggered verifier. We formalize when a firing schedule can preserve procedural validity over this broader workflow.

A.1 Intervention coverage

We represent each interaction as a sequence of policy-relevant events. A workflow G defines a nonempty language $\mathcal{L}(G)$ of compliant complete sequences. We call a partial sequence valid when it can still be completed to such a sequence, and write

$$P_G = \text{Pref}(\mathcal{L}(G)) = \{\tau \mid \exists \rho : \tau\rho \in \mathcal{L}(G)\}. \quad (1)$$

Let Σ_{ag} denote policy-relevant agent actions, including user-facing messages, instructions, and tool calls, and let $A \subseteq \Sigma_{\text{ag}}$ be the designated action class mediated by an action-triggered verifier. For mutating-call guards, A is the set of agent-issued mutating tool calls.

A *reachable first deviation* is a pair (τ, e) where $\tau \in P_G$ can arise during an interaction, $e \in \Sigma_{\text{ag}}$ can be the next agent event, and $\tau e \notin P_G$. Let D_G be the set of such deviations. A firing schedule S *covers* $(\tau, e) \in D_G$ if it invokes the verifier after observing τ and before e is committed; let $C_S(G) \subseteq D_G$ denote its *intervention coverage*. We compare:

- the *action-triggered schedule* S_A , which fires exactly when the proposed event belongs to A ; and
- the *ideal workflow-level schedule* S_{wf} , which fires before every policy-relevant agent action is committed.

The theorem compares these schedules under the same ideal verifier: when consulted, it permits an event if and only if the resulting trace remains in P_G , and a rejected event cannot commit. User responses and tool results may update the trace, but do not themselves violate an agent obligation. An uncovered agent event may commit without a verifier verdict.

Theorem 1 (Complete intervention coverage). *Under the assumptions above, a firing schedule S preserves procedural validity (P_G membership) throughout every execution if and only if*

$$C_S(G) = D_G. \quad (2)$$

That is, the verifier must cover every reachable first deviation.

Proof. For sufficiency, start from the empty valid prefix. If the next observation is not an agent event, it preserves P_G by assumption. If the agent proposes an event that stays in P_G , committing it preserves validity. Otherwise the proposal is in D_G and belongs to $C_S(G)$ by Equation 2; the ideal verifier rejects it before it commits. Induction over the interaction therefore keeps every prefix in P_G .

For necessity, suppose $(\tau, e) \in D_G$ is not in $C_S(G)$. The valid prefix τ can arise during an interaction, and the ideal verifier permits all covered events that lead to it. At (τ, e) the schedule does not fire, so e can commit and produce $\tau e \notin P_G$. Thus S cannot guarantee procedural validity throughout every execution. $\square$

Corollary 1 (Workflow-level versus action-triggered coverage). *The workflow-level schedule covers every member of D_G . The action-triggered schedule covers exactly those members whose action e belongs to A . Therefore workflow-level firing preserves procedural validity for every workflow, whereas action-triggered firing does so if and only if every reachable first deviation belongs to A . If D_G contains a point with $e \notin A$, workflow-level firing provides a guarantee that action-triggered firing cannot provide, even when both use the same ideal verifier.*

Proof. The workflow-level schedule fires before every agent-controlled action, so it covers all of D_G . The action-triggered schedule fires exactly for actions in A . The claims then follow directly from Theorem 1. $\square$

Corollary 2 (Evaluated boundary schedule). *Let S_{eval} fire after every user turn and after the runtime intercepts an unauthorized mutating call. Let $B_G \subseteq D_G$ contain the reachable first deviations (τ, e) for which one of these firings occurs after the valid prefix τ and before the next agent event e is committed. Under the same ideal, binding-verifier assumptions as Theorem 1, S_{eval} preserves procedural validity if and only if $B_G = D_G$. In particular, if a first deviation can occur after an intervening agent event and before the next scheduled firing, the evaluated schedule does not provide an unconditional guarantee.*

Proof. By construction, $C_{S_{\text{eval}}}(G) = B_G$. The claim follows directly from Theorem 1. $\square$

Corollary 2 characterizes the coverage condition for the evaluated cadence; it does not assert that the deployed guide satisfies the theorem’s binding-verifier assumption. Its non-mutating remediation is advisory, and the corrective mutation gate is one-shot, so the experiments measure risk reduction under this practical schedule rather than a formal guarantee.

The timing in Theorem 1 is essential. Because P_G is prefix-closed, once $\tau e \notin P_G$, no later extension can make τe a valid prefix: if some $\tau e\rho$ belonged to P_G , then its prefix τe would also belong to P_G . A later action-triggered verifier may block a subsequent guarded action after reading the history, but it cannot prevent or undo the earlier procedural violation.

B Policy structure analysis

This appendix supports the paper’s central claim: *workflow enforcement matters most when the policy is itself a workflow, as in telecom*. We extend PolicyGuard’s argument-/process-level classification with a third, *workflow-level* class, apply it to every atomic requirement of all three source policies, and examine how both process- and workflow-level requirements relate to the observed gains. Process-level requirements motivate context-aware guidance generally, whereas workflow-level requirements create a particular need for ordered graph traversal and persistent progress tracking. Line references refer to the policy documents released with τ^2 -bench: the 136-line retail policy and, for telecom, the 158-line account policy and the 205-line technical-support manual.

B.1 Operational definitions

Following PolicyGuard (Kang et al., 2026), we classify the *source policy document*, not any generated artefact of the systems under test. A requirement is **argument-level (A)** if verifiable from the mutating call’s arguments plus deterministic computation—the class precompiled guards express natively—and **process-level (P)** if verification must read the user-agent dialogue (**D**) and/or a prior read-only tool result (**T**). We split PolicyGuard’s process-level class by adding **workflow-level (W)**: a requirement that additionally mandates an action ordered after the outcome of another required action (a state effect, a user response to a prior step, or a post-act verification), so discharging it out of order is itself a violation. The three classes are mutually exclusive:

W rows read dialogue and tool results like P rows, but P is reserved for the *flat* remainder, dischargeable at the action point from evidence gathered in any order (status checks, elicit–confirm–act chains). A and P+W therefore remain comparable with PolicyGuard. Requirements are extracted by hand and grouped by each document’s own section headers; descriptive sentences and API meta-rules are excluded. Table 6 gives the partition; the catalogs follow.

Domain	A	P	W	Total	% P+W	% W
 Airline	14	27	2	43	67.4%	4.7%
 Retail	0	27	1	28	~100%	3.6%
 Telecom (main)	1	21	7	29	96.6%	24.1%
 Telecom (manual)	0	1	20	21	100%	95.2%
 Telecom (both)	1	22	27	50	98.0%	54.0%

Table 6: Argument- (A), process- (P), and workflow-level (W) partition of the source policies (W splits PolicyGuard’s process-level class; P+W equals it).

B.2 Airline catalog (summary)

The airline classification is inherited from PolicyGuard (Kang et al., 2026) (full catalog there); we add the workflow-level split. The 167-line policy yields 43 requirements, 14 A / 27 P / 2 W. Argument-level mass sits in booking and modification schema rules (cabin uniformity, passenger limits, payment-method counts); process-level mass splits between dialogue obligations (explicit confirmation, the insurance offer) and tool-read eligibility gates (baggage allowances, flown-segment checks, the disjunctive cancellation and compensation conditions). The two W rows are the transfer pair and the delayed-flight certificate mandated after a change or cancellation—otherwise airline is flat gates discharged at the mutation.

B.3 Retail catalog

The 28 retail requirements (Table 7) partition as 0 A / 27 P / 1 W (13 D, 14 T, 1 D+T). Every candidate A-row ranges over environment state rather than argument values: the status gates read the order-status enum only get_order_details surfaces, the balance and variant constraints compare against profile and catalog reads, and identity must be re-derived even when the user supplies an id. The contrast with airline is mechanical: airline’s book_reservation passes the whole reservation as call arguments, so schema constraints are argument-checkable, whereas retail and telecom

ID	Line	Requirement (paraphrased)	Type
<i>Global rules</i>			
G1	10	Authenticate identity by locating the user id via email or name+zip—even when the user already provides the id	P (D+T)
G2	14	One user per conversation; deny any request about another user	P (D)
G3	16	List action details + obtain explicit “yes” before any DB-updating action	P (D)
G4	18	No fabricated information/knowledge/procedures; no subjective recommendations	P (D)
G5	20	At most one tool call per turn (not paired with a user-facing reply)	P (D)
G6	22	Deny user requests that are against the policy	P (D)
G7	24	Transfer iff unhandleable: call <code>transfer_to_human_agents</code> , then the literal handoff message	W (D)
<i>Generic action rules</i>			
N1	82	Act only on orders with status pending or delivered	P (T)
N2	84	Exchange / modify-items tools callable only once per order	P (T)
N3	84	Collect <i>all</i> items to change into one list before making the call	P (D)
<i>Cancel pending order</i>			
C1	88	Order status must be pending; check it before taking the action	P (T)
C2	90	User confirms order id + reason $\in \{ \text{‘no longer needed’}, \text{‘ordered by mistake’} \}$; no other reason	P (D)
<i>Modify pending order</i>			
M1	96	Order status must be pending; check it before taking the action	P (T)
M2	98	Only shipping address, payment method, or item options may be modified—nothing else	P (D)
M3	102	New payment = a single method, different from the original	P (T)
M4	104	If the new payment is a gift card, its balance must cover the total amount	P (T)
M5	110	Modify-items is one-shot (order becomes unmodifiable): remind + confirm all items first	P (D)
M6	112	Each new item must be available	P (T)
M7	112	New item = same product, different option (no product-type change)	P (T)
M8	114	User provides a payment method for the price difference	P (D)
M9	114	If that payment is a gift card, its balance must cover the price difference	P (T)
<i>Return delivered order</i>			
R1	118	Order status must be delivered; check it before taking the action	P (T)
R2	120	User confirms order id + the list of items to be returned	P (D)
R3	122–124	Refund method provided; must be the original payment method or an existing gift card	P (T)
<i>Exchange delivered order</i>			
E1	130	Order status must be delivered; check it before taking the action	P (T)
E2	130	Remind + confirm the user has provided <i>all</i> items to exchange (one-shot)	P (D)
E3	132	Each new item = same product, different option, and available	P (T)
E4	134	Payment for the price difference; if a gift card, balance must cover the difference	P (T)

Table 7: Hand-classified atomic requirements of the τ^2 -bench 📖 Retail policy document (28 requirements, 0 A / 27 P / 1 W; subtypes D-only 13, T-only 14, D+T 1). *Line* refers to `retail/policy.md` as released with τ^2 -bench; *Type* A = argument-level, P = process-level (flat), W = workflow-level (order-bound; Appendix B.1), with **D** = dialogue-dependent, **T** = requires a prior read-only tool call.

mutations are thin id-referencing calls whose constrained values are surfaced only by read calls.

Structurally, however, retail is the flattest domain: each mutation is guarded by an order-free conjunction—`status` $\wedge$ `content` $\wedge$ `payment` $\wedge$ `confirmation`—with prerequisite depth 1, no branching, and no verify-after-act; its only W row is the transfer pair. This is exactly the regime a conversation-aware pass/block verifier already covers, and why retail is where POLICYGUIDE’s graph adds the least.

B.4 Telecom catalog

The 29 account-policy requirements (Table 8) partition as 1 A / 21 P / 7 W; the lone A row is the refuel-amount bound. The W rows concentrate in the overdue-payment sequence: send the payment request only for a confirmed-Overdue bill, call `make_payment` only after the user accepts the request it created, and *always* verify the bill became PAID—prerequisite chaining that ends in a verify-after-act obligation a pre-execution verifier structurally cannot enforce. Suspension adds cross-procedure dependence (lift only after the overdue

ID	Line	Requirement (paraphrased)	Type
<i>Global rules</i>			
G1	7	No fabricated information/knowledge/procedures; no subjective recommendations	P (D)
G2	9	At most one tool call per turn (not paired with a user-facing reply)	P (D)
G3	11	Deny user requests that are against the policy	P (D)
G4	13	Transfer iff unhandleable: call <code>transfer_to_human_agents</code> , then the literal handoff message	W (D)
G5	15	Try your best to resolve the issue before transferring	W (D)
<i>Customer lookup</i>			
L1	94–97	Identify the customer via phone number, customer ID, or full name + date of birth	P (D+T)
L2	99	For name lookup, date of birth is required for verification	P (D)
<i>Overdue bill payment (ordered procedure)</i>			
O1	105, 117	① Check the bill status <i>is</i> Overdue before acting (the API does not check it)	P (T)
O2	106	② Check the bill amount due	P (T)
O3	107–108	③ Send the payment request ($\rightarrow$ AWAITING PAYMENT); gated on O1	P (T)
O4	109–110	④ Inform the user to check their payment requests	W (D)
O5	111	⑤ Only after the user accepts, call <code>make_payment</code>	W (D+T)
O6	113	⑥ <i>Always verify</i> the bill became PAID before telling the user	W (T)
O7	116	At most one bill in AWAITING PAYMENT at a time	P (T)
<i>Line suspension</i>			
S1	125	Lift a suspension only after all overdue bills are paid	W (T)
S2	126	Do not lift if the contract end date is past—even if all bills are paid	P (T)
S3	128	After resuming, instruct the user to reboot the device	W (D)
<i>Data refueling (ordered procedure)</i>			
F1	134	Refuel amount $\leq$ 2 GB	A
F2	136	① Ask how much data the user wants to refuel	P (D)
F3	137	② Confirm the price	P (D)
F4	138	③ Apply the refuel to the line associated with the user’s phone number	P (D+T)
<i>Change plan (ordered procedure)</i>			
P1	144	① Establish which line the plan change is for	P (D)
P2	145	② Gather the available plans	P (T)
P3	146	③ Ask the user to select one	P (D)
P4	147	④ Calculate the price of the new plan	P (T)
P5	148	⑤ Confirm the price	P (D)
P6	149	⑥ Apply the plan to the line associated with the user’s phone number	P (D+T)
<i>Data roaming</i>			
RM1	155	If the user is travelling abroad, check whether the line is roaming-enabled	P (T)
RM2	155	If not enabled, enable it at no cost	P (T)

Table 8: Hand-classified atomic requirements of the τ^2 -bench [Telecom main_policy.md](#) (29 requirements, 1 A / 21 P / 7 W). *Line* refers to the document as released with τ^2 -bench; ① marks a step in an ordered procedure (“To do so you need to follow these steps”). Types as in Table 7.

bills are paid, unless the contract has ended) and a post-act duty only the user can perform (reboot the device).

The 205-line technical-support manual is a troubleshooting manual rather than a rulebook: 21 requirements (Table 9), 1 P / 20 W. Its defining property is *dual control*: fixes execute on the user’s device, so the agent must instruct the user, await their report, and re-verify. Every rule instantiates `diagnose` $\rightarrow$ conditional fix $\rightarrow$ re-verify, and the chapters impose the prerequisite chain `Service` $\subset$ `Data` $\subset$ `MMS`—a literal decision tree with mandated traversal order, on which a task may contain *no agent-side mutating call to intercept* at all.

B.5 Policy structure and observed gains

Every domain is majority process-level, consistent with the benefit of context-aware guidance over naive acting. Yet retail—the most process-level domain—gains *least*, indicating that the P+W fraction alone does not explain the cross-domain variation. Workflow-level requirements are much more concentrated in telecom: 2/43 on airline and 1/28 on retail versus 27/50 on telecom, including 20/21 in the manual alone (Table 6). The rule is applied uniformly: telecom’s refuel and change-plan recipes are elicit–confirm–apply chains and remain P, the same shallow shape as retail; its W mass lives in the overdue-payment state machine, the suspension procedure, and above all the

ID	Line	Requirement (diagnose → conditional fix → verify)	Type
<i>Cellular service (ll. 55–99)</i>			
TSS1	69–72	Diagnose service via check_status_bar	P (T)
TSS2	74–78	If Airplane Mode ON → guide toggle_airplane_mode OFF	W (D+T)
TSS3	79–87	Check SIM: Missing → reset; Locked → escalate; Active → ok (three-way branch)	W (D+T)
TSS4	88–92	If APN incorrect → guide reset_apn_settings, then reboot_device	W (D+T)
TSS5	93–99	If line suspended → handle per main policy, then verify service restored	W (T)
<i>Mobile data (ll. 100–163)</i>			
TSD0	106–108	<i>Prerequisite:</i> the user must first have cellular service	W (T)
TSD1	122–127	Diagnose via run_speed_test	W (T)
TSD2	129–131	Airplane Mode (as in the Service chapter)	W (D+T)
TSD3	132–135	If mobile data disabled → guide toggle_data ON	W (D+T)
TSD4	136–141	If roaming abroad & data off → guide toggle_roaming + verify the line is roaming-enabled	W (D+T)
TSD5	142–145	If Data Saver ON → guide toggle_data_saver_mode OFF	W (D+T)
TSD6	146–150	If VPN ON & performance poor → guide disconnect_vpn	W (D+T)
TSD7	151–158	If usage exceeds the plan limit → offer change-plan or refuel	W (T)
TSD8	159–163	If network mode 2G/3G → guide set_network_mode_preference	W (D+T)
<i>MMS (ll. 164–205)</i>			
TSM0	170–173	<i>Prerequisite:</i> the user must have cellular service <i>and</i> mobile data	W (T)
TSM1	181–183	Diagnose via can_send_mms	W (T)
TSM2	185–188	Ensure basic service + data connectivity first	W (T)
TSM3	189–193	If on 2G → guide set_network_mode_preference to 3G+	W (D+T)
TSM4	194–199	If MMSC URL unset → guide reset_apn_settings, then reboot_device	W (D+T)
TSM5	200–203	If Wi-Fi Calling ON → guide toggle_wifi_calling OFF	W (D+T)
TSM6	204–205	If the messaging app lacks storage/SMS permissions → guide grant_app_permission	W (D+T)

Table 9: Hand-classified atomic requirements of the τ^2 -bench  Telecom tech_support_manual.md (21 requirements, 1 P / 20 W). *Line* refers to the document as released with τ^2 -bench. Every rule is a diagnostic-gated (T) user-guidance (D) step; the three chapters form the prerequisite chain Service $\subset$ Data $\subset$ MMS; every row except TSS1 (the entry diagnostic) is workflow-level.

diagnostic manual. POLICYGUIDE tracks position in a workflow graph across turns, so it has the most to exploit exactly where W requirements concentrate. Consistent with this account, the compiled-graph gain over the matched raw-policy guide is larger on telecom (+0.325) than on airline (+0.100) or retail (+0.150; §4.3). Thus process-level requirements help explain the general value of context-aware guidance, while the concentration of workflow-level requirements helps explain why POLICYGUIDE’s explicit graph and state tracking are especially useful in telecom.

C Reliability and significance

Pass^k breakdown. Table 10 gives the exact values underlying Figure 4. Table 11 reports Pass¹ separately for each trial. These tables use the same base splits as Table 1: Airline base-50 and Retail/Telecom base-114.

Paired significance. For each task, Pass⁴ is one iff all four trials succeed. We compare systems on common tasks and obtain 95% confidence intervals by paired bootstrap (10,000 task-level resamples).

Domain	System	P ¹	P ²	P ³	P ⁴	P ⁴ /P ¹
 Airline	ReAct	0.640	0.530	0.485	0.460	0.72
	ToolGuard	0.575	0.553	0.535	0.520	0.90
	PolicyGuard	0.710	0.630	0.595	0.580	0.82
	POLICYGUIDE	0.775	0.707	0.660	0.620	0.80
 Retail	ReAct	0.800	0.700	0.638	0.596	0.75
	PolicyGuard	0.645	0.506	0.421	0.360	0.56
	POLICYGUIDE	0.809	0.715	0.654	0.614	0.76
 Telecom	ReAct	0.384	0.273	0.226	0.193	0.50
	PolicyGuard	0.406	0.292	0.237	0.202	0.50
	POLICYGUIDE	0.866	0.763	0.682	0.614	0.71

Table 10: Pass^k breakdown for the base-split results in Table 1 and Figure 4 (GPT 5.4, $n=4$). P⁴/P¹ is the consistency ratio.

Across domain strata, we use

$$Z = \frac{\sum_d a_d - \sum_d b_d}{\sqrt{\sum_d a_d + \sum_d b_d}},$$

where a_d counts POLICYGUIDE-only Pass⁴ successes and b_d the reverse. Table 12 shows that POLICYGUIDE improves pooled Pass⁴ over ReAct ($p < 10^{-8}$) and PolicyGuard ($p < 10^{-12}$), pooling all three domains. Domain-level effect sizes and

Domain	System	T1	T2	T3	T4	pstd
✈️ Airline	ReAct	0.620	0.620	0.640	0.680	0.024
	ToolGuard	0.560	0.580	0.580	0.580	0.009
	PolicyGuard	0.700	0.740	0.700	0.700	0.017
	POLICYGUIDE	0.800	0.720	0.820	0.760	0.038
🛒 Retail	ReAct	0.807	0.746	0.842	0.807	0.035
	PolicyGuard	0.649	0.623	0.632	0.675	0.020
	POLICYGUIDE	0.816	0.798	0.789	0.833	0.017
📞 Telecom	ReAct	0.342	0.377	0.404	0.412	0.027
	PolicyGuard	0.465	0.386	0.360	0.412	0.039
	POLICYGUIDE	0.860	0.860	0.842	0.904	0.023

Table 11: Pass¹ in each of the four trials on the base splits. pstd is the population standard deviation across trial-level values.

Opponent	D	$\sum a$	$\sum b$	n_{disc}	Z	p
ReAct	3	77	19	96	+5.92	$< 10^{-8}$
PolicyGuard	3	97	19	116	+7.24	$< 10^{-12}$

Table 12: Pooled stratified McNemar tests on per-task Pass⁴. D is the number of domain strata; a counts POLICYGUIDE-only passes and b the reverse, summed across strata.

intervals appear in Table 13. Because ΔP^4 is a signed difference rather than a probability, negative limits are valid; an interval crossing zero indicates that the domain-level difference is not statistically distinguishable from zero.

D Cost analysis

POLICYGUIDE adds verifier inference to the underlying agent. We therefore report guide-side model usage separately from the actor and user simulator, and examine how prompt caching and the firing policy limit this overhead.

D.1 Guide-side usage

Table 14 summarizes the GPT 5.4 configuration. The guide costs \$0.34–\$0.56 per task and fires 7.4–11.5 times per task; Telecom is higher because its diagnostic workflows require longer interactions. Although 85.8–88.1% of prompt tokens are cached, each call generates about 2.2–2.5k output tokens for workflow traversal, evidence checks, and remediation. Output generation consequently accounts for an estimated 67.5–71.0% of guide spend.

Thus, caching substantially reduces repeated input processing, but does not eliminate the marginal cost of the verifier: its structured audit is much longer than a binary policy verdict. Reducing guide output length is therefore the main remaining cost-optimization opportunity.

Domain	Opponent	n	ΔP^4 [95% CI]
✈️ Airline	ReAct	50	+0.160 [+0.020, +0.300]
	ToolGuard	50	+0.100 [−0.040, +0.260]
	PolicyGuard	50	+0.040 [−0.080, +0.160]
🛒 Retail	ReAct	114	+0.018 [−0.070, +0.105]
	PolicyGuard	114	+0.254 [+0.149, +0.360]
📞 Telecom	ReAct	114	+0.421 [+0.316, +0.526]
	PolicyGuard	114	+0.412 [+0.298, +0.526]

Table 13: Per-domain paired-bootstrap differences in Pass⁴ on the base splits (10,000 task-level resamples). Positive values favor POLICYGUIDE.

Domain	Calls/ task	Prompt tok./call	Cached input	Output tok./call	Guide total \$	Guide \$/task
✈️ Airline	7.56	32,360	88.1%	2,478	20.10	0.40
🛒 Retail	7.42	22,803	85.8%	2,179	13.67	0.34
📞 Telecom	11.47	28,518	86.5%	2,186	22.29	0.56

Table 14: Guide-side model usage for the GPT 5.4 configuration (50 Airline and 40 Retail/Telecom tasks). Costs exclude the actor and user simulator.

D.2 Wall-clock time

Table 15 reports mean end-to-end task time. POLICYGUIDE requires 5.45–5.78× the observed wall-clock time of ReAct, reflecting the additional verifier generations at successive turns.

Domain	ReAct (s/task)	POLICYGUIDE (s/task)	Ratio
✈️ Airline	36.4	210.1	5.78×
🛒 Retail	34.6	193.6	5.60×
📞 Telecom	45.5	247.6	5.45×

Table 15: Mean end-to-end wall-clock time per task.

The measurement covers the complete simulated conversation, including actor, verifier, user-simulator, and tool execution, rather than isolated verifier latency.

D.3 Cost-aware execution

The verifier prompt places the policy, workflow graph, tool specifications, judging rules, and output contract in a byte-stable prefix. Only the evolving conversation and latest request state vary across calls, allowing the repeated enforcement context to benefit from prefix caching.

Each firing uses one verifier generation for all open requests and may advance across several satisfied workflow nodes. The verifier fires before responses to user turns, while intervening tool results are incorporated at the next firing; an intercepted unauthorized action triggers an additional check. Consequently, the number of guide calls

scales with relevant agent turns rather than with individual workflow nodes or tool observations.

E Workflow verification

After generation, the authors manually verified each frozen workflow against the source policy and tool specifications. We reviewed the represented request types, the ordering of policy prerequisites, the authorization and subsequent verification of mutating actions, and the policy or tool-contract basis of graph constraints. This was a verification step: we did not manually edit the generated workflows used in the experiments.

Programmatic validation is also integrated into workflow generation. Each generated file is schema-validated, and the assembled graph is checked for subflow composition, valid tool references and decision branches, reachability, and mutating-action authorization coverage. The resulting findings are supplied to the pipeline’s automated review stage. We reran these checks on the exact frozen workflows; Table 16 reports the results.

Domain	Nodes	Auth. nodes	Validator flags
 Airline	158	11	0
 Retail	104	7	0
 Telecom	127	5	1

Table 16: Programmatic validation rerun on the frozen workflow graphs.

The Telecom flag concerns `disable_roaming`, which is exposed by the environment but has no authorizing workflow path. Manual review confirmed that the source policy specifies enabling roaming but does not authorize the agent to disable it. Its absence therefore does not omit a source-policy procedure; the workflow correctly leaves this action outside its authorized policy scope.

F Call-level near-miss audit

A *near miss* (Rabinovich et al., 2026) is a mutation in an outcome-passing task that lacks a policy prerequisite. Following the runtime-view convention used by PolicyGuard, Call-NMR (Rabinovich et al., 2026; Kang et al., 2026) is the fraction of successfully executed mutating calls in passing Mut trajectories that lack at least one earlier read required by a frozen ToolGuard guard. Blocked attempts, tool errors, and calls without a successful response are

Call-NMR (%; ↓)	Airline	Retail	Telecom [†]
ReAct	25.4	47.6	0.0
PolicyGuard	32.5	34.8	0.0
POLICYGUIDE	15.6	34.7	0.0

Table 17: Call-NMR on passing Mut trajectories ($n=4$): percentage of successfully executed agent mutations missing a frozen guard-derived read prerequisite. [†]Telecom is an adapted, agent-side diagnostic whose read oracle saturates; its zeros do not establish equal procedural quality.

excluded. The same domain oracle is applied to every system.

On Airline, POLICYGUIDE has the lowest observed rate (15.6%, versus 25.4% for ReAct and 32.5% for PolicyGuard). On Retail, POLICYGUIDE and PolicyGuard are effectively tied (34.7% and 34.8%); POLICYGUIDE nevertheless supports more outcome-passing Mut trajectories (116 versus 80). Thus Call-NMR audits prior-read coverage conditional on success, not task coverage or complete procedural validity.

Telecom adaptation. The original guard-derived audit is not defined for Telecom. We adapt its call-level convention using a frozen GPT 5.4 guard tree generated from the tagged concatenation of Telecom’s raw agent policy and technical-support manual. Argument- and response-aware matching requires reads to resolve the same customer, line, or bill as the mutation. Because Telecom is dual-control, the denominator covers only agent-side carrier mutations; user/device actions such as toggling data, resetting APN settings, and rebooting are outside the agent-call oracle.

The adapted read oracle yields 0.0% for all three primary systems (Table 17). This is a ceiling effect, not evidence that they are procedurally equivalent: the oracle cannot express conversational evidence such as travel status, selected refuel amount, and price confirmation, nor ordering among user/device actions. This non-identification motivates our workflow-level expansion of prerequisite analysis in Section 4.7.

G Prompts

This appendix reproduces the load-bearing prompts of both halves of the system as prompt-card figures: the runtime guide prompt (Figures 7–9, teal cards) and the workflow-generation pipeline prompts (Figures 10–11, slate cards). Unicode punctuation is

transliterated to ASCII, and the verifier’s next-step instruction is named *remediation* consistently; otherwise the text is verbatim. In these prompt excerpts, “turn” names a verifier invocation and the hard-gate language states the template’s authorization contract. The reported advisory configuration invokes the verifier at user-turn boundaries, intercepts the first unauthorized mutating call after a user message, and then permits an immediate retry after corrective guidance (§3.4).

The guide’s system message is assembled once per domain by substituting three placeholders—{policy_doc} (the raw policy), {graph_doc} (the composed graph rendered as a topology section plus per-node specs), and {tools_doc} (the mutating/read-only tool partition plus the domain’s closed value vocabularies)—into a fixed template, with the per-turn task instruction appended at the end so the whole thing is one cached static prefix (Appendix D.3). Figure 7 shows the protocol, per-turn trigger, and output contract; Figures 8 and 9 the judging rules referenced by the main text’s verifier description (§3.4). The generation pipeline’s shared system prompt carries the schema contract (the eight node types with required fields, edge semantics, id rules) plus the authoring essentials of Figure 10; the plan and adversarial-review stage prompts are in Figure 11. The remaining stages (plan review, per-subflow generation, subflow path review, main wiring) restate subsets of the same contract scoped to their output file.

H Example workflow graphs

This appendix visualizes one generated-schema workflow per domain, composed flat as the guide’s cached prefix renders it. Subflow composition prefixes node ids (identify_user.load_profile, book_flow.authorize_book), so the guide addresses every node of every inlined subflow by a stable path-like id. The three figures illustrate the intended schema: every depicted solid edge carries the same label (when:satisfied), depicted mutating tools use a tool_authorization node (trapezoid) with stated prerequisites upstream, and an authorize→verify pair represents the post-call success check. These visualizations do not establish complete mutating-tool coverage for every frozen artifact; Appendix E reports the manual verification and programmatic checks. Node colors match the main-text node vocabulary: entry/exit, agent_action, user_input,

tool_call, tool_authorization, decision, and subflow.

Airline (Figure 12). The shared main spine (intake → identify → classify) and the full transactional book_reservation path: trip and passenger collection, a mandatory search whose TOOL_RESULT grounds the flight arguments, the insurance disclosure, and the shared summary-and-confirm exchange, all upstream of the gate. The classifier routes each reconciled request into its request-type subflow; general and transfer are terminal branches, not subflows.

Retail (Figure 13). The main spine performs intake and shared identification before the classifier dispatches each request to cancellation, modification, return, exchange, account, or terminal handling. The expanded cancel_pending_order branch is the canonical *flat gate conjunction* of Appendix B.3: locate the order, verify its status is exactly pending, obtain the closed-set cancellation reason, confirm, act, and verify.

Telecom (Figure 14). After intake and shared customer identification, the classifier dispatches requests to billing, line, plan, roaming, and troubleshooting subflows. The expanded overdue-bill branch invokes pay_overdue_bill, whose eligibility gates precede confirmation and authorization of send_payment_request. The expanded MMS branch invokes troubleshoot_mms, an ordered traversal of service and data prerequisites followed by the documented MMS causes and a closing resolve-or-transfer decision (Appendix B.4).

H.1 Turn-by-turn guide example

For the airline task “Book me on HAT136 JFK→LAX, Nov 15,” the agent jumps straight to book_reservation; the guide walks it back through the policy path, one remediation step per turn. Turn 1 stops at identify_user.ask_user_id and asks for the user id; turn 2 directs get_user_details; subsequent turns walk through trip collection, flight search, rule validation, payment, baggage/insurance computation, and summary-and-confirm. Only after the upstream nodes are satisfied does book_flow.authorize_book_reservation set authorize_tool; the following turn verifies the successful TOOL_RESULT and closes the request.

Guide system prompt · protocol

You are the policy guide for a customer-service agent. You do NOT talk to the user; you read the policy and the conversation and tell the agent what to do next by tracking where each of the user's requests sits in the workflow graph.

How this works (read carefully)

We work through a single ongoing chat, one message per agent turn. I (the runtime) keep the authoritative state in code; each turn I append the new conversation and the current tracked state, and you return the COMPLETE updated state plus each blocked request's remediation. You have the entire workflow graph below, so you traverse it yourself in your own reasoning -- there is no per-node back-and-forth. Each turn you do two steps:

1. RECONCILE the open requests (intents): start a NEW request at the graph entry node, keep a CONTINUING request at its recorded node/status/authorization, DROP a request the user abandoned, and MERGE two entries that are the same request into one.
 2. TRAVERSE each open intent from its current node: evaluate that node against its expectation and satisfying condition (ground truth = tool results); if satisfied, step to the next node and evaluate again; STOP at the FIRST unsatisfied node -- that becomes the intent's current node and you write its remediation; at a decision node follow the branch that matches the request; authorize a WRITE tool only when its policy prerequisites are all met; mark an intent that reaches a terminal node done.
- Do the work as REASONING you write out step by step, and only AFTER the reasoning emit the final state as JSON. Reason first, commit second -- never write the JSON cold. Your final JSON is the memory you are guaranteed to carry forward, so every fact you will need next turn must live in it.

Guide system prompt · per-turn trigger (cached)

Update the state machine for this agent turn. FIRST reason in plain text -- reconcile the open requests, then traverse the graph for each open intent node-by-node, and for every node quote its satisfying criterion, cite the evidence, and decide SATISFIED / NOT SATISFIED (stop at the first unsatisfied node). THEN, after the reasoning, emit the final state as the single fenced json block as the last thing in your message.

Guide system prompt · output contract (JSON)

```
{
  "reconcile": {
    "reasoning": "<one line: which requests are open now, and what you added / closed / merged this turn>",
    "intents": [{"id": "<short stable id>", "request": "<one-line description with the concrete target>", "intent": "<classifier branch label>"}]
  },
  "traverse": [
    {
      "id": "<intent id>",
      "plan": "<this intent's whole arc in one line: the end outcome or WRITE it drives toward, the sub-steps that get there, and which are already done>",
      "walk": [
        {
          "node": "<node id>",
          "reasoning": "<the SATISFIED/NOT-SATISFIED judgement>",
          "satisfied": true,
          "node": "<next node id>",
          "reasoning": "<...>",
          "satisfied": false
        }
      ],
      "node": "<the node you stopped at>",
      "status": "open | done",
      "authorize_tool": "<WRITE tool to open at its authorization node, or null>",
      "selection": {
        "target": "<the specific record(s) this intent acts on>",
        "ruled_out": ["<each candidate examined and rejected, with the reason>"],
        "grounded_values": {
          "arg": {
            "value": "<copied verbatim from the result that established it>",
            "source": "<which tool result + record, or 'user message'>"
          }
        },
        "remediation": "<the exact next action for the agent if blocked; empty if done>"
      }
    }
  ],
  "transfer": false,
  "summary": "<compact running recap of the working context the structured fields do not already capture>"
}
```

Figure 7: Guide system prompt, part 1 of 3. **Left:** the protocol block (reconcile-then-traverse, one generation per fired turn) and the per-turn trigger, which is folded into the cached static prefix rather than re-sent. **Right:** the Part-2 output contract—the single fenced JSON block the runtime parses into code-owned state.

I The Use of LLMs

We used LLMs solely for light editing, such as correcting grammatical errors and polishing wording. They did not contribute to research ideation, experiments, analysis, or substantive writing.

Judging rules · ground truth

- Ground truth = tool results. A fact, eligibility condition, or completed action counts as established ONLY when a TOOL_RESULT in the conversation confirms it (directly or by your reasoning over tool results) -- NOT because the user asserted it, told you to assume it, or stated it as a given, and NOT because the agent merely said it; a value the agent computes from already-established inputs is itself established -- but a decision or argument that turns on a numeric or temporal computation must be worked out step by step in your reasoning and taken from those steps, never asserted as a conclusion; the user's own choices, consent, and preferences are established by the user's message, but a factual or eligibility condition the policy gates on is never established by the user's word -- when the user supplies or assumes one, delegate the read-only tool that verifies it and judge the condition from that result before relying on it, and a tool result that contradicts the user's claim governs.

Judging rules · authorization

- Authorization. A WRITE (mutating) tool may be authorized ONLY when every policy prerequisite for that specific tool is met from tool-confirmed facts (plus the user's own consent where the policy asks for it) -- apply exactly the prerequisites the policy states for that tool, adding none it does not state, so once all of them are met you authorize rather than withholding for a condition you inferred. When you authorize, the runtime opens that tool's gate so the agent can call it; until then the runtime hard-blocks the call. Whenever your remediation instructs the agent to call a WRITE tool you have judged its prerequisites met, so set that intent's authorize_tool to that tool the same turn -- never instruct a WRITE call while leaving authorize_tool null. The authorizing remediation must state the exact arguments the agent must pass -- every id and value from grounded results, with any amounts, counts, or derived figures computed from the state the requested changes produce rather than from the prior state, so they reconcile with the tool's requirements -- and cover every change the user requested, so the agent does not guess, miscompute, or omit a step. To change specific fields of an existing record, reuse the record's current values for the fields the user is not changing rather than searching for or re-collecting new ones; and never withhold authorization to first establish a value the write tool itself computes or returns -- such an output is not a prerequisite. When the tool applies to several records, draw each call's arguments from that record's own grounded data and confirm the pairing before authorizing -- a value belonging to one record must never cross into another, since the call cannot be undone.

Figure 8: Guide system prompt, part 2 of 3: judging rules (i)—evidence grounding and mutating-tool authorization.

Judging rules · sourcing, transfer, fixes, reads

- Source every write argument. Before authorizing a WRITE, record in `grounded_values` where each argument's value came from -- the tool result and record it was copied from, or 'user message'. A value whose source is the user's word for a field a record owns is not grounded: read it from that record and use the record's value.
- Transfer. Signal transfer only when a request cannot be handled within policy at all (e.g. an action the policy reserves for a human, or the user insisting on a policy-violating action). Transfer ends the whole conversation, so signal it only when no open request can still be advanced within policy; when one request is blocked but others remain handleable, refuse only the blocked one and keep completing the rest rather than transferring. Never transfer an action the policy actually permits. `transfer_to_human_agents` is that signal, not an ordinary tool to authorize: whenever your remediation instructs the agent to call it you have judged the whole remaining task unhandleable, so set the top-level transfer to true the same turn -- the runtime opens that call only when transfer is true, so a remediation to transfer while transfer stays false contradicts itself and is blocked.
- Carry out the fix, not just name it. When resolving an open request requires a corrective action the graph gates inside another intent's subflow, open that action as an additional active intent and traverse its subflow so its tool can be authorized; the original request is resolved only once every corrective action its situation requires has been carried out, not when the cause is merely identified.
- Delegate READ tools to obtain facts. Establish any detail a READ/lookup tool can supply, or that a prior tool result already holds, from that result -- delegate the lookup or read the loaded data -- rather than asking the user. When advancing a request needs an identifier, record, or argument value the user has not supplied, do not ask for it -- direct the agent to enumerate the candidate records the READ tools return and select every one whose contents match the request's described attributes or the criterion the user stated, deriving each argument from that loaded data; a request that describes its target by attributes rather than by id is satisfied only once every matching record has been handled, not after the first.

Judging rules · the remediation contract

- Remediation. A remediation is the exact next action for the agent: which tool to call with which arguments, or the value the user asked for computed from the tool results and stated back to them, or which detail to ask the user for (ask the user ONLY for things no tool can supply), or that the agent must refuse and the precise policy reason. A request for a value is resolved only once the agent has stated that value, not when a related action is done. When a node is not satisfied, the remediation must name the specific prerequisite that is missing and the concrete action that would obtain or satisfy it, never a generic statement that the conditions are unmet. Keep it concrete and grounded in the policy and the conversation. When the next steps along the intent's path are agent-side and already fully determined -- none needing a reply from the user and none whose arguments depend on a tool result you do not yet have -- write one remediation listing those ordered steps to carry out in a single stretch rather than one step per turn, splitting only at the first step that needs the user or a result you do not yet have. When the user has stated a selection or optimization criterion, first enumerate every candidate in the space the criterion ranges over from the tool results, then identify the single winning option by comparing that criterion across all of them and pinning the winning option's exact arguments -- never select from a partial candidate set, offer an unranked list, or ask the user to choose among candidates the criterion already decides. Every identifier you place in a remediation must appear verbatim in the specific tool result you are selecting it from -- never carry an identifier over from a different record (such as the one already on file) or introduce one not present in that result.

Figure 9: Guide system prompt, part 3 of 3: judging rules (ii)—argument sourcing, transfer scoping, corrective-fix traversal, read-tool delegation (left) and the remediation contract (right).

Generation system prompt · runtime contract

- A proactive verifier reads the WHOLE graph plus the full conversation each turn, tracks where each open request sits, and writes the agent's next-step remediation. Two things the graph must make enforceable:
- Mutating tools are gated. A `tool_authorization` node is the choke point for one `WRITE` tool: the agent may call that tool ONLY after the guide authorizes it (its upstream prerequisites met) and the runtime confirms success at the following `verify` node. So every prerequisite/eligibility/confirmation a mutation requires must sit UPSTREAM of its authorization node.
 - Faithfulness. The guide can only enforce what the graph encodes. The graph must reflect the policy and the domain's tool/task properties exactly.

Generation system prompt · authoring essentials 1–3

- The bottom line: the graph must (A) reflect the policy faithfully, (B) reflect the domain's tool/task properties, and (C) be valid + minimal.
1. Cover every `WRITE` tool. Each mutating tool is reachable through some intent and ends in an `authorize_<short>` (`tool_authorization`) -> `verify_<tool>` (`agent_action`) pair -- the authorization choke point and the post-call success check (the tool can fail, so the `verify` node confirms a successful `TOOL_RESULT` and, on error, directs a correctable retry). Place everything the policy requires before a mutation UPSTREAM of its authorization. A value the mutating tool itself computes or returns is an output, not a prerequisite.
 2. Gates are outcome-framed. An eligibility/permissibility gate is `SATISFIED` only if the permitting condition actually `HOLDS` -- never "has the agent checked X?" (that flips true the moment the check runs, even when it concludes ineligible). When the condition fails, the gate stays `NOT_SATISFIED` and its remediation `REFUSES`. Keep gates as `agent_action` nodes on the main path -- do not model refusal as a branch to a dead-end exit.
 3. Ground facts in tools; quote the policy exactly. A fact/eligibility condition counts only when established by a tool result -- not a user assertion. The user's own consent/preference is established by the user's message. Where the environment gates on an exact status/enum literal, quote it and require exact equality (a qualified variant is a different value), and name whose field. Quote limits/prices/amounts/time-windows verbatim, identically across expectation/evaluation_prompt/remediation_template. Encode only conditions the policy states -- never invent a check no tool/data can establish.

Generation system prompt · authoring essentials 4–7

4. Classifier completeness. The main `classify` decision has one branch per intent + general (anything unsupported -> a non-transfer refusal exit) + transfer (must go to a human). Operations the policy forbids outright get NO subflow -- they route to general.
5. Right tool side. `tool_call/tool_authorization` may name ONLY tools from the AGENT inventory. An action the END USER performs on their own device is an `agent_action` that instructs the user and judges their reported outcome -- never a tool node (which could never be satisfied).
6. Minimal + faithful. Author the fewest nodes that enforce the policy. Fold a validation/disclosure into the node that collects its data; merge related collection steps rather than one node per policy sentence. Every normative policy statement must be enforced by some node (or be genuinely out of graph scope). When the policy enumerates the possible causes of a problem, the flow that resolves it must check every documented cause; a cause whose remedy is a mutating tool must be its OWN checkpoint that reaches that tool's authorization.
7. Main spine + shared subflows. main: entry -> intake (greet + open question) -> identify (shared identification subflow) -> classify -> intent subflow anchors -> exits ["exit_normal", "exit_general", "exit_transfer"]. Any procedure shared by 2+ intents may be its own subflow. When the domain has user-owned records that requests target, the identification subflow ends with a `tool_call` that loads the authenticated user's full account record.

Figure 10: Workflow-generation system prompt: the runtime contract the graph must satisfy, and the authoring-essentials contract every stage must follow.




Figure 11: Workflow-generation stage prompts: the plan stage's requirements (left) and the adversarial reviewer's checklist (right).

Figures 12–14 use the following shared node notation.




Figure 12: **Airline**: the composed workflow graph—the shared spine (start, intake, the identify_user subflow, classify) and the full transactional book_reservation request path. Solid edges fire only when: satisfied; dashed edges are classifier branches. The mutating tool is represented downstream of its tool_authorization node (trapezoid), immediately followed by the verify node that demands a successful TOOL_RESULT.




Figure 13: **Retail**: the shared entry–intake–identification spine and classifier dispatch into request-specific subflows, with `cancel_pending_order` expanded. Its status and reason gates, shared summary-and-confirm step, authorization, and post-call verification form the complete cancellation path. The gray box marks the expanded cancellation subflow; the dotted box summarizes the other classifier branches.




Figure 14: **Telecom**: the shared entry–intake–identification spine and classifier dispatch, with two request branches expanded. The overdue-bill branch invokes `pay_overdue_bill`, which gates `send_payment_request`; the MMS branch invokes `troubleshoot_mms`, which checks service and data prerequisites before the documented MMS causes and closes by resolving or transferring. The dotted box summarizes the remaining classifier branches.