

Accepted at HLD@ECMLPKDD Conference, Naples, Italy, 2026 (pre-print)

Understanding Operator Attitudes Toward AI-Supported Decision Making in Maritime Operations

Doreen Jirak¹ (✉)^[0009–0003–2839–3475], Armeen Saroukanoff², and Dirk van Rooy¹^[0000–0003–2525–5408]

¹ University of Antwerp, Paardenmarkt 94, 2000 Antwerp, Belgium
{doreen.jirak,dirk.vanrooy}@uantwerpen.be

² Antwerp Maritime Academy (AMA), Noordkasteel Oost 6, 2030 Antwerp, Belgium
armeen.saroukanoff@hzs.be

Abstract. Maritime Autonomous Surface Ships (MASS) and AI-supported decision assistants are expected to transform maritime operations, but their safe integration depends on how maritime professionals perceive and trust such systems. This paper presents a survey study on maritime stakeholders’ attitudes toward an AI-supported assistant in collision-avoidance scenarios. Participants evaluated technology anxiety, trust in automation, and explanation quality using established and adapted questionnaires, complemented by sentiment and thematic analysis of open-ended responses. Results indicate a generally positive disposition toward maritime technology, no clear age-related differences in openness, stable trust across scenarios, and more scenario-sensitive, multidimensional explanation ratings. Open responses showed that participants valued support for decision-making, situation awareness, and confidence-building, while raising concerns about AI reliability, over-reliance and loss of expertise. The findings suggest that maritime AI systems should not focus solely on increasing automation or trust, but on supporting calibrated reliance through transparent, reliable, and operationally meaningful design with domain experts in the loop.

Keywords: Hybrid Decision-Making · Explainable AI · Trust.

1 Introduction

Maritime Autonomous Surface Ships (MASS) are increasingly discussed as a transforming development in maritime transport, with the potential to improve safety, and operational efficiency and resilience. Advances in sensing, artificial intelligence (AI), and decision-support systems enable vessel agents to perceive the environment, plan routes, perform collision avoidance [32], and support navigational decision-making, aligning with humans’ situational awareness (SAW) [4]. Similar to autonomous driving, the IMO³ defined L1-L4 autonomy levels,

³ <https://www.imo.org/en/mediacentre/hottopics/pages/autonomous-shipping.aspx>

where L1 represents the current state at sea with decision support and humans on board while the L4 stage describes a fully remote vessel with no human intervention. Implementing these different levels creates a socio-technical transition in which human operators, autonomous systems, and regulatory frameworks must co-evolve.

A central challenge is that increasing autonomy does not remove humans from maritime operations [10], but changes their roles [1, 20]. Officers of the watch (OOV), Captains, and remote operators may remain responsible for monitoring system behavior, interpreting recommendations, supervising autonomous functions, and intervening when necessary [28]. This creates a tension between automation’s promise to reduce workload and mitigate human error, and the continued expectation that operators understand, trust, supervise, and override autonomous systems when required. Moreover, attributing accidents to human error alone risks oversimplifying the problem [24]. Autonomous decision support should therefore be understood not as replacing humans with objective machines, but as redistributing tasks, authority, and responsibility between humans and automation [21].

For MASS and AI-supported navigation [14, 29, 3], this redistribution raises key questions for human-machine decision-making. Operators may value systems that integrate information and reduce cognitive burden, while remaining reluctant to delegate final authority in safety-critical situations involving collision avoidance, COLREG interpretation (Convention on the International Regulations for Preventing Collisions at Sea), and uncertain sensor data. Trust is therefore central, but safe collaboration requires calibrated rather than unconditional trust, i.e. operators should rely on automation when appropriate, while remaining able and willing to question or override it when necessary.

Explainable AI (XAI) is often proposed as a mechanism to support such calibrated trust [17, 18]. In maritime operations, explanations may help operators understand why a maneuver is recommended, how traffic situations are interpreted, whether navigational rules are followed, and which uncertainties or alternatives were considered [2]. However, explanations may also increase cognitive load if they are poorly timed, overly technical, or misaligned with the operator’s task context [15]. This is especially critical on the vessel bridge, where situation awareness must be maintained under time pressure and decision support must fit established operational routines. Against this background, it is necessary to better understand how maritime stakeholders perceive autonomous decision-support systems [31], trust in automation [26], and explanations in safety-critical decision-making [21, 18, 22]. While technical research on MASS has progressed rapidly [9], human-centered integration remains an open challenge [11, 12, 19, 8, 27]. In particular, existing measures of trust [16], attitudes toward automation [30], and explanation satisfaction [5, 6] may not fully capture maritime operators’ concerns.

The present study contributes to human-centered AI in the maritime domain by examining how maritime stakeholders perceive trust, technology anxiety, explanation quality, and the perceived advantages and disadvantages of a

maritime assistant. The results provide insight into the challenges of measuring trust and explanation needs in a safety-critical domain and highlight the importance of domain-sensitive evaluation methods for future MASS decision-support systems [13, 25]. Our evaluation scripts and resultant images are available at https://github.com/djirak/AHOI_Survey_HumanMachineTeaming.git.

2 Explainable AI in Collision-Avoidance at Sea

While MASS and maritime autonomy is progressing, it is inevitably necessary to study needs and demands from the actual seafarers, enabling genuine human-centered AI. Technical success does not measure user comprehension, human cognitive (work)load, and trust calibration, yet they are important when transferring digital solutions into real maritime operational life. To capture the necessary domain knowledge, we conducted a survey study addressed at seafarers with command vessel bridge experiences, such as Captains or Officer-of-the-Watch (OOW). We prepared two collision-avoidance tasks, the first one serving as a “warm up”, i.e. an unambiguous vessel encounter situation with clear rule following, to ensure that the participants understand the task and the role of the AI. The second scenario represented an ambiguous traffic situation (see section 2.1). The survey design was driven by the following research questions:

- RQ1: What is the seafarer’s disposition to technological progress and their propensity to trust? (ATAS scale, pre-questionnaire)
- RQ2: To what extent does the inclusion of explainability affect user satisfaction, trust, and willingness to adopt such systems? (TiA, altered Hoffman, post-questionnaire)
- RQ3: How do maritime professionals perceive the usefulness and trustworthiness of the maritime assistant? What are the concerns and expectations of seafarers regarding the integration of AI into maritime daily routines and team workflows? (open-question format)

Before dissemination, we pilot-tested the the survey among ten professional seafarers asking for their feedback on flow and response time, which resulted in some modifications of images sizes and correct maritime wording. Specifically, we decided to term the XAI as “maritime assistant” to avoid confusion and possible negative affect. We disseminated the online study using Qualtrics among professional and nautical students from the Antwerp Maritime Academy (AMA) and using their alumni network.

2.1 Survey Flow and Tasks

The survey was structured into a briefing phase where participants were informed about the study and gave their consent, followed by a pre-questionnaire, the “Abbreviated Technology Anxiety Scale” (ATAS [30]). Afterwards, we presented two collision-avoidance scenarios comprising ECDIS (Electronic Chart Display and Information Systems) and AIS (Automatic Identifica-

tion System) images created by the Belgian MAHI company ⁴. For the XAI, we created images aligning the actual situation with the correct decision. We did not introduce deceptive agent behavior. Afterwards, we started with the presentation of two collision-avoidance tasks, following a “Wizard-of-Oz” approach (WoZ), i.e. simulating collision encounters. Figures 1-4 show example images as originally shown in the survey. The first scenario represented regular encounter at sea with clear procedure. We first presented the ECDIS and AIS images (first two images in Figures 1-2) to the participants and asked them to assess the situation: *“Assume you are the Master of the red vessel. The OOW delayed calling you for an unclear close quarter situation. When you arrive at the bridge, you see the present situation”*. The response type had been provided in an open format (*“Please describe what you notice, what concerns you, and what action you would consider at this moment.”*). In total, we showed four traffic situations simulating a close encounter. Afterwards, we presented the same scenario but with an additional XAI output displaying the vessels’ parameters ‘speed’ and ‘rudder’ with respective importance scores influencing the decision. After the completion of scenario 1, we asked the participants to fill out the “Trust in Automation” scale (TiA [7]) and a modified version of the Hoffman XAI scale (see Figure 9) [5]. We then proceeded with the presentation of four images for scenario 2, exemplary shown Figures 3-4, which represented dense traffic with four additional vessels (in green), a fisher boat, and a buoy in close vicinity, thus a more ambiguous situation than for scenario 1. Both scenarios and the correct interpretation of situations or “ground truth” (e.g., COLREG rules) were provided by Cpt. Armeen Saroukanoff. Afterwards, the participant filled out again the TiA and altered Hoffman scale.




Fig. 1. Example from Scenario 1: The first two images (ECDIS; AIS) were initially shown without XAI to obtain participants’ independent assessment and decision. They were then presented again with a simplified XAI depiction showing the key decision elements (rudder/speed features) and the agent’s decision

After the scenarios, participants provided open-ended feedback on the perceived advantages and disadvantages of an autonomous maritime agent. They then reported demographic information, including age, sea experience, rank (OOW, Captain, pilot, student), and education. Age and sea experience were interval-coded into five groups.

⁴ <https://mahi.be/>




Fig. 2. Example image from scenario 1, here with a close encounter and different XAI.




Fig. 3. Example image from scenario 2. The situation is ambiguous as four other vessels (green), a fisher boat, and a buoy are in close vicinity.




Fig. 4. Example image from scenario 2 with an additional urgency by XAI to take action.

2.2 Survey Collection and Demographics

Anonymous responses were collected from December 2025 to mid-April 2026, with duplicate checks to avoid redundancy. In total, 166 persons accessed the survey; after filtering for completed responses, 66 remained. Metadata indicated that most dropouts occurred within the first ten minutes, suggesting that survey fatigue was unlikely the main reason. The filtered sample showed an uneven demographic distribution, as illustrated in Table 1, with two dominant age cohorts (groups 2 and 5) and about half of the respondents reporting at least 72 months of sea service. Analysis on the ‘ranks’ further showed that approximately half of the participants were Captains or Officers of the Watch (OOWs), indicating a high level of maritime expertise captured in the survey.

For the completed responses, participants’ observations and decisions were compared with the expected scenario interpretations. Overall, responses aligned with the intended observations and behaviors, which was expected since the scenarios did not include unrealistic or deceptive elements.

Table 1. Demographics of the survey respondents. Note that the total numbers for ‘age’ are 66, while only 62 participants provided their sea experience.

Group	Age	#Respondents	Sea Experience (months)	#Respondents
1	18-24	10	0-3	7
2	25-34	17	4-12	5
3	35-44	10	13-36	9
4	45-54	10	37-72	10
5	>54	19	>72	31

3 Results

We first analyze RQ1&RQ2 from the questionnaires for a quantitative evaluation. We then synthesize the results from the open format feedback by sentiment analysis and thematic clustering (RQ3) in section 3.2.

3.1 Questionnaires Evaluation

To address RQ1, we used questionnaires to quantify participants’ technology disposition and trust. As a pre-questionnaire, we administered the 11-item Abbreviated Technology Anxiety Scale (ATAS) [30], which captures technology anxiety through negatively worded statements such as “*I am not a technology person*”. The scale showed good internal consistency (Cronbach’s $\alpha = 0.86$).

Participants rated each item on a 5-point Likert scale (1 = “Strongly Disagree”, 5 = “Strongly Agree”), with higher scores indicating greater technology anxiety. As shown in Figure 5, the predominant median score was 2, suggesting

that most participants disagreed with the ATAS statements and generally held positive attitudes toward technology. However, items 5 (*‘I feel technology complicates simple tasks’*) and 6 (*‘Keeping up with the newest technology is impossible’*) showed discrepancies between mean and median scores, as well as higher standard deviations. This may indicate concern about future technology integration despite general openness toward new systems, which is plausible given maritime personnel’s regular exposure to new bridge instruments and software. Similarly, item 9 (*‘I am often annoyed when using technology’*) showed higher scores and variance, suggesting that some participants associate technology use with frustration, usability challenges, or the effort required to adapt to new systems.




Fig. 5. Score distribution for the Abbreviated Technology Anxiety Scale (ATAS [30]).

After each collision-avoidance scenario, participants completed the Trust in Automation (TiA) questionnaire [7]. The original 12-item scale was reduced to 11 items by omitting the familiarity item. Items 6-11 were reverse-coded so that higher scores consistently indicated greater trust in automation. For consistency with the other survey instruments, all TiA items were administered on a 5-point Likert scale. The scale showed high reliability in both scenarios (scenario 1: $\alpha = 0.910$; scenario 2: $\alpha = 0.936$).

Figures 6-7 show similar TiA response patterns across both scenarios. A paired-samples t-test indicated no significant difference between scenario 1 and scenario 2 ($p = 0.936 > 0.05$), suggesting that overall trust in automation remained stable across scenarios.

Overall, participants showed a moderately favorable but cautious perception of the assistant. For the negatively worded items (1-5), the median score of 2 suggests that participants generally disagreed with adverse characterizations of the assistant, such as being unreliable, deceptive, or suspicious, although these

concerns were not entirely absent. For the positively worded items (6-11), the median score of 3 indicates a more neutral opinion, i.e. participants did not reject positive trust-related statements, but also did not strongly endorse them. This suggests that participants were not distrustful of the assistant, but that their trust was not yet strongly consolidated and may depend on further experience, demonstrated reliability, and integration into bridge routines.




Fig. 6. Results from Trust in Automation Scale (TiA) for Scenario 1.




Fig. 7. Results from Trust in Automation Scale (TiA) for Scenario 2.

We tested whether older or more experienced participants showed higher ATAS scores. Since both variables were interval-coded, Kruskal-Wallis tests were used to compare ATAS responses across groups. No significant differences were found for age ($H = 2.150$, $p = 0.708$) or sea experience ($H = 5.747$, $p = 0.219$).

at $\alpha = 0.05$. This suggests that technology anxiety did not differ significantly across age or experience groups, supporting the overall finding that respondents were generally open toward technology.

Kruskal-Wallis tests showed no statistically significant differences in TiA scores across sea-experience groups for either scenario 1 ($H = 4.197$, $p = 0.380$) or scenario 2 ($H = 5.786$, $p = 0.216$). Similarly, no significant age-group differences were found for scenario 1 ($H = 0.606$, $p = 0.962$) or scenario 2 ($H = 8.969$, $p = 0.062$). Thus, the results do not support the hypothesis that older or more experienced maritime professionals show lower trust in automation. However, the higher H statistic and near-significant p value in scenario 2 suggest more pronounced age-group differences under increased traffic complexity, as also reflected in Figure 8. Higher within-group variance, particularly in age groups 3 and 5, further indicates heterogeneous responses. Overall, the present data do not allow statistically robust conclusions about the influence of age or sea experience on trust in automation.




Fig. 8. Distribution of TiA scores vs. age groups. Both descriptive and the Kruskal-Wallis test do not confirm a possible correlation between different age groups and trust in automation.

To answer RQ2, we extracted items from the XAI scale provided by Hoffman et al. [5, 6], shown in Figure 9. We reverse-coded items 1, 2, 5, and 7 based on the wording, i.e. item 1 and 2 are negatively worded, and a correlation analysis showing negative correlation of item 5 and 7 with respect to the other items. After this step, we computed Cronbach's $\alpha = 0.633$ for scenario 1 and $\alpha = 0.609$ for scenario 2, which represents a moderate internal scale consistency. To understand the divergence of Cronbach's α from ATAS and TiA, we subsequently performed a factor analysis which revealed three distinct latent factors (eigenvalue > 1). This means that the scale measures a multi-dimensional construct rather than one specific motif. However, we want to provide the descriptive statistic similar to ATAS and TiA to complete the picture and providing at least a trend exhibited by the respondents. Figure 10 and Figure 11 show the response distri-

bution based on a 5-point Likert scale. Due to the reverse-coding, items 1,2, 5, and 7 are positively interpreted. For example item 1: “*I had difficulties understanding the assistant’s output*” with an original mean of 1.7, i.e. disagreement on this statement, has now an average response score of 4.1, meaning agreement that the assistant’s output was easy to understand.

Overall, only minor response differences were observed between scenarios 1&2, suggesting that increased traffic complexity did not negatively affect the perceived agency or reliability of the agent. This was supported by a paired t-test, which showed no statistically significant difference. Interestingly, participants were unlikely to change their decision based on the agent’s output, as indicated by a median score of 2 for item 8. A slight shift toward agreement in Scenario 2 may suggest that seafarers are more inclined to consult the assistant in ambiguous traffic situations. Items 3, 4, and 5 showed the highest variance, possibly reflecting differing perceptions of the explanation design and usefulness, as well as limitations of the Wizard-of-Oz setup, which may have lacked the realism needed for robust system judgments.

	Strongly disagree	Somewhat disagree	disagree	Somewhat agree	Strongly agree
I had difficulties understanding the assistant’s output.	☐	☐	☐	☐	☐
The assistant distracts me.	☐	☐	☐	☐	☐
The explanations provided help me to understand the decision made by the assistant.	☐	☐	☐	☐	☐
The assistant’s decision was useful.	☐	☐	☐	☐	☐
The outputs of the assistant are very predictable.	☐	☐	☐	☐	☐
I would follow the assistant’s suggestion in daily maritime situations.	☐	☐	☐	☐	☐
If my own view differed, I would override the assistant.	☐	☐	☐	☐	☐
After seeing the assistant, I changed what I intended to do.	☐	☐	☐	☐	☐

Fig. 9. Altered Hoffman scale items for explainability effects on perception and decision-making after exposition to the maritime assistant.

3.2 Qualitative Analysis and Synthesis of Open Format Responses

Responses from the participant in the open format were analyzed using a two-step procedure. First, sentiment scores were computed to obtain an overview of positively and negatively connoted responses. Second, responses were manually inspected and grouped into recurring themes reflecting perceived advantages and disadvantages of the maritime assistant. Sentiment scores were used to guide the identification of strongly positive and negative responses, but themes were derived from qualitative interpretation of the response content. Direct quotations were selected based on thematic clarity and sentiment polarity. Table 2 displays themes we identified and grouped regarding perceived advantages and disadvantages of the maritime assistant. Responses on disadvantages revealed several




Fig. 10. Response distribution of the altered Hoffman scale for scenario 1.




Fig. 11. Response distribution of the altered Hoffman scale for scenario 2.

Table 2. Summary of major themes for (dis)advantages of the “maritime assistant”

Sentiment	Theme	Quote
Advantage	Confidence support	“...for young officers of the watch this will give them confidence in making the safest decision.”
Advantage	Situation awareness	“It is just an extra tool to help the OOW build a good situation awareness.”
Advantage	Time-saving	“The time saved can be used to perform a deeper analysis taking into account external factors that the assistant could not necessarily have...”
Disadvantage	Over-reliance	“...the OOW would stop thinking by himself...” “...overdependence and loss of skill is a risk in my opinion and might lead to lowering of standards...”
Disadvantage	Skill degradation	“...Junior officers no longer learn to judge traffic situations by their own...”
Disadvantage	Input reliability	“...if sensors fail, or the input is faulty ...the decisions of the assistant can be wrong”

safety-critical concerns. Participants highlighted risks of erroneous recommendations due to faulty sensor input, GPS spoofing, jamming, or other input failures. They also questioned whether the assistant could handle complex, sequential traffic situations rather than isolated encounters. Beyond technical reliability, a central concern was human over-reliance, particularly among junior OOWs, which could reduce vigilance, traffic judgment, and long-term skill development. Additional concerns included information overload, distraction, and alarm burden on the bridge. Thus, negative sentiment did not indicate a general rejection of AI support, but rather concern about the conditions under which such support could become unsafe.

We further analyzed feedback comments through sentiment analysis, interpreting positive comments as perceived opportunities and negative comments as perceived risks. As with the themes in Table 2, comments were grouped into higher-level themes and synthesized in Table 3. Although some themes appear contradictory, such as improved versus reduced situation awareness, they highlight central design trade-offs for XAI and broader UI/UX development. In this context, the key challenge is not only AI performance, but the design of user-centred interfaces that avoid distraction, support natural communication, and fit maritime routines. Overall, the comments show that maritime personnel are aware of both opportunities and risks, supporting the quantitative finding of general openness toward new technology while providing domain-specific insights that are highly valuable for researchers developing for but not necessarily with experts in the maritime domain.

Table 3. Synthesis of chances and risks provided by the open feedback question

Function	Opportunity	Risk
Decision recommen- dation	Supports faster and potentially safer decision-making	May encourage blind following or wrong maneuvers
Confidence support	Helps young or uncertain offi- cers validate decisions	May lead to overconfidence or dependency
Situation awareness support	Helps organize traffic informa- tion	May add distraction or informa- tion overload
Rule-based reasoning	COLREG alignment increases credibility	Wrong input may still produce wrong rule-based advice
Predictive support	Helps anticipate traffic conflicts in advance	May fail in complex or sequen- tial encounters
Training support	Can support learning and confidence-building	May reduce development of in- dependent judgment
Automation support	Reduces workload in standard situations	May create complacency in non- standard situations

Sentiment analysis showed age-related differences in how participants described perceived advantages and disadvantages. Across all age groups, comments on advantages were generally positive, indicating that participants used favorable language when discussing beneficial aspects of the assistant. The highest average positive sentiment was observed in age group 4 (45-54 years), while age group 5 (> 54 years) also remained positive, though slightly less so than age groups 3 and 4.

For disadvantages, the pattern was more varied. Age groups 1, 2, and 4 showed negative average sentiment, suggesting more critical language when discussing drawbacks. In contrast, age groups 3 and 5 showed slightly positive average sentiment even for disadvantages. This was particularly notable for the oldest group, indicating that these participants described disadvantages in comparatively less negative terms than several younger groups.

4 Discussion

The development of Maritime Autonomous Surface Ships (MASS) [10] and AI-supported navigation marks an important transition in maritime operations, where decision-making is increasingly shared between human operators and intelligent systems [11, 1, 21, 20]. However, autonomy in safety-critical domains cannot be evaluated solely as a technical capability. Its successful integration depends on how well AI systems fit the operational realities, responsibilities, and decision practices of maritime professionals [21].

This survey provided unique insights into maritime AI and autonomy from the perspective of domain experts and experienced maritime personnel. Overall, participants showed a generally positive attitude toward new maritime technologies and recognized the potential of AI-supported assistants to support

decision-making, situation awareness, and operational efficiency (RQ1-RQ2). At the same time, the findings indicate that future development should not aim at increasing trust unconditionally, but at supporting calibrated trust through reliable, transparent [15, 17], and context-sensitive system behavior and explanations (XAI)[13, 23]. Key challenges therefore lie in the joint design of autonomous agents and XAI interfaces that make system capabilities, limitations, and uncertainties understandable to operators (RQ3). Contrary to a common assumption that older operators may be less open to technological innovation, the analysis did not reveal clear age-related differences in technology openness. Participants across age groups showed broadly comparable attitudes, indicating that age alone may not be a sufficient predictor of acceptance or skepticism toward maritime AI assistance. In this context, openness to technology may be more strongly influenced by domain-specific factors, such as perceived usefulness, responsibility for safety-critical decisions, and familiarity with bridge systems. This suggests that future evaluations of maritime AI should avoid treating age as a proxy for technological openness and instead consider the operational and experiential factors that shape human-AI interaction in maritime practice.

Several limitations should be considered when interpreting the results. First, the survey showed inconsistent response patterns and a substantial reduction from accessed to completed responses, resulting in a limited final sample size. This restricts the generalization of the findings and indicates that the survey design should be revised in future studies. In particular, static scenario images may not have provided a sufficiently realistic or engaging representation of maritime decision-making, which may have contributed to early dropouts or reduced immersion. Future surveys could therefore use short scenario videos or lightweight online demonstrations to provide a more dynamic and realistic impression of the assistant and its explanations. Beyond survey refinement, future work should focus on the design and evaluation of maritime AI agents and XAI interfaces together with domain experts. A central challenge will be to identify the appropriate balance between providing useful explanations, avoiding cognitive overload and alarm fatigue, and supporting calibrated trust in autonomous agents.

5 Conclusion

This study contributes to the human-centred evaluation of maritime autonomy by showing that maritime stakeholders are generally open to AI-supported decision assistance, while remaining attentive to risks of reliability, over-reliance, distraction, and loss of expertise. The findings suggest that future MASS and maritime AI systems should not focus solely on increasing automation or trust, but on supporting calibrated reliance through transparent, reliable, and operationally meaningful design. Human expertise should therefore remain central to the development and evaluation of maritime autonomous systems.

Acknowledgments. The authors thank the MAHI company for the provision of the radar images and Arian Sabaghi Khameneh (imec/IDLab) for the provision of the XAI

images. This work has been conducted within the DEFRA AHOI project, funded by the Belgian Royal Higher Institute for Defence, under contract number 23DEFRA002.

Disclosure of Interests. The authors have no competing interests to declare that are relevant to the content of this article.

References

1. De Vos, J., Hekkenberg, R.G., Banda, O.A.V.: The impact of autonomous ships on safety at sea—a statistical analysis. *Reliability Engineering & System Safety* **210**, 107558 (2021)
2. Dhanorkar, S., Wolf, C.T., Qian, K., Xu, A., Popa, L., Li, Y.: Who needs to know what, when?: Broadening the explainable ai (xai) design space by looking at explanations across the ai lifecycle. In: *Proceedings of the 2021 ACM Designing Interactive Systems Conference*. pp. 1591–1602 (2021)
3. Durlík, I., Miller, T., Kostecka, E., Kozłowska, P., Ślęczka, W.: Enhancing safety in autonomous maritime transportation systems with real-time ai agents. *Applied Sciences* **15**(9), 4986 (2025)
4. Endsley, M.R.: Supporting human-ai teams: Transparency, explainability, and situation awareness. *Computers in Human Behavior* **140**, 107574 (2023)
5. Hoffman, R.R., Mueller, S.T., Klein, G., Litman, J.: Metrics for explainable ai: Challenges and prospects. In: *NIPS 2018 Workshop on Human-Centric Machine Learning* (2018)
6. Hoffman, R.R., Mueller, S.T., Klein, G., Litman, J.: Measures for explainable ai: Explanation goodness, user satisfaction, mental models, curiosity, trust, and human-ai performance. *Frontiers in Computer Science* **5**, 1096257 (2023)
7. Jian, J.Y., Bisantz, A.M., Drury, C.G.: Foundations for an empirically determined scale of trust in automated systems. *International journal of cognitive ergonomics* **4**(1), 53–71 (2000)
8. Kim, D.H.: Explainable human error prediction for autonomous vessels: combining human factors analysis and classification system with machine learning. *WMU Journal of Maritime Affairs* pp. 1–29 (2026)
9. Kim, J.M., Park, H.R.: Application of a dynamic positioning system to a maritime autonomous surface ship (mass). *Journal of Navigation and Port Research* **46**(5), 435–440 (2022)
10. Li, X., Yuen, K.F.: A human-centred review on maritime autonomous surfaces ships: impacts, responses, and future directions. *Transport Reviews* **44**(4), 791–810 (2024)
11. Liao, Q.V., Gruen, D., Miller, S.: Questioning the ai: informing design practices for explainable ai user experiences. In: *Proceedings of the 2020 CHI conference on human factors in computing systems*. pp. 1–15 (2020)
12. Liao, Q.V., Varshney, K.R.: Human-centered explainable ai (xai): From algorithms to user experiences. *arXiv preprint arXiv:2110.10790* (2022)
13. Longo, L., Brcic, M., Cabitza, F., Choi, J., Confalonieri, R., Del Ser, J., Guidotti, R., Hayashi, Y., Herrera, F., Holzinger, A., et al.: Explainable artificial intelligence (xai) 2.0: A manifesto of open challenges and interdisciplinary research directions. *Information Fusion* **106**, 102301 (2024)
14. Lyu, H., Ma, X., Tan, G., Yin, Y., Sun, X., Zhang, L., Kang, X., Song, J.: Identification of complex multi-vessel encounter scenarios and collision avoidance decision modeling for masss. *Journal of Marine Science and Engineering* **12**(8), 1289 (2024)

15. Mallam, S.: Operationalising automation transparency for maritime collision avoidance. *TransNav: International Journal on Marine Navigation and Safety of Sea Transportation* **17**(2), 333–339 (2023)
16. Mayer, R.: An integrative model of organizational trust. *Academy of Management Review* (1995)
17. van de Merwe, K., Mallam, S., Engelhardtzen, Ø., Nazir, S.: Towards an approach to define transparency requirements for maritime collision avoidance. In: *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*. vol. 67, pp. 483–488. SAGE Publications Sage CA: Los Angeles, CA (2023)
18. van de Merwe, K., Mallam, S., Nazir, S., Engelhardtzen, Ø.: The influence of agent transparency and complexity on situation awareness, mental workload, and task performance. *Journal of Cognitive Engineering and Decision Making* **18**(2), 156–184 (2024)
19. van de Merwe, K., Mallam, S., Nazir, S., Engelhardtzen, Ø.: Navigators' perspective on information requirements for supervisory control of autonomous ships. In: *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*. vol. 68, pp. 416–422. SAGE Publications Sage CA: Los Angeles, CA (2024)
20. van de Merwe, K., Veitch, E.: Human oversight in ship autonomy. In: *Human Factors in Remote Ship Operations*, pp. 54–81. Routledge (2026)
21. Murray, B., Rødseth, O., Nordahl, H., Wennersberg, L.A.L., Pobitzer, A., Foss, H.: Approvable ai for autonomous ships: Challenges and possible solutions. In: *Proceedings of the 32nd European Safety and Reliability Conference (ESREL 2022)*. pp. 1975–1982 (2022)
22. Östman, A., Franke, U., Svenson, P.: Explaining anomalies at sea: An exploratory study on textual explanations and human performance in maritime surveillance. In: *30th International Command and Control Research and Technology Symposium (ICCRTS) at the Swedish Defence University*, November 3–6, 2025, Stockholm, Sweden (2025)
23. Ranjan, R., Kulkarni, K., Musharraf, M.: Potential of explanations in enhancing trust—what can we learn from autonomous vehicles to foster the development of trustworthy autonomous vessels? *Ocean Engineering* **325**, 120753 (2025)
24. Sánchez-Beaskoetxea, J., Basterretxea-Iribar, I., Sotés, I., Machado, M.: Human error in marine accidents: Is the crew normally to blame? *maritime transport research*, 2, 100016 (2021)
25. Seeber, I., Bittner, E., Briggs, R.O., De Vreede, T., De Vreede, G.J., Elkins, A., Maier, R., Merz, A.B., Oeste-Reiß, S., Randrup, N., et al.: Machines as teammates: A research agenda on ai in team collaboration. *Information & management* **57**(2), 103174 (2020)
26. Van De Merwe, K., Vasanthan, C., Glomsrud, J.A.: The human factor in testing autonomous collision avoidance systems. In: *Journal of Physics: Conference Series*. vol. 3123, p. 012007. IOP Publishing (2025)
27. Vasanthan, C., van de Merwe, K., Pedersen, T.A., Glomsrud, J.A.: The challenges of building trust in autonomous navigation systems: A perspective on the tester. In: *Proceedings of the 35th European Safety and Reliability & the 33rd Society for Risk Analysis Europe Conference*. Stavanger, Norway: Research Publishing, Singapore (2025)
28. Veitch, E., Alsos, O.A.: A systematic review of human-ai interaction in autonomous ship systems. *Safety science* **152**, 105778 (2022)
29. Veitch, E., Dybvik, H., Steinert, M., Alsos, O.A.: Collaborative work with highly automated marine navigation systems. *Computer Supported Cooperative Work (CSCW)* **33**(1), 7–38 (2024)

30. Wilson, M.L., Huggins-Manley, A.C., Ritzhaupt, A.D., Ruggles, K.: Development of the abbreviated technology anxiety scale (atas). *Behavior Research Methods* **55**(1), 185–199 (2023)
31. Yoshioka, H., Hashimoto, H.: Explainable ai for ship collision avoidance: Decoding decision-making processes and behavioral intentions. *Applied Ocean Research* **156**, 104471 (2025)
32. Zhang, X., Wang, C., Jiang, L., An, L., Yang, R.: Collision-avoidance navigation systems for maritime autonomous surface ships: A state of the art survey. *Ocean Engineering* **235**, 109380 (2021)