

# Ethereal URP – Volumetric Lighting, Atmosphere and Fog


**Ethereal is a system to apply volumetric lightning and fog effects in the Universal Pipeline (URP) in Unity.** For help with using the system and using it with [Sky Master ULTIMATE](#) Weather suit, please visit [ARTnGAME Discord channel](#) and the [Ethereal Forum](#) thread.

The system works in URP 7.4.3 and above and supports URP11.


**The system can also be upgraded to [Sky Master ULTIMATE](#) Suit for \$5**, which allows access to the full URP weather suit, that includes Ethereal, plus various types of volumetric clouds and integration of Ethereal volumes with the included in the suit water system, water reflections and cloud volumes. The store version of Ethereal can be used for access to the Forest demo scenes and assets and the URP bonus foliage shader that are not included in the Sky Master ULTIMATE URP Suit.

**In order to setup the system, a URP forward renderer must be setup with the volume fog renderer feature.** A ready-made URP pipeline and Forward Renderer are supplied with the asset for direct use.


If there is an existing pipeline and Forward Renderer, then the renderer feature can be manually added as detailed below




Forward renderer applied to the pipeline




Volumetric Fog renderer feature applied to the Forward Renderer. Here we also apply the Temporal AA and Motion Blur bonus modules.



The pipeline using the renderer must be inserted in the Rendering slot as shown above




The pipeline using the renderer must also be inserted in the Graphics slot as shown above




The camera must have the relevant renderer with the Volume Fog render feature selected in the Rendering section as shown above



In order to control and use the fog and volumetric lighting effects, a script must be inserted in the camera, named “ConnectSunToVolumeFogURP”.




After the script has been inserted in the main camera, the directional light representing the sun in the scene must be dragged from the Hierarchy into the “Sun” slot in the script to finalize the initial setup.



# Parameters

Following are listed all the parameters of the system, for usage reference.



## Volumetric Lighting Settings

**Blend Volume Lighting:** This variable enables the volumetric lighting system for all lights, the volumes intensity are weighted by the number in the variable, so to disable the effect set to zero and to enable the effect set above zero. If set to zero only the volumetric fog effect will be active.

**Light Ray Samples:** The sampling of the volumes, the bigger the number the less noisy the volumes will appear, but the performance will take a bigger hit as the number goes higher. A number between 5 and 9 is recommended.

**Steps and Light Noise control:** Those values are experimental in this first version, the values will affect the steps used in the effect in different ways. Is advised to keep the defaults and play with them to see if can get some more interesting result.

**v1.1.2 - Added New system for volumetric wind with parametric noise.** ([Example Video](#)).

The wind effect is controlled by the **Steps control W parameter (wind strength)** and **Light Noise Z (wind Frequency)** and **W (wind speed)**.


**v1.1.3 – Added a system to control which lights are activated in various ways, by intensity and color.** This feature is a first experimental version and will be extended further in future versions.

Intensity based control. The lights can be separated between local lights and directional light by using the Light Control A, X and Y variables. X is the directional light power and Y the local lights power. Set for example Y=0 in order to leave only directional light volume in the scene. ([Sample Video](#)). The Light Control A, Z and W parameters and Light Control B, X-Y-Z-W control each individual local light intensity and can be used as an offset to the intensity dictated by the original scene light, in case a different amount of fog intensity is needed for same actual light intensity in the scene.



The “Control by color” checkbox enables the system to insert volume for a single chosen light in the scene, the light should be referenced in the LightA slot. **The Light B slot is not yet used**, the system will be expanded later to allow a 2ond light defined for volumetric fog ([Sample video](#)) with this control system.


**Note that in order to enable the system for the chosen light, the light must have a specific property in its color, one of its R, G or B color variables must be set to 128**, so the shader can discriminate the light from others in the scene internally. An example is given in the photo below. Any of the R, G or B can be used for that purpose, the rest of the colors can be set arbitrarily.





**v1.1.4 – Added a fake volumes light array system** to enable addition of many volume lights on scene with small impact on performance when lights can be shadowless and faraway of the camera or shadows are not needed. The lights are occluded as normal lights by scene objects.

The “Lights Array” can be filled with up to 32 Point or Spot lights, if set to zero the system is disabled. The lights must also be set to inactive to be used as faked volumes.



The “Range” factor in the light dictates how wide the spot light cone will be where lower makes for a wider cone and how far a point light radius will reach, where smaller range number reaches further distances. The light power is dictated by the “Intensity” factor for both spot and point lights.


**v1.1.4 – Added new Screen Space sun shafts module**, the system casts a volume from sun light, that can be used together with the volume fog and lighting or stand alone for the cheapest sun light volume effect when this is required.



Use the “Enable Sun Shafts” checkbox to enable the module, choose “Screen” or “Add” blend modes for more intensity of the effect. The blur iterations dictate how many steps are used to blur the effect from the sun light towards the screen. The sun light power is chosen in “Sun Shafts Intensity” and the light of the beams is regulated using the “Max radius” and “Sun Shafts Blur radius” variables.

The “Use Depth texture” check box can be used only when a Depth texture is enabled in the Main camera and regulates the effect occlusion based on the depth buffer data.

The effect can be used as standalone, to together with the volumetric fog when enabled using the “Enable Fog” checkbox.






## Volumetric Fog Settings

**Enable Fog:** This checkbox enables the overall fog and volume lighting effects, disable it for a removal of all fog and light volumes from the scene.

**Local Light A:** The system allows for a single light to colorize the surrounding area of its central point using its color and the Local light intensity and Radius variables, an example is shown below.



**Fog Color:** The fog color gives a general tint to the overall volumetric effect.

**Noise texture:** Noise Texture used for the 2D noise functionality.

**Start distance:** Dictates where the fog starts in relation to the camera, increase this number to push the fog further back and make the near camera space clearer.

**For Height:** Dictates the height of the fog, use a high height and low density to get a light fog effect.

**Fog Density:** Dictates the density of the fog, use a very small number at first and increase as desired.

## Fog Noise Parameters

**Height Density:** Dictates the height of the noise effect on fog.

**Noise density:** Dictates the density of the fog effect.

**Noise scale:** Dictates the scaling of the fog effect.

**Noise thickness:** Dictates the thickness of the fog effect.


**Noise Speed:** The velocity of the noise motion, use to emulate wind pushing the dust particles to a direction defined by the x,y,z vector.

**Noise 3D:** This chooses between the 3D noise (1) or 2D noise (0), it is advised to use the 3D.

## Fog Occlusion Parameters

**Occlusion Drop:** Dictates the power of occlusion when fog meets a scene object.

**Occlusion Exponent:** Dictates the falloff of occlusion when fog meets a scene object.



## Atmospheric Scattering Parameters

**Luminance and Lum Factor:** Dictates the luminance power and falloff of the fog effect.

**Scatter factor:** Adjust light scattering in atmosphere

**Turbidity factor:** Adjust light power in atmosphere


**Horizontal factor:** Adjust horizon spread of light in atmosphere

**Rayleigh & Mie coefficient:** Adjust light scattering physical variables

**Mie directional G:** Adjust concentration of light around sun, increase towards one to decrease light spread.

**Bias and contrast:** Adjust brightness and contrast of the effect

**Tint Colors:** Tint the effect using coloration factors



## Sky blending Parameters

**Fog Sky:** Dictates whether the sky will receive fog

**Clear Sky Factor:** Regulates the percentage the sky receives fog




# Universal Pipeline versions

The system includes a few scenes specific to URP11 that supports Point Light shadows.

Note that the scenes may appear too bright in URP versions below 11.

An example of the scene in URP 7.4.3 and in URP11

## URP 7.4.3



## URP 11.0




# Setup of Volume Effects

The system includes two bonus modules, a Temporal AA module and a Motion Blur module, those are both experimental modules that can help reduce the noise artifacts if sampling is set lower.

In the following photo the setup of the two modules is shown, both are used as a feature to be added in the volume system of URP, in a volume in the scene.

The Temporal AA is a work in progress system, which may produce few artifacts in some configurations, thus make sure to use the low quality mode as this reduces any artifacts in this first version.




# About Supported Volumetric Lights

The system supports volumetric lighting from all Unity lights, directional, spot and point lights. For volume shadows on Point lights, URP11 and above is required.

The asset can support one Directional light and 3 local lights of any type (spot or point). The lights must be pre-defined and activated in the scene on game start and cannot be disabled, as this would affect the look of the remaining lights. Can be removed from the scene by placing them very far away from the player. The 3 lights limitation is to be expanded in next versions, though for performance reasons is advised to not use more than 4 total volume lights in the scene.

**Version 1.1.1:** The system as of v1.1.1 supports 6 local lights and has new performance optimizations to support the increased lights number. The light count can now be set in the script using the relevant slider.





## Demos and folder structure:

The main demos are included in the "ARTnGAME -> Ethereal Volumetric Lighting" root. The GI Proxy folder contains the assets for the Atrium demo and the "BOOK\_OF\_DEAD\_ASSETS" folder inside "ARTnGAME -> Ethereal Volumetric Lighting", contains the Forest demo assets. The "FOREST SHADERS" folder contains the bonus foliage shader for URP, with Sub Surface Scattering and Wind.

The system is based on the Volumetric Fog SRP asset, thus the scripts are included in the "VolumeFogSRP" folder and demos for the fog without the volumetric lighting are included in the same folder.

The "URP Custom Renderer" folder contains the sample URP pipeline and forward renderer setup for direct use or reference if another URP pipeline asset is to be used.

## How to enable URP10 and URP11 for the Volumetric Lighting and Fog.

The URP pipeline changes constantly, thus to use in URP10 or URP11, please make the following fix in the shader file "VolumeFogSRP\_FORWARD\_URP.shader".

**ISSUE:** Volumetric lighting is not casting shadows from Spot Light in URP 10 and no shadows in URP11.

**FIX:** In shader "VolumeFogSRP\_FORWARD\_URP.shader", uncomment the following line

Line 57 - Uncomment to make compatible with URP10

```
//#define URP10 //////////// ENABLE IF USING URP 10
```

The line should become

```
#define URP10
```

**For URP11, uncomment the relevant #define URP11 and comment the #define URP10.**