OWASP TOP 10 2017

Compliance Report

20 August 2020

Description

The primary aim of the OWASP Top 10 is to educate developers, designers, architects, managers, and organizations about the consequences of the most important web application security weaknesses. The Top 10 provides basic techniques to protect against these high risk problem areas - and also provides guidance on where to go from here.

Disclaimer

This document or any of its content cannot account for, or be included in any form of legal advice. The outcome of a vulnerability scan (or security evaluation) should be utilized to ensure that diligent measures are taken to lower the risk of potential exploits carried out to compromise data.

Legal advice must be supplied according to its legal context. All laws and the environments in which they are applied, are constantly changed and revised. Therefore no information provided in this document may ever be used as an alternative to a qualified legal body or representative.

A portion of this report is taken from OWASP's Top Ten 2017 Project document, that can be found at http://www.owasp.org.

Scan

URL	10.20.30.100
Scan date	18/08/2020, 06:31:56
Duration	16 minutes, 7 seconds
Profile	Full Scan

Compliance at a Glance

This section of the report is a summary and lists the number of alerts found according to individual compliance categories.

- Injection(A1)
Total number of alerts in this category: 23

- Broken Authentication(A2)
Total number of alerts in this category: 2

- Sensitive Data Exposure(A3)
Total number of alerts in this category: 66

- XML External Entity (XXE)(A4)
No alerts in this category

- Broken Access Control(A5)
Total number of alerts in this category: 3

- Security Misconfiguration(A6)
Total number of alerts in this category: 13

- Cross Site Scripting (XSS)(A7)
Total number of alerts in this category: 2

- Insecure Deserialization(A8)
No alerts in this category

- Using Components with Known Vulnerabilities(A9)
Total number of alerts in this category: 13

- Insufficient Logging and Monitoring(A10)
No alerts in this category

Compliance According to Categories: A Detailed Report

This section is a detailed report that explains each vulnerability found according to individual compliance categories.

(A1)Injection

Injection flaws, such as SQL, NoSQL, OS, and LDAP injection, occur when untrusted data is sent an interpreter as part of a command or query. The attacker's hostile data can trick the interpreter into executing unintended commands or accessing data without proper authorization.

Total number of alerts in this category: 23

Alerts in this category

SQL injection (verified)

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/index.php/login/judgelogin**
Affected parameter	username
Variants	'and(select 1 from(select count(*),concat((select concat(CHAR(52),CHAR(67),CHAR(117),CHAR(70),CHAR(65),CHAR(90),CHAR(116),CHAR(67),CHAR(90),CHAR(116),CHAR(77)) from information_schema.tables limit 0,1),floor(rand(0)*2))x from information_schema.tables group by x)a)and'

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/led.php/file/add/**
Affected parameter	Accept-Language
Variants	1'"

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Affected item	**/led.php/file/add/**
Affected parameter	Client-IP
Variants	1'''

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/led.php/file/add/**
Affected parameter	Origin
Variants	1'''

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/led.php/file/add/**
Affected parameter	User-Agent
Variants	\

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Affected item	**/led.php/file/add/**
Affected parameter	username
Variants	1'"

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/led.php/file/add/**
Affected parameter	Via
Variants	1'"

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/led.php/file/add/**
Affected parameter	X-Forwarded-For
Variants	1'"

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Affected item	**/led.php/file/add/**
Affected parameter	X-Forwarded-Host
Variants	1'"

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/led.php/file/preview/134**
Affected parameter	r
Variants	1'"

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/led.php/file/preview/175**
Affected parameter	r
Variants	1'"

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Affected item	**/led.php/play/app/undefined**
Affected parameter	r
Variants	Jyl=

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/light.php/home/mapcontent**
Affected parameter	Origin
Variants	¿'¿"

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/light.php/home/mapcontent**
Affected parameter	Referer
Variants	1'"

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Affected item	**/light.php/home/mapcontent**
Affected parameter	Via
Variants	1'"

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/light.php/user**
Affected parameter	Client-IP
Variants	1$_{NUL}$À§À¢%2527%2522

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/light.php/user**
Affected parameter	Origin
Variants	1'"

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Affected item	**/light.php/warning**
Affected parameter	Client-IP
Variants	\

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/light.php/warning**
Affected parameter	Origin
Variants	1'"

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/light.php/warning/all**
Affected parameter	username
Variants	1'"

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Affected item	**/light.php/warning/all**
Affected parameter	Via
Variants	\

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/light.php/warning/all**
Affected parameter	X-Forwarded-For
Variants	1'"

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Affected item	**/light.php/warning/all**
Affected parameter	X-Forwarded-Host
Variants	1'"

(A2)Broken Authentication

Application functions related to authentication and session management are often implemented incorrectly, allowing attackers to compromise passwords, keys, or session tokens, or to exploit other implementation flaws to assume other users' identities.

Total number of alerts in this category: 2

Alerts in this category

Session fixation

Manual confirmation is required for this alert.

Session Fixation is an attack that permits an attacker to hijack a valid user session. The attack explores a limitation in the way the web application manages the session ID, more specifically the vulnerable web application. When authenticating a user, it doesn't assign a new session ID, making it possible to use an existent session ID. The attack consists of inducing a user to authenticate himself with a known session ID, and then hijacking the user-validated session by the knowledge of the used session ID. The attacker has to provide a legitimate Web application session ID and try to make the victim's browser use it.

CVSS2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 8.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-384
Affected item	**/cover.php/cover**
Affected parameter	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	**/index.php/login/judgelogin**
Affected parameter	

(A3)Sensitive Data Exposure

Many web applications and APIs do not properly protect sensitive data, such as financial, healthcare and PII. Attackers may steal or modify such weakly protected data to conduct credit card fraud, identity theft, or other crimes. Sensitive data may be compromised without extra protection, such as encryption at rest or in transit, and requires pecial precautions when exchanged with the browser.

Total number of alerts in this category: 66

Alerts in this category

Application error message

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/index.php/login/judgelogin**
Affected parameter	username
Variants	12345'"\\");|]*%00{%0d%0a<%00>%bf%27'ð☐☐¡

Application error message

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/light.php/warning/all**
Affected parameter	Accept-Language
Variants	12345'"\\");|]*%00{%0d%0a<%00>%bf%27'ð☐☐¡

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/camera.php/home/edit/**
Affected parameter	

Host header attack

In many cases, developers are trusting the HTTP Host header value and using it to generate links, import scripts and even generate password resets links with its value. This is a very bad idea, because the HTTP Host header can be controlled by an attacker. This can be exploited using web-cache poisoning and by abusing alternative channels like password reset emails.

CVSS2	Base Score: 2.6 Access Vector: Local_access Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Unproven Remediation Level: Workaround Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-20
Affected item	**/index.php/login**
Affected parameter	

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	**Web Server**
Affected parameter	

Cookie(s) without HttpOnly flag set

This cookie does not have the HttpOnly flag set. When a cookie is set with the HttpOnly flag, it instructs the browser that the cookie can only be accessed by the server and not by client-side scripts. This is an important security protection for session cookies.

CVSS2	Base Score: 0.0
	Access Vector: Network_accessible
	Access Complexity: Low
	Authentication: None
	Confidentiality Impact: None
	Integrity Impact: None
	Availability Impact: None
	Exploitability: Not_defined
	Remediation Level: Not_defined
	Report Confidence: Not_defined
	Availability Requirement: Not_defined
	Collateral Damage Potential: Not_defined
	Confidentiality Requirement: Not_defined
	Integrity Requirement: Not_defined
	Target Distribution: Not_defined
CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

Cookie(s) without Secure flag set

This cookie does not have the Secure flag set. When a cookie is set with the Secure flag, it instructs the browser that the cookie can only be accessed over secure SSL/TLS channels. This is an important security protection for session cookies.

CVSS2	Base Score: 0.0
	Access Vector: Network_accessible
	Access Complexity: Low
	Authentication: None
	Confidentiality Impact: None
	Integrity Impact: None
	Availability Impact: None
	Exploitability: Not_defined
	Remediation Level: Not_defined
	Report Confidence: Not_defined
	Availability Requirement: Not_defined
	Collateral Damage Potential: Not_defined
	Confidentiality Requirement: Not_defined
	Integrity Requirement: Not_defined
	Target Distribution: Not_defined
CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	**/index.php/login/judgelogin**
Affected parameter	

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200

Affected item	**/config**
Affected parameter	

A possible sensitive directory has been found. This directory is not directly linked from the website. This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/config**
Affected parameter	

A possible sensitive file has been found. This file is not directly linked from the website. This check looks for common sensitive resources like password files, configuration files, log files, include files, statistics data, database dumps. Each one of these files could help an attacker to learn more about his target.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/log.txt**
Affected parameter	

TRACE method is enabled

HTTP TRACE method is enabled on this web server. In the presence of other cross-domain vulnerabilities in web browsers, sensitive header information could be read from any domains that support the HTTP TRACE method.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

Content Security Policy (CSP) not implemented

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks.

Content Security Policy (CSP) can be implemented by adding a **Content-Security-Policy** header. The value of this header is a string containing the policy directives describing your Content Security Policy. To implement CSP, you should define lists of allowed origins for the all of the types of resources that your site utilizes. For example, if you have a simple site that needs to load scripts, stylesheets, and images hosted locally, as well as from the jQuery library from their CDN, the CSP header could look like the following:

```
Content-Security-Policy:

    default-src 'self';

    script-src 'self' https://code.jquery.com;
```

It was detected that your web application doesn't implement Content Security Policy (CSP) as the CSP header is missing from the response. It's recommended to implement Content Security Policy (CSP) into your web application.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved.Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**Web Server**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**Web Server**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/audio.php**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/audio.php/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/audio.php/home/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/cable.php**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/cable.php/**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/cable.php/home/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/cable.php/offical/**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/cable.php/warning/**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/camera.php**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/charge.php**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/charge.php/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/charge.php/home/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/config**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/cover.php**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/cover.php/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/cover.php/cover**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/feel.php/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/feel.php/home/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/feel.php/home/map**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/index.php**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/index.php/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/index.php/home**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/index.php/login**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/index.php/login/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/led.php**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/led.php/file/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/led.php/file/add/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/led.php/file/add/134/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/led.php/file/add/138/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/led.php/file/del/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/led.php/file/del/134**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/led.php/file/preview/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/led.php/led/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/led.php/led/cat/**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/led.php/play/**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/led.php/play/app/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/light.php**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/light.php/warning/**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/log.txt**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/onealarm.php**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/onealarm.php/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/onealarm.php/home/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/onealarm.php/home/edit/**
Affected parameter	

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/onealarm.php/home/update_alarmmap**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/stop.php**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None

CWE	CWE-200
Affected item	**/wifi.php**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/wifi.php/**
Affected parameter	

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Affected item	**/wifi.php/home/**
Affected parameter	

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16

Affected item	**/audio.php**
Affected parameter	

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**/charge.php**
Affected parameter	

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**/wifi.php**
Affected parameter	

(A4)XML External Entity (XXE)

Many older or poorly configured XML processors evaluate external entity references within XML documents. External entities can be used to disclose internal files using the file URI handler, internal file shares, internal port scanning, remote code execution, and denial of service attacks.

No alerts in this category.

(A5)Broken Access Control

Restrictions on what authenticated users are allowed to do are often not properly enforced. Attackers can exploit these flaws to access unauthorized functionality and/or data, such as access other users' accounts, view sensitive files, modify other users' data, change access rights, etc.

Total number of alerts in this category: 3

Alerts in this category

Host header attack

In many cases, developers are trusting the HTTP Host header value and using it to generate links, import scripts and even generate password resets links with its value. This is a very bad idea, because the HTTP Host header can be controlled by an attacker. This can be exploited using web-cache poisoning and by abusing alternative channels like password reset emails.

CVSS2	Base Score: 2.6 Access Vector: Local_access Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Unproven Remediation Level: Workaround Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-20
Affected item	**/index.php/login**
Affected parameter	

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Affected item	**Web Server**
Affected parameter	

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	**/index.php/login/judgelogin**
Affected parameter	

(A6)Security Misconfiguration

Security misconfiguration is the most commonly seen issue. This is commonly a result of insecure default configurations, incomplete or ad hoc configurations, open cloud storage, misconfigured HTTP headers, and verbose error messages containing sensitive information. Not only must all operating systems, frameworks, libraries, and applications be securly configured, but they must be patched and upgraded in a timely fashion.

Total number of alerts in this category: 13

Alerts in this category

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Affected item	**/assets/audio/js/jquery.js**
Affected parameter	

Vulnerable Javascript library

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16

Affected item	**/assets/audio/js/jquery1x.js**
Affected parameter	

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Affected item	**/assets/js/jquery.js**
Affected parameter	

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Affected item	**/assets/js/jquery1x.js**
Affected parameter	

Vulnerable Javascript library

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Affected item	**/assets/led/js/jquery-ui-1.12/external/jquery/jquery.js**
Affected parameter	

Cookie(s) without HttpOnly flag set

This cookie does not have the HttpOnly flag set. When a cookie is set with the HttpOnly flag, it instructs the browser that the cookie can only be accessed by the server and not by client-side scripts. This is an important security protection for session cookies.

CVSS2	Base Score: 0.0
	Access Vector: Network_accessible
	Access Complexity: Low
	Authentication: None
	Confidentiality Impact: None
	Integrity Impact: None
	Availability Impact: None
	Exploitability: Not_defined
	Remediation Level: Not_defined
	Report Confidence: Not_defined
	Availability Requirement: Not_defined
	Collateral Damage Potential: Not_defined
	Confidentiality Requirement: Not_defined
	Integrity Requirement: Not_defined
	Target Distribution: Not_defined
CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

Cookie(s) without Secure flag set

This cookie does not have the Secure flag set. When a cookie is set with the Secure flag, it instructs the browser that the cookie can only be accessed over secure SSL/TLS channels. This is an important security protection for session cookies.

CVSS2	Base Score: 0.0
	Access Vector: Network_accessible
	Access Complexity: Low
	Authentication: None
	Confidentiality Impact: None
	Integrity Impact: None
	Availability Impact: None
	Exploitability: Not_defined
	Remediation Level: Not_defined
	Report Confidence: Not_defined
	Availability Requirement: Not_defined
	Collateral Damage Potential: Not_defined
	Confidentiality Requirement: Not_defined
	Integrity Requirement: Not_defined
	Target Distribution: Not_defined
CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	**/index.php/login/judgelogin**
Affected parameter	

TRACE method is enabled

HTTP TRACE method is enabled on this web server. In the presence of other cross-domain vulnerabilities in web browsers, sensitive header information could be read from any domains that support the HTTP TRACE method.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

Content Security Policy (CSP) not implemented

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks.

Content Security Policy (CSP) can be implemented by adding a **Content-Security-Policy** header. The value of this header

is a string containing the policy directives describing your Content Security Policy. To implement CSP, you should define lists of allowed origins for the all of the types of resources that your site utilizes. For example, if you have a simple site that needs to load scripts, stylesheets, and images hosted locally, as well as from the jQuery library from their CDN, the CSP header could look like the following:

```
Content-Security-Policy:

    default-src 'self';

    script-src 'self' https://code.jquery.com;
```

It was detected that your web application doesn't implement Content Security Policy (CSP) as the CSP header is missing from the response. It's recommended to implement Content Security Policy (CSP) into your web application.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**/audio.php**
Affected parameter	

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**/charge.php**
Affected parameter	

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**/wifi.php**
Affected parameter	

(A7)Cross Site Scripting (XSS)

XSS flaws occur whenever an application includes untrusted data in a new web page without proper validation or escaping, or updates an existing web page with user-supplied data using a browser API that can create HTML or JavaScript. XSS allows attackers to execute scripts in the victim's browser which can hijack user sessions, deface web sites, or redirect the user to malicious sites.

Total number of alerts in this category: 2

Alerts in this category

Cross site scripting (verified)

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	**/index.php/login/judgelogin**
Affected parameter	Referer
Variants	https://www.google.com/search?hl=en&q=testing'"()&%<acx><ScRiPt >0kYu(9208)</ScRiPt>

Cross site scripting (verified)

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Affected item	**/index.php/login/judgelogin**
Affected parameter	username
Variants	JCfUZQsq'"()&%<acx><ScRiPt >ucGT(9077)</ScRiPt>

(A8)Insecure Deserialization

Insecure deserialization often leads to remote code execution. Even if deserialization flaws do not result in remote code execution, they can be used to perform attacks, including replay attacks, injection attacks, and privilege escalation attacks.

No alerts in this category.

(A9)Using Components with Known Vulnerabilities

Components, such as libraries, frameworks, and other software modules, almost always run with full privileges. If a vulnerable component is exploited, such an attack can facilitate serious data loss or server takeover. Applications using components with known vulnerabilities may undermine application defenses and enable a range of possible attacks and impacts.

Total number of alerts in this category: 13

Alerts in this category

Vulnerable Javascript library

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Affected item	**/assets/audio/js/jquery.js**
Affected parameter	

Vulnerable Javascript library

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Affected item	**/assets/audio/js/jquery1x.js**
Affected parameter	

Vulnerable Javascript library

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

	Base Score: 6.4
	Access Vector: Network_accessible
	Access Complexity: Low
	Authentication: None
	Confidentiality Impact: Partial
	Integrity Impact: Partial
	Availability Impact: None
CVSS2	Exploitability: Not_defined
	Remediation Level: Not_defined
	Report Confidence: Not_defined
	Availability Requirement: Not_defined
	Collateral Damage Potential: Not_defined
	Confidentiality Requirement: Not_defined
	Integrity Requirement: Not_defined
	Target Distribution: Not_defined
	Base Score: 6.5
	Attack Vector: Network
	Attack Complexity: Low
	Privileges Required: None
CVSS3	User Interaction: None
	Scope: Unchanged
	Confidentiality Impact: Low
	Integrity Impact: Low
	Availability Impact: None
CWE	CWE-16
Affected item	**/assets/js/jquery.js**
Affected parameter	

Vulnerable Javascript library

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

	Base Score: 6.4
	Access Vector: Network_accessible
	Access Complexity: Low
	Authentication: None
	Confidentiality Impact: Partial
	Integrity Impact: Partial
	Availability Impact: None
CVSS2	Exploitability: Not_defined
	Remediation Level: Not_defined
	Report Confidence: Not_defined
	Availability Requirement: Not_defined
	Collateral Damage Potential: Not_defined
	Confidentiality Requirement: Not_defined
	Integrity Requirement: Not_defined
	Target Distribution: Not_defined
	Base Score: 6.5
	Attack Vector: Network
	Attack Complexity: Low
	Privileges Required: None
CVSS3	User Interaction: None
	Scope: Unchanged
	Confidentiality Impact: Low
	Integrity Impact: Low
	Availability Impact: None
CWE	CWE-16

Affected item	**/assets/js/jquery1x.js**
Affected parameter	

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Affected item	**/assets/led/js/jquery-ui-1.12/external/jquery/jquery.js**
Affected parameter	

This cookie does not have the HttpOnly flag set. When a cookie is set with the HttpOnly flag, it instructs the browser that the cookie can only be accessed by the server and not by client-side scripts. This is an important security protection for session cookies.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

This cookie does not have the Secure flag set. When a cookie is set with the Secure flag, it instructs the browser that the cookie can only be accessed over secure SSL/TLS channels. This is an important security protection for session cookies.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Affected item	**/index.php/login/judgelogin**
Affected parameter	

TRACE method is enabled

HTTP TRACE method is enabled on this web server. In the presence of other cross-domain vulnerabilities in web browsers, sensitive header information could be read from any domains that support the HTTP TRACE method.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

Content Security Policy (CSP) not implemented

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks.

Content Security Policy (CSP) can be implemented by adding a **Content-Security-Policy** header. The value of this header is a string containing the policy directives describing your Content Security Policy. To implement CSP, you should define lists of allowed origins for the all of the types of resources that your site utilizes. For example, if you have a simple site that needs to load scripts, stylesheets, and images hosted locally, as well as from the jQuery library from their CDN, the CSP header could look like the following:

```
Content-Security-Policy:

    default-src 'self';

    script-src 'self' https://code.jquery.com;
```

It was detected that your web application doesn't implement Content Security Policy (CSP) as the CSP header is missing from the response. It's recommended to implement Content Security Policy (CSP) into your web application.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**Web Server**
Affected parameter	

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**/audio.php**
Affected parameter	

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**/charge.php**
Affected parameter	

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Affected item	**/wifi.php**
Affected parameter	

(A10)Insufficient Logging and Monitoring

Insufficient logging and monitoring, coupled with missing or ineffective integration with incident response, allows attackers to further attack systesm, maintain persistence, pivot to more systems, and tamper, extract, or destroy data. Most breach studies show time to detect a breach is over 200 days, typically detected by external parties rathre than inernal processes or monitoring.

No alerts in this category.

Affected Items: A Detailed Report

This section provides full details of the types of vulnerabilities found according to individual affected items.

/index.php/login/judgelogin

Cross site scripting (verified)

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

Cross site scripting (verified)

Cross-site Scripting (XSS) refers to client-side code injection attack wherein an attacker can execute malicious scripts into a legitimate website or web application. XSS occurs when a web application makes use of unvalidated or unencoded user input within the output it generates.

This alert belongs to the following categories: A7

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-79
Parameter	Variations

/cover.php/cover

Session fixation

Manual confirmation is required for this alert.

Session Fixation is an attack that permits an attacker to hijack a valid user session. The attack explores a limitation in the way the web application manages the session ID, more specifically the vulnerable web application. When authenticating a user, it doesn't assign a new session ID, making it possible to use an existent session ID. The attack consists of inducing a user to authenticate himself with a known session ID, and then hijacking the user-validated session by the knowledge of the used session ID. The attacker has to provide a legitimate Web application session ID and try to make the victim's browser use it.

This alert belongs to the following categories: A2

CVSS2	Base Score: 4.3 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 8.1 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: Required Scope: Unchanged Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-384
Parameter	Variations

/index.php/login/judgelogin

SQL injection (verified)

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/led.php/file/add/

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/led.php/file/preview/134

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/led.php/file/preview/175

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None

CWE	CWE-89
Parameter	Variations

/led.php/play/app/undefined

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/light.php/home/mapcontent

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/light.php/user

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Parameter	Variations

/light.php/warning

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

/light.php/warning/all

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None

CWE	CWE-89
Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89
Parameter	Variations

SQL injection

SQL injection (SQLi) refers to an injection attack wherein an attacker can execute malicious SQL statements that control a web application's database server.

This alert belongs to the following categories: A1

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 10.0 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Changed Confidentiality Impact: High Integrity Impact: High Availability Impact: None
CWE	CWE-89

Parameter	Variations

/index.php/login/judgelogin

Application error message

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/light.php/warning/all

Application error message

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/camera.php/home/edit/

Error message on page

This alert requires manual confirmation

Application error or warning messages may expose sensitive information about an application's internal workings to an attacker.

Acunetix found an error or warning message that may disclose sensitive information. The message may also contain the location of the file that produced an unhandled exception. Consult the 'Attack details' section for more information about the affected page.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.php/login

Host header attack

In many cases, developers are trusting the HTTP Host header value and using it to generate links, import scripts and even generate password resets links with its value. This is a very bad idea, because the HTTP Host header can be controlled by an attacker. This can be exploited using web-cache poisoning and by abusing alternative channels like password reset emails.

This alert belongs to the following categories: A3, A5

CVSS2	Base Score: 2.6 Access Vector: Local_access Access Complexity: High Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Unproven Remediation Level: Workaround Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: Low Availability Impact: None
CWE	CWE-20
Parameter	Variations

/assets/audio/js/jquery.js

Vulnerable Javascript library

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Parameter	Variations

/assets/audio/js/jquery1x.js

Vulnerable Javascript library

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

This alert belongs to the following categories: A6, A9

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Parameter	Variations

/assets/js/jquery.js

Vulnerable Javascript library

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

This alert belongs to the following categories: A6, A9

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Parameter	Variations

/assets/js/jquery1x.js

Vulnerable Javascript library

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Parameter	Variations

/assets/led/js/jquery-ui-1.12/external/jquery/jquery.js

Vulnerable Javascript library

You are using a vulnerable Javascript library. One or more vulnerabilities were reported for this version of the Javascript library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

This alert belongs to the following categories: A6, A9

CVSS2	Base Score: 6.4 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 6.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: Low Integrity Impact: Low Availability Impact: None
CWE	CWE-16
Parameter	Variations

Web Server

Clickjacking: X-Frame-Options header missing

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server didn't return an **X-Frame-Options** header which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into other sites.

This alert belongs to the following categories: A3, A5

CVSS2	Base Score: 6.8 Access Vector: Network_accessible Access Complexity: Medium Authentication: None Confidentiality Impact: Partial Integrity Impact: Partial Availability Impact: Partial Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-693
Parameter	Variations

Cookie(s) without HttpOnly flag set

This cookie does not have the HttpOnly flag set. When a cookie is set with the HttpOnly flag, it instructs the browser that the cookie can only be accessed by the server and not by client-side scripts. This is an important security protection for session cookies.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

Cookie(s) without Secure flag set

This cookie does not have the Secure flag set. When a cookie is set with the Secure flag, it instructs the browser that the cookie can only be accessed over secure SSL/TLS channels. This is an important security protection for session cookies.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/index.php/login/judgelogin

Login page password-guessing attack

A common threat web developers face is a password-guessing attack known as a brute force attack. A brute-force attack is an attempt to discover a password by systematically trying every possible combination of letters, numbers, and symbols until you discover the one correct combination that works.

This login page doesn't have any protection against password-guessing attacks (brute force attacks). It's recommended to implement some type of account lockout after a defined number of incorrect password attempts. Consult Web references for more information about fixing this problem.

This alert belongs to the following categories: A2, A3, A5, A6, A9

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 5.3 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: None Integrity Impact: None Availability Impact: Low
CWE	CWE-307
Parameter	Variations

/config

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website.This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

Possible sensitive directories

A possible sensitive directory has been found. This directory is not directly linked from the website.This check looks for common sensitive resources like backup directories, database dumps, administration pages, temporary directories. Each one of these directories could help an attacker to learn more about his target.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/log.txt

Possible sensitive files

A possible sensitive file has been found. This file is not directly linked from the website. This check looks for common sensitive resources like password files, configuration files, log files, include files, statistics data, database dumps. Each one of these files could help an attacker to learn more about his target.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

Web Server

TRACE method is enabled

HTTP TRACE method is enabled on this web server. In the presence of other cross-domain vulnerabilities in web browsers, sensitive header information could be read from any domains that support the HTTP TRACE method.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

Content Security Policy (CSP) not implemented

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks.

Content Security Policy (CSP) can be implemented by adding a **Content-Security-Policy** header. The value of this header is a string containing the policy directives describing your Content Security Policy. To implement CSP, you should define lists of allowed origins for the all of the types of resources that your site utilizes. For example, if you have a simple site that needs to load scripts, stylesheets, and images hosted locally, as well as from the jQuery library from their CDN, the CSP header could look like the following:

```
Content-Security-Policy:

    default-src 'self';

    script-src 'self' https://code.jquery.com;
```

It was detected that your web application doesn't implement Content Security Policy (CSP) as the CSP header is missing from the response. It's recommended to implement Content Security Policy (CSP) into your web application.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

Password type input with auto-complete enabled

When a new name and password is entered in a form and the form is submitted, the browser asks if the password should be saved.Thereafter when the form is displayed, the name and password are filled in automatically or are completed as the name is entered. An attacker with local access could obtain the cleartext password from the browser cache.

This alert belongs to the following categories: A3

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/audio.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/audio.php/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/audio.php/home/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/cable.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/cable.php/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/cable.php/home/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/cable.php/offical/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/cable.php/warning/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/camera.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/charge.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/charge.php/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/charge.php/home/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/config

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/cover.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/cover.php/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/cover.php/cover

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/feel.php/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/feel.php/home/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/feel.php/home/map

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.php/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.php/home

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.php/login

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/index.php/login/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php/file/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php/file/add/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php/file/add/134/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php/file/add/138/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php/file/del/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php/file/del/134

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php/file/preview/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php/led/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php/led/cat/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php/play/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/led.php/play/app/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/light.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/light.php/warning/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/log.txt

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/onealarm.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/onealarm.php/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/onealarm.php/home/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/onealarm.php/home/edit/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/onealarm.php/home/update_alarmmap

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/stop.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/wifi.php

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/wifi.php/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/wifi.php/home/

Possible internal IP address disclosure

A string matching an internal IPv4 address was found on this page. This may disclose information about the IP addressing scheme of the internal network. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

This alert belongs to the following categories: A3

CVSS2	Base Score: 5.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: Partial Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined

CVSS3	Base Score: 7.5 Attack Vector: Network Attack Complexity: Low Privileges Required: None User Interaction: None Scope: Unchanged Confidentiality Impact: High Integrity Impact: None Availability Impact: None
CWE	CWE-200
Parameter	Variations

/audio.php

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/charge.php

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

/wifi.php

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha265, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

This alert belongs to the following categories: A3, A6, A9

CVSS2	Base Score: 0.0 Access Vector: Network_accessible Access Complexity: Low Authentication: None Confidentiality Impact: None Integrity Impact: None Availability Impact: None Exploitability: Not_defined Remediation Level: Not_defined Report Confidence: Not_defined Availability Requirement: Not_defined Collateral Damage Potential: Not_defined Confidentiality Requirement: Not_defined Integrity Requirement: Not_defined Target Distribution: Not_defined
CWE	CWE-16
Parameter	Variations

Scanned items (coverage report)

http://10.20.30.100/
http://10.20.30.100/assets/
http://10.20.30.100/assets/audio/
http://10.20.30.100/assets/audio/css/
http://10.20.30.100/assets/audio/css/ace-fonts.css
http://10.20.30.100/assets/audio/css/ace.css
http://10.20.30.100/assets/audio/css/bootstrap-datetimepicker.css
http://10.20.30.100/assets/audio/css/bootstrap.css
http://10.20.30.100/assets/audio/css/eboy-ui.css
http://10.20.30.100/assets/audio/css/font-awesome.css
http://10.20.30.100/assets/audio/css/images/
http://10.20.30.100/assets/audio/css/img/
http://10.20.30.100/assets/audio/css/jquery-ui.custom.css
http://10.20.30.100/assets/audio/css/jquery.alerts.css
http://10.20.30.100/assets/audio/css/mobiscroll.css
http://10.20.30.100/assets/audio/fonts/
http://10.20.30.100/assets/audio/images/
http://10.20.30.100/assets/audio/img/
http://10.20.30.100/assets/audio/img/ad/
http://10.20.30.100/assets/audio/img/layer/
http://10.20.30.100/assets/audio/img/map-icon/
http://10.20.30.100/assets/audio/img/nav/
http://10.20.30.100/assets/audio/img/weath/
http://10.20.30.100/assets/audio/js/
http://10.20.30.100/assets/audio/js/ace/
http://10.20.30.100/assets/audio/js/ace/ace.ajax-content.js
http://10.20.30.100/assets/audio/js/ace/ace.js
http://10.20.30.100/assets/audio/js/ace/ace.touch-drag.js
http://10.20.30.100/assets/audio/js/ace/elements.scroller.js
http://10.20.30.100/assets/audio/js/baidu/
http://10.20.30.100/assets/audio/js/baidu/canvas.js
http://10.20.30.100/assets/audio/js/baidu/drag.js
http://10.20.30.100/assets/audio/js/baidu/map.js
http://10.20.30.100/assets/audio/js/bootstrap.js
http://10.20.30.100/assets/audio/js/chart/
http://10.20.30.100/assets/audio/js/chart/echarts_3.0.js
http://10.20.30.100/assets/audio/js/chosen.jquery.js
http://10.20.30.100/assets/audio/js/date-time/
http://10.20.30.100/assets/audio/js/date-time/bootstrap-datetimepicker.js
http://10.20.30.100/assets/audio/js/date-time/bootstrap-datetimepicker.zh-CN.js
http://10.20.30.100/assets/audio/js/eboy-ui.js
http://10.20.30.100/assets/audio/js/jquery-ui.custom.js
http://10.20.30.100/assets/audio/js/jquery.alerts.js
http://10.20.30.100/assets/audio/js/jquery.bootstrap-duallistbox.js
http://10.20.30.100/assets/audio/js/jquery.js
http://10.20.30.100/assets/audio/js/jquery.mobile.custom.js
http://10.20.30.100/assets/audio/js/jquery.ui.touch-punch.js
http://10.20.30.100/assets/audio/js/jquery.validate.js
http://10.20.30.100/assets/audio/js/jquery1x.js
http://10.20.30.100/assets/audio/js/mapcontent/
http://10.20.30.100/assets/audio/js/mapcontent/mapcontent.js
http://10.20.30.100/assets/audio/js/mobiscroll.js
http://10.20.30.100/assets/audio/js/recordmp3.js
http://10.20.30.100/assets/audio/js/websocket.js
http://10.20.30.100/assets/cable/
http://10.20.30.100/assets/cable/css/
http://10.20.30.100/assets/cable/css/home-IE8.css
http://10.20.30.100/assets/cable/css/home.css
http://10.20.30.100/assets/cable/css/jquery.mCustomScrollbar.css
http://10.20.30.100/assets/cable/images/
http://10.20.30.100/assets/cable/js/

http://10.20.30.100/assets/cable/js/baidu_cablemap.js
http://10.20.30.100/assets/cable/js/eboy-IE8.js
http://10.20.30.100/assets/cable/js/eboy.js
http://10.20.30.100/assets/cable/static/
http://10.20.30.100/assets/camera/
http://10.20.30.100/assets/camera/css/
http://10.20.30.100/assets/camera/css/main.css
http://10.20.30.100/assets/camera/js/
http://10.20.30.100/assets/camera/js/main.js
http://10.20.30.100/assets/charge/
http://10.20.30.100/assets/charge/css/
http://10.20.30.100/assets/charge/css/home.css
http://10.20.30.100/assets/charge/css/main.css
http://10.20.30.100/assets/charge/images/
http://10.20.30.100/assets/charge/images/charge/
http://10.20.30.100/assets/charge/js/
http://10.20.30.100/assets/charge/js/ajax.js
http://10.20.30.100/assets/charge/js/baidu_chargemap.js
http://10.20.30.100/assets/charge/js/common.js
http://10.20.30.100/assets/charge/js/iscroll.js
http://10.20.30.100/assets/charge/js/jquery-extend-lcf.js
http://10.20.30.100/assets/charge/js/json2.js
http://10.20.30.100/assets/charge/js/tab.js
http://10.20.30.100/assets/cover/
http://10.20.30.100/assets/cover/images/
http://10.20.30.100/assets/cover/index.php
http://10.20.30.100/assets/cover/js/
http://10.20.30.100/assets/css/
http://10.20.30.100/assets/css/ace-audio.css
http://10.20.30.100/assets/css/ace-fonts.css
http://10.20.30.100/assets/css/ace-ie.css
http://10.20.30.100/assets/css/ace.css
http://10.20.30.100/assets/css/bootstrap-datetimepicker.css
http://10.20.30.100/assets/css/bootstrap.css
http://10.20.30.100/assets/css/eboy-ui.css
http://10.20.30.100/assets/css/font-awesome.css
http://10.20.30.100/assets/css/images/
http://10.20.30.100/assets/css/img/
http://10.20.30.100/assets/css/jquery-ui.custom.css
http://10.20.30.100/assets/css/mobiscroll.css
http://10.20.30.100/assets/css/model.css
http://10.20.30.100/assets/fonts/
http://10.20.30.100/assets/images/
http://10.20.30.100/assets/img/
http://10.20.30.100/assets/img/ad/
http://10.20.30.100/assets/img/camera/
http://10.20.30.100/assets/img/layer/
http://10.20.30.100/assets/img/map-icon/
http://10.20.30.100/assets/img/nav/
http://10.20.30.100/assets/img/weath/
http://10.20.30.100/assets/js/
http://10.20.30.100/assets/js/ace/
http://10.20.30.100/assets/js/ace/ace.ajax-content.js
http://10.20.30.100/assets/js/ace/ace.js
http://10.20.30.100/assets/js/ace/ace.touch-drag.js
http://10.20.30.100/assets/js/ace/elements.scroller.js
http://10.20.30.100/assets/js/baidu/
http://10.20.30.100/assets/js/baidu/canvas.js
http://10.20.30.100/assets/js/baidu/drag.js
http://10.20.30.100/assets/js/baidu/map.js
http://10.20.30.100/assets/js/baidu/RichMarker_min.js
http://10.20.30.100/assets/js/bootstrap.js
http://10.20.30.100/assets/js/chart/
http://10.20.30.100/assets/js/chart/echarts_3.0.js

http://10.20.30.100/assets/js/chosen.jquery.js
http://10.20.30.100/assets/js/date-time/
http://10.20.30.100/assets/js/date-time/bootstrap-datetimepicker.js
http://10.20.30.100/assets/js/date-time/bootstrap-datetimepicker.zh-CN.js
http://10.20.30.100/assets/js/eboy-ui.js
http://10.20.30.100/assets/js/flv.js
http://10.20.30.100/assets/js/html5shiv.js
http://10.20.30.100/assets/js/jquery-ui.custom.js
http://10.20.30.100/assets/js/jquery.bootstrap-duallistbox.js
http://10.20.30.100/assets/js/jquery.js
http://10.20.30.100/assets/js/jquery.mobile.custom.js
http://10.20.30.100/assets/js/jquery.ui.touch-punch.js
http://10.20.30.100/assets/js/jquery.validate.js
http://10.20.30.100/assets/js/jquery1x.js
http://10.20.30.100/assets/js/mapcontent/
http://10.20.30.100/assets/js/mapcontent/mapcontent.js
http://10.20.30.100/assets/js/mobiscroll.js
http://10.20.30.100/assets/js/respond.js
http://10.20.30.100/assets/js/Syunew3.js
http://10.20.30.100/assets/js/websocket.js
http://10.20.30.100/assets/laydate/
http://10.20.30.100/assets/laydate/laydate.js
http://10.20.30.100/assets/laydate/theme/
http://10.20.30.100/assets/laydate/theme/default/
http://10.20.30.100/assets/laydate/theme/default/font/
http://10.20.30.100/assets/laydate/theme/default/laydate.css
http://10.20.30.100/assets/layer/
http://10.20.30.100/assets/layer/layer.js
http://10.20.30.100/assets/layer/theme/
http://10.20.30.100/assets/layer/theme/default/
http://10.20.30.100/assets/layer/theme/default/layer.css
http://10.20.30.100/assets/led/
http://10.20.30.100/assets/led/css/
http://10.20.30.100/assets/led/css/jquery.mCustomScrollbar.css
http://10.20.30.100/assets/led/css/main.css
http://10.20.30.100/assets/led/css/spinners.css
http://10.20.30.100/assets/led/images/
http://10.20.30.100/assets/led/images/ad/
http://10.20.30.100/assets/led/js/
http://10.20.30.100/assets/led/js/baidu.js
http://10.20.30.100/assets/led/js/jquery-ui-1.12/
http://10.20.30.100/assets/led/js/jquery-ui-1.12/external/
http://10.20.30.100/assets/led/js/jquery-ui-1.12/external/jquery/
http://10.20.30.100/assets/led/js/jquery-ui-1.12/external/jquery/jquery.js
http://10.20.30.100/assets/led/js/jquery-ui-1.12/images/
http://10.20.30.100/assets/led/js/jquery-ui-1.12/jquery-ui.css
http://10.20.30.100/assets/led/js/jquery-ui-1.12/jquery-ui.js
http://10.20.30.100/assets/led/js/jquery.bigcolorpicker.min.js
http://10.20.30.100/assets/led/js/jquery.mCustomScrollbar.concat.min.js
http://10.20.30.100/assets/led/js/main.js
http://10.20.30.100/assets/onealarm/
http://10.20.30.100/assets/onealarm/css/
http://10.20.30.100/assets/onealarm/css/home.css
http://10.20.30.100/assets/onealarm/images/
http://10.20.30.100/assets/onealarm/js/
http://10.20.30.100/assets/onealarm/js/baidu_onealarm.js
http://10.20.30.100/assets/onealarm/js/lame.js
http://10.20.30.100/assets/onealarm/js/loadusermedia.js
http://10.20.30.100/assets/webuploader/
http://10.20.30.100/assets/webuploader/webuploader.js
http://10.20.30.100/audio.php
http://10.20.30.100/audio.php/
http://10.20.30.100/audio.php/home/
http://10.20.30.100/audio.php/home/mapcontent

http://10.20.30.100/cable.php
http://10.20.30.100/cable.php/
http://10.20.30.100/cable.php/home/
http://10.20.30.100/cable.php/home/add
http://10.20.30.100/cable.php/home/flist
http://10.20.30.100/cable.php/home/get_map_cable
http://10.20.30.100/cable.php/home/server
http://10.20.30.100/cable.php/offical/
http://10.20.30.100/cable.php/offical/index
http://10.20.30.100/cable.php/warning/
http://10.20.30.100/cable.php/warning/index
http://10.20.30.100/cable.php/warning/num
http://10.20.30.100/cable.php/warning/search
http://10.20.30.100/camera.php
http://10.20.30.100/camera.php/
http://10.20.30.100/camera.php/home/
http://10.20.30.100/camera.php/home/cameras
http://10.20.30.100/camera.php/home/edit/
http://10.20.30.100/charge.php
http://10.20.30.100/charge.php/
http://10.20.30.100/charge.php/home/
http://10.20.30.100/charge.php/home/charge_edit
http://10.20.30.100/charge.php/home/charge_Lock
http://10.20.30.100/charge.php/home/charge_Reserve
http://10.20.30.100/charge.php/home/charge_Search
http://10.20.30.100/charge.php/home/charge_Stop
http://10.20.30.100/charge.php/home/update_chargemap
http://10.20.30.100/config
http://10.20.30.100/config/
http://10.20.30.100/cover.php
http://10.20.30.100/cover.php/
http://10.20.30.100/cover.php/cover
http://10.20.30.100/cover.php/cover;PHPSESSID=acunetixsessionfixation
http://10.20.30.100/default.html
http://10.20.30.100/feel.php/
http://10.20.30.100/feel.php/home/
http://10.20.30.100/feel.php/home/map
http://10.20.30.100/index.php
http://10.20.30.100/index.php/
http://10.20.30.100/index.php/home
http://10.20.30.100/index.php/login
http://10.20.30.100/index.php/login/
http://10.20.30.100/index.php/login/judgelogin
http://10.20.30.100/index.php/login/logout
http://10.20.30.100/javascript:
http://10.20.30.100/led.php
http://10.20.30.100/led.php/
http://10.20.30.100/led.php/file/
http://10.20.30.100/led.php/file/add/
http://10.20.30.100/led.php/file/add/134/
http://10.20.30.100/led.php/file/add/138/
http://10.20.30.100/led.php/file/del/
http://10.20.30.100/led.php/file/del/134
http://10.20.30.100/led.php/file/preview/
http://10.20.30.100/led.php/file/preview/134
http://10.20.30.100/led.php/file/preview/138
http://10.20.30.100/led.php/file/preview/171
http://10.20.30.100/led.php/file/preview/175
http://10.20.30.100/led.php/led/
http://10.20.30.100/led.php/led/cat/
http://10.20.30.100/led.php/led/detail
http://10.20.30.100/led.php/play/
http://10.20.30.100/led.php/play/app/
http://10.20.30.100/led.php/play/app/undefined

http://10.20.30.100/led.php/play/broadcast
http://10.20.30.100/led.php/play/more
http://10.20.30.100/led.php/play/state
http://10.20.30.100/led.php/play/timer
http://10.20.30.100/led.php/progress
http://10.20.30.100/light.php
http://10.20.30.100/light.php/
http://10.20.30.100/light.php/home/
http://10.20.30.100/light.php/home/mapcontent
http://10.20.30.100/light.php/user
http://10.20.30.100/light.php/warning
http://10.20.30.100/light.php/warning/
http://10.20.30.100/light.php/warning/all
http://10.20.30.100/log.txt
http://10.20.30.100/onealarm.php
http://10.20.30.100/onealarm.php/
http://10.20.30.100/onealarm.php/home/
http://10.20.30.100/onealarm.php/home/edit/
http://10.20.30.100/onealarm.php/home/update_alarmmap
http://10.20.30.100/portal.php
http://10.20.30.100/stop.php
http://10.20.30.100/video.php
http://10.20.30.100/wifi.php
http://10.20.30.100/wifi.php/
http://10.20.30.100/wifi.php/home/
http://10.20.30.100/wifi.php/home/ad
http://10.20.30.100/wifi.php/home/edit
http://10.20.30.100/wifi.php/home/wifi
http://10.20.30.100/wifi.php/home/wifi_list
http://10.20.30.100/wifi.php/home/wifi_setting