

Table S.2

Method	α	City 1				City 2				City 3			
		Accuracy	Precision	Recall	F _{0.5}	Accuracy	Precision	Recall	F _{0.5}	Accuracy	Precision	Recall	F _{0.5}
TSLE _{L0}	0.01	99.29% (0.0011)	72.59% (0.0836)	47.75% (0.0556)	65.75% (0.0759)	99.17% (0.0008)	69.47% (0.0691)	36.42% (0.0365)	58.80% (0.0586)	99.07% (0.0004)	58.53% (0.0371)	31.19% (0.0200)	49.80% (0.0317)
	0.05	96.11% (0.0026)	74.30% (0.0326)	48.93% (0.0217)	67.32% (0.0296)	95.43% (0.0030)	69.11% (0.0308)	36.47% (0.0162)	58.62% (0.0261)	95.15% (0.0016)	59.45% (0.0184)	31.69% (0.0102)	50.58% (0.0158)
	0.10	91.62% (0.0049)	75.10% (0.0230)	49.42% (0.0151)	68.03% (0.0208)	90.22% (0.0056)	69.53% (0.0196)	36.74% (0.0106)	59.00% (0.0168)	89.88% (0.0028)	60.76% (0.0157)	32.42% (0.0085)	51.72% (0.0134)
TSLE _{Lasso}	0.01	99.39% (0.0014)	71.00% (0.0658)	75.45% (0.0645)	71.82% (0.0643)	99.28% (0.0012)	66.55% (0.0476)	70.96% (0.0498)	67.37% (0.0468)	99.10% (0.0007)	57.01% (0.0273)	58.98% (0.0290)	57.38% (0.0265)
	0.05	96.50% (0.0037)	69.46% (0.0286)	79.18% (0.0296)	71.18% (0.0260)	95.65% (0.0039)	63.26% (0.0229)	74.36% (0.0212)	65.20% (0.0210)	94.91% (0.0041)	56.57% (0.0144)	62.91% (0.0246)	57.71% (0.0126)
	0.10	92.55% (0.0052)	69.19% (0.0188)	80.58% (0.0230)	71.19% (0.0159)	90.44% (0.0068)	62.09% (0.0181)	75.78% (0.0170)	64.41% (0.0162)	89.07% (0.0102)	56.99% (0.0122)	65.80% (0.0231)	58.54% (0.0094)
TSLE _{MCP}	0.01	99.47% (0.0012)	72.96% (0.0640)	72.93% (0.0629)	72.96% (0.0636)	99.34% (0.0010)	67.55% (0.0494)	68.38% (0.0488)	67.71% (0.0490)	99.15% (0.0006)	57.61% (0.0280)	57.51% (0.0277)	57.59% (0.0279)
	0.05	97.24% (0.0024)	73.38% (0.0252)	72.50% (0.0245)	73.20% (0.0248)	96.46% (0.0021)	66.23% (0.0212)	66.84% (0.0194)	66.35% (0.0204)	95.67% (0.0015)	58.22% (0.0152)	57.15% (0.0140)	58.00% (0.0148)
	0.10	94.39% (0.0033)	74.18% (0.0175)	72.18% (0.0164)	73.77% (0.0169)	92.56% (0.0033)	66.21% (0.0163)	65.71% (0.0146)	66.10% (0.0156)	91.28% (0.0022)	59.42% (0.0109)	56.87% (0.0099)	58.89% (0.0103)