

TABLE II: Comparison of quantitative results on UHD-Haze. UHDRes demonstrates significant improvements across all metrics with a relatively small number of parameters.

Method	Source	Params↓	PSNR↑	SSIM↑	LPIPS↓
UHD [31]	ICCV’21	34.5M	18.043	0.8113	-
Restormer [7]	CVPR’22	26.1M	12.718	0.6930	0.456
Uformer [6]	CVPR’22	20.6M	19.828	0.7374	0.422
DehazeFormer [19]	TIP’23	2.51M	15.372	0.7245	0.400
TaylorFormer [8]	ICCV’23	2.66M	20.994	0.9194	0.312
UHDformer [34]	AAAI’24	0.34M	22.586	0.9427	0.122
Histoformer [47]	ECCV’24	16.61M	22.674	0.9131	0.189
MambaIR [11]	ECCV’24	2.01M	21.453	0.9054	0.201
AdaIR [16]	ICLR’25	1.05M	23.002	0.9411	0.124
D2Net [36]	WACV’25	5.22M	24.880	0.9440	-
UHDDIP [45]	TCSVT’25	0.81M	24.699	0.9520	0.105
ERR [17]	CVPR’25	1.13M	25.120	0.9500	0.119
UHDRes	Ours	0.40M	25.575	0.9613	0.101