


Variant: chr3:154069965:A:G | rsID: rs1021580972 | SeqID: na
Gene: ARHGEF26-AS1 | UniProt: na | Model: REC

Not plotted: SeqID is 'na'


Variant: chr16:53884344:G:A | rsID: rs56278663 | SeqID: X25051-104
Gene: FTO | UniProt: Q9C0B1 | Model: REC



A	B	Δmean	Δmedian	t p	MWU p	nA	nB
GT=0 1	GT=2	0.421	0.0397	0.437	0.428	38	3

Δ = A – B (both mean and median)

Variant: chr16:53887925:T:C | rsID: rs16952623 | SeqID: X25051-104
Gene: FTO | UniProt: Q9C0B1 | Model: REC



A	B	Δmean	Δmedian	t p	MWU p	nA	nB
GT=0 1	GT=2	0.418	0.0397	0.44	0.451	40	3

$\Delta = A - B$ (both mean and median)

Variant: chr17:13528059:G:A | rsID: rs34804183 | SeqID: X8268-98
Gene: HS3ST3A1 | UniProt: Q9Y663 | Model: REC

Not plotted: REC not satisfied: both (GT=0|1) and GT=2 must
be non-empty (n0+n1=42, n2=0).

Variant: chr17:13528180:G:A | rsID: rs34480904 | SeqID: X8268-98
Gene: HS3ST3A1 | UniProt: Q9Y663 | Model: REC

Not plotted: REC not satisfied: both (GT=0|1) and GT=2 must
be non-empty (n0+n1=41, n2=0).