


**Variant: chr3:154069965:A:G | rsID: rs1021580972 | SeqID: na**  
**Gene: ARHGEF26-AS1 | UniProt: na | Model: REC**

Not plotted: SeqID is 'na'


Variant: chr16:53884344:G:A | rsID: rs56278663 | SeqID: X25051-104  
Gene: FTO | UniProt: Q9C0B1 | Model: REC



| A      | B    | Δmean | Δmedian | t p   | MWU p | nA | nB |
|--------|------|-------|---------|-------|-------|----|----|
| GT=0 1 | GT=2 | 0.421 | 0.0397  | 0.437 | 0.428 | 38 | 3  |

$\Delta = A - B$  (both mean and median)

Variant: chr16:53887925:T:C | rsID: rs16952623 | SeqID: X25051-104  
Gene: FTO | UniProt: Q9C0B1 | Model: REC



| A      | B    | Δmean | Δmedian | t p  | MWU p | nA | nB |
|--------|------|-------|---------|------|-------|----|----|
| GT=0 1 | GT=2 | 0.418 | 0.0397  | 0.44 | 0.451 | 40 | 3  |

$\Delta = A - B$  (both mean and median)

**Variant: chr17:13528059:G:A | rsID: rs34804183 | SeqID: X8268-98**  
**Gene: HS3ST3A1 | UniProt: Q9Y663 | Model: REC**

Not plotted: REC not satisfied: both (GT=0|1) and GT=2 must  
be non-empty (n0+n1=42, n2=0).

**Variant: chr17:13528180:G:A | rsID: rs34480904 | SeqID: X8268-98**  
**Gene: HS3ST3A1 | UniProt: Q9Y663 | Model: REC**

Not plotted: REC not satisfied: both (GT=0|1) and GT=2 must  
be non-empty (n0+n1=41, n2=0).