



Home Basics Data Visualize Analyze Products Contribute

Support About

Home / Easy Guides / R software / Data Visualization / R Base Graphs / Graphical parameters / abline R function : An easy way to add straight lines to a plot using R software


Actions menu for module Wiki

# abline R function: An easy way to add straight lines to a plot using R software

- Add a vertical line
- Add an horizontal line
- Add regression line
- Infos

The aim of this tutorial is to show you how to add one or more **straight lines** to a **graph** using **R statistical software**. The R function **abline()** can be used to add **vertical**, **horizontal** or **regression lines** to a graph.

**≡**Tools



A simplified format of the abline() function is:

```
abline(a=NULL, b=NULL, h=NULL, v=NULL, ...)
```

- a, b: single values specifying the intercept and the slope of the line
- h: the y-value(s) for horizontal line(s)
- v: the x-value(s) for vertical line(s)

## Add a vertical line


The simplified format is:


```
abline(v = y)
```


It draws a vertical line on the current plot at the specified 'y' coordinates.

```
# first example : Add one line
plot(cars)
abline(v=15, col="blue")
# second example : add 2 lines
# change line colors, sizes and types
plot(cars)
abline(v=c(15,20), col=c("blue", "red"), lty=c(1,2), lwd=c(1, 3))
# third example
set.seed(1234); mydata<-rnorm(200)</pre>
```

```
hist(mydata, col="lightblue")
abline(v = mean(mydata), col="red", lwd=3, lty=2)
```







**V** 

Note that, **line types** (lty) and **line width** (lwd) are explained here.


## Add an horizontal line

The simplified format is:

```
abline(h = x)
```

It draws an horizontal line on the current plot at the specified 'x' coordinates.


```
plot(cars)
abline(h=40, col="blue")
```



# Add regression line

Im() function is used to fit linear models.

```
par(mgp=c(2,1,0), mar=c(3,3,1,1))
# Fit regression line
require(stats)
reg<-lm(dist ~ speed, data = cars)
coeff=coefficients(reg)
# equation of the line:
eq = paste0("y = ", round(coeff[2],1), "*x ", round(coeff[1],1))
# plot
plot(cars, main=eq)
abline(reg, col="blue")</pre>
```



# Infos



This analysis has been performed using **R statistical software** (ver. 3.1.0).



Enjoyed this article? I'd be very grateful if you'd help it spread by emailing it to a friend, or sharing it on Twitter, Facebook or Linked In.

Show me some love with the like buttons below... Thank you and please don't forget to share and comment below!!



Like 20

Tweet






Share

43

## **Recommended for You!**






Practical Guide to Cluster Analysis in R



Practical Guide to Principal Component Methods in R








Follow us by Email Subscribe
Subscribe
by FeedBurner
On Social Networks: on Social Networks



This page has been seen 224533 times

## Sign in




#### Welcome!

Want to Learn More on R Programming and Data Science? Follow us by Email Subscribe by FeedBurner

#### on Social Networks

- factoextra
- survminer
- ggpubr
- ggcorrplot
- fastqcr


#### **Our Books**



R Graphics Essentials for Great Data Visualization: 200 Practical Examples You Want to Know for Data Science








Practical Guide to Cluster Analysis in R

#### 3D Plots in R



Practical Guide to Principal Component Methods in R



#### **Guest Book**

I've been using R to perform survival analysis for several years now and discovered the survminer package a couple of days ago via the blog "R-addict". It is by far the best package around for produci... [Read more]

By Visitor

**Guest Book** 



**R-Bloggers** 

Newsletter Email

#### Boosted by PHPBoost

## Recommended for you







AddThis