

NRAllocation	kbar	LRA	PRACHSubcarrierSpacing	PUSCHSubcarrierSpacing
--------------	------	-----	------------------------	------------------------

839	1.25	15	6	7
839	1.25	30	3	1
839	1.25	60	2	133
839	5	15	24	12
839	5	30	12	10
839	5	60	6	7
139	15	15	12	2
139	15	30	6	2
139	15	60	3	2
139	30	15	24	2
139	30	30	12	2
139	30	60	6	2
139	60	60	12	2
139	60	120	6	2


139	120	60	24	2
139	120	120	12	2
139	120	480	3	1
139	120	960	2	23
139	480	120	48	2
139	480	480	12	2
139	480	960	6	2
139	960	120	96	2
139	960	480	24	2
139	960	960	12	2
571	30	15	96	2
571	30	30	48	2
571	30	60	24	2
571	120	120	48	2
571	120	480	12	1
571	120	960	7	47
571	480	120	192	2
571	480	480	48	2
571	480	960	24	2
1151	15	15	96	1
1151	15	30	48	1
1151	15	60	24	1
1151	120	120	97	6
1151	120	480	25	23
1151	120	960	13	45

ConfigurationIndex	PreambleFormat	x	y	SubframeNumber
StartingSymbol	PRACHSlotsPerSubframe	NumTimeOccasions	PRACHDuration	


146	{'A2/B2'}	1	{[0]}	{[0 1 2 3 4 5 6 7 8 9]}	0	2	3
-----	-----------	---	-------	-------------------------	---	---	---

active: 1

Time-Domain Structure of PRACH Preamble Format A2/B2 within One 15 kHz Carrier Slot (NPRACHSlot = [0...1])



Time-Domain Structure of PRACH Preamble Format A2/B2 within One 15 kHz Carrier Slot (NPRACHSlot = [0...1])



NPRACHSlot	ActivePRACHSlot	active
0	0	0
1	0	0
2	0	0
3	0	0
4	0	0
5	0	0
6	0	0
7	0	0
8	0	0
9	0	0
10	0	0
11	0	0
12	0	0
13	0	0
14	0	0
15	0	0
16	0	0
17	0	0
18	0	0
19	0	0
20	0	0
21	0	0
22	0	0
23	0	0
24	0	0
25	0	0
26	0	0
27	0	0
28	0	0
29	0	0
30	0	0
31	0	0
32	0	0
33	0	0
34	0	0
35	0	0
36	0	0
37	0	0
38	0	0
39	0	0
40	0	0
41	0	0
42	0	0
43	0	0
44	0	0
45	0	0
46	0	0
47	0	0
48	0	0
49	0	0
50	0	0
51	0	0
52	0	0
53	0	0
54	0	0
55	0	0
56	0	0
57	0	0
58	0	0
59	0	0
60	0	0
61	0	0
62	0	0
63	0	0
64	0	0
65	0	0
66	0	0
67	0	0
68	0	0
69	0	0
70	0	0
71	0	0
72	0	0
73	0	0
74	0	0
75	0	0
76	0	0
77	0	0
78	0	0
79	0	0
80	0	0
81	0	0
82	0	0
83	0	0
84	0	0
85	0	0
86	0	0
87	0	0
88	0	0
89	0	0
90	0	0
91	0	0
92	0	0
93	0	0
94	0	0
95	0	0
96	0	0
97	0	0
98	0	0
99	0	0

0	0	1
0	1	0
1	0	0
1	1	1
2	0	1
2	1	0

nrPRACHConfig with properties:

FrequencyRange: 'FR1'

DuplexMode: 'FDD'

ConfigurationIndex: 146

SubcarrierSpacing: 15

LRA: 139

SequenceIndex: 0

PreambleIndex: 0

RestrictedSet: 'UnrestrictedSet'

ZeroCorrelationZone: 0

RBOffset: 0

FrequencyStart: 0

FrequencyIndex: 0

TimeIndex: 2

ActivePRACHSlot: 0

NPRACHSlot: 0

Read-only properties:

Format: 'B2'

NumTimeOccasions: 3

PRACHDuration: 4

SymbolLocation: 8


SubframesPerPRACHSlot: 1

PRACHSlotsPerPeriod: 10

Constant properties:


Tables: [1×1 struct]

**Time-Domain Structure of PRACH Preamble Format A2/B2
within One 15 kHz Carrier Slot (NPRACHSlot = 0)**



ans = 1×2

624 14



Information associated with PRACH:

SubcarrierSpacing: 15 kHz

Number of subcarriers: 624

Information associated with PRACH OFDM modulation:

Nfft: 1024
Windowing: 72
Offset: 0 samples

Symbol	TCP	TSEQ	GP
--------	-----	------	----

-----	-----	-----	-----
-------	-------	-------	-------

0*	296*	1024*	0*
----	------	-------	----

1*	0*	1024*	0*
----	----	-------	----

2*	0*	1024*	0*
----	----	-------	----

3*	0*	1024*	0*
----	----	-------	----

4*	296*	1024*	0*
----	------	-------	----

5*	0*	1024*	0*
----	----	-------	----

6*	0*	1024*	0*
----	----	-------	----

7*	0*	1024*	0*
----	----	-------	----

8	180	1024	0
---	-----	------	---

9	0	1024	0
---	---	------	---

10	0	1024	0
----	---	------	---

11	0	1024	108
----	---	------	-----

<12> < 0> <1024> < 0>

<13> < 0> <1024> < 0>

* : OFDM symbols for unused PRACH time occasions

<#> : OFDM symbols not used by any PRACH time occasion

for the current configuration

Total samples: 15360

Sample rate: 15.360 MHz

Duration: 1.000 ms

Total number of subframes: 1