bonus

February 14, 2026

0.1 Bonus Exercise - Performance Analysis and Optimization of the Game of Life Code

0.1.1 Task B.1

Formatting

[2]:
```
!pylint conway.py
```

```
************* Module conway
conway.py:11:31: C0303: Trailing whitespace (trailing-whitespace)
conway.py:24:38: C0303: Trailing whitespace (trailing-whitespace)
conway.py:25:38: C0303: Trailing whitespace (trailing-whitespace)
conway.py:59:28: C0303: Trailing whitespace (trailing-whitespace)
conway.py:64:70: C0303: Trailing whitespace (trailing-whitespace)
conway.py:66:62: C0303: Trailing whitespace (trailing-whitespace)
conway.py:67:62: C0303: Trailing whitespace (trailing-whitespace)
conway.py:68:74: C0303: Trailing whitespace (trailing-whitespace)
conway.py:95:0: C0303: Trailing whitespace (trailing-whitespace)
conway.py:100:0: C0303: Trailing whitespace (trailing-whitespace)
conway.py:127:18: C0303: Trailing whitespace (trailing-whitespace)
conway.py:80:0: R1707: Disallow trailing comma tuple (trailing-comma-tuple)
conway.py:9:0: C0410: Multiple imports on one line (sys, argparse) (multiple-
imports)
conway.py:12:0: R0402: Use 'from matplotlib import animation' instead (consider-
using-from-import)
conway.py:18:0: C0103: Function name "randomGrid" doesn't conform to snake_case
naming style (invalid-name)
conway.py:18:15: C0103: Argument name "N" doesn't conform to snake_case naming
style (invalid-name)
conway.py:22:0: C0103: Function name "addGlider" doesn't conform to snake_case
naming style (invalid-name)
conway.py:29:0: C0103: Function name "addGosperGliderGun" doesn't conform to
snake_case naming style (invalid-name)
conway.py:57:0: C0116: Missing function or method docstring (missing-function-
docstring)
conway.py:57:11: C0103: Argument name "frameNum" doesn't conform to snake_case
naming style (invalid-name)
conway.py:57:32: C0103: Argument name "N" doesn't conform to snake_case naming
style (invalid-name)
```

```
conway.py:60:4: C0103: Variable name "newGrid" doesn't conform to snake_case
naming style (invalid-name)
conway.py:57:11: W0613: Unused argument 'frameNum' (unused-argument)
conway.py:83:0: C0116: Missing function or method docstring (missing-function-
docstring)
conway.py:97:4: C0103: Variable name "N" doesn't conform to snake_case naming
style (invalid-name)
conway.py:99:8: C0103: Variable name "N" doesn't conform to snake_case naming
style (invalid-name)
conway.py:102:4: C0103: Variable name "updateInterval" doesn't conform to
snake_case naming style (invalid-name)
conway.py:104:8: C0103: Variable name "updateInterval" doesn't conform to
snake_case naming style (invalid-name)
conway.py:9:0: W0611: Unused import sys (unused-import)

------------------------------------
Your code has been rated at 6.18/10
```

[3]:
```
!black conway.py
```

```
reformatted conway.py

All done!
1 file reformatted.
```

[4]:
```
!pylint conway.py
```

```
************* Module conway
conway.py:9:0: C0410: Multiple imports on one line (sys, argparse) (multiple-
imports)
conway.py:12:0: R0402: Use 'from matplotlib import animation' instead (consider-
using-from-import)
conway.py:19:0: C0103: Function name "randomGrid" doesn't conform to snake_case
naming style (invalid-name)
conway.py:19:15: C0103: Argument name "N" doesn't conform to snake_case naming
style (invalid-name)
conway.py:24:0: C0103: Function name "addGlider" doesn't conform to snake_case
naming style (invalid-name)
conway.py:30:0: C0103: Function name "addGosperGliderGun" doesn't conform to
snake_case naming style (invalid-name)
conway.py:59:0: C0116: Missing function or method docstring (missing-function-
docstring)
conway.py:59:11: C0103: Argument name "frameNum" doesn't conform to snake_case
naming style (invalid-name)
conway.py:59:32: C0103: Argument name "N" doesn't conform to snake_case naming
style (invalid-name)
conway.py:62:4: C0103: Variable name "newGrid" doesn't conform to snake_case
naming style (invalid-name)
```

```
conway.py:59:11: W0613: Unused argument 'frameNum' (unused-argument)
conway.py:95:0: C0116: Missing function or method docstring (missing-function-
docstring)
conway.py:111:4: C0103: Variable name "N" doesn't conform to snake_case naming
style (invalid-name)
conway.py:113:8: C0103: Variable name "N" doesn't conform to snake_case naming
style (invalid-name)
conway.py:116:4: C0103: Variable name "updateInterval" doesn't conform to
snake_case naming style (invalid-name)
conway.py:118:8: C0103: Variable name "updateInterval" doesn't conform to
snake_case naming style (invalid-name)
conway.py:9:0: W0611: Unused import sys (unused-import)

------------------------------------------------------------------
Your code has been rated at 7.76/10 (previous run: 6.18/10, +1.58)
```

Documentation

[41]:
```
!mkdir -p docs
!sphinx-quickstart docs -q -p "Bonus" -a "Pavel & Ermia" -v "0" --ext-autodoc
```

```
Finished: An initial directory structure has been created.

You should now populate your master file
/home/pavel/IdeaProjects/DD2358/Ass2/docs/index.rst and create other
documentation
source files. Use the Makefile to build the docs, like so:
   make builder
where "builder" is one of the supported builders, e.g. html, latex or linkcheck.
```

Update `conf.py` with

```
import os
import sys
sys.path.insert(0, os.path.abspath('../..'))
```

to handle being in a separate directory.

[42]:
```
!echo "\nimport os\nimport sys\nsys.path.insert(0, os.path.abspath('../..'))"␣
↪>> docs/conf.py
```

Tell sphinx to autodoc our `conway.py`

[43]:
```
!echo "Conway Module\n=============\n\n.. automodule:: conway\n    :members:\n ␣
↪  :undoc-members:\n    :show-inheritance:" > docs/conway.rst
```

[47]:
```
!echo "   conway" >> docs/index.rst
```

[50]:
```
!make -C docs html
```

```
make: Entering directory '/home/pavel/IdeaProjects/DD2358/Ass2/docs'
Running Sphinx v9.1.0
loading translations [en]… done
loading pickled environment… done
building [mo]: targets for 0 po files that are out of date
writing output…
building [html]: targets for 1 source files that are out of date
updating environment: 0 added, 1 changed, 0 removed
reading sources… [100%] index
looking for now-outdated files… none found
pickling environment… done
checking consistency… done
preparing documents… done
copying assets…
copying static files…
Writing evaluated template result to
/home/pavel/IdeaProjects/DD2358/Ass2/docs/_build/html/_static/basic.css
Writing evaluated template result to /home/pavel/IdeaProjects/DD2358/Ass2/docs/_
build/html/_static/documentation_options.js
Writing evaluated template result to
/home/pavel/IdeaProjects/DD2358/Ass2/docs/_build/html/_static/language_data.js
Writing evaluated template result to
/home/pavel/IdeaProjects/DD2358/Ass2/docs/_build/html/_static/alabaster.css
copying static files: done
copying extra files…
copying extra files: done
copying assets: done
writing output… [100%] index
generating indices… genindex py-modindex done
writing additional pages… search done
dumping search index in English (code: en)… done
dumping object inventory… done
build succeeded.

The HTML pages are in _build/html.
make: Leaving directory '/home/pavel/IdeaProjects/DD2358/Ass2/docs'
```

[51]:
```
from IPython.display import HTML, display

display(HTML(filename="docs/_build/html/conway.html"))
```

```
<IPython.core.display.HTML object>
```

0.1.2 Task B.2

From this point on part the source code was modified to disable the animation and make benchmarking easier.

[53]:
```python
# %load benchmark.py
import conway
import timeit
import matplotlib.pyplot as plt

grid_sizes = [30, 60, 90, 120, 150, 180, 210, 240, 270, 300]

time = []
for size in grid_sizes:
    t1 = timeit.default_timer()
    conway.main(size)
    t2 = timeit.default_timer()
    time.append((t2 - t1))

plt.figure(figsize=(8, 5))
plt.plot(grid_sizes, time, marker='o')
plt.xlabel("Grid size")
plt.ylabel("Execution time (s)")
plt.title(f"Benchmark: conway.py (100 iterations)")
plt.grid(True)
plt.savefig("benchmark.png", dpi=300)
plt.show()
```

[54]:
```python
from IPython.display import Image
Image("benchmark.png")
```

[54]:



As can be seen the growth is quadratic as is the grid size N^2.

0.1.3 Task B.3

[55]:
```
!python -m cProfile -o p.stats conway.py
```

[56]:
```
import pstats
stats = pstats.Stats("p.stats")
stats.sort_stats("cumulative")
stats.print_stats()
```

```
Fri Feb 13 21:06:34 2026    p.stats

         1219891 function calls (1202463 primitive calls) in 1.616 seconds

   Ordered by: cumulative time

   ncalls  tottime  percall  cumtime  percall filename:lineno(function)
    339/1    0.002    0.000    1.617    1.617 {built-in method builtins.exec}
        1    0.000    0.000    1.617    1.617 conway.py:1(<module>)
        1    0.000    0.000    1.097    1.097 conway.py:95(main)
      100    1.091    0.011    1.091    0.011 conway.py:59(update)
    390/5    0.003    0.000    0.524    0.105 <frozen
importlib._bootstrap>:1349(_find_and_load)
    387/5    0.001    0.000    0.524    0.105 <frozen
importlib._bootstrap>:1304(_find_and_load_unlocked)
    372/6    0.001    0.000    0.524    0.087 <frozen
importlib._bootstrap>:911(_load_unlocked)
    324/6    0.001    0.000    0.523    0.087 <frozen
importlib._bootstrap_external>:989(exec_module)
   887/11    0.002    0.000    0.522    0.047 <frozen
importlib._bootstrap>:480(_call_with_frames_removed)
   461/14    0.000    0.000    0.490    0.035 {built-in method
builtins.__import__}
   367/75    0.001    0.000    0.438    0.006 <frozen
importlib._bootstrap>:1390(_handle_fromlist)
        1    0.000    0.000    0.288    0.288
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/pyplot.py:1(<module>)
1249/1158    0.010    0.000    0.235    0.000 {built-in method
builtins.__build_class__}
      106    0.002    0.000    0.172    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:158(_update_set_signature_and_docstring)
      105    0.000    0.000    0.170    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:125(__init_subclass__)
        1    0.000    0.000    0.153    0.153
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/figure.py:1(<module>)
        1    0.000    0.000    0.144    0.144
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/__init__.py:1(<module>)
      120    0.000    0.000    0.135    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1832(kwdoc)
        1    0.000    0.000    0.127    0.127
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:1(<module>)
      120    0.003    0.000    0.115    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1593(pprint_setters)
        1    0.000    0.000    0.112    0.112
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/image.py:1(<module>)
        1    0.000    0.000    0.104    0.104
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1(<module>)
        1    0.000    0.000    0.103    0.103
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/__init__.py:1(<module>)
     7941    0.053    0.000    0.099    0.000
/usr/lib/python3.12/inspect.py:875(cleandoc)
     4409    0.008    0.000    0.094    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1461(get_valid_values)
        1    0.000    0.000    0.091    0.091
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/__init__.py:1(<module>)
        1    0.000    0.000    0.076    0.076
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/__config__.py:1(<module>)
        1    0.002    0.002    0.075    0.075
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/__init__.py:1(<module>)
        1    0.000    0.000    0.070    0.070
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/text.py:1(<module>)
     7512    0.004    0.000    0.062    0.000
/usr/lib/python3.12/inspect.py:856(getdoc)
      324    0.001    0.000    0.057    0.000 <frozen
importlib._bootstrap_external>:1062(get_code)
        1    0.000    0.000    0.055    0.055
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:1(<module>)
        1    0.000    0.000    0.047    0.047
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_axes.py:1(<module>)
      227    0.000    0.000    0.045    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1413(__init__)
      324    0.013    0.000    0.045    0.000 <frozen
importlib._bootstrap_external>:751(_compile_bytecode)
      227    0.014    0.000    0.045    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1433(get_aliases)
        1    0.000    0.000    0.042    0.042
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:1(<module>)
        1    0.000    0.000    0.042    0.042
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_base.py:1(<module>)
      978    0.001    0.000    0.040    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:751(__setitem__)
     7791    0.004    0.000    0.036    0.000
/usr/lib/python3.12/re/__init__.py:280(_compile)
      324    0.032    0.000    0.032    0.000 {built-in method marshal.loads}
        1    0.000    0.000    0.032    0.032
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/__init__.py:1(<module>)
        1    0.000    0.000    0.031    0.031
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/axes3d.py:1(<module>)
        1    0.000    0.000    0.031    0.031
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_fontconfig_pattern.py:1(<module>)
        1    0.000    0.000    0.030    0.030
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/__init__.py:1(<module>)
      227    0.009    0.000    0.030    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1511(get_setters)
        1    0.000    0.000    0.029    0.029
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:1(<module>)
      236    0.001    0.000    0.029    0.000
/usr/lib/python3.12/re/_compiler.py:740(compile)
        1    0.000    0.000    0.029    0.029
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:1(<module>)
     5929    0.002    0.000    0.026    0.000
/usr/lib/python3.12/re/__init__.py:174(search)
        1    0.000    0.000    0.025    0.025
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/__init__.py:1(<module>)
       31    0.002    0.000    0.025    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:887(_rc_params_in_file)
        9    0.000    0.000    0.025    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_base.py:783(__init_subclass__)
        1    0.000    0.000    0.025    0.025
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_add_newdocs.py:1(<module>)
      350    0.001    0.000    0.024    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/function_base.py:490(add_newdoc)
        1    0.000    0.000    0.022    0.022
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1(<module>)
        1    0.000    0.000    0.022    0.022
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/multiarray.py:1(<module>)
      350    0.000    0.000    0.022    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/function_base.py:474(_add_docstring)
  128/117    0.000    0.000    0.021    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:122(__call__)
      788    0.000    0.000    0.021    0.000
/usr/lib/python3.12/inspect.py:3308(signature)
        1    0.000    0.000    0.021    0.021
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:272(validate_backend)
        1    0.000    0.000    0.021    0.021
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backends/registry.py:202(is_valid_backend)
        1    0.000    0.000    0.021    0.021
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backends/registry.py:113(_ensure_entry_points_loaded)
        1    0.000    0.000    0.021    0.021
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backends/registry.py:128(_read_entry_points)
      788    0.000    0.000    0.021    0.000
/usr/lib/python3.12/inspect.py:3050(from_callable)
  919/788    0.003    0.000    0.020    0.000
/usr/lib/python3.12/inspect.py:2470(_signature_from_callable)
      385    0.002    0.000    0.020    0.000 <frozen
importlib._bootstrap>:1240(_find_spec)
        1    0.000    0.000    0.019    0.019
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/axis.py:1(<module>)
        1    0.000    0.000    0.018    0.018
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_arraypad_impl.py:1(<module>)
        1    0.000    0.000    0.018    0.018
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:1(<module>)
      236    0.000    0.000    0.018    0.000
/usr/lib/python3.12/re/_parser.py:969(parse)
       14    0.000    0.000    0.018    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:73(__missing__)
    24/20    0.000    0.000    0.017    0.001 <frozen
importlib._bootstrap_external>:1295(exec_module)
    24/20    0.009    0.000    0.017    0.001 {built-in method
_imp.exec_dynamic}
  532/236    0.001    0.000    0.017    0.000
/usr/lib/python3.12/re/_parser.py:452(_parse_sub)
      372    0.000    0.000    0.016    0.000 <frozen
importlib._bootstrap>:806(module_from_spec)
        1    0.000    0.000    0.016    0.016
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/matrixlib/__init__.py:1(<module>)
  612/261    0.006    0.000    0.016    0.000
/usr/lib/python3.12/re/_parser.py:512(_parse)
        1    0.000    0.000    0.016    0.016
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/art3d.py:1(<module>)
        1    0.000    0.000    0.016    0.016
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/matrixlib/defmatrix.py:1(<module>)
      644    0.000    0.000    0.016    0.000
/usr/lib/python3.12/re/__init__.py:226(compile)
        1    0.000    0.000    0.016    0.016
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/linalg/__init__.py:1(<module>)
      363    0.000    0.000    0.015    0.000 <frozen
importlib._bootstrap_external>:1520(find_spec)
        1    0.000    0.000    0.015    0.015
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_axes.py:67(Axes)
      363    0.001    0.000    0.015    0.000 <frozen
importlib._bootstrap_external>:1491(_get_spec)
        1    0.000    0.000    0.015    0.015
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/linalg/_linalg.py:1(<module>)
    99178    0.015    0.000    0.015    0.000 {method 'lstrip' of 'str' objects}
    82548    0.014    0.000    0.014    0.000 {built-in method builtins.getattr}
```

```
      750    0.005    0.000    0.014    0.000
/usr/lib/python3.12/inspect.py:2366(_signature_from_function)
      641    0.003    0.000    0.013    0.000 <frozen
importlib._bootstrap_external>:1593(find_spec)
        1    0.000    0.000    0.013    0.013
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/__init__.py:1(<module>)
        1    0.000    0.000    0.012    0.012
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/einsumfunc.py:1(<module>)
  350/219    0.000    0.000    0.012    0.000
/usr/lib/python3.12/typing.py:392(inner)
        1    0.000    0.000    0.012    0.012
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/style/__init__.py:1(<module>)
        1    0.000    0.000    0.012    0.012
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cm.py:1(<module>)
        1    0.000    0.000    0.012    0.012
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/style/core.py:1(<module>)
        2    0.000    0.000    0.011    0.006
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/style/core.py:198(read_style_directory)
    10243    0.011    0.000    0.011    0.000 {method 'search' of 're.Pattern'
objects}
        1    0.000    0.000    0.011    0.011
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:1(<module>)
     7146    0.006    0.000    0.011    0.000
/usr/lib/python3.12/inspect.py:2712(__init__)
        1    0.000    0.000    0.011    0.011
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numeric.py:1(<module>)
        1    0.000    0.000    0.011    0.011
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/font_manager.py:1(<module>)
    71238    0.011    0.000    0.011    0.000 {built-in method builtins.min}
        1    0.000    0.000    0.011    0.011
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:1(<module>)
   101613    0.011    0.000    0.011    0.000 {method 'startswith' of 'str'
objects}
191452/190126    0.010    0.000    0.011    0.000 {built-in method builtins.len}
        1    0.000    0.000    0.011    0.011
/usr/lib/python3.12/importlib/metadata/__init__.py:1(<module>)
      456    0.011    0.000    0.011    0.000 {built-in method builtins.dir}
        2    0.000    0.000    0.011    0.005
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/__init__.py:704(__getattr__)
      236    0.000    0.000    0.010    0.000
/usr/lib/python3.12/re/_compiler.py:573(_code)
        1    0.000    0.000    0.010    0.010
/usr/lib/python3.12/importlib/metadata/__init__.py:901(entry_points)
    77090    0.008    0.000    0.010    0.000 {built-in method
builtins.isinstance}
        1    0.000    0.000    0.010    0.010
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1(<module>)
      264    0.001    0.000    0.010    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/overrides.py:145(decorator)
       80    0.000    0.000    0.010    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:910(<genexpr>)
      456    0.000    0.000    0.009    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1530(number_of_parameters)
      426    0.000    0.000    0.009    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:332(validate_color)
      200    0.000    0.000    0.009    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/pyplot.py:175(_copy_docstring_and_deprecators)
      387    0.000    0.000    0.009    0.000 <frozen
importlib._bootstrap>:416(__enter__)
      429    0.000    0.000    0.009    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:224(is_color_like)
      658    0.002    0.000    0.009    0.000 <frozen
importlib._bootstrap>:304(acquire)
        1    0.000    0.000    0.009    0.009
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:1(<module>)
      462    0.000    0.000    0.009    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:278(to_rgba)
        1    0.000    0.000    0.009    0.009
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/lines.py:1(<module>)
        1    0.000    0.000    0.008    0.008
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:1(<module>)
      372    0.001    0.000    0.008    0.000 <frozen
importlib._bootstrap>:733(_init_module_attrs)
        1    0.000    0.000    0.008    0.008
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/numpy/_core/shape_base.py:1(<module>)
      186    0.001    0.000    0.008    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:325(_to_rgba_no_colorcycle)
       94    0.001    0.000    0.008    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:1450(_preprocess_data)
       53    0.000    0.000    0.008    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_add_newdocs.py:3381(_array_method_doc)
 1254/236    0.003    0.000    0.008    0.000
/usr/lib/python3.12/re/_compiler.py:37(_compile)
      984    0.000    0.000    0.007    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1536(is_alias)
       24    0.000    0.000    0.007    0.000 <frozen
importlib._bootstrap_external>:1287(create_module)
       24    0.006    0.000    0.007    0.000 {built-in method
_imp.create_dynamic}
        1    0.000    0.000    0.007    0.007
/usr/lib/python3.12/importlib/metadata/_adapters.py:1(<module>)
      324    0.001    0.000    0.007    0.000 <frozen
importlib._bootstrap_external>:1183(get_data)
     4409    0.003    0.000    0.007    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1549(aliased_name)
3937/3458    0.003    0.000    0.007    0.000 {built-in method __new__ of type
object at 0xa43b40}
        1    0.000    0.000    0.007    0.007
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/textpath.py:1(<module>)
      100    0.000    0.000    0.007    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/pyplot.py:208(_add_pyplot_note)
        1    0.000    0.000    0.007    0.007
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/__init__.py:1(<module>)
        1    0.000    0.000    0.006    0.006
/usr/lib/python3.12/email/message.py:1(<module>)
       23    0.000    0.000    0.006    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/overrides.py:184(decorator)
17311/17308    0.005    0.000    0.006    0.000 {method 'join' of 'str' objects}
       41    0.001    0.000    0.006    0.000
/usr/lib/python3.12/enum.py:528(__new__)
        1    0.000    0.000    0.006    0.006
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/axis3d.py:1(<module>)
```

```
     9887    0.006    0.000    0.006    0.000 {method 'split' of 'str' objects}
       80    0.000    0.000    0.006    0.000
/usr/lib/python3.12/importlib/metadata/_itertools.py:4(unique_everseen)
        1    0.000    0.000    0.006    0.006
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/common.py:1(<module>)
        1    0.000    0.000    0.006    0.006
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:1(<module>)
      256    0.001    0.000    0.006    0.000
/usr/lib/python3.12/typing.py:1242(__init__)
        1    0.000    0.000    0.006    0.006
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/common.py:11(pyparsing_common)
        1    0.000    0.000    0.005    0.005
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colorizer.py:1(<module>)
        1    0.000    0.000    0.005    0.005
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/quiver.py:1(<module>)
        1    0.000    0.000    0.005    0.005
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/font_manager.py:1625(_load_fontmanager)
17073/17039    0.003    0.000    0.005    0.000 {built-in method
builtins.hasattr}
     1056    0.004    0.000    0.005    0.000
/usr/lib/python3.12/inspect.py:2998(__init__)
        1    0.000    0.000    0.005    0.005
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/font_manager.py:1030(json_load)
        1    0.000    0.000    0.005    0.005
/usr/lib/python3.12/json/__init__.py:274(load)
        1    0.000    0.000    0.005    0.005
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/__init__.py:1(<module>)
        1    0.000    0.000    0.005    0.005
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/fromnumeric.py:1(<module>)
        1    0.000    0.000    0.005    0.005
/usr/lib/python3.12/json/__init__.py:299(loads)
        1    0.000    0.000    0.005    0.005
/usr/lib/python3.12/json/decoder.py:332(decode)
        1    0.001    0.001    0.005    0.005
/usr/lib/python3.12/json/decoder.py:343(raw_decode)
        1    0.000    0.000    0.005    0.005
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ExifTags.py:1(<module>)
     7653    0.002    0.000    0.005    0.000
```

```
/usr/lib/python3.12/enum.py:726(__call__)
       64    0.002    0.000    0.005    0.000 {built-in method builtins.eval}
       19    0.000    0.000    0.005    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:814(validate_cycler)
        1    0.000    0.000    0.005    0.005
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:1(<module>)
       13    0.000    0.000    0.005    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:426(validate_font_properties)
        1    0.001    0.001    0.005    0.005
/usr/lib/python3.12/pathlib.py:1(<module>)
       10    0.000    0.000    0.005    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_fontconfig_pattern.py:77(parse_fontconfig_pattern)
        1    0.000    0.000    0.004    0.004
/usr/lib/python3.12/email/utils.py:1(<module>)
        1    0.000    0.000    0.004    0.004
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/helpers.py:1(<module>)
   101/31    0.000    0.000    0.004    0.000
/usr/lib/python3.12/typing.py:1267(__getitem__)
       48    0.000    0.000    0.004    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:1406(_add_data_doc)
       45    0.001    0.000    0.004    0.000
/usr/lib/python3.12/collections/__init__.py:355(namedtuple)
      479    0.002    0.000    0.004    0.000
/usr/lib/python3.12/enum.py:254(__set_name__)
        1    0.000    0.000    0.004    0.004 conway.py:19(randomGrid)
        1    0.000    0.000    0.004    0.004
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_array_like.py:1(<module>)
        1    0.000    0.000    0.004    0.004
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_methods.py:1(<module>)
        1    0.000    0.000    0.004    0.004
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_char_codes.py:1(<module>)
       50    0.000    0.000    0.004    0.000
/usr/lib/python3.12/typing.py:514(__getitem__)
        3    0.000    0.000    0.004    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2293(__init_subclass__)
        6    0.000    0.000    0.004    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2335(pprint_styles)
```

```
      824    0.002    0.000    0.004    0.000
/usr/lib/python3.12/functools.py:35(update_wrapper)
       46    0.000    0.000    0.004    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3526(mayReturnEmpty)
    48/27    0.000    0.000    0.004    0.000
/usr/lib/python3.12/functools.py:979(__get__)
    42/21    0.000    0.000    0.004    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3494(re)
    39229    0.004    0.000    0.004    0.000 {method 'append' of 'list'
objects}
      648    0.001    0.000    0.004    0.000 <frozen
importlib._bootstrap_external>:482(cache_from_source)
       64    0.000    0.000    0.004    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1604(__add__)
   102/95    0.000    0.000    0.004    0.000
/usr/lib/python3.12/typing.py:508(__getitem__)
        1    0.000    0.000    0.004    0.004
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/random/__init__.py:1(<module>)
       79    0.000    0.000    0.004    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:469(entry_points)
        1    0.000    0.000    0.004    0.004
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numerictypes.py:1(<module>)
     1193    0.001    0.000    0.004    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/font_manager.py:989(_json_decode)
        1    0.000    0.000    0.004    0.004
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:1(<module>)
        1    0.000    0.000    0.004    0.004
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1(<module>)
        1    0.000    0.000    0.004    0.004
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_dtype_like.py:1(<module>)
     1507    0.000    0.000    0.004    0.000 <frozen
importlib._bootstrap_external>:140(_path_stat)
       95    0.000    0.000    0.004    0.000
/usr/lib/python3.12/typing.py:687(Union)
       50    0.000    0.000    0.004    0.000
/usr/lib/python3.12/typing.py:746(Literal)
       65    0.000    0.000    0.004    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4499(__init__)
```

```
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/category.py:1(<module>)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/contour.py:1(<module>)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cm.py:32(_gen_cmap_registry)
        1    0.000    0.000    0.003    0.003
/usr/lib/python3.12/pickle.py:1(<module>)
      658    0.001    0.000    0.003    0.000 <frozen
importlib._bootstrap>:162(__enter__)
       12    0.000    0.000    0.003    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1268(parse_string)
     1558    0.003    0.000    0.003    0.000 {built-in method posix.stat}
     3477    0.002    0.000    0.003    0.000 <frozen
importlib._bootstrap_external>:126(_path_join)
      348    0.000    0.000    0.003    0.000 <frozen
importlib._bootstrap_external>:1588(_get_spec)
       64    0.001    0.000    0.003    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:414(make_keyword_only)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/table.py:1(<module>)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/testing.py:1(<module>)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/__init__.py:1(<module>)
      271    0.000    0.000    0.003    0.000 <frozen
importlib._bootstrap>:463(_lock_unlock_module)
     7953    0.003    0.000    0.003    0.000 {method 'expandtabs' of 'str'
objects}
       21    0.000    0.000    0.003    0.000
/usr/lib/python3.12/typing.py:2780(__new__)
      324    0.003    0.000    0.003    0.000 {method 'read' of
'_io.BufferedReader' objects}
        1    0.000    0.000    0.003    0.003
/usr/lib/python3.12/unittest/__init__.py:1(<module>)
        1    0.000    0.000    0.003    0.003
/usr/lib/python3.12/logging/__init__.py:1(<module>)
      348    0.003    0.000    0.003    0.000 <frozen
importlib._bootstrap_external>:802(spec_from_file_location)
        8    0.000    0.000    0.003    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6456(__init__)
     28/7    0.000    0.000    0.003    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5167(leave_whitespace)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/mathtext.py:1(<module>)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:245(_check_versions)
      672    0.000    0.000    0.003    0.000 <frozen
importlib._bootstrap>:632(cached)
   101/31    0.000    0.000    0.003    0.000
/usr/lib/python3.12/typing.py:1299(_determine_new_args)
        1    0.000    0.000    0.003    0.003
/usr/lib/python3.12/fractions.py:1(<module>)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_secondary_axes.py:1(<module>)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend.py:1(<module>)
      264    0.000    0.000    0.003    0.000 {built-in method builtins.all}
   101/31    0.001    0.000    0.003    0.000
/usr/lib/python3.12/typing.py:1328(_make_substitution)
       21    0.000    0.000    0.003    0.000
/usr/lib/python3.12/typing.py:2761(_make_nmtuple)
     6745    0.002    0.000    0.003    0.000
/usr/lib/python3.12/re/_parser.py:261(get)
      348    0.000    0.000    0.003    0.000 <frozen
importlib._bootstrap_external>:611(_get_cached)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1(<module>)
       39    0.000    0.000    0.003    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1081(from_list)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:1(<module>)
      443    0.000    0.000    0.003    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:569(copy)
        1    0.000    0.000    0.003    0.003
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:1(<module>)
        7    0.000    0.000    0.003    0.000
```

```
/usr/lib/python3.12/importlib/__init__.py:73(import_module)
      658    0.000    0.000    0.003    0.000 <frozen
importlib._bootstrap>:173(__exit__)
        7    0.000    0.000    0.003    0.000 <frozen
importlib._bootstrap>:1375(_gcd_import)
   306/12    0.001    0.000    0.003    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:910(_parseNoCache)
      324    0.003    0.000    0.003    0.000 {built-in method _io.open_code}
      658    0.002    0.000    0.003    0.000 <frozen
importlib._bootstrap>:426(_get_module_lock)
      583    0.001    0.000    0.003    0.000
/usr/lib/python3.12/enum.py:390(__setitem__)
       84    0.000    0.000    0.003    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4527(<genexpr>)
    72/12    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4609(parseImpl)
      236    0.001    0.000    0.002    0.000
/usr/lib/python3.12/re/_compiler.py:511(_compile_info)
     8780    0.002    0.000    0.002    0.000
/usr/lib/python3.12/re/_parser.py:168(__getitem__)
        1    0.000    0.000    0.002    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_internal.py:1(<module>)
      113    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:99(f)
       79    0.000    0.000    0.002    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:811(read_text)
      664    0.002    0.000    0.002    0.000 {method 'remove' of 'list'
objects}
     59/7    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4329(leave_whitespace)
      500    0.001    0.000    0.002    0.000
/usr/lib/python3.12/typing.py:175(_type_check)
      443    0.001    0.000    0.002    0.000
/usr/lib/python3.12/copy.py:61(copy)
        1    0.000    0.000    0.002    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/random/_pickle.py:1(<module>)
       16    0.000    0.000    0.002    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:794(<genexpr>)
       13    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:8743(_convert2ma)
```

```
       14    0.000    0.000    0.002    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:692(search)
   129/61    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4426(copy)
      141    0.000    0.000    0.002    0.000 <frozen abc>:105(__new__)
      658    0.001    0.000    0.002    0.000 <frozen
importlib._bootstrap>:124(setdefault)
        7    0.000    0.000    0.002    0.000
/usr/lib/python3.12/enum.py:919(_convert_)
        1    0.000    0.000    0.002    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/exceptions.py:1(<module>)
     1242    0.000    0.000    0.002    0.000 <frozen
abc>:117(__instancecheck__)
      243    0.000    0.000    0.002    0.000
/usr/lib/python3.12/pathlib.py:437(__str__)
        1    0.000    0.000    0.002    0.002
/usr/lib/python3.12/urllib/parse.py:1(<module>)
       79    0.000    0.000    0.002    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:826(_normalized_name)
       16    0.000    0.000    0.002    0.000
/usr/lib/python3.12/importlib/metadata/_functools.py:75(wrapper)
       64    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:423(replaced_by_pep8)
        1    0.000    0.000    0.002    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_npyio_impl.py:1(<module>)
        1    0.000    0.000    0.002    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_fontconfig_pattern.py:55(_make_fontconfig_parser)
        8    0.000    0.000    0.002    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:701(lookup)
        8    0.000    0.000    0.002    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:707(__init__)
     2703    0.001    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:468(_strip_comment)
      261    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:304(validate_color_for_prop_cycle)
     1242    0.000    0.000    0.002    0.000 {built-in method
_abc._abc_instancecheck}
      663    0.000    0.000    0.002    0.000
/usr/lib/python3.12/re/__init__.py:179(sub)
      229    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/numpy/_core/overrides.py:86(verify_matching_signatures)
       59    0.000    0.000    0.002    0.000
/usr/lib/python3.12/textwrap.py:419(dedent)
      262    0.001    0.000    0.002    0.000
/usr/lib/python3.12/typing.py:262(_collect_parameters)
 1476/470    0.001    0.000    0.002    0.000
/usr/lib/python3.12/re/_parser.py:178(getwidth)
        1    0.000    0.000    0.002    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_tricontour.py:1(<module>)
    12356    0.002    0.000    0.002    0.000 {method 'get' of 'dict' objects}
      114    0.001    0.000    0.002    0.000 {built-in method _io.open}
      220    0.000    0.000    0.002    0.000 {built-in method builtins.any}
      227    0.001    0.000    0.002    0.000
/usr/lib/python3.12/re/_compiler.py:243(_optimize_charset)
     1757    0.001    0.000    0.002    0.000
/usr/lib/python3.12/typing.py:1188(__setattr__)
      356    0.001    0.000    0.002    0.000
/usr/lib/python3.12/inspect.py:794(_finddoc)
        1    0.000    0.000    0.002    0.002
/usr/lib/python3.12/socket.py:1(<module>)
 1744/220    0.000    0.000    0.002    0.000 <frozen
abc>:121(__subclasscheck__)
       19    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:677(cycler)
        1    0.000    0.000    0.002    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:1(<module>)
      472    0.001    0.000    0.002    0.000
/usr/lib/python3.12/enum.py:1562(__and__)
       79    0.000    0.000    0.002    0.000
/usr/lib/python3.12/pathlib.py:1024(read_text)
    32474    0.002    0.000    0.002    0.000 {built-in method
builtins.callable}
 1744/220    0.001    0.000    0.002    0.000 {built-in method
_abc._abc_subclasscheck}
      206    0.000    0.000    0.002    0.000
/usr/lib/python3.12/pathlib.py:551(drive)
        1    0.000    0.000    0.002    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1(<module>)
        1    0.000    0.000    0.002    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/spines.py:1(<module>)
        7    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3161(__init__)
```

```
       15    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1764(__or__)
        1    0.000    0.000    0.002    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:161(Version)
       15    0.000    0.000    0.002    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4842(__init__)
        1    0.000    0.000    0.002    0.002
/usr/lib/python3.12/subprocess.py:1(<module>)
     4584    0.001    0.000    0.002    0.000 {built-in method builtins.sorted}
        2    0.000    0.000    0.002    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/__init__.py:12(__getattr__)
      177    0.000    0.000    0.002    0.000
/usr/lib/python3.12/pathlib.py:407(_load_parts)
     6211    0.001    0.000    0.002    0.000 {built-in method builtins.setattr}
       79    0.000    0.000    0.002    0.000
/usr/lib/python3.12/pathlib.py:1007(open)
        1    0.000    0.000    0.002    0.002
/usr/lib/python3.12/shutil.py:1(<module>)
        1    0.000    0.000    0.002    0.002
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/axes3d.py:41(Axes3D)
       79    0.001    0.000    0.002    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:347(__new__)
       24    0.001    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:222(_collapse_string_to_ranges)
      467    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:159(_path_isfile)
        2    0.000    0.000    0.001    0.001
/usr/lib/python3.12/dataclasses.py:1257(wrap)
        2    0.000    0.000    0.001    0.001
/usr/lib/python3.12/dataclasses.py:921(_process_class)
        7    0.000    0.000    0.001    0.000
/usr/lib/python3.12/enum.py:863(_create_)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/json/__init__.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/texmanager.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colorbar.py:1(<module>)
       24    0.000    0.000    0.001    0.000
/usr/lib/python3.12/typing.py:1261(__or__)
```

```
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/importlib/resources/__init__.py:1(<module>)
      658    0.001    0.000    0.001    0.000 <frozen
importlib._bootstrap>:372(release)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_add_newdocs_scalars.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:1(<module>)
      505    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:150(_path_is_mode_type)
       43    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4847(<genexpr>)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/ctypes/__init__.py:1(<module>)
    11007    0.001    0.000    0.001    0.000 {method 'pop' of 'list' objects}
      648    0.001    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:132(_path_split)
       22    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5667(parseImpl)
       79    0.000    0.000    0.001    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:310(_from_text_for)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/plistlib.py:1(<module>)
       31    0.000    0.000    0.001    0.000
/usr/lib/python3.12/typing.py:1562(copy_with)
     8281    0.001    0.000    0.001    0.000
/usr/lib/python3.12/re/_parser.py:240(__next)
      256    0.000    0.000    0.001    0.000
/usr/lib/python3.12/typing.py:1147(__init__)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/hashlib.py:1(<module>)
       67    0.001    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1134(reversed)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_tripcolor.py:1(<module>)
      458    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_utils/_inspect.py:97(getargspec)
      195    0.000    0.000    0.001    0.000
/usr/lib/python3.12/inspect.py:3066(replace)
      541    0.000    0.000    0.001    0.000
/usr/lib/python3.12/re/__init__.py:164(match)
```

```
      853    0.001    0.000    0.001    0.000
/usr/lib/python3.12/inspect.py:747(unwrap)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ExifTags.py:21(Base)
        8    0.001    0.000    0.001    0.000
/usr/lib/python3.12/enum.py:1708(convert_class)
      752    0.001    0.000    0.001    0.000
/usr/lib/python3.12/inspect.py:175(get_annotations)
      722    0.001    0.000    0.001    0.000 {method 'sub' of 're.Pattern'
objects}
     7646    0.001    0.000    0.001    0.000
/usr/lib/python3.12/enum.py:1129(__new__)
       95    0.001    0.000    0.001    0.000 {built-in method builtins.compile}
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/__init__.py:1(<module>)
     1191    0.001    0.000    0.001    0.000 <string>:2(__init__)
     78/4    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1077(_parseCache)
     2163    0.001    0.000    0.001    0.000
/usr/lib/python3.12/typing.py:1134(_is_dunder)
      123    0.000    0.000    0.001    0.000
/usr/lib/python3.12/pathlib.py:447(__fspath__)
      718    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:1469(_path_importer_cache)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/inset.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_afm.py:1(<module>)
      387    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap>:420(__exit__)
       26    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:7037(_frommethod)
      196    0.000    0.000    0.001    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:312(<genexpr>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/format.py:1(<module>)
   298/41    0.000    0.000    0.001    0.000
/usr/lib/python3.12/ast.py:403(visit)
```

```
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/ipaddress.py:1(<module>)
       39    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:419(to_rgba_array)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:391(ParserElement)
        2    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6786(srange)
     6229    0.001    0.000    0.001    0.000 {method 'group' of 're.Match'
objects}
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/html/__init__.py:1(<module>)
      345    0.000    0.000    0.001    0.000
/usr/lib/python3.12/typing.py:723(<genexpr>)
        8    0.000    0.000    0.001    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:678(children)
     9838    0.001    0.000    0.001    0.000 {method 'rstrip' of 'str' objects}
      182    0.001    0.000    0.001    0.000
/usr/lib/python3.12/pathlib.py:387(_parse_path)
     2470    0.001    0.000    0.001    0.000
/usr/lib/python3.12/typing.py:1246(<genexpr>)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/decimal.py:1(<module>)
      196    0.000    0.000    0.001    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:316(<genexpr>)
      443    0.000    0.000    0.001    0.000
/usr/lib/python3.12/copy.py:247(_reconstruct)
       28    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:79(<genexpr>)
       12    0.000    0.000    0.001    0.000
/usr/lib/python3.12/dataclasses.py:449(_create_fn)
  278/178    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2168(name)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/importlib/resources/_common.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/helpers.py:694(make_html_tags)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/helpers.py:635(_makeTags)
        5    0.000    0.000    0.001    0.000
/usr/lib/python3.12/inspect.py:2350(_signature_from_builtin)
```

```
     7610    0.001    0.000    0.001    0.000 {method 'isidentifier' of 'str'
objects}
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/unittest/case.py:1(<module>)
     22/3    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4540(streamline)
      356    0.000    0.000    0.001    0.000
/usr/lib/python3.12/inspect.py:784(_findclass)
   274/19    0.000    0.000    0.001    0.000
/usr/lib/python3.12/ast.py:409(generic_visit)
    38/18    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5150(parseImpl)
     3544    0.001    0.000    0.001    0.000
/usr/lib/python3.12/inspect.py:3045(<genexpr>)
        5    0.000    0.000    0.001    0.000
/usr/lib/python3.12/inspect.py:2208(_signature_fromstr)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_format_impl.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_polynomial_impl.py:1(<module>)
       44    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_base.py:67(__set_name__)
      661    0.000    0.000    0.001    0.000
/usr/lib/python3.12/typing.py:166(_type_convert)
  208/115    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2121(default_name)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/email/_parseaddr.py:1(<module>)
       70    0.000    0.000    0.001    0.000
/usr/lib/python3.12/typing.py:1390(copy_with)
       20    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5792(parseImpl)
       14    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:120(doc_note)
     1195    0.000    0.000    0.001    0.000 <frozen posixpath>:60(isabs)
1790/1610    0.001    0.000    0.001    0.000 {method 'update' of 'dict'
objects}
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/json/decoder.py:1(<module>)
      418    0.000    0.000    0.001    0.000
```

```
/usr/lib/python3.12/inspect.py:2781(replace)
     30/4    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4374(streamline)
      792    0.000    0.000    0.001    0.000 {built-in method builtins.max}
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:1(<module>)
      441    0.000    0.000    0.001    0.000 {built-in method builtins.next}
       45    0.001    0.000    0.001    0.000 {built-in method posix.listdir}
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/email/charset.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_text_helpers.py:1(<module>)
 4310/959    0.001    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:368(recursive_subclasses)
      234    0.000    0.000    0.001    0.000
/usr/lib/python3.12/re/_parser.py:98(closegroup)
      195    0.001    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_shape_base_impl.py:625(column_stack)
      658    0.001    0.000    0.001    0.000 <frozen
importlib._bootstrap>:74(__new__)
     2935    0.001    0.000    0.001    0.000
/usr/lib/python3.12/re/_parser.py:176(append)
      324    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:1202(path_stats)
       22    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5940(parseImpl)
       27    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_add_newdocs_scalars.py:76(add_newdoc_for_scalar_type)
      196    0.000    0.000    0.001    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:103(<genexpr>)
      383    0.001    0.000    0.001    0.000 {method '__exit__' of
'_io._IOBase' objects}
      550    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:468(deprecate_argument)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/email/_policybase.py:1(<module>)
       37    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:1456(_path_hooks)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/pathlib.py:812(PureWindowsPath)
```

```
       83    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4290(__init__)
     7369    0.001    0.000    0.001    0.000 {method '__contains__' of
'frozenset' objects}
       89    0.000    0.000    0.001    0.000
/usr/lib/python3.12/inspect.py:3262(__str__)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImagePalette.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_cm_multivar.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/logging/__init__.py:469(StrFormatStyle)
     5558    0.001    0.000    0.001    0.000 {method 'find' of 'str' objects}
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/tempfile.py:1(<module>)
       24    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:126(deprecate)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/extras.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1(<module>)
    26/14    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4868(parseImpl)
      237    0.001    0.000    0.001    0.000
/usr/lib/python3.12/contextlib.py:440(__init__)
     1443    0.000    0.000    0.001    0.000
/usr/lib/python3.12/enum.py:1544(_get_value)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_function_base_impl.py:1(<module>)
       37    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:1644(_fill_cache)
      125    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3481(copy)
        3    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_fontconfig_pattern.py:57(comma_separated)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dviread.py:1(<module>)
```

```
     10/3    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:14(__get__)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/signal.py:1(<module>)
        1    0.000    0.000    0.001    0.001 <frozen
importlib._bootstrap>:1171(exec_module)
       40    0.001    0.000    0.001    0.000 <frozen abc>:110(register)
        1    0.000    0.000    0.001    0.001 <frozen ntpath>:1(<module>)
      651    0.000    0.000    0.001    0.000
/usr/lib/python3.12/re/_compiler.py:398(_simple)
     23/6    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5206(streamline)
      324    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:666(_classify_pyc)
        2    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:45(_compat_get_offset)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:907(AnchoredOffsetbox)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/argparse.py:1907(parse_args)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/argparse.py:1914(parse_known_args)
       28    0.000    0.000    0.001    0.000
/usr/lib/python3.12/ast.py:34(parse)
      458    0.001    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_utils/_inspect.py:66(getargs)
        1    0.001    0.001    0.001    0.001
/usr/lib/python3.12/argparse.py:1952(_parse_known_args)
     2896    0.000    0.000    0.001    0.000
/usr/lib/python3.12/re/_parser.py:164(__len__)
       67    0.000    0.000    0.001    0.000
/usr/lib/python3.12/typing.py:885(__init__)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/zipfile/__init__.py:1(<module>)
     3344    0.000    0.000    0.001    0.000
/usr/lib/python3.12/re/_parser.py:256(match)
      811    0.001    0.000    0.001    0.000
/usr/lib/python3.12/enum.py:850(__setattr__)
      239    0.001    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:485(__init__)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/layout_engine.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_utils_impl.py:1(<module>)
      972    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:84(_unpack_uint32)
      324    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:699(_validate_timestamp_pyc)
       15    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:680(set_parse_action)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/argparse.py:1776(__init__)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/string.py:1(<module>)
       12    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:238(define_aliases)
     5462    0.001    0.000    0.001    0.000 {method 'strip' of 'str' objects}
       64    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5124(__init__)
  306/282    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:204(__init__)
      304    0.000    0.000    0.001    0.000 <frozen posixpath>:71(join)
      212    0.000    0.000    0.001    0.000
/usr/lib/python3.12/pathlib.py:1159(__init__)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/bz2.py:1(<module>)
     1767    0.000    0.000    0.001    0.000
/usr/lib/python3.12/re/_parser.py:293(tell)
       76    0.000    0.000    0.001    0.000
/usr/lib/python3.12/typing.py:1609(__hash__)
      165    0.000    0.000    0.001    0.000
/usr/lib/python3.12/ast.py:419(visit_Constant)
       44    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_base.py:52(__init__)
       95    0.000    0.000    0.001    0.000
/usr/lib/python3.12/typing.py:345(_remove_dups_flatten)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/actions.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:80(alphanums)
        1    0.000    0.000    0.001    0.001
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext_data.py:1(<module>)
       31    0.000    0.000    0.001    0.000
/usr/lib/python3.12/pathlib.py:1083(glob)
     1553    0.001    0.000    0.001    0.000 {method 'match' of 're.Pattern'
objects}
     3701    0.001    0.000    0.001    0.000 <frozen
importlib._bootstrap>:491(_verbose_message)
        8    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3306(_generateDefaultName)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_arraysetops_impl.py:1(<module>)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/calendar.py:1(<module>)
       62    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:869(_open_file_or_url)
       19    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:258(_trim_arity)
      385    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/_distutils_hack/__init__.py:101(find_spec)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/json/scanner.py:1(<module>)
      632    0.000    0.000    0.001    0.000 {built-in method builtins.delattr}
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:70(alphas)
     9351    0.001    0.000    0.001    0.000
/usr/lib/python3.12/inspect.py:2765(name)
       33    0.000    0.000    0.001    0.000
/usr/lib/python3.12/contextlib.py:132(__enter__)
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/string.py:69(__init_subclass__)
       33    0.000    0.000    0.001    0.000
/usr/lib/python3.12/enum.py:513(__prepare__)
        1    0.000    0.000    0.001    0.001
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_base.py:549(_AxesBase)
       11    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3307(charsAsStr)
     4973    0.001    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1557(<genexpr>)
```

```
      122    0.000    0.000    0.001    0.000
/usr/lib/python3.12/pathlib.py:380(with_segments)
        2    0.000    0.000    0.001    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:55(_chars_for_ranges)
     2584    0.000    0.000    0.000    0.000 {method 'rpartition' of 'str'
objects}
       37    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/function_base.py:27(linspace)
     1884    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1226(__exit__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/header.py:1(<module>)
       59    0.000    0.000    0.000    0.000 {method 'findall' of 're.Pattern'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_twodim_base_impl.py:1(<module>)
     1884    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1222(__enter__)
      159    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:757(normalize)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:221(extract_stack)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/TiffTags.py:1(<module>)
     2686    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:214(__call__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:377(extract)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:399(_extract_from_extended_frame_gen)
       21    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:997(exec_module)
      284    0.000    0.000    0.000    0.000 {built-in method fromkeys}
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/extras.py:265(decorator)
      385    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:445(cb)
      406    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1178(__getattr__)
      891    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:219(_is_nth_color)
```

```
      529    0.000    0.000    0.000    0.000 {built-in method numpy.array}
     1926    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:371(isfunction)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/figure.py:118(FigureBase)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:318(line)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/difflib.py:1(<module>)
       15    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1822(__new__)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/linecache.py:26(getline)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:436(PercentStyle)
     4462    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1599(<genexpr>)
       21    0.000    0.000    0.000    0.000 {built-in method
_imp.exec_builtin}
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/linecache.py:36(getlines)
      212    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:357(__init__)
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:66(__call__)
     2682    0.000    0.000    0.000    0.000 {method 'setdefault' of 'dict'
objects}
       25    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/dtypes.py:30(_add_dtype_helper)
     2970    0.000    0.000    0.000    0.000 {method 'add' of 'set' objects}
    154/1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext_data.py:1722(_normalize_stix_fontcodes)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/linecache.py:80(updatecache)
      145    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:317(_deduplicate)
      658    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:82(remove)
     2992    0.000    0.000    0.000    0.000 {method 'endswith' of 'str'
objects}
      105    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:336(wrapper)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/main.py:1(<module>)
       11    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1264(__ror__)
       40    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2729(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_globals.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/kiwisolver/__init__.py:1(<module>)
      688    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:79(_is_private)
       79    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_functools.py:89(pass_none)
      658    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:79(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_type_check_impl.py:1(<module>)
      195    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2001(_signature_get_user_defined_method)
       87    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:711(joinpath)
      303    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:372(_escape)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/markers.py:1(<module>)
      385    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:982(find_spec)
     7839    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2777(kind)
      459    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_function_base_impl.py:363(iterable)
     1296    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:134(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:1(<module>)
       86    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:259(make_alias)
```

```
     5758    0.000    0.000    0.000    0.000 {built-in method builtins.ord}
      364    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1128(find_spec)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/path.py:1(<module>)
      484    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:781(__getitem__)
      385    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:232(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/random.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:152(EntryPoint)
       66    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2095(_signature_bound_method)
     3063    0.000    0.000    0.000    0.000 {method 'get' of 'mappingproxy'
objects}
        1    0.000    0.000    0.000    0.000 {method 'readlines' of
'_io._IOBase' objects}
       30    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:2149(getLogger)
       35    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3430(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/printoptions.py:1(<module>)
      688    0.000    0.000    0.000    0.000 {method 'format' of 'str' objects}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:2314(_IPv6Constants)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageFile.py:1(<module>)
      629    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:785(__delattr__)
      141    0.000    0.000    0.000    0.000 {built-in method _abc._abc_init}
     1590    0.000    0.000    0.000    0.000 <frozen posixpath>:41(_get_sep)
       37    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1685(path_hook_for_FileFinder)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:568(_init_fn)
     2927    0.000    0.000    0.000    0.000 {built-in method
_imp.acquire_lock}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_cm_bivar.py:1(<module>)
```

```
       27    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6423(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backends/__init__.py:1(<module>)
       34    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:2238(__init__)
      443    0.000    0.000    0.000    0.000
/usr/lib/python3.12/copyreg.py:98(__newobj__)
        5    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2158(_signature_strip_non_python_syntax)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_meta.py:1(<module>)
      338    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2799(__str__)
       13    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1519(__getitem__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_enums.py:1(<module>)
      443    0.000    0.000    0.000    0.000 {method '__reduce_ex__' of
'object' objects}
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1458(add_argument)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:522(_get_config_or_cache_dir)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/overrides.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/markers.py:150(MarkerStyle)
      196    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:109(read)
      715    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:645(parent)
3186/3180    0.000    0.000    0.000    0.000 {built-in method posix.fspath}
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:638(_frozen_get_del_attr)
   193/93    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2179(__str__)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2563(make_norm_from_scale)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triinterpolate.py:1(<module>)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/warnings.py:131(filterwarnings)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:845(copy)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1569(_IPv4Constants)
       30    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1377(getLogger)
       92    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2667(__init__)
     10/4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4852(streamline)
     1825    0.000    0.000    0.000    0.000 {built-in method sys.intern}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:1(<module>)
     1300    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:681(_set)
     1891    0.000    0.000    0.000    0.000 {method 'pop' of 'dict' objects}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/lzma.py:1(<module>)
       37    0.000    0.000    0.000    0.000 <frozen zipimport>:64(__init__)
       30    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:199(_select_from)
      587    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:38(_is_descriptor)
      234    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:86(opengroup)
       21    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1502(__init__)
       51    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:518(decorating_function)
  621/523    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1258(__hash__)
       73    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:967(_get_mixins_)
       13    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1533(__getitem_inner__)
      385    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:185(_path_abspath)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/html/entities.py:1(<module>)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/scimath.py:1(<module>)
     2927    0.000    0.000    0.000    0.000 {built-in method
_imp.release_lock}
      690    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext_data.py:1724(<genexpr>)
       27    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2292(p)
      438    0.000    0.000    0.000    0.000 {method 'replace' of 'str'
objects}
       79    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_functools.py:99(wrapper)
     1694    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:63(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:1407(ArtistInspector)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/json/encoder.py:1(<module>)
       58    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3541(parseImpl)
      324    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:643(_check_name_wrapper)
      807    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:701(_get)
      306    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:181(__new__)
       79    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:675(joinpath)
       38    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:1325(__init_subclass__)
      100    0.000    0.000    0.000    0.000 {method 'copy' of 'numpy.ndarray'
objects}
       21    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:989(create_module)
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1047(_generic_class_getitem)
       27    0.000    0.000    0.000    0.000 {method 'read' of
'_io.TextIOWrapper' objects}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/loader.py:1(<module>)
```

```
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/result.py:1(<module>)
        7    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:740(Optional)
       62    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_compiler.py:386(_mk_bitmap)
      350    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/function_base.py:456(_needs_add_docstring)
     2049    0.000    0.000    0.000    0.000 {built-in method
builtins.issubclass}
    347/1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/__config__.py:19(_cleanup)
       14    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6668(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/helpers.py:176(one_of)
      136    0.000    0.000    0.000    0.000 <frozen codecs>:319(decode)
      180    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cm.py:94(__getitem__)
      104    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:977(_typevar_subst)
       19    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/path.py:99(__init__)
      186    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:961(_is_unpacked_typevartuple)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/secrets.py:1(<module>)
      813    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:1003(<lambda>)
       16    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1458(copy_with)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1681(__mul__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/uuid.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/abc.py:1(<module>)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1808(Parser)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_type_aliases.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/platform.py:1(<module>)
      995    0.000    0.000    0.000    0.000 {built-in method from_bytes}
      227    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_compiler.py:216(_compile_charset)
      148    0.000    0.000    0.000    0.000
/usr/lib/python3.12/tokenize.py:460(tokenize)
       21    0.000    0.000    0.000    0.000 {built-in method
_imp.create_builtin}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageMode.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/numbers.py:1(<module>)
      482    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:65(wraps)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/abc.py:1(<module>)
      138    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:449(_uniq)
     1383    0.000    0.000    0.000    0.000 {method '__exit__' of
'_thread.RLock' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_nanfunctions_impl.py:1(<module>)
      352    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1565(__eq__)
  243/227    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_compiler.py:436(_get_literal_prefix)
      585    0.000    0.000    0.000    0.000 {method 'extend' of 'list'
objects}
      671    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:48(_is_dunder)
      184    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:998(copy)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/TiffTags.py:444(_populate)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:1(<module>)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_shape_base_impl.py:1(<module>)
      162    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2711(__new__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/selectors.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:1(<module>)
      254    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4305(<genexpr>)
      688    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:59(_is_sunder)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_meta.py:8(PackageMetadata)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_constrained_layout.py:1(<module>)
      236    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:231(__init__)
       22    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4652(_generateDefaultName)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_cm_listed.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/__init__.py:1(<module>)
      983    0.000    0.000    0.000    0.000 {method 'rfind' of 'str' objects}
        9    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1449(__getitem__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:599(matplotlib_fname)
       79    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:838(_name_from_stem)
       73    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1008(_find_data_type_)
       50    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:361(_flatten_literal_params)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:255(rename_parameter)
     1821    0.000    0.000    0.000    0.000 {method 'lower' of 'str' objects}
       37    0.000    0.000    0.000    0.000 <frozen
```

```
importlib._bootstrap_external>:1567(__init__)
       29    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:1067(_make_child_relpath)
   115/98    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1573(__hash__)
      940    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:83(groups)
      130    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:1816(getattr_static)
      590    0.000    0.000    0.000    0.000 {built-in method builtins.iter}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1(<module>)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:2634(_get_formatter)
       76    0.000    0.000    0.000    0.000 {built-in method builtins.sum}
        7    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1548(__getitem__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/figure.py:2424(Figure)
      150    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:893(_parse_flags)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:748(_get_scale_docs)
      548    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:191(validator)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:173(__init__)
     12/2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1741(makeOptionalList)
      326    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:48(_new_module)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:620(gen_candidates)
      184    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:815(__copy__)
       19    0.000    0.000    0.000    0.000 {built-in method
_functools.reduce}
      385    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:180(_path_isabs)
        7    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1648(__radd__)
```

```
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/contextvars.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/_path/__init__.py:1(<module>)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/gettext.py:631(gettext)
      385    0.000    0.000    0.000    0.000 {built-in method _imp.is_builtin}
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1376(__init__)
       50    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1920(__init__)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/gettext.py:593(dgettext)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/axis3d.py:38(Axis)
     1831    0.000    0.000    0.000    0.000 {method 'isupper' of 'str'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backends/registry.py:142(backward_compatible_entry_points)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_color_data.py:1(<module>)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/gettext.py:534(translation)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3167(ArrowStyle)
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/path.py:191(_create_closed)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:649(_setResultsName)
      691    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:202(__get__)
       33    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:678(__init__)
      862    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1252(__eq__)
       27    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:44(allow_rasterization)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:563(get_configdir)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:2769(NavigationToolbar2)
      818    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ast.py:257(iter_fields)
       38    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:759(<genexpr>)
       44    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:672(copy)
     1303    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:113(__init__)
      136    0.000    0.000    0.000    0.000 {built-in method
_codecs.utf_8_decode}
      654    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:295(isclass)
       23    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5932(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/runner.py:1(<module>)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/gettext.py:479(find)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/mlab.py:1(<module>)
       15    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1966(__init_subclass__)
       13    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1515(copy_with)
     1316    0.000    0.000    0.000    0.000 {built-in method
_thread.get_ident}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/rrule.py:1(<module>)
      143    0.000    0.000    0.000    0.000
/usr/lib/python3.12/tokenize.py:569(_generate_tokens_from_c_tokenizer)
       78    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4653(<genexpr>)
  847/712    0.000    0.000    0.000    0.000 {built-in method builtins.hash}
      117    0.000    0.000    0.000    0.000
/usr/lib/python3.12/collections/__init__.py:457(_replace)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:1(<module>)
      135    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/pyparsing/core.py:2244(__eq__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_collections.py:1(<module>)
       50    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:933(__init__)
       19    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:482(cycler)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:1(<module>)
       46    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1194(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_scimath_impl.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:289(select)
       40    0.000    0.000    0.000    0.000 {built-in method
_abc._abc_register}
       14    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/__init__.py:199(split)
      438    0.000    0.000    0.000    0.000
/usr/lib/python3.12/socket.py:84(<lambda>)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:294(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nested_sequence.py:1(<module>)
       31    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1286(__init__)
      117    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_collections.py:28(parse)
      440    0.000    0.000    0.000    0.000
/usr/lib/python3.12/socket.py:94(<lambda>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:882(version)
      437    0.000    0.000    0.000    0.000
/usr/lib/python3.12/socket.py:79(<lambda>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:856(distribution)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:582(get_cachedir)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:383(from_name)
```

```
      458    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_utils/_inspect.py:13(ismethod)
      439    0.000    0.000    0.000    0.000
/usr/lib/python3.12/socket.py:89(<lambda>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ExifTags.py:305(GPS)
       23    0.000    0.000    0.000    0.000
/usr/lib/python3.12/contextlib.py:272(contextmanager)
       38    0.000    0.000    0.000    0.000 {method '__typing_subst__' of
'typing.TypeVar' objects}
      236    0.000    0.000    0.000    0.000 {built-in method _sre.compile}
      109    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:312(_class_escape)
        9    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1905(__call__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:123(pyparsing_unicode)
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:47(parse)
       33    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:974(update)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/__init__.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/csv.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:80(_make_selector)
       23    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1234(reversed)
      735    0.000    0.000    0.000    0.000 {method 'find' of 'bytearray'
objects}
       13    0.000    0.000    0.000    0.000
/usr/lib/python3.12/textwrap.py:470(indent)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:4135(FancyArrowPatch)
     2368    0.000    0.000    0.000    0.000 {built-in method builtins.chr}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:192(__init__)
       79    0.000    0.000    0.000    0.000 <frozen posixpath>:117(splitext)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:1(<module>)
      472    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_compiler.py:570(isstring)
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:188(__init__)
      182    0.000    0.000    0.000    0.000 <frozen posixpath>:138(splitroot)
       19    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:546(_cycler)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/isoparser.py:1(<module>)
      583    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:70(_is_internal_class)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/relativedelta.py:1(<module>)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2757(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/datetime.py:1(<module>)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:627(_repr_fn)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/message.py:135(Message)
      546    0.000    0.000    0.000    0.000 {built-in method numpy.asanyarray}
      255    0.000    0.000    0.000    0.000
/usr/lib/python3.12/collections/__init__.py:447(_make)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:661(_cmp_fn)
      130    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:1795(_check_class)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:1230(resolve)
      203    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_compiler.py:467(_get_charset_prefix)
      151    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/TiffTags.py:35(__new__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/streamplot.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/_adapters.py:1(<module>)
        1    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/pathlib.py:105(_compile_pattern)
      675    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:172(__setitem__)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:1199(home)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backends/registry.py:1(<module>)
      945    0.000    0.000    0.000    0.000 {method '__subclasses__' of 'type'
objects}
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:760(_get_field)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dviread.py:202(Dvi)
       21    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:23(_prevent_rasterization)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_ufunclike_impl.py:1(<module>)
       33    0.000    0.000    0.000    0.000
/usr/lib/python3.12/contextlib.py:141(__exit__)
     1239    0.000    0.000    0.000    0.000 {built-in method builtins.id}
      364    0.000    0.000    0.000    0.000 {built-in method _imp.find_frozen}
       52    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:479(lru_cache)
       22    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1187(_ip_int_from_string)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/_encoded_words.py:1(<module>)
        7    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6673(__add__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/isoparser.py:42(isoparser)
       42    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numeric.py:170(ones)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_utils/__init__.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/_compat_pickle.py:1(<module>)
       19    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:226(_from_iter)
```

```
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_text.py:1(<module>)
       33    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1035(_find_new_)
       34    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1651(_ip_int_from_string)
      137    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1012(__init__)
       15    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1841(__init__)
      658    0.000    0.000    0.000    0.000 {built-in method
_weakref._remove_dead_weakref}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/array_utils.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/xml/parsers/expat.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:28(Collection)
       55    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:533(_split_addr_prefix)
      375    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath.add_docstring}
     1736    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:774(<genexpr>)
      807    0.000    0.000    0.000    0.000 {function RcParams.__getitem__ at
0x7ff0f8c15da0}
      195    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_shape_base_impl.py:621(_column_stack_dispatcher)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_iotools.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:597(_get_data_path)
       77    0.000    0.000    0.000    0.000 {built-in method posix.getcwd}
       22    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:147(check_shape)
      513    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:935(__eq__)
      117    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:228(matches)
      183    0.000    0.000    0.000    0.000
/usr/lib/python3.12/textwrap.py:482(prefixed_lines)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_exceptions.py:1(<module>)
     1019    0.000    0.000    0.000    0.000 {built-in method builtins.vars}
        9    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1551(__or__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/function_base.py:1(<module>)
       88    0.000    0.000    0.000    0.000 <frozen posixpath>:169(basename)
       14    0.000    0.000    0.000    0.000
/usr/lib/python3.12/hashlib.py:126(__get_openssl_constructor)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/_endian.py:1(<module>)
      488    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:358(<genexpr>)
       15    0.000    0.000    0.000    0.000 {method '__init_subclass__' of
'object' objects}
       35    0.000    0.000    0.000    0.000 <frozen posixpath>:256(expanduser)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:1400(expanduser)
       65    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:527(__iadd__)
      714    0.000    0.000    0.000    0.000 {method 'items' of 'dict' objects}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/suite.py:1(<module>)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:882(_hash_add)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/shlex.py:1(<module>)
       24    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dviread.py:184(decorate)
      163    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:151(validate_bool)
       50    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:274(getuntil)
      177    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:429(_format_parsed_parts)
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:651(cache)
      385    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/_virtualenv.py:52(find_spec)
      322    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:893(_convert_validator_spec)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nbit_base.py:1(<module>)
      356    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:299(ismethod)
      236    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:953(fix_flags)
       19    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:416(by_key)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:1(<module>)
      853    0.000    0.000    0.000    0.000 {built-in method
sys.getrecursionlimit}
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:675(_hash_fn)
       26    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ast.py:56(literal_eval)
       36    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:701(_is_type)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend.py:342(Legend)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/exceptions.py:1(<module>)
       75    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2121(_signature_is_builtin)
        2    0.000    0.000    0.000    0.000 <frozen posixpath>:428(realpath)
       77    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numerictypes.py:475(issubdtype)
      458    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_utils/_inspect.py:26(isfunction)
      212    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:1166(__new__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ExifTags.py:361(LightSource)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/_compression.py:1(<module>)
      443    0.000    0.000    0.000    0.000 {built-in method builtins.repr}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/lines.py:230(Line2D)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_adapters.py:19(Message)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2612(_make_norm_from_scale)
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1721(_get_protocol_attrs)
      458    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_utils/_inspect.py:41(iscode)
       23    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:662(spec_from_loader)
      101    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:307(_unpack_args)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_stride_tricks_impl.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/struct.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/records.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:1(<module>)
       79    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:314(_from_text)
      389    0.000    0.000    0.000    0.000 {built-in method
_thread.allocate_lock}
     1419    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:3058(parameters)
      387    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:599(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/getlimits.py:1(<module>)
       14    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:185(finalize)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6135(Forward)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/base64.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5828(__init__)
```

```
     1890    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:887(<lambda>)
       38    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:164(_path_isdir)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:58(_timelex)
       16    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1096(_generic_init_subclass)
       26    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:961(__init__)
      117    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:196(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/util.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/_adapters.py:40(CompatibilityFiles)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:2854(__new__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/_legacy.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/bezier.py:1(<module>)
       88    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1213(_parse_octet)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/gzip.py:1(<module>)
       29    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1428(_fixupParents)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2380(BoxStyle)
        8    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:837(stat)
      183    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:692(__init__)
       37    0.000    0.000    0.000    0.000 <frozen os>:680(__getitem__)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5641(__init__)
       18    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:1037(__init__)
      101    0.000    0.000    0.000    0.000 {built-in method builtins.locals}
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:677(GraphicsContextBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:29(Cursors)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/hmac.py:1(<module>)
       44    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4561(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:1313(Arrow)
       79    0.000    0.000    0.000    0.000 <frozen
genericpath>:133(_splitext)
       22    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1127(reset_cache)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numeric.py:2737(extend_all)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:6735(__new__)
       61    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:252(__getitem__)
       78    0.000    0.000    0.000    0.000 <frozen abc>:7(abstractmethod)
       10    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_text.py:79(__hash__)
      229    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:1330(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:85(identchars)
       93    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_collections.py:20(__missing__)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5781(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_histograms_impl.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/units.py:1(<module>)
```

```
      216    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1293(<genexpr>)
       14    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:695(mtime)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:611(set_results_name)
      195    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/shape_base.py:206(_arrays_for_stack_dispatcher)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/gridspec.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1008(TimerBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/umath.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:36(__getattr__)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:852(register)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/testing.py:19(pyparsing_test)
      158    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:891(preParse)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/abc.py:41(_register)
      323    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:821(__iter__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:503(_get_xdg_config_dir)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:1(<module>)
       59    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2133(set_name)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/numbers.py:319(Integral)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/pyparsing/unicode.py:99(identbodychars)
      658    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:158(__init__)
       46    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1542(<genexpr>)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4437(_setResultsName)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/__init__.py:873(blas_fpe_check)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:872(is_dir)
       49    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:404(<genexpr>)
       48    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_internal.py:853(_ufunc_doc_signature_formatter)
       30    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1497(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/quoprimime.py:1(<module>)
      117    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:224(_for)
       78    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:113(set_)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/mixins.py:1(<module>)
       65    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2461(_descriptor_get)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/hashlib.py:82(__get_builtin_constructor)
       44    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3537(_generateDefaultName)
       19    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:150(__init__)
      264    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/overrides.py:108(array_function_dispatch)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triinterpolate.py:578(_ReducedHCT_Element)
       16    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/copyreg.py:107(_slotnames)
       30    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:63(__init__)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:314(delete_parameter)
       33    0.000    0.000    0.000    0.000
/usr/lib/python3.12/contextlib.py:299(helper)
    24/22    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ast.py:477(generic_visit)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_distributor_init.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:58(Month)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4285(ParseExpression)
        2    0.000    0.000    0.000    0.000 <frozen
posixpath>:437(_joinrealpath)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:4517(ConnectionPatch)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:2759(MaskedArray)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/exceptions.py:32(ParseBaseException)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1914(IPv6Address)
      109    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_utils/__init__.py:28(decorator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3888(FancyBboxPatch)
       55    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:156(_split_optional_netmask)
      324    0.000    0.000    0.000    0.000 {built-in method
_imp._fix_co_filename}
       20    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1454(<genexpr>)
       78    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:110(get)
      997    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/inspect.py:2769(default)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:83(TransformNode)
      178    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:120(valid)
      294    0.000    0.000    0.000    0.000 {method 'values' of 'mappingproxy'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:513(_get_xdg_cache_dir)
       33    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:957(_check_for_existing_members_)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_version.py:1(<module>)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:163(select_from)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:1213(AnnotationBbox)
      133    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1959(set_whitespace_chars)
      248    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2353(<genexpr>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/heapq.py:1(<module>)
      263    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_compiler.py:31(_combine_flags)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2745(ConnectionStyle)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_ufunc_config.py:496(inner)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/abc.py:62(Traversable)
      102    0.000    0.000    0.000    0.000 {method 'setter' of 'property'
objects}
      229    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:1336(<genexpr>)
       70    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2133(_signature_is_functionlike)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/bisect.py:1(<module>)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:593(get_data_path)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5119(ParseElementEnhance)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1414(_missing_)
       27    0.000    0.000    0.000    0.000 <frozen genericpath>:16(exists)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/__init__.py:21(__deprecated_private_func)
       46    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:110(__init__)
       29    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:1347(_to_unmasked_float_array)
       29    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:618(stem)
      236    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:77(__init__)
       19    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/path.py:202(_update_values)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:126(Diagnostics)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2630(Norm)
       34    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1631(_make_netmask)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/style/core.py:230(reload_library)
       98    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:77(__call__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/__init__.py:809(_sanity_check)
       21    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/overrides.py:25(get_array_function_like_doc)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/kiwisolver/exceptions.py:1(<module>)
```

```
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/shutil.py:1461(get_terminal_size)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:3090(__hash__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/path.py:24(Path)
      105    0.000    0.000    0.000    0.000
/usr/lib/python3.12/types.py:192(__init__)
      446    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_compiler.py:428(_get_iscased)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/mixins.py:60(NDArrayOperatorsMixin)
      170    0.000    0.000    0.000    0.000
/usr/lib/python3.12/textwrap.py:479(predicate)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:685(zip_children)
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/getlimits.py:178(__new__)
        8    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:719(__truediv__)
       14    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:728(search)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:731(_make_union)
      467    0.000    0.000    0.000    0.000 {built-in method builtins.globals}
      154    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numerictypes.py:293(issubclass_)
       25    0.000    0.000    0.000    0.000 {method 'sort' of 'list' objects}
       54    0.000    0.000    0.000    0.000 {built-in method numpy.empty}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/memmap.py:1(<module>)
      387    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:412(__init__)
      641    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:71(_relax_case)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4907(_generateDefaultName)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:223(_validate_marker)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/transforms.py:209(BboxBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:2100(_SelectorWidget)
       33    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:261(__setitem__)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/tokenize.py:352(detect_encoding)
      148    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:1813(_shadowed_dict)
       11    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:361(_validate_cmap)
       33    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:383(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axis.py:557(Axis)
      237    0.000    0.000    0.000    0.000
/usr/lib/python3.12/contextlib.py:446(__exit__)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/_path/__init__.py:269(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/style/core.py:190(update_user_library)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:887(wrapper)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/win.py:1(<module>)
       77    0.000    0.000    0.000    0.000
/usr/lib/python3.12/signal.py:9(<lambda>)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1793(__xor__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/container.py:1(<module>)
       13    0.000    0.000    0.000    0.000 <frozen _collections_abc>:804(get)
       16    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1557(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:127(Transpose)
       28    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/rcsetup.py:474(_validate_linestyle)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_datasource.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_ufunc_config.py:1(<module>)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/_path/__init__.py:145(make)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pprint.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/tokenize.py:445(open)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:1(<module>)
       79    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:101(section_pairs)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:2756(_Mode)
       14    0.000    0.000    0.000    0.000 {method 'split' of 're.Pattern'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:569(__init__)
      245    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:569(_tail)
       73    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2507(<lambda>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:75(Day)
       31    0.000    0.000    0.000    0.000
/usr/lib/python3.12/warnings.py:482(__enter__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2172(BlendedGenericTransform)
       59    0.000    0.000    0.000    0.000 <frozen codecs>:309(__init__)
      4/3    0.000    0.000    0.000    0.000 {method 'view' of 'numpy.ndarray'
objects}
       47    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:382(validate_fontsize)
        5    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/cbook.py:800(__init__)
      156    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2253(__hash__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:294(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_common.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2004(Arc)
       93    0.000    0.000    0.000    0.000 {method 'splitlines' of 'str'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:27(Patch)
       22    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:228(__getattr__)
      175    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/helpers.py:240(<lambda>)
      222    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2346(<genexpr>)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:415(<genexpr>)
        1    0.000    0.000    0.000    0.000 <frozen os>:44(_get_exports_list)
       33    0.000    0.000    0.000    0.000
/usr/lib/python3.12/contextlib.py:104(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1663(FigureCanvasBase)
      101    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6813(_expanded)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:346(MollweideAxes)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3294(copy)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4682(__init__)
      580    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/enum.py:1185(__init__)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/_path/__init__.py:87(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:301(HammerAxes)
       37    0.000    0.000    0.000    0.000 {built-in method numpy.arange}
      324    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1153(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:628(with_name)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_factories.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_managers.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_cm.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_trifinder.py:1(<module>)
       46    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1755(_parse_hextet)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/spines.py:14(Spine)
       21    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1161(_make_netmask)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:479(AsinhTransform)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1509(add_argument_group)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6522(__init__)
      130    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:105(<genexpr>)
       32    0.000    0.000    0.000    0.000 {built-in method numpy.asarray}
      555    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:2154(cast)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:1775(Annulus)
       35    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/re/__init__.py:255(escape)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:416(LambertAxes)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:255(AitoffAxes)
       43    0.000    0.000    0.000    0.000 <frozen os>:762(encode)
       34    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:234(_acquireLock)
       11    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:65(check_isinstance)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ExifTags.py:352(IFD)
      406    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:820(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:2872(__new__)
        7    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/_legacy.py:15(deprecated)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_enums.py:17(JoinStyle)
       30    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:583(name)
        7    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4031(__init__)
       32    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/getlimits.py:412(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:147(Resampling)
       30    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4908(<genexpr>)
       22    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:2476(overload)
       19    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:62(_process_keys)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:3040(__array_finalize__)
```

```
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1833(__invert__)
      223    0.000    0.000    0.000    0.000
/usr/lib/python3.12/collections/__init__.py:429(<genexpr>)
       54    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2770(parseImpl)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ExifTags.py:344(Interop)
       88    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:146(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2104(IdentityTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1302(MouseButton)
      296    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1573(<genexpr>)
       44    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3282(initChars)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/rrule.py:1307(rruleset)
      200    0.000    0.000    0.000    0.000 {method 'partition' of 'str'
objects}
       35    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:265(getwhile)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_layoutgrid.py:1(<module>)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:1308(__init__)
       12    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:279(get_aliased_and_aliases)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:265(_reset_cache)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:1396(FancyArrow)
      372    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:653(has_location)
        4    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/pathlib.py:420(_from_parsed_parts)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2779(Keyword)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:116(Artist)
        7    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:309(_convert)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageColor.py:1(<module>)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:509(PYFUNCTYPE)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1686(__init__)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5622(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_enums.py:109(CapStyle)
      356    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1292(value)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1517(debug)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_function_base_impl.py:2431(__init__)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/weakref.py:104(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/abc.py:52(MetaPathFinder)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/gettext.py:224(_expand_lang)
    38/26    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ast.py:86(_convert)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:73(CFUNCTYPE)
      126    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1598(_value_and_type_iter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/art3d.py:957(Poly3DCollection)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_globals.py:66(_CopyMode)
```

```
       21    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:501(_requires_builtin_wrapper)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:138(Transform)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:3081(_hash_basis)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/_policybase.py:99(_extend_docstrings)
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:864(_set_new_attribute)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/text.py:80(Text)
        2    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1544(find_distributions)
      324    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1178(get_filename)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6037(__init__)
       25    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/helpers.py:277(<genexpr>)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/fnmatch.py:74(translate)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2286(_Style)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-packages/matplotlib/_a
pi/deprecation.py:505(suppress_matplotlib_deprecation_warning)
       22    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:113(register)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1817(_MathStyle)
      149    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:259(__iter__)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/__init__.py:36(__deprecate_private_class)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2046(__init__)
       10    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/enum.py:1404(_iter_member_by_def_)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_tritools.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/proj3d.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:240(__set_name__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:1282(ZipFile)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numerictypes.py:626(_register_types)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:724(Rectangle)
       14    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:145(_check_size)
      105    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:132(do_copy)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:203(caching_module_getattr)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_compiler.py:391(_bytes_to_codes)
       24    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_compiler.py:407(_generate_overlap_table)
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:392(get)
       31    0.000    0.000    0.000    0.000
/usr/lib/python3.12/warnings.py:503(__exit__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/inset.py:14(InsetIndicator)
        9    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/overrides.py:30(finalize_array_function_like)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numeric.py:2229(identity)
      324    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:986(create_module)
       33    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:986(_find_data_repr_)
```

```
       50    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:304(checkgroupname)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:3193(view)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:2186(get_type_hints)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:179(Quantize)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1887(_add_action)
       13    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:298(validate_color_or_auto)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:166(Dither)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/texmanager.py:56(TexManager)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4130(__init__)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1931(suppress)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/table.py:39(Cell)
      109    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_utils/__init__.py:17(set_module)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:1595(Ellipse)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_trirefine.py:1(<module>)
        8    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:811(__contains__)
      479    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:251(__init__)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:1308(mkdir)
      334    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1287(name)
       13    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/weakref.py:367(__init__)
       65    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:303(ismethoddescriptor)
       12    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:278(wrapper)
        2    0.000    0.000    0.000    0.000 {built-in method _ctypes.POINTER}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4099(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5242(IndentedBlock)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:1018(StepPatch)
       13    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/mixins.py:45(_numeric_methods)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_array_api_info.py:1(<module>)
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5232(_generateDefaultName)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:722(_update_raw)
       40    0.000    0.000    0.000    0.000 {method 'reshape' of
'numpy.ndarray' objects}
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:777(find_distributions)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_asarray.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:110(Disposal)
      117    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:248(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:664(Shadow)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_ufunc_config.py:491(__call__)
       49    0.000    0.000    0.000    0.000 {method 'copy' of 'dict' objects}
      161    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1948(leave_whitespace)
       62    0.000    0.000    0.000    0.000 {method 'translate' of 'bytearray'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/GimpGradientFile.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/helpers.py:756(OpAssoc)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/getlimits.py:234(_init)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/abc.py:153(TraversableResources)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:941(RegularPolygon)
      157    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:70(func)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3987(__init__)
      104    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1603(__eq__)
      204    0.000    0.000    0.000    0.000 {method 'ljust' of 'str' objects}
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:523(_cmpkey)
       62    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2372(_register_style)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backends/registry.py:5(BackendFilter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_scalars.py:1(<module>)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1708(_add_action)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/linalg/_linalg.py:84(EigResult)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pickle.py:1129(_Unpickler)
       48    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/numpy/_core/_add_newdocs_scalars.py:89(<genexpr>)
        8    0.000    0.000    0.000    0.000 {built-in method posix.lstat}
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/rrule.py:80(_invalidates_cache)
       16    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:96(_listify_validator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/fractions.py:162(Fraction)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:800(singledispatch)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:188(total_ordering)
       49    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2741(_generateDefaultName)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3896(__init__)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:2112(runtime_checkable)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:6753(__array_finalize__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_dtype.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_pylab_helpers.py:1(<module>)
       25    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:474(_prefix_from_prefix_string)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:516(Image)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1790(isEnabledFor)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:669(Bbox)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/__config__.py:14(DisplayModes)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:1127(Polygon)
      200    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:514(mayReturnEmpty)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_twodim_base_impl.py:176(eye)
       34    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:243(_releaseLock)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/quiver.py:489(Quiver)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:826(Path)
      105    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:130(copy)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_dtype_ctypes.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1293(__init__)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/warnings.py:182(_add_filter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/_structures.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:343(__init__)
      237    0.000    0.000    0.000    0.000
/usr/lib/python3.12/contextlib.py:443(__enter__)
       24    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numerictypes.py:594(_scalar_type_key)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/__init__.py:890(hugepage_setup)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_common.py:132(_validate_fromutc_inputs)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1280(IPv4Address)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/subprocess.py:749(Popen)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageSequence.py:1(<module>)
       12    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6769(<lambda>)
```

```
       35    0.000    0.000    0.000    0.000 {method 'translate' of 'str'
objects}
       25    0.000    0.000    0.000    0.000 {built-in method unicodedata.name}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_add_newdocs_scalars.py:18(numeric_type_aliases)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/isoparser.py:22(_takes_ascii)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/fromnumeric.py:3287(prod)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:671(_BaseNetwork)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:1371(_tzparser)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:127(AbstractMovieWriter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:75(nums)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:131(Blend)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:928(__init__)
        9    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:174(finalize)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/image.py:233(_ImageBase)
      163    0.000    0.000    0.000    0.000 {method 'values' of 'dict'
objects}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:60(Sectioned)
      276    0.000    0.000    0.000    0.000 {built-in method _operator.eq}
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/random.py:126(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1216(enable_packrat)
       85    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2185(streamline)
        4    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:1185(__init__)
       61    0.000    0.000    0.000    0.000 {method 'insert' of 'list'
objects}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/result.py:24(TestResult)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:345(TestCase)
      102    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/exceptions.py:51(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/multiarray.py:81(_override___module__)
      191    0.000    0.000    0.000    0.000 {built-in method
_sre.unicode_iscased}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/signals.py:1(<module>)
       75    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:517(isbuiltin)
      206    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:560(root)
       18    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:55(_make_str_method)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/linalg/_linalg.py:100(SVDResult)
       50    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:1871(_str_lower_equal)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axis.py:37(Tick)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/warnings.py:166(simplefilter)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:617(_format_args)
       95    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:185(keys)
       97    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6815(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_iotools.py:452(StringConverter)
       34    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/ipaddress.py:1885(_split_scope_id)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1266(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:659(FastPath)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:317(_logged_cached)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:174(Palette)
        1    0.000    0.000    0.000    0.000 {method 'disable' of
'_lsprof.Profiler' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triangulation.py:1(<module>)
        4    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath._populate_finfo_constants}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:202(OffsetBox)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/text.py:1631(Annotation)
      122    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2726(__getnewargs__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:40(ParseResults)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:236(Japanese)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/fnmatch.py:1(<module>)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1519(_add_action)
      149    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:247(<genexpr>)
       32    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:208(_checkLevel)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:119(Cycler)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pprint.py:106(PrettyPrinter)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/linalg/_linalg.py:92(QRResult)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_arrayterator_impl.py:1(<module>)
       53    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:182(_add_module)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:6930(__init__)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:291(validate_color_or_inherit)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:15(GeoAxes)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1554(<genexpr>)
       13    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:163(validate_axisbelow)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1599(_get_optional_kwargs)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:1962(Circle)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:743(StixFonts)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/font_manager.py:588(FontProperties)
       43    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4606(<genexpr>)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:577(decorating_function)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:104(__diag__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/getlimits.py:60(finfo)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/numpy/_core/fromnumeric.py:66(_wrapreduction)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:250(_recursive_repr)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/uuid.py:139(__init__)
       23    0.000    0.000    0.000    0.000 {built-in method _struct.calcsize}
      206    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/multiarray.py:197(concatenate)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:810(add_condition)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_ufunc.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:291(PurePath)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:446(validate_whiskers)
       18    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_add_newdocs_scalars.py:19(type_aliases_gen)
       33    0.000    0.000    0.000    0.000 {method 'clear' of 'dict' objects}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/random.py:135(seed)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:1470(__get_gettz)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4471(And)
      161    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:261(escape_re_range_char)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/font_manager.py:1042(FontManager)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:119(clear)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4170(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:198(CallbackRegistry)
       37    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/argparse.py:1429(register)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/result.py:12(failfast)
       23    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4860(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/GimpPaletteFile.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:568(parser)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1611(_BaseV6)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:365(Distribution)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:1226(Wedge)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/linalg/_linalg.py:88(EighResult)
      100    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:93(_is_single_bit)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/platform.py:978(system)
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:489(_field_init)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/linalg/_linalg.py:96(SlogdetResult)
      181    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:868(__iter__)
       10    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1394(_iter_member_by_value_)
      158    0.000    0.000    0.000    0.000 {built-in method
_io.text_encoding}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_array_like.py:36(_SupportsArrayFunc)
       37    0.000    0.000    0.000    0.000 {method 'astype' of
'numpy.ndarray' objects}
      170    0.000    0.000    0.000    0.000 {built-in method
_sre.unicode_tolower}
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:796(add_parse_action)
        7    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/tokenize.py:382(find_cookie)
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:404(field)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/weakref.py:289(update)
       37    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numeric.py:1962(isscalar)
       25    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1061(<genexpr>)
      105    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:241(__set_name__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/numbers.py:57(Complex)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3927(_generateDefaultName)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/_util.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1878(LoggerAdapter)
        5    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:841(_is_union_type)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_string_helpers.py:1(<module>)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:401(discover)
      257    0.000    0.000    0.000    0.000
/usr/lib/python3.12/hmac.py:19(<genexpr>)
       48    0.000    0.000    0.000    0.000 {method 'issuperset' of 'set'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:1570(CirclePolygon)
       63    0.000    0.000    0.000    0.000 {method 'encode' of 'str' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/art3d.py:740(Path3DCollection)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PaletteFile.py:1(<module>)
      257    0.000    0.000    0.000    0.000
/usr/lib/python3.12/hmac.py:20(<genexpr>)
       79    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:741(getmro)
        3    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:96(__get__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:611(DistributionFinder)
       44    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:17(<genexpr>)
      113    0.000    0.000    0.000    0.000 {method 'isascii' of 'str'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/table.py:239(Table)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:3873(_apply_env_variables)
       69    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:167(<genexpr>)
      156    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:906(postParse)
        7    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:171(__init__)
       24    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:97(deprecated)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:1502(RegularPolyCollection)
       53    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:341(__subclasshook__)
       79    0.000    0.000    0.000    0.000 {function
FreezableDefaultDict.__missing__ at 0x7ff0f88b0400}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_pytesttester.py:1(<module>)
       34    0.000    0.000    0.000    0.000 {method 'acquire' of
'_thread.RLock' objects}
        2    0.000    0.000    0.000    0.000 {built-in method posix.mkdir}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:592(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/mathtext.py:37(MathTextParser)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_polynomial_impl.py:1093(poly1d)
```

```
       27    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2240(parse_name)
        9    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:152(_deprecated_property)
       11    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:2310(get_origin)
      113    0.000    0.000    0.000    0.000 {method 'isdigit' of 'str'
objects}
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:214(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colorbar.py:196(Colorbar)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/quiver.py:915(Barbs)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:845(_is_valid_dispatch_type)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/_common.py:21(package_to_anchor)
       37    0.000    0.000    0.000    0.000 {method 'result_type' of
'numpy._core._multiarray_umath._array_converter' objects}
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:790(_search_paths)
       20    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/mixins.py:17(_binary_method)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5958(_generateDefaultName)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:3015(_update_from)
        3    0.000    0.000    0.000    0.000 {built-in method
_csv.register_dialect}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:1373(_result)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:990(PathPatch)
      129    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:30(__getitem__)
       37    0.000    0.000    0.000    0.000 {method 'wrap' of
'numpy._core._multiarray_umath._array_converter' objects}
```

```
       14    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:857(_set_qualname)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/quiver.py:277(QuiverKey)
       72    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_internal.py:866(<genexpr>)
       65    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:306(__bool__)
       31    0.000    0.000    0.000    0.000
/usr/lib/python3.12/warnings.py:456(__init__)
        7    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:2604(_arraymethod)
      102    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:942(<lambda>)
       15    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:816(__iter__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:31(unicode_set)
       43    0.000    0.000    0.000    0.000 {method 'index' of 'list' objects}
       37    0.000    0.000    0.000    0.000 {method 'as_arrays' of
'numpy._core._multiarray_umath._array_converter' objects}
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nbit_base.py:57(__init_subclass__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/platform.py:889(uname)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_internal.py:253(_missing_ctypes)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:2135(TriMesh)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colorizer.py:38(Colorizer)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/matrixlib/defmatrix.py:73(matrix)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ast.py:78(_convert_signed_num)
       29    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/getlimits.py:436(max)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dviread.py:821(PsfontsMap)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:1967(EllipseCollection)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:383(_IPAddressBase)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:433(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:137(finalize)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_shape.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/_common.py:1(<module>)
        3    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:966(clear)
       22    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_type_aliases.py:128(<lambda>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/art3d.py:104(Text3D)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1677(global_enum)
       17    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1188(_generate_next_value_)
       24    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2351(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:130(RendererBase)
        5    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:237(_validate_pathlike)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/testing.py:145(TestParseResultsAsserts)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:322(condition_as_parse_action)
        2    0.000    0.000    0.000    0.000 <frozen os>:694(__delitem__)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:41(tzutc)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/json/decoder.py:284(__init__)
        2    0.000    0.000    0.000    0.000 <frozen posixpath>:413(abspath)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/art3d.py:225(Line3D)
        2    0.000    0.000    0.000    0.000 <frozen os>:688(__setitem__)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/selectors.py:588(_can_use)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_common.py:149(_tzinfo)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:865(distributions)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:680(Colormap)
        1    0.000    0.000    0.000    0.000 {method 'dot' of 'numpy.ndarray'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6593(__init__)
       79    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:804(__init__)
        3    0.000    0.000    0.000    0.000 {built-in method posix.uname}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:281(_validate_toolbar)
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axis.py:2339(_make_getset_interval)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1415(__mro_entries__)
       25    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/getlimits.py:423(min)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:1260(FillBetweenPolyCollection)
       16    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:295(_check_generic)
       37    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:207(<genexpr>)
      110    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/ipaddress.py:574(__int__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:166(HelpFormatter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:958(createLock)
       46    0.000    0.000    0.000    0.000 {method 'issuperset' of
'frozenset' objects}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/uuid.py:85(UUID)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/charset.py:206(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:2456(SpanSelector)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:185(_make_type_validator)
       17    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2824(__hash__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pickle.py:401(_Pickler)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/rrule.py:77(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axis.py:2369(XAxis)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:2352(QuadMesh)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/figure.py:2214(SubFigure)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/axes3d.py:4044(_Quaternion)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/tempfile.py:824(SpooledTemporaryFile)
       85    0.000    0.000    0.000    0.000
/usr/lib/python3.12/_compat_pickle.py:167(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_factories.py:26(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/numbers.py:172(Real)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:437(_tuple_str)
       22    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:209(__init__)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5636(_generateDefaultName)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1522(__init__)
       68    0.000    0.000    0.000    0.000 {built-in method
_warnings._filters_mutated}
       55    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:414(<genexpr>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:45(_Outcome)
       26    0.000    0.000    0.000    0.000 {built-in method
sys._getframemodulename}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5455(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_add_newdocs_scalars.py:54(_get_platform_and_machine)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/_policybase.py:94(_append_doc)
        1    0.000    0.000    0.000    0.000 {function Random.seed at
0x7ff0fb938f40}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/subprocess.py:695(_use_posix_spawn)
       57    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:280(<genexpr>)
       56    0.000    0.000    0.000    0.000 {method 'keys' of 'dict' objects}
       29    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4859(<genexpr>)
        1    0.000    0.000    0.000    0.000 {method 'reduce' of 'numpy.ufunc'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_ufunc_config.py:472(__enter__)
       10    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_text.py:90(lower)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1633(_pop_action_class)
        5    0.000    0.000    0.000    0.000
/usr/lib/python3.12/weakref.py:510(update)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:812(PolarAxes)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:428(_fields_in_init_order)
       24    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:1860(_str_equal)
        6    0.000    0.000    0.000    0.000 {built-in method
posix.get_terminal_size}
        6    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:104(_check_methods)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:194(find_spec)
       99    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/_distutils_hack/__init__.py:108(<lambda>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:132(tzoffset)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2119(Normalize)
      134    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:93(__init__)
       20    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:3082(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_secondary_axes.py:12(SecondaryAxis)
       16    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_collections.py:23(freeze)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/_deprecate.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:152(_NetlocResultMixinBase)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/locale.py:381(normalize)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:1456(formatannotation)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1188(_SubParsersAction)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axis.py:2593(YAxis)
        2    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/ast.py:74(_convert_num)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:3133(RectangleSelector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageChops.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/font_manager.py:537(_cleanup_fontproperties_init)
       12    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:62(__init__)
       30    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:789(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2679(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1514(BivarColormap)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:94(_localized_month)
       25    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:431(_ip_int_from_prefix)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:450(validate)
       11    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:1070(<genexpr>)
       37    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/fromnumeric.py:3482(ndim)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/textpath.py:26(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:1061(_scandir)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_array_utils_impl.py:1(<module>)
       19    0.000    0.000    0.000    0.000 {method 'update' of 'set' objects}
       31    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:811(__init__)
       19    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:965(__init__)
       30    0.000    0.000    0.000    0.000 {method 'rsplit' of 'str' objects}
       46    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/dataclasses.py:461(<genexpr>)
       38    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:435(__subclasshook__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1487(IPv4Network)
       11    0.000    0.000    0.000    0.000 <frozen os>:766(decode)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:442(LibraryLoader)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:964(_CollectionWithSizes)
        2    0.000    0.000    0.000    0.000 <frozen os>:1087(__subclasshook__)
       59    0.000    0.000    0.000    0.000 <frozen codecs>:260(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:311(_validate_color_or_linecolor)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:2285(_strip_annotations)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_pylab_helpers.py:9(Gcf)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nbit.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:397(ScalarFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:428(BakomaFonts)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:750(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:1156(LockableBbox)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_factories.py:56(__init__)
        6    0.000    0.000    0.000    0.000 {method 'tolist' of 'memoryview'
objects}
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:857(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:633(__init__)
       94    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:3062(return_annotation)
        7    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/fractions.py:533(_operator_fallbacks)
       23    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/overrides.py:180(array_function_from_dispatcher)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_exceptions.py:16(_display_as_base)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:131(__init__)
       34    0.000    0.000    0.000    0.000 {method 'release' of
'_thread.RLock' objects}
       25    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/helpers.py:284(<genexpr>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:546(Formatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:3914(Exif)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4153(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:861(<lambda>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/random.py:110(Random)
       17    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:309(__iter__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:325(AxisConcatenator)
       40    0.000    0.000    0.000    0.000 {method 'pop' of 'set' objects}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/message.py:977(MIMEPart)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_md5}
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:246(validate_fonttype)
       43    0.000    0.000    0.000    0.000
/usr/lib/python3.12/_compat_pickle.py:165(<genexpr>)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1021(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:32(PolarTransform)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_tight_layout.py:1(<module>)
       33    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5147(recurse)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dviread.py:1023(_LuatexKpsewhich)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:656(RcParams)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:2545(FigureManagerBase)
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:431(<genexpr>)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:963(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/platform.py:842(uname_result)
       42    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:2786(<genexpr>)
       36    0.000    0.000    0.000    0.000 {method 'end' of 're.Match'
objects}
       74    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:264(no_escape_re_range_char)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4011(_generateDefaultName)
       78    0.000    0.000    0.000    0.000
/usr/lib/python3.12/signal.py:16(<lambda>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:87(_finalize_rasterization)
        7    0.000    0.000    0.000    0.000
/usr/lib/python3.12/tokenize.py:376(read_or_stop)
       21    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:2846(_namedtuple_mro_entries)
       24    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:683(_is_classvar)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:3737(PolygonSelector)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/bz2.py:26(BZ2File)
       34    0.000    0.000    0.000    0.000 {method 'groupdict' of 're.Match'
```

```
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/mathtext.py:48(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/abc.py:16(ResourceReader)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1261(MultivarColormap)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1139(_BaseV4)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:892(_addHandlerRef)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/plistlib.py:176(_PlistParser)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_utils/_inspect.py:1(<module>)
       42    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4848(<genexpr>)
       42    0.000    0.000    0.000    0.000 {method 'bit_length' of 'int'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:229(MovieWriter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/_path/__init__.py:189(Path)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:1277(Transform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:385(PngStream)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1482(Logger)
       28    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:772(__bool__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/gridspec.py:26(GridSpecBase)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/socket.py:215(socket)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:514(_ThetaShift)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/dateutil/relativedelta.py:18(relativedelta)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/difflib.py:44(SequenceMatcher)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:668(__new__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:2198(_MeshData)
        2    0.000    0.000    0.000    0.000 <frozen posixpath>:405(normpath)
        5    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:2259(RewriteSymbolics)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:98(ColorSequenceRegistry)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/weakref.py:495(popitem)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/random.py:889(getrandbits)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/getlimits.py:354(iinfo)
        1    0.000    0.000    0.000    0.000 {built-in method posix.scandir}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2332(CompositeGenericTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3397(Regex)
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4174(parseImpl)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:15(__config_flags)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:1578(LineCollection)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_functools.py:6(method_cache)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/loader.py:63(TestLoader)
       79    0.000    0.000    0.000    0.000
/usr/lib/python3.12/signal.py:21(<lambda>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/contour.py:551(ContourSet)
       10    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:117(_iter_bits_lsb)
```

```
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:634(__init__)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:388(__init_subclass__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:1081(TransformedBbox)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:776(MetadataPathFinder)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:6725(MaskedConstant)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_text.py:7(FoldedCase)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/_adapters.py:81(ChildPath)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageSequence.py:26(Iterator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1143(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/tempfile.py:999(TemporaryDirectory)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/gridspec.py:521(SubplotSpec)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/linecache.py:147(lazycache)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/axis3d.py:729(XAxis)
        7    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/rrule.py:70(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1867(__init__)
       58    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:175(_select_from)
       30    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:471(_parse_letter_version)
       25    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:415(_check_int_address)
       38    0.000    0.000    0.000    0.000 {built-in method _ctypes.sizeof}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_afm.py:358(AFM)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_base.py:204(_process_plot_var_args)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:3473(_Backend)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:591(_validate_greaterequal0_lessequal1)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:1545(__init__)
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1433(_registry_get)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:262(_register_at_fork_reinit_lock)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:374(StackSummary)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1117(StreamHandler)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/csv.py:83(DictReader)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:81(__compat__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:563(_BaseAddress)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:1281(TextBox)
        6    0.000    0.000    0.000    0.000 {method 'cast' of 'memoryview'
objects}
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/threading.py:124(RLock)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:2110(consume_positionals)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/_policybase.py:112(Policy)
       14    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:643(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageFile.py:465(StubHandler)
        1    0.000    0.000    0.000    0.000 {built-in method numpy.zeros}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triangulation.py:8(Triangulation)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/cm.py:90(__init__)
       42    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/multiarray.py:1085(copyto)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:919(Handler)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1526(__repr__)
       10    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:828(__members__)
       18    0.000    0.000    0.000    0.000 {method 'decode' of 'bytes'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/spines.py:529(Spines)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ast.py:69(_raise_malformed_node)
       39    0.000    0.000    0.000    0.000 {built-in method _operator.index}
        1    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:469(__new__)
        2    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:288(__subclasshook__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/art3d.py:429(Line3DCollection)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/_weakrefset.py:37(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/contour.py:58(ContourLabeler)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:236(create_module)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:1366(make_mask_descr)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:100(check_in_list)
       33    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:79(<genexpr>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:2147(IPv6Interface)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:855(ZipExtFile)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/pyparsing/core.py:5659(stop_on)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1420(IPv4Interface)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_tritools.py:11(TriAnalyzer)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:66(Widget)
       24    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:691(_is_initvar)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triinterpolate.py:286(CubicTriInterpolator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/units.py:108(ConversionInterface)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:162(ToolToggleBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:595(RangeSlider)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colorizer.py:325(_ColorizerInterface)
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:477(_field_assign)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:3270(ToolContainerBase)
       37    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/fromnumeric.py:3478(_ndim_dispatcher)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:758(PngImageFile)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numerictypes.py:239(obj2sctype)
       24    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dviread.py:152(_dispatch)
       13    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/mixins.py:37(_inplace_binary_method)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/ticker.py:199(Formatter)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5798(_generateDefaultName)
        5    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/_policybase.py:104(<genexpr>)
       30    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:300(__contains__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:273(EntryPoints)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:1882(Affine2D)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:1764(EventCollection)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImagePalette.py:31(ImagePalette)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha1}
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:569(validate_sketch)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:1686(TransformWrapper)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backends/registry.py:267(list_builtin)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2526(BboxTransform)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1637(_get_handler)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_expired_attrs_2_0.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/difflib.py:1666(HtmlDiff)
        5    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:583(_validate_greaterthan_minushalf)
        7    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1285(_sanity_check)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/colors.py:62(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:2042(MaxNLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backends/registry.py:15(BackendRegistry)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/selectors.py:80(BaseSelector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:1541(RadioButtons)
       33    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:27(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dviread.py:65(Text)
        2    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:407(__subclasshook__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cm.py:66(ColormapRegistry)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/base64mime.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:1458(DraggableBase)
       24    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4858(<genexpr>)
        5    0.000    0.000    0.000    0.000
/usr/lib/python3.12/weakref.py:417(__len__)
        2    0.000    0.000    0.000    0.000 {built-in method posix.putenv}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:376(ZipInfo)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:103(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/abc.py:96(InspectLoader)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2445(CenteredNorm)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1776(getEffectiveLevel)
        5    0.000    0.000    0.000    0.000 <frozen os>:824(fsdecode)
       37    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/function_base.py:22(_linspace_dispatcher)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:780(_validate_legend_loc)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/relativedelta.py:13(<genexpr>)
       24    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2347(<genexpr>)
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:549(_init_param)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:3231(LightSource)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:998(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:498(Module_six_moves_urllib)
        2    0.000    0.000    0.000    0.000 {built-in method posix.access}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:1352(_replace_dtype_fields)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/_binary.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1003(LinearSegmentedColormap)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/gzip.py:139(GzipFile)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:3763(register_extensions)
       14    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/mixins.py:27(_reflected_binary_method)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_exceptions.py:108(_ArrayMemoryError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3082(Word)
       21    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4318(recurse)
```

```
        2    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1231(_resolve_name)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/image.py:1007(NonUniformImage)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/main.py:57(TestProgram)
        2    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath._make_extobj}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/lzma.py:38(LZMAFile)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1754(ArgumentParser)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backends/registry.py:165(_validate_and_store_entry_points)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:391(extended_frame_gen)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_managers.py:32(ToolManager)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colorizer.py:506(_ScalarMappable)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:549(__init__)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:431(_validate_mathtext_fallback)
        1    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1332(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:845(Animation)
        2    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1349(_get_parent_path)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:976(CheckButtons)
       13    0.000    0.000    0.000    0.000 {method 'items' of 'mappingproxy'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:241(parserinfo)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/subprocess.py:470(CompletedProcess)
       18    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/typing.py:1971(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/stackplot.py:1(<module>)
        5    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:78(__lt__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2446(CompositeAffine2D)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_tight_bbox.py:1(<module>)
        5    0.000    0.000    0.000    0.000 <string>:1(<lambda>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:1342(is_interactive)
        1    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1367(__iter__)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_ufunc_config.py:462(__init__)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3934(parseImpl)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:679(TracebackException)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2350(TwoSlopeNorm)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/rrule.py:305(rrule)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:201(tzlocal)
        9    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4687(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_layoutgrid.py:31(LayoutGrid)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:45(__init__)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:713(get_scale_names)
```

```
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/__init__.py:75(register)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/lines.py:1483(AxLine)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_itertools.py:1(<module>)
        2    0.000    0.000    0.000    0.000 {method 'readline' of
'_io.BufferedReader' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:2870(ToolLineHandles)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:73(ToolBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3951(White)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1452(_fixupChildren)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axis.py:482(Ticker)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:610(format)
       14    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_collections.py:24(<lambda>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/_structures.py:6(InfinityType)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:524(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_iotools.py:229(NameValidator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_ufunc_config.py:488(__exit__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/encoders.py:1(<module>)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:9(__init__)
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:399(validate_fontweight)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:3687(register_open)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:2980(ToolHandles)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:509(PaddedBox)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/axis3d.py:737(YAxis)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/textpath.py:20(TextToPath)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/image.py:819(AxesImage)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/signal.py:51(decorator)
       14    0.000    0.000    0.000    0.000 {method 'islower' of 'str'
objects}
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:61(__init__)
        7    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_pytesttester.py:75(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3217(_Base)
       19    0.000    0.000    0.000    0.000 {built-in method from_iterable}
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:966(_is_typevar_like)
       24    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1276(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:244(_AssertRaisesContext)
       34    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2190(recurse)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/category.py:26(StrCategoryConverter)
       19    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/cycler/__init__.py:190(change_key)
        1    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/logging/__init__.py:1358(__init__)
        8    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1692(_simple_enum)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:709(TextArea)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/axis3d.py:745(ZAxis)
       12    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:309(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/extras.py:1736(MAxisConcatenator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:386(tzfile)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/numbers.py:292(Rational)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:406(_eval_type)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:563(ColorConverter)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:119(_resolve)
       12    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6527(postParse)
       22    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3993(<genexpr>)
        1    0.000    0.000    0.000    0.000 {built-in method time.localtime}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_common.py:267(tzrangebase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1062(Char)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1336(EngFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageFile.py:882(PyEncoder)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/_mathtext.py:215(Fonts)
       19    0.000    0.000    0.000    0.000
/usr/lib/python3.12/functools.py:970(__set_name__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/figure.py:70(_AxesStack)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:597(DrawingArea)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha3_224}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:628(HandlerStem)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/hmac.py:27(HMAC)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/bezier.py:189(BezierSegment)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/stride_tricks.py:1(<module>)
        7    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:487(__repr__)
        7    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_axes.py:49(_make_axes_method)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/category.py:139(StrCategoryFormatter)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:6826(__setattr__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:35(_ExceptionInfo)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:85(_import_module)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/plistlib.py:459(_BinaryPlistParser)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:1951(__del__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/quopri.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:113(_localized_day)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2772(SymLogNorm)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_internal.py:591(_Stream)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:1253(tzical)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:325(TextCalendar)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:374(FileMovieWriter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1745(ParserState)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_datasource.py:195(DataSource)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/npyio.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageFile.py:114(ImageFile)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1353(Manager)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/rrule.py:1418(_rrulestr)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:205(load_module)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageFile.py:474(StubImageFile)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_meta.py:47(SimplePath)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:329(Slider)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_internal.py:262(_ctypes)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:803(PathDistribution)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:248(FrameSummary)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triplot.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:164(_resolve)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/header.py:175(Header)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/_path/__init__.py:100(CompleteDirs)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:477(PillowWriter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:219(is_package)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/streamplot.py:380(StreamMask)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:3662(LassoSelector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:148(Button)
       24    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:697(_is_kw_only)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:873(validate_hist_bins)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:428(_discover_resolvers)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:766(Grouper)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/copyreg.py:12(pickle)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:319(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/extras.py:1789(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:742(Prepared)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:237(__init__)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/art3d.py:625(Patch3DCollection)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_version.py:13(NumpyVersion)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/__init__.py:907(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/textpath.py:293(TextPath)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/image.py:1315(FigureImage)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/string.py:188(Formatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2456(Ellipse)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:637(path)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/suite.py:328(_ErrorHolder)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:804(_get_backend_or_none)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:637(ZoomPanBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/GimpPaletteFile.py:26(GimpPaletteFile)
        3    0.000    0.000    0.000    0.000 {built-in method
posix.register_at_fork}
        2    0.000    0.000    0.000    0.000 {built-in method maketrans}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/_adapters.py:46(SpecPath)
        6    0.000    0.000    0.000    0.000 {method 'startswith' of 'bytes'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:2762(LogitLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_npyio_impl.py:115(NpzFile)
        1    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:819(keys)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:756(_WedgeBbox)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1442(Glue)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:295(seek)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/abc.py:28(__getattr__)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1646(_check_conflict)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/image.py:1180(PcolorImage)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:189(Calendar)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:28(LockDraw)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:601(_metavar_formatter)
        1    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1103(_resolve_filename)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colorbar.py:124(_ColorbarSpine)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:514(__getattr__)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:3752(register_extension)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:1814(Affine2DBase)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:944(__hash__)
       14    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/_common.py:9(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/iterators.py:1(<module>)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:337(__init__)
        2    0.000    0.000    0.000    0.000 <frozen
abc>:146(update_abstractmethods)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/image.py:1381(BboxImage)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/records.py:279(recarray)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:205(InvertedPolarTransform)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/_adapters.py:112(OrphanPath)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2568(BboxTransformTo)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/layout_engine.py:216(ConstrainedLayoutEngine)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2922(Angle)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/inspect.py:1801(_shadowed_dict_from_mro_tuple)
        7    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:467(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1539(PercentFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1133(Accent)
        1    0.000    0.000    0.000    0.000 {built-in method math.exp}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1138(RRuleLocator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:202(_AssertRaisesBaseContext)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pickle.py:257(_Unframer)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:1455(StructuredVoidFormat)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3288(_Curve)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:596(LogitTransform)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1833(LinearLocator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/subprocess.py:126(CalledProcessError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/gzip.py:483(_GzipReader)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:265(__init__)
       14    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:672(__init__)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3522(re_match)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:276(LogScale)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/version.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:512(AsinhScale)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/_policybase.py:18(_PolicyBase)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:303(__len__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:534(UnicodeFonts)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/font_manager.py:309(FontEntry)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:162(ChunkStream)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_trirefine.py:47(UniformTriRefiner)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:2330(LogLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:361(HandlerStepPatch)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:590(ndenumerate)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:1601(DraggableAnnotation)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:1366(_TimelikeFormat)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/_util.py:16(DeferredError)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:555(validate_bbox)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_exceptions.py:52(_UFuncBinaryResolutionError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_base.py:1463(ArtistList)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:94(AxesWidget)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3843(Wedge)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:256(iTXt)
        6    0.000    0.000    0.000    0.000 {method 'fileno' of
'_io.TextIOWrapper' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:157(PolarAffine)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:415(AxisScaleBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4660(Or)
       15    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:533(<lambda>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/string.py:57(Template)
        1    0.000    0.000    0.000    0.000 {method 'view' of 'numpy.generic'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:1947(CircleCollection)
```

```
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/runner.py:30(TextTestResult)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1140(LogitFormatter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:154(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/platform.py:794(_Processor)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_arrayterator_impl.py:16(Arrayterator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/container.py:5(Container)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_dtype_like.py:29(_DTypeDictBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1724(DateConverter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/shlex.py:19(shlex)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:853(LogFormatter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:2285(NullHandler)
        2    0.000    0.000    0.000    0.000 {built-in method posix.unsetenv}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/csv.py:137(DictWriter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/_path/__init__.py:165(FastLookup)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/_encoded_words.py:73(_QByteMap)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:299(__getitem__)
        1    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1353(_recalculate)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6064(_update_ignorer)
        1    0.000    0.000    0.000    0.000 {built-in method _ctypes.dlopen}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:6528(mvoid)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/_api/deprecation.py:348(<genexpr>)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:2867(<genexpr>)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4012(<genexpr>)
        1    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1158(create_module)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:640(ImageMagickBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1062(DateLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:1142(OffsetImage)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/socket.py:664(SocketIO)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:106(LinearScale)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_internal.py:257(c_void_p)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:891(ToolHelpBase)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:262(_PathParents)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:361(_fix_result_transcoding)
       21    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1014(is_package)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:626(_validate_minor_tick_ndivs)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:182(check_getitem)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:142(_validate_date)
        8    0.000    0.000    0.000    0.000 {method 'removeprefix' of 'str'
objects}
        1    0.000    0.000    0.000    0.000 <frozen genericpath>:39(isdir)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/layout_engine.py:32(LayoutEngine)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1311(PlaceHolder)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:390(InvertedMollweideTransform)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/__init__.py:43(private_class)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:218(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:322(CDLL)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/text.py:1458(_AnnotationBase)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:457(validate_ps_distiller)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nested_sequence.py:13(_NestedSequence)
        1    0.000    0.000    0.000    0.000 {method 'close' of 'select.epoll'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2674(NoMatch)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2154(_BlendedMixin)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_functools.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:3710(register_mime)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:422(SymmetricalLogScale)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2627(BboxTransformFrom)
        2    0.000    0.000    0.000    0.000 {method 'reset' of
'_contextvars.ContextVar' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triinterpolate.py:232(LinearTriInterpolator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/charset.py:162(Charset)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6428(Combine)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/_compression.py:9(BaseStream)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/_parseaddr.py:211(AddrlistClass)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:394(_ymd)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/__init__.py:69(ProjectionRegistry)
        7    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:2534(final)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:841(__getattr__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:1808(SubplotTool)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:704(ToolZoom)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2810(AsinhNorm)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:274(_AxisWrapper)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dviread.py:550(DviFont)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/_compression.py:33(DecompressReader)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/abc.py:80(ResourceLoader)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:169(__set_name__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:266(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2930(BoundaryNorm)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/art3d.py:544(PathPatch3D)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:457(ImagePointTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_function_base_impl.py:2267(vectorize)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/lines.py:1644(VertexSelector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageFile.py:504(Parser)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/random.py:222(__init_subclass__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:195(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:160(_DummyAxis)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha224}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/__init__.py:114(version_info)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1914(MultipleLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2662(ScaledTranslation)
        2    0.000    0.000    0.000    0.000 {method 'set' of
'_contextvars.ContextVar' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/__init__.py:121(__version__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_cm.py:66(cubehelix)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:327(walk_stack)
       10    0.000    0.000    0.000    0.000 {method 'discard' of 'set'
objects}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/_parseaddr.py:512(AddressList)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:238(__getattr__)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:140(FuncTransform)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/_weakrefset.py:85(add)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/art3d.py:480(Patch3D)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3622(QuotedString)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:1475(GettzFunc)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1653(MicrosecondLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axis.py:360(XTick)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:1320(_replace_dtype_fields_recursive)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:442(HTMLCalendar)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/gzip.py:124(_WriteBufferStream)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:1167(_tzicalvtz)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:2465(PolyQuadMesh)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:127(LRUMemo)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:1179(PolyCollection)
       17    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:309(__len__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:736(HTMLWriter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:125(DeprecatedTuple)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha3_256}
        5    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:186(_get_module)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1374(_ActionsContainer)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/streamplot.py:259(DomainMap)
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1317(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:56(_is_case_sensitive)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_internal.py:211(dummy_ctype)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha384}
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha3_384}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/records.py:196(record)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:3482(dtype)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axis.py:421(YTick)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:628(_Stack)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:418(ThetaAxis)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/text.py:1384(OffsetFrom)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colorizer.py:642(ColorizingArtist)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:51(_ignore_error)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha3_512}
       14    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:432(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:707(RadialAxis)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triinterpolate.py:985(_DOF_estimator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_base.py:35(_axis_method_wrapper)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:67(SouthEastHatch)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/header.py:536(_Accumulator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:1764(AffineBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_array_api_info.py:29(__array_namespace_info__)
        3    0.000    0.000    0.000    0.000 {built-in method atexit.register}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:45(__getattr__)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:510(CFunctionType)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_shake_128}
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1267(__hash__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:1568(StarPolygonCollection)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:3022(ImagePointHandler)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha512}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:1967(MultiCursor)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_shake_256}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1302(Vlist)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/suite.py:16(BaseTestSuite)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:363(SymmetricalLogTransform)
        1    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/logging/__init__.py:503(StringTemplateStyle)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:91(_LazyDescr)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:827(AuxTransformBox)
        3    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1323(append)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha256}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1244(LocationEvent)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1649(Locator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_ufunc_config.py:386(errstate)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/memmap.py:23(memmap)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:18(ThetaFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2707(AffineDeltaTransform)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pickle.py:194(_Framer)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/contour.py:1277(QuadContourSet)
        7    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:1411(<lambda>)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:84(wrapper)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/records.py:56(format_parser)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/rrule.py:94(rrulebase)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:1365(FunctionTestCase)
        1    0.000    0.000    0.000    0.000 {built-in method posix.urandom}
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/__init__.py:85(get_projection_names)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1310(MouseEvent)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/selectors.py:442(EpollSelector)
        3    0.000    0.000    0.000    0.000 {method 'popitem' of 'dict'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:1166(ListedColormap)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:724(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:251(SliderBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:452(ToolViewsPositions)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/json/encoder.py:74(JSONEncoder)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_dtype_like.py:35(_DTypeDict)
       14    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:1142(<genexpr>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/header.py:408(_ValueFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1077(LogFormatterMathtext)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_globals.py:53(__new__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/subprocess.py:163(TimeoutExpired)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:169(_SixMetaPathImporter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2785(_Base)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6827(token_map)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:1011(PathCollection)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:2075(PatchCollection)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/plistlib.py:286(_DumbXMLWriter)
        1    0.000    0.000    0.000    0.000 {method 'union' of 'set' objects}
        4    0.000    0.000    0.000    0.000
/usr/lib/python3.12/re/_parser.py:166(__delitem__)
        1    0.000    0.000    0.000    0.000 {method 'copy' of 'list' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:825(ToolPan)
        8    0.000    0.000    0.000    0.000 {method 'reverse' of 'list'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/gridspec.py:303(GridSpec)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:1198(_ZipWriteFile)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/_structures.py:35(NegativeInfinityType)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/streamplot.py:322(Grid)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/plistlib.py:324(_PlistWriter)
       13    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_globals.py:59(__repr__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:323(TruetypeFonts)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/selectors.py:290(SelectSelector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:583(__init__)
        8    0.000    0.000    0.000    0.000 {built-in method _stat.S_ISLNK}
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:1400(getmask)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/csv.py:26(Dialect)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageFile.py:828(PyDecoder)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/TiffTags.py:32(TagInfo)
        9    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1713(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:4109(Lasso)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/_policybase.py:279(Compat32)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/loader.py:74(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:283(PngInfo)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_datasource.py:532(Repository)
        6    0.000    0.000    0.000    0.000 {built-in method _stat.S_ISDIR}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:897(FontConstantsBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:3620(EllipseSelector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:2430(_MaskedPrintOption)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2740(TransformedPath)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:6(kwarg_doc)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/tempfile.py:271(_RandomNameSequence)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:62(ValidateInStrings)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:74(register)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/widgets.py:1880(Cursor)
```

```
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:48(PackageNotFoundError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/suite.py:92(TestSuite)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:28(classproperty)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:977(FloatingFormat)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:1240(dataclass)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:2263(_match_arguments_partial)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_factories.py:9(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5315(_IndentGreater)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:275(HandlerLine2D)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_collections.py:27(Pair)
       11    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:537(<lambda>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_dtype_like.py:44(_HasDType)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/tempfile.py:571(_TemporaryFileCloser)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:465(RadialLocator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:190(_NetlocResultMixinStr)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1812(_SwitchableDateConverter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:61(_ColorMapping)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1369(disable)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/pyparsing/core.py:2621(_PendingSkip)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/mlab.py:770(GaussianKDE)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:68(MovieWriterRegistry)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/json/decoder.py:254(JSONDecoder)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_iotools.py:133(LineSplitter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_factories.py:13(__call__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/rrule.py:1112(_iterinfo)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triinterpolate.py:1215(_Sparse_Matrix_coo)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/_base.py:96(_TransformedBoundsLocator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:616(Context)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/selectors.py:341(_PollLikeSelector)
        3    0.000    0.000    0.000    0.000 {method 'toordinal' of
'datetime.date' objects}
        2    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1339(_find_parent_path_names)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/layout_engine.py:137(TightLayoutEngine)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1165(Event)
       14    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1067(clear)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:727(BufferingFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:232(_GeoTransform)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:603(LocaleTextCalendar)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:639(LogitScale)
        6    0.000    0.000    0.000    0.000
/usr/lib/python3.12/signal.py:50(_wraps)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/selectors.py:206(_BaseSelectorImpl)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:850(_Quoter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:107(nd_grid)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5875(_NullToken)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/category.py:169(UnitData)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:6921(_extrema_operation)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_datasource.py:97(__init__)
        2    0.000    0.000    0.000    0.000 {built-in method
posix._path_normpath}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:46(HandlerBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:355(ToolQuit)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:769(Filter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5763(_generateDefaultName)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4934(Each)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:318(__init__)
        6    0.000    0.000    0.000    0.000 {method 'upper' of 'str' objects}
        2    0.000    0.000    0.000    0.000 <frozen posixpath>:52(normcase)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:322(PackagePath)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:218(LogTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2842(PowerNorm)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:454(_TrimmedRelease)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/mixins.py:52(_unary_method)
        2    0.000    0.000    0.000    0.000 {method 'cache_clear' of
'functools._lru_cache_wrapper' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/units.py:135(DecimalConverter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1156(List)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:874(tzrange)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:2649(MaskedIterator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/difflib.py:724(Differ)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:23(_ParseResultsWithOffset)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:2516(SymmetricalLogLocator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:2222(IPv6Network)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:1392(DatetimeFormat)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/collections.py:1573(AsteriskPolygonCollection)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/plistlib.py:80(UID)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:443(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1202(FileHandler)
        1    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/importlib/abc.py:149(ExecutionLoader)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5883(Opt)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:259(InvertedLogTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:38(_Version)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:739(_ensure_has_backend)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1373(disable)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2689(Literal)
        9    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4688(<genexpr>)
       10    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:511(_parse_local_version)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageMode.py:22(ModeDescriptor)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:102(CFunctionType)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_array_like.py:31(_SupportsArray)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1193(DrawEvent)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/__init__.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:2670(AsinhLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:69(_BaseVersion)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/gzip.py:78(_PaddedFile)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/tempfile.py:614(_TemporaryFileWrapper)
        1    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/ctypes/__init__.py:157(py_object)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2435(Circle)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dviread.py:641(Vf)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:1017(_MaskedBinaryOperation)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:46(ScaleBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_dtype_like.py:49(_HasNumPyDType)
        8    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:80(_add_doc)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/random.py:876(SystemRandom)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2016(SegmentedBivarColormap)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1287(_StderrHandler)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:443(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:513(FFMpegBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2844(Arc3)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/json/encoder.py:105(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:3033(ImageTransformHandler)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colorbar.py:147(_ColorbarAxesLocator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/plistlib.py:640(_BinaryPlistWriter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/abc.py:195(SourceLoader)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/loader.py:22(_FailedTest)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1995(_Edge_integer)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:115(_StrongRef)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:412(validate_fontstretch)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:1415(PosixPath)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:941(rrulewrapper)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:567(DateFormatter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/runner.py:164(TextTestRunner)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1054(NullCache)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:621(LogisticTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backends/registry.py:77(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:220(_NetlocResultMixinBytes)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:328(_ttinfo)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/_adapters.py:7(SpecLoaderAdapter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2563(Round)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1200(Hlist)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5969(SkipTo)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:283(_AssertWarnsContext)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/numpy/lib/_npyio_impl.py:50(BagObj)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_arraysetops_impl.py:419(UniqueAllResult)
        5    0.000    0.000    0.000    0.000 {method 'mro' of 'type' objects}
        1    0.000    0.000    0.000    0.000 {built-in method posix.confstr}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/linecache.py:52(checkcache)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_collections.py:5(FreezableDefaultDict)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:271(FixedFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:762(_DunderChecker)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/_version.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:373(_FuncPtr)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1899(_get_positional_actions)
        3    0.000    0.000    0.000    0.000 {method 'copy' of 'mappingproxy'
objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:556(RadialTick)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_trifinder.py:27(TrapezoidMapTriFinder)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/_common.py:6(weekday)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/__init__.py:8(_SubplotBaseMeta)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:69(VectorParse)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:249(ToolSetCursor)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/_path/glob.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/csv.py:72(unix_dialect)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:137(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:1550(FuncAnimation)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:430(HandlerRegularPolyCollection)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_tricontour.py:8(TriContourSet)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triinterpolate.py:15(TriInterpolator)
        6    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_common.py:13(tzname_in_python2)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:173(FontMetrics)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:1423(_SubTest)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/TiffTags.py:24(_TagInfo)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:806(Filterer)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend.py:54(DraggableLegend)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:1576(DraggableOffsetBox)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:2078(PyZipFile)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/__init__.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:150(_Selector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:640(ndindex)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:326(ThetaTick)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/legend_handler.py:166(HandlerNpoints)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2986(Arc)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:91(RasterParse)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:174(validate_dpi)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:521(HandlerErrorbar)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:6729(__has_singleton)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/csv.py:172(Sniffer)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:671(LZMACompressor)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageFile.py:102(_Tile)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:143(_UnhashDict)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:286(LogRecord)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2265(BlendedAffine2D)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3676(Simple)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:114(Output)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:845(__init__)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:3498(shape)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:3058(NoNorm)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/PIL/Image.py:3229(SupportsArrayInterface)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:211(MGridClass)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_globals.py:32(_NoValueType)
        1    0.000    0.000    0.000    0.000 {built-in method
_imp.get_frozen_object}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/spines.py:494(SpinesProxy)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:108(MovedModule)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:1040(_CacheType)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2752(Empty)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_datasource.py:72(_FileOpeners)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:143(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_arraysetops_impl.py:426(UniqueCountsResult)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:1333(ComplexFloatingFormat)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_exceptions.py:37(_UFuncNoLoopError)
        2    0.000    0.000    0.000    0.000 {built-in method math.log}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/mpl_toolkits/mplot3d/art3d.py:400(Collection3D)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1214(AutoDateLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/style/core.py:209(update_nested_dict)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/_text_helpers.py:13(LayoutItem)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/_path/__init__.py:82(InitializedState)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:325(FuncScaleLog)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/linalg/_linalg.py:114(LinAlgError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6638(Suppress)
        1    0.000    0.000    0.000    0.000 {method 'title' of 'str' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:1099(AnchoredText)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3082(Bar)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1490(Kern)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2412(Square)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/csv.py:57(excel)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5640(_MultipleMatch)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2980(CloseMatch)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/testing.py:24(reset_pyparsing_context)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4822(MatchFirst)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PaletteFile.py:22(PaletteFile)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/selectors.py:60(_SelectorMapping)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:205(FontInfo)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:703(ImageMagickFileWriter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/rrule.py:1315(_genitem)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:822(AutoDateFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3755(Fancy)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:666(DejaVuFonts)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1384(Rule)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:395(InvertedSymmetricalLogTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:176(FuncScale)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageFile.py:750(PyCodec)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:2064(_OrderedSet)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:327(RubberbandBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cm.py:100(__iter__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:402(PyDLL)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_utils/_convertions.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:904(BooleanOptionalAction)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:1473(ArtistAnimation)
        4    0.000    0.000    0.000    0.000 {method 'count' of 'list' objects}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:795(_SharedFile)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2662(Token)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:2930(AutoMinorLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:110(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pprint.py:80(_safe_key)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:656(_ExceptionPrintContext)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:802(PurePosixPath)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:597(ConciseDateFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1027(Box)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:595(ToolHome)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:613(ToolForward)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:742(_check_compression)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/runner.py:14(_WritelnDecorator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5802(DelimitedList)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/actions.py:19(OnlyOnce)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/scale.py:497(InvertedAsinhTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/GimpGradientFile.py:71(GradientFile)
        1    0.000    0.000    0.000    0.000 {method 'seek' of
'_io.BufferedReader' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1004(Node)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1422(_GlueSpec)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:624(LocaleHTMLCalendar)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:885(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:723(IndexExpression)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:885(add_metaclass)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2670(Sawtooth)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/selectors.py:433(PollSelector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_pytesttester.py:45(PytestTester)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/_endian.py:23(_swapped_meta)
        7    0.000    0.000    0.000    0.000
/usr/lib/python3.12/enum.py:183(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/container.py:42(BarContainer)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/rrule.py:66(weekday)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1418(PickEvent)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:836(_DomainCheckInterval)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:764(legacy_normalize)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2882(Angle3)
        1    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath.set_typeDict}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:118(_AttributeHolder)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:432(ToolYScale)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:3577(ShowBase)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:706(Lookup)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:943(_MaskedUnaryOperation)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1768(FixedLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:452(RClass)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_arraysetops_impl.py:431(UniqueInverseResult)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:297(ThetaLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:1404(TimedAnimation)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:707(DejaVuSerifFonts)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:3725(register_save)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:877(GrouperView)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nbit_base.py:7(NBitBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/gridspec.py:461(GridSpecFromSubplotSpec)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/layout_engine.py:111(PlaceHolderLayoutEngine)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/_policybase.py:41(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:193(_BaseTestCaseContext)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2922(CaselessLiteral)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4037(GoToColumn)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:185(_GroupConsecutive)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_utils_impl.py:126(_Deprecate)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:136(_ResultMixinStr)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/exceptions.py:108(AxisError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:419(LambertTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:71(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:219(_resultbase)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/traceback.py:90(_Sentinel)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:1304(IntegerFormat)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:929(ToolCopyToClipboardBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3867(CharsNotIn)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:135(BasicMultilingualPlane)
        4    0.000    0.000    0.000    0.000 {built-in method
_sre.ascii_tolower}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2484(LArrow)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4071(LineStart)
        4    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/__init__.py:57(fget)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_exceptions.py:76(_UFuncInputCastingError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/numbers.py:37(Number)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1684(_ArgumentGroup)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:365(ToolQuitAll)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:97(NonPrintableDefect)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:208(HandlerNpointsYoffsets)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triinterpolate.py:1156(_DOF_estimator_min_E)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:129(_LazyModule)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:725(DejaVuSansFonts)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/json/decoder.py:20(JSONDecodeError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:338(FileHash)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:305(FuncFormatter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:222(_RecursiveWildcardSelector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:1429(SubArrayFormat)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_exceptions.py:31(UFuncTypeError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/category.py:119(StrCategoryLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:388(PackerBase)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3554(BracketA)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/kiwisolver/exceptions.py:19(DuplicateConstraint)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/signals.py:9(_InterruptHandler)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:160(Greek)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:8(_lazyclassproperty)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:1135(_idat)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:1955(close)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/units.py:161(Registry)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/units.py:52(ConversionError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:435(VPacker)
        1    0.000    0.000    0.000    0.000 <string>:1(__create_fn__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:375(ToolGrid)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:299(ToolCursorPosition)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/extras.py:1768(mr_class)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/__init__.py:346(DeprecatedNonAbstract)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:835(_Tellable)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:366(validate_aspect)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2066(BivarColormapFromImage)
        2    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/dataclasses.py:433(<genexpr>)
        1    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:845(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:390(ToolMinorGrid)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/message.py:1200(EmailMessage)
        1    0.000    0.000    0.000    0.000 /usr/lib/python3.12/importlib/reso
urces/_adapters.py:20(TraversableResourcesLoader)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1739(IndexLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:1589(ParserError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_factories.py:8(_TzSingleton)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:604(ToolBack)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:31(IllegalMonthError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:89(MaskedArrayFutureWarning)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4491(_ErrorStop)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4242(Tag)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5367(AtStringStart)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/cbook.py:396(silent_list)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:240(_DoubleRecursiveWildcardSelector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:322(InvertedHammerTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:398(HandlerLineCollection)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triinterpolate.py:1071(_DOF_estimator_geom)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:629(SaveFigureBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/font_manager.py:972(_JSONEncoder)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/plistlib.py:451(InvalidFileException)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3515(Curve)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:37(MessageDefect)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:879(_DomainSafeDivide)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5595(NotAny)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6499(Group)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_stride_tricks_impl.py:14(DummyArray)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:567(_recursive_guard)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_exceptions.py:67(_UFuncCastingError)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:199(__get_module)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axis.py:531(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/units.py:72(AxisInfo)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:933(ComputerModernFontConstants)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3573(BracketB)
```

```
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/extras.py:249(_fromnxfunction_function)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5767(ZeroOrMore)
        4    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6685(postParse)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:480(DebugActions)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2953(CaselessKeyword)
        5    0.000    0.000    0.000    0.000
/usr/lib/python3.12/platform.py:836(_unknown_as_blank)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:144(_ResultMixinBytes)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/streamplot.py:249(StreamplotSet)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_trifinder.py:7(TriFinder)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:314(HandlerPatch)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_managers.py:13(ToolTriggerEvent)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3614(BarAB)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:242(_ParseActionIndexError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:34(Substitution)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/colors.py:2729(FuncNorm)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:1131(_BaseConstants)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:179(_ParentSelector)
        1    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/urllib/parse.py:323(DefragResult)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1726(_MutuallyExclusiveGroup)
        4    0.000    0.000    0.000    0.000 {built-in method
_sre.ascii_iscased}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:405(ToolFullScreen)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:379(_RewindState)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:1427(WindowsPath)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:770(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1785(ConciseDateConverter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2526(DArrow)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:442(ToolXScale)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/artist.py:110(_Unset)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:118(__init__)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/abc.py:68(PathEntryFinder)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5424(FollowedBy)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2688(_ScaledRotation)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/exceptions.py:338(RecursiveGrammarException)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:3738(register_save_all)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1354(Namespace)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/numpy/_core/_exceptions.py:92(_UFuncOutputCastingError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:806(Action)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:603(FFMpegFileWriter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axis.py:523(_LazyTickList)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2621(Round4)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:14(HorizontalHatch)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:861(_DomainTan)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4185(WordStart)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2811(TransformedPatchPath)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:1168(_Frame)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:173(_TerminatingSelector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:556(CClass)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2516(RArrow)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6418(TokenConverter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:86(_ArtistPropertiesSubstitution)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:20(AddressValueError)
        1    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath._reload_guard}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:1323(BoolFormat)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_trirefine.py:12(TriRefiner)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/gridspec.py:731(SubplotParams)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:178(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1447(YearLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_managers.py:4(ToolEvent)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4030(PositionToken)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5388(AtLineStart)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:188(TickHelper)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:221(deprecate_privatize_attribute)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/logging/__init__.py:1861(RootLogger)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:241(c_char_p)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/dtypes.py:1(<module>)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/dataclasses.py:372(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:304(HammerTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:349(MollweideTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:458(InvertedLambertTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:772(HandlerPolyCollection)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/tri/_triinterpolate.py:1061(_DOF_estimator_user)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:719(HandlerTuple)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:144(MovedAttribute)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:944(STIXFontConstants)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1414(Vrule)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:1164(_DomainedBinaryOperation)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:185(_should_enable_warnings)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/typing.py:3013(<lambda>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/introspect.py:1(<module>)
        2    0.000    0.000    0.000    0.000 {method 'isdisjoint' of 'set'
objects}
        3    0.000    0.000    0.000    0.000 {method 'remove' of 'set' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:258(AitoffTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/container.py:77(ErrorbarContainer)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1220(ResizeEvent)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:906(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:322(Hebrew)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5468(PrecededBy)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:2908(AutoLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:369(StrMethodFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:141(Latin1)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pathlib.py:190(_WildcardSelector)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_index_tricks_impl.py:273(OGridClass)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/arrayprint.py:1424(TimedeltaFormat)
        2    0.000    0.000    0.000    0.000 {built-in method sys.audit}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:503(HandlerPathCollection)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:87(Shapes)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/uuid.py:78(SafeUUID)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:38(IllegalWeekdayError)
        3    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2762(_generateDefaultName)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4125(LineEnd)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1160(_VersionAction)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/offsetbox.py:475(HPacker)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1467(KeyEvent)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:3372(Char)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4213(WordEnd)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:6538(Dict)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1062(LogFormatterExponent)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1141(_HelpAction)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1299(FileType)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1404(Hrule)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3592(BracketAB)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4165(StringEnd)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:357(_UnicodeMinusFormat)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:200(Cyrillic)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/PngImagePlugin.py:1146(_fdat)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/__init__.py:351(ExecutableNotFoundError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_animation_data.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/__init__.py:72(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3654(CurveBracket)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1517(AutoHeightChar)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/_version.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:932(_MaskedUFunc)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5550(Located)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/ImageFile.py:739(PyCodecState)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:961(_StoreAction)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:1036(tzstr)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/axes/__init__.py:14(SubplotBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:858(StixSansFonts)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:8(MessageError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:85(HeaderDefect)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:578(different_locale)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/suite.py:375(_DebugResult)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:336(Devanagari)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:2769(_SingleCharLiteral)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_globals.py:99(_SignatureDescriptor)
        1    0.000    0.000    0.000    0.000 {built-in method time.time}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/geo.py:280(InvertedAitoffTransform)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/kiwisolver/exceptions.py:33(UnknownConstraint)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:4148(StringStart)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5309(_Indent)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/helpers.py:273(<genexpr>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:81(_UnboundedCache)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:3239(SupportsArrowArrayInterface)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pickle.py:97(_Stop)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:575(FFMpegWriter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/projections/polar.py:261(ThetaFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:513(HandlerCircleCollection)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1557(AutoWidthChar)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:31(VerticalHatch)
        2    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:922(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:141(MAError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:889(_ignorecase)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:257(c_wchar_p)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/numerictypes.py:368(_PreprocessDTypeError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/exceptions.py:47(ComplexWarning)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/container.py:109(StemContainer)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:124(Circles)
```

```
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:48(NorthEastHatch)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:2540(NonGuiException)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:148(SmallFilledCircles)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3632(BracketCurve)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1124(LogFormatterSciNotation)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/transforms.py:2606(BboxTransformToMaxOnly)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:333(FormatStrFormatter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/_endian.py:48(BigEndianStructure)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pickle.py:73(PickleError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1470(HCentered)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:132(SmallCircles)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:246(Hiragana)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:331(SplitResult)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:203(c_longdouble)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_factories.py:25(_TzOffsetFactory)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1551(DayLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/bezier.py:25(NonIntersectingPathException)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:213(Chinese)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:239(Kanji)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/_ufunc_config.py:379(_unspecified)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:996(_StoreConstAction)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:661(_result)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:373(_tzfile)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:2729(Roundtooth)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/xml/__init__.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/kiwisolver/exceptions.py:26(DuplicateEditVariable)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:26(SkipTest)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/core.py:5722(OneOrMore)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/GimpGradientFile.py:119(GimpGradientFile)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:20(MatplotlibDeprecationWarning)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:510(SupportsGetData)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ipaddress.py:24(NetmaskValueError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/_endian.py:55(BigEndianUnion)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1019(_StoreTrueAction)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/animation.py:690(ImageMagickWriter)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/isoparser.py:43(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1497(MonthLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1048(Vbox)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:583(ViewsPositionsBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:9(HatchPatternBase)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:157(Stars)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:900(_DomainGreater)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/__init__.py:78(UnidentifiedImageError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:166(c_short)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/legend_handler.py:238(HandlerLine2DCompound)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/streamplot.py:438(TerminateTrajectory)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_blocking_input.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1480(VCentered)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/socket.py:212(_GiveupOnSendfile)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:694(LZMADecompressor)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/kiwisolver/exceptions.py:47(UnsatisfiableConstraint)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/packaging/version.py:59(InvalidVersion)
        1    0.000    0.000    0.000    0.000
```

```
/usr/lib/python3.12/argparse.py:216(_Section)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1190(_ChoicesPseudoAction)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1053(_AppendAction)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/exceptions.py:75(VisibleDeprecationWarning)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/abc.py:186(FileLoader)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:314(Arabic)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:102(_FifoCache)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/results.py:110(List)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:743(MetavarTypeHelpFormatter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:714(ArgumentDefaultsHelpFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1629(SecondLocator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:39(BadZipFile)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:12(MessageParseError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/csv.py:67(excel_tab)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:2436(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:307(Thai)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:1813(NullLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:148(LatinA)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/exceptions.py:299(ParseException)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_api/deprecation.py:306(_deprecated_parameter_class)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:342(DefragResultBytes)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_iotools.py:431(ConverterLockError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/_endian.py:34(_swapped_struct_meta)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/copyreg.py:22(constructor)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/tz.py:1156(_tzicalvtzcomp)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_factories.py:19(_TzFactory)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/_factories.py:55(_TzStrFactory)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dviread.py:770(Tfm)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:28(CharsetError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/kiwisolver/exceptions.py:15(BadRequiredStrength)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:282(Hangul)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:28(decorator)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:187(c_int)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1118(_CountAction)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1091(_AppendConstAction)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:1378(_attr)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1579(HourLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/numpy/ma/core.py:916(_DomainGreaterEqual)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:335(_OrderedChainMap)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/util.py:167(UnboundedMemo)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_docstring.py:72(_ArtistKwdocLoader)
        1    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath._set_madvise_hugepage}
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:692(RawDescriptionHelpFormatter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1288(_ExtendAction)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_bases.py:1240(CloseEvent)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1524(WeekdayLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:953(STIXSansFontConstants)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:149(MaskError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:34(_ShouldStop)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:154(LatinB)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:258(Katakana)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/gzip.py:120(BadGzipFile)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:262(c_wchar)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/exceptions.py:58(ModuleDeprecationWarning)
        1    0.000    0.000    0.000    0.000 {built-in method sys._getframe}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:459(Module_six_moves_urllib_response)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/backend_managers.py:20(ToolManagerMessageEvent)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/hatch.py:140(LargeCircles)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:94(HeaderMissingRequiredValue)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:201(setfirstweekday)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/ticker.py:263(NullFormatter)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/shutil.py:67(Error)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/shutil.py:70(SameFileError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:170(c_ushort)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:178(c_ulong)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:247(c_void_p)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/_endian.py:35(_swapped_union_meta)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:703(RawTextHelpFormatter)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/dates.py:1604(MinuteLocator)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:1055(Hbox)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:71(UndecodableBytesDefect)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/resources/abc.py:58(TraversalError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:336(ParseResult)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:199(c_double)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/exceptions.py:199(DTypePromotionError)
        1    0.000    0.000    0.000    0.000 {method 'index' of 'tuple'
objects}
        1    0.000    0.000    0.000    0.000 {method '__exit__' of
'posix.ScandirIterator' objects}
        1    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:511(_is_param_expr)
```

```
        1    0.000    0.000    0.000    0.000 <string>:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:245(_MovedItems)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:340(Module_six_moves_urllib_parse)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/backend_tools.py:622(ConfigureSubplotsBase)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:111(NonASCIILocalPartDefect)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/zipfile/__init__.py:43(LargeZipFile)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:16(HeaderParseError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:24(MultipartConversionError)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/calendar.py:99(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/kiwisolver/exceptions.py:40(UnknownEditVariable)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/exceptions.py:322(ParseFatalException)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:75(DecompressionBombWarning)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:224(c_ubyte)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:236(c_char)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pickle.py:77(PicklingError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1036(_StoreFalseAction)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:777(ArgumentError)
        1    0.000    0.000    0.000    0.000 {method 'clear' of 'list' objects}
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/streamplot.py:434(InvalidIndexError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:20(BoundaryError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/PIL/Image.py:79(DecompressionBombError)
```

```
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:350(SplitResultBytes)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/subprocess.py:123(SubprocessError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:174(c_long)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:191(c_uint)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:231(c_byte)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:252(c_bool)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/pickle.py:84(UnpicklingError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3524(CurveA)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:45(NoBoundaryInMultipartDefect)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/exceptions.py:22(_ExceptionWordUnicodeSet)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/parse.py:355(ParseResultBytes)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/shutil.py:73(SpecialFileError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_iotools.py:423(ConverterError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/lib/_iotools.py:439(ConversionWarning)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/ctypes/__init__.py:195(c_float)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nbit_base.py:65(_128Bit)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nbit_base.py:91(_8Bit)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/exceptions.py:96(TooHardError)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:382(Module_six_moves_urllib_error)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
```

```
packages/matplotlib/patches.py:3529(CurveB)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3549(CurveFilledAB)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:32(HeaderWriteError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/unittest/case.py:39(_UnexpectedSuccess)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nbit_base.py:71(_96Bit)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nbit_base.py:86(_16Bit)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/exceptions.py:86(RankWarning)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:402(Module_six_moves_urllib_request)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/tz/__init__.py:11(DeprecatedTzFormatWarning)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3534(CurveAB)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3539(CurveFilledA)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/xml/parsers/__init__.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:48(StartBoundaryNotFoundDefect)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:57(MisplacedEnvelopeHeaderDefect)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/shutil.py:83(RegistryError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:1361(__init__)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/patches.py:3544(CurveFilledB)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:54(FirstHeaderLineIsContinuationDefect)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/ma/core.py:869(__init__)
        1    0.000    0.000    0.000    0.000
```

```
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/unicode.py:304(CJK)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/streamplot.py:510(OutOfBounds)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:480(Module_six_moves_urllib_robotparser)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:51(CloseBoundaryNotFoundDefect)
        1    0.000    0.000    0.000    0.000 /usr/lib/python3.12/email/errors.p
y:68(InvalidMultipartContentTransferEncodingDefect)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/dateutil/parser/_parser.py:1608(UnknownTimezoneWarning)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:960(DejaVuSerifFontConstants)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:74(InvalidBase64PaddingDefect)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:80(InvalidBase64LengthDefect)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:91(InvalidHeaderDefect)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:116(InvalidDateDefect)
        2    0.000    0.000    0.000    0.000
/usr/lib/python3.12/importlib/metadata/_functools.py:83(<lambda>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:60(MissingHeaderBodySeparatorDefect)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/rcsetup.py:375(validate_fontsize_None)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/urllib/__init__.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/shutil.py:77(ExecError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/shutil.py:80(ReadError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/shutil.py:87(_GiveupOnFastCopy)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_core/fromnumeric.py:3282(_prod_dispatcher)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/argparse.py:797(ArgumentTypeError)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:77(InvalidBase64CharactersDefect)
```

```
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:108(ObsoleteHeaderDefect)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/email/errors.py:65(MultipartInvariantViolationDefect)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/pyparsing/exceptions.py:329(ParseSyntaxException)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_version.py:1(<module>)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nbit_base.py:76(_64Bit)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/matplotlib/_mathtext.py:964(DejaVuSansFontConstants)
        1    0.000    0.000    0.000    0.000
/usr/lib/python3.12/random.py:903(seed)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/numpy/_typing/_nbit_base.py:81(_32Bit)
        1    0.000    0.000    0.000    0.000 {built-in method math.sqrt}
        1    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1408(exec_module)
        1    0.000    0.000    0.000    0.000
/home/pavel/IdeaProjects/DD2358/.venv/lib/python3.12/site-
packages/six.py:239(exec_module)
```

[56]:
```
<pstats.Stats at 0x7fe4da7c11c0>
```

Most of the time is spent in the `update` function so gonna focus attention there.

[60]:
```
!python -m kernprof -l -v conway.py
```

```
Wrote profile results to 'conway.py.lprof'
Timer unit: 1e-06 s

Total time: 7.59332 s
File: conway.py
Function: update at line 58

Line #      Hits         Time  Per Hit   % Time  Line Contents
==============================================================
    58                                           @profile
    59                                           def update(frameNum, img, grid,
N):
    60                                               # copy grid since we
```

```
require 8 neighbors for calculation
    61                                                  # and we go line by line
    62       100        491.2      4.9      0.0        newGrid = grid.copy()
    63     10100       2758.5      0.3      0.0        for i in range(N):
    64   1010000     276403.1      0.3      3.6            for j in range(N):
    65                                                          # compute 8-neghbor
sum
    66                                                          # using toroidal
boundary conditions - x and y wrap around
    67                                                          # so that the
simulaton takes place on a toroidal surface.
    68   2000000     613692.7      0.3      8.1                 total = int(
    69   1000000     312319.6      0.3      4.1                     (
    70   8000000    2722387.2      0.3     35.9                         grid[i, (j
- 1) % N]
    71   1000000     363180.0      0.4      4.8                         + grid[i,
(j + 1) % N]
    72   1000000     386949.0      0.4      5.1                         + grid[(i -
1) % N, j]
    73   1000000     379234.7      0.4      5.0                         + grid[(i +
1) % N, j]
    74   1000000     396301.1      0.4      5.2                         + grid[(i -
1) % N, (j - 1) % N]
    75   1000000     383924.7      0.4      5.1                         + grid[(i -
1) % N, (j + 1) % N]
    76   1000000     390978.8      0.4      5.1                         + grid[(i +
1) % N, (j - 1) % N]
    77   1000000     383196.9      0.4      5.0                         + grid[(i +
1) % N, (j + 1) % N]
    78                                                                  )
    79   1000000     259407.8      0.3      3.4                     / 255
    80                                                          )
    81                                                          # apply Conway's
rules
    82   1000000     413692.2      0.4      5.4                 if grid[i, j] ==
ON:
    83    103960      29584.6      0.3      0.4                     if (total < 2)
or (total > 3):
    84     42425      16544.1      0.4      0.2                         newGrid[i,
j] = OFF
    85                                                          else:
    86    896040     244449.0      0.3      3.2                     if total == 3:
    87     41136      16176.9      0.4      0.2                         newGrid[i,
j] = ON
    88                                                  # update data
    89                                                  #img.set_data(newGrid)
    90       100       1387.6     13.9      0.0        grid[:] = newGrid[:]
    91       100        256.1      2.6      0.0        return (img,)
```

Calculating the neighbor sum takes the majority of the time.

0.1.4 Task B.4

By applying vectorization, using the `roll` function, we can take the neighboring sum outside of the loop and gain performance that way. Next step would be to vectorize the creation of the `newGrid` and apply inplace operations.

[ ]:
```
def update_old(frameNum, img, grid, N):
    #...
    newGrid = grid.copy()
    for i in range(N):
        for j in range(N):
            total = int(
                (
                        grid[i, (j - 1) % N]
                        + grid[i, (j + 1) % N]
                        + grid[(i - 1) % N, j]
                        + grid[(i + 1) % N, j]
                        + grid[(i - 1) % N, (j - 1) % N]
                        + grid[(i - 1) % N, (j + 1) % N]
                        + grid[(i + 1) % N, (j - 1) % N]
                        + grid[(i + 1) % N, (j + 1) % N]
                )
                / 255
            )
    #...
```

[ ]:
```
import numpy as np
def update_new(frameNum, img, grid, N):
    #...
    top = np.roll(grid, 1, 0)
    bottom = np.roll(grid, -1, 0)

    total2 = (top + bottom
              + np.roll(grid, 1, 1)
              + np.roll(grid, -1, 1)
              + np.roll(top, 1, 1)
              + np.roll(top, -1, 1)
              + np.roll(bottom, 1, 1)
              + np.roll(bottom, -1, 1)
              ) / 255

    for i in range(N):
        for j in range(N):
            total = total2[i][j]
```

```
    #...
```

[5]:
```
!python -m cProfile conway2.py
```

```
         1215215 function calls (1197921 primitive calls) in 0.565 seconds

   Ordered by: cumulative time

   ncalls  tottime  percall  cumtime  percall filename:lineno(function)
       37    0.001    0.000    0.765    0.021 __init__.py:1(<module>)
    335/1    0.002    0.000    0.566    0.566 {built-in method builtins.exec}
        1    0.000    0.000    0.566    0.566 conway2.py:1(<module>)
    377/4    0.001    0.000    0.566    0.142 <frozen
importlib._bootstrap>:1349(_find_and_load)
    374/4    0.001    0.000    0.566    0.141 <frozen
importlib._bootstrap>:1304(_find_and_load_unlocked)
    359/5    0.001    0.000    0.565    0.113 <frozen
importlib._bootstrap>:911(_load_unlocked)
    320/5    0.001    0.000    0.565    0.113 <frozen
importlib._bootstrap_external>:989(exec_module)
    850/9    0.000    0.000    0.564    0.063 <frozen
importlib._bootstrap>:480(_call_with_frames_removed)
   459/12    0.000    0.000    0.531    0.044 {built-in method
builtins.__import__}
   366/74    0.000    0.000    0.477    0.006 <frozen
importlib._bootstrap>:1390(_handle_fromlist)
        1    0.000    0.000    0.311    0.311 pyplot.py:1(<module>)
1248/1157    0.011    0.000    0.254    0.000 {built-in method
builtins.__build_class__}
      106    0.002    0.000    0.185    0.002
artist.py:158(_update_set_signature_and_docstring)
      105    0.000    0.000    0.183    0.002 artist.py:125(__init_subclass__)
        1    0.000    0.000    0.156    0.156 figure.py:1(<module>)
      120    0.000    0.000    0.145    0.001 artist.py:1832(kwdoc)
        1    0.000    0.000    0.132    0.132 image.py:1(<module>)
      120    0.003    0.000    0.124    0.001 artist.py:1593(pprint_setters)
        1    0.000    0.000    0.123    0.123 backend_bases.py:1(<module>)
     4409    0.008    0.000    0.101    0.000 artist.py:1461(get_valid_values)
     7941    0.047    0.000    0.098    0.000 inspect.py:875(cleandoc)
        1    0.000    0.000    0.084    0.084 __config__.py:1(<module>)
        1    0.000    0.000    0.084    0.084 text.py:1(<module>)
     7512    0.004    0.000    0.067    0.000 inspect.py:856(getdoc)
        1    0.000    0.000    0.061    0.061 rcsetup.py:1(<module>)
      320    0.002    0.000    0.058    0.000 <frozen
importlib._bootstrap_external>:1062(get_code)
        1    0.000    0.000    0.049    0.049 patches.py:1(<module>)
      227    0.000    0.000    0.049    0.000 artist.py:1413(__init__)
        1    0.000    0.000    0.048    0.048 _axes.py:1(<module>)
```

```
      227    0.015    0.000    0.048    0.000 artist.py:1433(get_aliases)
      978    0.001    0.000    0.046    0.000 __init__.py:751(__setitem__)
      320    0.012    0.000    0.045    0.000 <frozen
importlib._bootstrap_external>:751(_compile_bytecode)
        1    0.000    0.000    0.044    0.044 _base.py:1(<module>)
     7775    0.005    0.000    0.039    0.000 __init__.py:280(_compile)
        1    0.000    0.000    0.034    0.034 _fontconfig_pattern.py:1(<module>)
        1    0.000    0.000    0.033    0.033 widgets.py:1(<module>)
      320    0.033    0.000    0.033    0.000 {built-in method marshal.loads}
      227    0.010    0.000    0.032    0.000 artist.py:1511(get_setters)
        1    0.000    0.000    0.032    0.032 collections.py:1(<module>)
        1    0.000    0.000    0.031    0.031 axes3d.py:1(<module>)
      233    0.001    0.000    0.031    0.000 _compiler.py:740(compile)
        3    0.001    0.000    0.029    0.010 core.py:1(<module>)
     5929    0.002    0.000    0.029    0.000 __init__.py:174(search)
        1    0.006    0.006    0.028    0.028 multiarray.py:1(<module>)
       31    0.003    0.000    0.028    0.001
__init__.py:887(_rc_params_in_file)
        9    0.000    0.000    0.025    0.003 _base.py:783(__init_subclass__)
      372    0.002    0.000    0.025    0.000 <frozen
importlib._bootstrap>:1240(_find_spec)
        1    0.000    0.000    0.025    0.025 colors.py:1(<module>)
        1    0.000    0.000    0.024    0.024 rcsetup.py:272(validate_backend)
        1    0.000    0.000    0.024    0.024 registry.py:202(is_valid_backend)
        1    0.000    0.000    0.024    0.024
registry.py:113(_ensure_entry_points_loaded)
        1    0.000    0.000    0.024    0.024
registry.py:128(_read_entry_points)
      788    0.000    0.000    0.023    0.000 inspect.py:3308(signature)
      788    0.000    0.000    0.023    0.000 inspect.py:3050(from_callable)
  919/788    0.003    0.000    0.023    0.000
inspect.py:2470(_signature_from_callable)
  128/117    0.001    0.000    0.023    0.000 _docstring.py:122(__call__)
        1    0.000    0.000    0.022    0.022 _add_newdocs.py:1(<module>)
      350    0.000    0.000    0.021    0.000 function_base.py:490(add_newdoc)
      350    0.000    0.000    0.020    0.000
function_base.py:474(_add_docstring)
      350    0.000    0.000    0.020    0.000 <frozen
importlib._bootstrap_external>:1520(find_spec)
      350    0.001    0.000    0.020    0.000 <frozen
importlib._bootstrap_external>:1491(_get_spec)
       14    0.000    0.000    0.019    0.001 _docstring.py:73(__missing__)
      233    0.001    0.000    0.019    0.000 _parser.py:969(parse)
        1    0.000    0.000    0.018    0.018 einsumfunc.py:1(<module>)
        1    0.000    0.000    0.018    0.018 numeric.py:1(<module>)
  529/233    0.001    0.000    0.018    0.000 _parser.py:452(_parse_sub)
      622    0.003    0.000    0.018    0.000 <frozen
importlib._bootstrap_external>:1593(find_spec)
```

```
        1    0.000    0.000    0.017    0.017 axis.py:1(<module>)
  608/257    0.007    0.000    0.017    0.000 _parser.py:512(_parse)
        1    0.000    0.000    0.017    0.017 _arraypad_impl.py:1(<module>)
191273/189957    0.017    0.000    0.017    0.000 {built-in method builtins.len}
        1    0.000    0.000    0.017    0.017 _index_tricks_impl.py:1(<module>)
    15/14    0.000    0.000    0.017    0.001 <frozen
importlib._bootstrap_external>:1295(exec_module)
    15/14    0.013    0.001    0.017    0.001 {built-in method
_imp.exec_dynamic}
      628    0.000    0.000    0.016    0.000 __init__.py:226(compile)
        1    0.000    0.000    0.016    0.016 _axes.py:67(Axes)
        1    0.000    0.000    0.016    0.016 art3d.py:1(<module>)
    71210    0.015    0.000    0.015    0.000 {built-in method builtins.min}
      750    0.005    0.000    0.015    0.000
inspect.py:2366(_signature_from_function)
        1    0.000    0.000    0.015    0.015 defmatrix.py:1(<module>)
      359    0.000    0.000    0.015    0.000 <frozen
importlib._bootstrap>:806(module_from_spec)
        1    0.000    0.000    0.014    0.014 _linalg.py:1(<module>)
        1    0.000    0.000    0.014    0.014 cm.py:1(<module>)
        1    0.000    0.000    0.013    0.013 offsetbox.py:1(<module>)
        1    0.000    0.000    0.013    0.013 font_manager.py:1(<module>)
    10243    0.012    0.000    0.012    0.000 {method 'search' of 're.Pattern'
objects}
      264    0.001    0.000    0.012    0.000 overrides.py:145(decorator)
      426    0.000    0.000    0.012    0.000 rcsetup.py:332(validate_color)
        1    0.000    0.000    0.012    0.012 geo.py:1(<module>)
        2    0.000    0.000    0.012    0.006 core.py:198(read_style_directory)
     7146    0.006    0.000    0.012    0.000 inspect.py:2712(__init__)
        1    0.000    0.000    0.012    0.012 __init__.py:901(entry_points)
      429    0.000    0.000    0.012    0.000 colors.py:224(is_color_like)
      462    0.000    0.000    0.011    0.000 colors.py:278(to_rgba)
       80    0.000    0.000    0.011    0.000 __init__.py:910(<genexpr>)
  350/219    0.000    0.000    0.011    0.000 typing.py:392(inner)
   101508    0.011    0.000    0.011    0.000 {method 'startswith' of 'str'
objects}
      456    0.011    0.000    0.011    0.000 {built-in method builtins.dir}
    82456    0.011    0.000    0.011    0.000 {built-in method builtins.getattr}
      233    0.000    0.000    0.011    0.000 _compiler.py:573(_code)
      186    0.001    0.000    0.011    0.000
colors.py:325(_to_rgba_no_colorcycle)
    76883    0.008    0.000    0.010    0.000 {built-in method
builtins.isinstance}
      456    0.000    0.000    0.010    0.000
artist.py:1530(number_of_parameters)
        1    0.000    0.000    0.010    0.010 Image.py:1(<module>)
        1    0.000    0.000    0.010    0.010 shape_base.py:1(<module>)
        1    0.000    0.000    0.010    0.010 lines.py:1(<module>)
```

```
    99175    0.010    0.000    0.010    0.000 {method 'lstrip' of 'str' objects}
     3413    0.008    0.000    0.010    0.000 <frozen
importlib._bootstrap_external>:126(_path_join)
        1    0.000    0.000    0.009    0.009 __init__.py:704(__getattr__)
       15    0.000    0.000    0.009    0.001 <frozen
importlib._bootstrap_external>:1287(create_module)
       15    0.008    0.001    0.009    0.001 {built-in method
_imp.create_dynamic}
        1    0.000    0.000    0.009    0.009 textpath.py:1(<module>)
      200    0.000    0.000    0.009    0.000
pyplot.py:175(_copy_docstring_and_deprecators)
        1    0.000    0.000    0.009    0.009 fromnumeric.py:1(<module>)
        1    0.000    0.000    0.009    0.009 polar.py:1(<module>)
      229    0.000    0.000    0.008    0.000
overrides.py:86(verify_matching_signatures)
        1    0.000    0.000    0.008    0.008 _methods.py:1(<module>)
      984    0.000    0.000    0.008    0.000 artist.py:1536(is_alias)
       94    0.001    0.000    0.008    0.000 __init__.py:1450(_preprocess_data)
 1244/233    0.003    0.000    0.008    0.000 _compiler.py:37(_compile)
        2    0.000    0.000    0.008    0.004 _adapters.py:1(<module>)
3920/3441    0.003    0.000    0.008    0.000 {built-in method __new__ of type
object at 0xa43b40}
        1    0.000    0.000    0.008    0.008 numerictypes.py:1(<module>)
        1    0.000    0.000    0.007    0.007 pickle.py:1(<module>)
      320    0.001    0.000    0.007    0.000 <frozen
importlib._bootstrap_external>:1183(get_data)
        1    0.000    0.000    0.007    0.007 common.py:1(<module>)
     4409    0.003    0.000    0.007    0.000 artist.py:1549(aliased_name)
      458    0.000    0.000    0.007    0.000 _inspect.py:97(getargspec)
        1    0.000    0.000    0.007    0.007 common.py:11(pyparsing_common)
        1    0.000    0.000    0.007    0.007 message.py:1(<module>)
       41    0.001    0.000    0.007    0.000 enum.py:528(__new__)
        1    0.000    0.000    0.007    0.007
font_manager.py:1625(_load_fontmanager)
      100    0.000    0.000    0.007    0.000 pyplot.py:208(_add_pyplot_note)
      458    0.007    0.000    0.007    0.000 _inspect.py:66(getargs)
       80    0.000    0.000    0.007    0.000 _itertools.py:4(unique_everseen)
        1    0.000    0.000    0.007    0.007 font_manager.py:1030(json_load)
17233/17230    0.006    0.000    0.007    0.000 {method 'join' of 'str' objects}
        1    0.000    0.000    0.007    0.007 __init__.py:274(load)
      643    0.002    0.000    0.006    0.000 <frozen
importlib._bootstrap>:304(acquire)
        1    0.000    0.000    0.006    0.006 __init__.py:299(loads)
        1    0.000    0.000    0.006    0.006 decoder.py:332(decode)
        1    0.000    0.000    0.006    0.006 PngImagePlugin.py:1(<module>)
        1    0.002    0.002    0.006    0.006 decoder.py:343(raw_decode)
        1    0.006    0.006    0.006    0.006 _type_aliases.py:1(<module>)
        1    0.000    0.000    0.006    0.006 axis3d.py:1(<module>)
```

```
        1    0.000    0.000    0.006    0.006 colorizer.py:1(<module>)
17030/16996    0.004    0.000    0.006    0.000 {built-in method
builtins.hasattr}
     1056    0.004    0.000    0.006    0.000 inspect.py:2998(__init__)
      374    0.000    0.000    0.006    0.000 <frozen
importlib._bootstrap>:416(__enter__)
        1    0.000    0.000    0.006    0.006 ExifTags.py:1(<module>)
        1    0.000    0.000    0.005    0.005 quiver.py:1(<module>)
      256    0.001    0.000    0.005    0.000 typing.py:1242(__init__)
     7647    0.002    0.000    0.005    0.000 enum.py:726(__call__)
       63    0.002    0.000    0.005    0.000 {built-in method builtins.eval}
        1    0.000    0.000    0.005    0.005 utils.py:1(<module>)
       19    0.000    0.000    0.005    0.000 rcsetup.py:814(validate_cycler)
       13    0.000    0.000    0.005    0.000
rcsetup.py:426(validate_font_properties)
       79    0.000    0.000    0.005    0.000 __init__.py:469(entry_points)
       10    0.000    0.000    0.005    0.000
_fontconfig_pattern.py:77(parse_fontconfig_pattern)
     9884    0.005    0.000    0.005    0.000 {method 'split' of 'str' objects}
        1    0.000    0.000    0.005    0.005 cm.py:32(_gen_cmap_registry)
     1193    0.002    0.000    0.005    0.000 font_manager.py:989(_json_decode)
       44    0.002    0.000    0.005    0.000 __init__.py:355(namedtuple)
      823    0.003    0.000    0.005    0.000 functools.py:35(update_wrapper)
        1    0.000    0.000    0.005    0.005 helpers.py:1(<module>)
      479    0.003    0.000    0.005    0.000 enum.py:254(__set_name__)
      359    0.001    0.000    0.004    0.000 <frozen
importlib._bootstrap>:733(_init_module_attrs)
        3    0.000    0.000    0.004    0.001 patches.py:2293(__init_subclass__)
        6    0.000    0.000    0.004    0.001 patches.py:2335(pprint_styles)
       64    0.000    0.000    0.004    0.000 core.py:1604(__add__)
       48    0.000    0.000    0.004    0.000 __init__.py:1406(_add_data_doc)
       46    0.000    0.000    0.004    0.000 core.py:3526(mayReturnEmpty)
    48/27    0.000    0.000    0.004    0.000 functools.py:979(__get__)
        1    0.000    0.000    0.004    0.004 mathtext.py:1(<module>)
    42/21    0.000    0.000    0.004    0.000 core.py:3494(re)
        1    0.000    0.000    0.004    0.004 artist.py:1(<module>)
      640    0.001    0.000    0.004    0.000 <frozen
importlib._bootstrap_external>:482(cache_from_source)
        8    0.000    0.000    0.004    0.001 core.py:6456(__init__)
   101/31    0.000    0.000    0.004    0.000 typing.py:1267(__getitem__)
       65    0.000    0.000    0.004    0.000 core.py:4499(__init__)
        1    0.001    0.001    0.004    0.004 pathlib.py:1(<module>)
     28/7    0.000    0.000    0.004    0.001 core.py:5167(leave_whitespace)
        1    0.000    0.000    0.004    0.004 scale.py:1(<module>)
        1    0.000    0.000    0.004    0.004 table.py:1(<module>)
        1    0.000    0.000    0.004    0.004 category.py:1(<module>)
    39010    0.004    0.000    0.004    0.000 {method 'append' of 'list'
objects}
```

```
     1466    0.000    0.000    0.004    0.000 <frozen
importlib._bootstrap_external>:140(_path_stat)
       21    0.001    0.000    0.004    0.000 typing.py:2780(__new__)
   102/95    0.000    0.000    0.004    0.000 typing.py:508(__getitem__)
        1    0.000    0.000    0.004    0.004 _array_like.py:1(<module>)
        1    0.000    0.000    0.004    0.004 contour.py:1(<module>)
        1    0.000    0.000    0.004    0.004 _char_codes.py:1(<module>)
      443    0.001    0.000    0.004    0.000 core.py:569(copy)
     1493    0.003    0.000    0.004    0.000 {built-in method posix.stat}
       95    0.000    0.000    0.004    0.000 typing.py:687(Union)
       50    0.000    0.000    0.004    0.000 typing.py:514(__getitem__)
       12    0.000    0.000    0.004    0.000 core.py:1268(parse_string)
        1    0.000    0.000    0.003    0.003 _dtype_like.py:1(<module>)
       39    0.000    0.000    0.003    0.000 colors.py:1081(from_list)
     7953    0.003    0.000    0.003    0.000 {method 'expandtabs' of 'str'
objects}
      269    0.000    0.000    0.003    0.000 <frozen
importlib._bootstrap>:463(_lock_unlock_module)
        1    0.000    0.000    0.003    0.003 testing.py:1(<module>)
      643    0.001    0.000    0.003    0.000 <frozen
importlib._bootstrap>:162(__enter__)
       64    0.001    0.000    0.003    0.000
deprecation.py:414(make_keyword_only)
     59/7    0.000    0.000    0.003    0.000 core.py:4329(leave_whitespace)
      320    0.003    0.000    0.003    0.000 {method 'read' of
'_io.BufferedReader' objects}
        1    0.000    0.000    0.003    0.003 fractions.py:1(<module>)
       13    0.000    0.000    0.003    0.000 core.py:8743(_convert2ma)
       21    0.000    0.000    0.003    0.000 typing.py:2761(_make_nmtuple)
       50    0.000    0.000    0.003    0.000 typing.py:746(Literal)
       53    0.000    0.000    0.003    0.000
_add_newdocs.py:3381(_array_method_doc)
      264    0.000    0.000    0.003    0.000 {built-in method builtins.all}
        1    0.000    0.000    0.003    0.003 __init__.py:245(_check_versions)
      655    0.000    0.000    0.003    0.000 <frozen
importlib._bootstrap>:632(cached)
   129/61    0.000    0.000    0.003    0.000 core.py:4426(copy)
      443    0.001    0.000    0.003    0.000 copy.py:61(copy)
       79    0.000    0.000    0.003    0.000 __init__.py:811(read_text)
        1    0.000    0.000    0.003    0.003 _parser.py:1(<module>)
      583    0.001    0.000    0.003    0.000 enum.py:390(__setitem__)
     6726    0.002    0.000    0.003    0.000 _parser.py:261(get)
       84    0.000    0.000    0.003    0.000 core.py:4527(<genexpr>)
        1    0.000    0.000    0.003    0.003 ticker.py:1(<module>)
        7    0.000    0.000    0.003    0.000 __init__.py:73(import_module)
        1    0.000    0.000    0.003    0.003 _secondary_axes.py:1(<module>)
        7    0.000    0.000    0.003    0.000 <frozen
importlib._bootstrap>:1375(_gcd_import)
```

```
      320    0.003    0.000    0.003    0.000 {built-in method _io.open_code}
      335    0.000    0.000    0.003    0.000 <frozen
importlib._bootstrap_external>:611(_get_cached)
      233    0.001    0.000    0.003    0.000 _compiler.py:511(_compile_info)
     8717    0.002    0.000    0.003    0.000 _parser.py:168(__getitem__)
   306/12    0.001    0.000    0.003    0.000 core.py:910(_parseNoCache)
       23    0.000    0.000    0.003    0.000 overrides.py:184(decorator)
   101/31    0.000    0.000    0.003    0.000
typing.py:1299(_determine_new_args)
        2    0.000    0.000    0.003    0.001 version.py:1(<module>)
       79    0.000    0.000    0.003    0.000 __init__.py:826(_normalized_name)
    72/12    0.000    0.000    0.003    0.000 core.py:4609(parseImpl)
   101/31    0.000    0.000    0.003    0.000 typing.py:1328(_make_substitution)
      243    0.000    0.000    0.003    0.000 pathlib.py:437(__str__)
        1    0.000    0.000    0.003    0.003 legend.py:1(<module>)
      113    0.000    0.000    0.002    0.000 rcsetup.py:99(f)
        1    0.000    0.000    0.002    0.002 _mathtext.py:1(<module>)
      500    0.001    0.000    0.002    0.000 typing.py:175(_type_check)
     1241    0.000    0.000    0.002    0.000 <frozen
abc>:117(__instancecheck__)
      114    0.001    0.000    0.002    0.000 {built-in method _io.open}
        3    0.000    0.000    0.002    0.001 exceptions.py:1(<module>)
        7    0.000    0.000    0.002    0.000 enum.py:919(_convert_)
       79    0.000    0.000    0.002    0.000 pathlib.py:1024(read_text)
      139    0.000    0.000    0.002    0.000 <frozen abc>:105(__new__)
        1    0.000    0.000    0.002    0.002
_fontconfig_pattern.py:55(_make_fontconfig_parser)
       16    0.000    0.000    0.002    0.000 __init__.py:794(<genexpr>)
      643    0.001    0.000    0.002    0.000 <frozen
importlib._bootstrap>:124(setdefault)
        1    0.000    0.000    0.002    0.002 _npyio_impl.py:1(<module>)
       14    0.000    0.000    0.002    0.000 __init__.py:692(search)
       64    0.000    0.000    0.002    0.000 util.py:423(replaced_by_pep8)
     1241    0.000    0.000    0.002    0.000 {built-in method
_abc._abc_instancecheck}
      206    0.000    0.000    0.002    0.000 pathlib.py:551(drive)
      261    0.000    0.000    0.002    0.000
rcsetup.py:304(validate_color_for_prop_cycle)
     2703    0.001    0.000    0.002    0.000 cbook.py:468(_strip_comment)
    12280    0.002    0.000    0.002    0.000 {method 'get' of 'dict' objects}
        7    0.000    0.000    0.002    0.000 core.py:3161(__init__)
       16    0.000    0.000    0.002    0.000 _functools.py:75(wrapper)
        1    0.000    0.000    0.002    0.002 socket.py:1(<module>)
      356    0.001    0.000    0.002    0.000 inspect.py:794(_finddoc)
 1466/467    0.001    0.000    0.002    0.000 _parser.py:178(getwidth)
        8    0.000    0.000    0.002    0.000 __init__.py:701(lookup)
      663    0.000    0.000    0.002    0.000 __init__.py:179(sub)
        8    0.000    0.000    0.002    0.000 __init__.py:707(__init__)
```

```
        1    0.000    0.000    0.002    0.002 _internal.py:1(<module>)
       79    0.000    0.000    0.002    0.000 pathlib.py:1007(open)
       26    0.000    0.000    0.002    0.000 core.py:7037(_frommethod)
        1    0.000    0.000    0.002    0.002 transforms.py:1(<module>)
      177    0.000    0.000    0.002    0.000 pathlib.py:407(_load_parts)
      466    0.001    0.000    0.002    0.000 enum.py:1562(__and__)
 1726/215    0.000    0.000    0.002    0.000 <frozen
abc>:121(__subclasscheck__)
      223    0.001    0.000    0.002    0.000
_compiler.py:243(_optimize_charset)
    32462    0.002    0.000    0.002    0.000 {built-in method
builtins.callable}
      262    0.001    0.000    0.002    0.000 typing.py:262(_collect_parameters)
        2    0.000    0.000    0.002    0.001 __init__.py:12(__getattr__)
      220    0.000    0.000    0.002    0.000 {built-in method builtins.any}
       19    0.000    0.000    0.002    0.000 rcsetup.py:677(cycler)
 1726/215    0.002    0.000    0.002    0.000 {built-in method
_abc._abc_subclasscheck}
        1    0.000    0.000    0.002    0.002 _tricontour.py:1(<module>)
       79    0.001    0.000    0.002    0.000 __init__.py:347(__new__)
     1757    0.001    0.000    0.002    0.000 typing.py:1188(__setattr__)
        2    0.000    0.000    0.002    0.001 dataclasses.py:1257(wrap)
        2    0.000    0.000    0.002    0.001 dataclasses.py:921(_process_class)
        1    0.000    0.000    0.002    0.002 parse.py:1(<module>)
        1    0.000    0.000    0.002    0.002 texmanager.py:1(<module>)
        1    0.000    0.000    0.002    0.002 spines.py:1(<module>)
       15    0.000    0.000    0.002    0.000 core.py:1764(__or__)
     4584    0.001    0.000    0.002    0.000 {built-in method builtins.sorted}
     6190    0.001    0.000    0.002    0.000 {built-in method builtins.setattr}
       79    0.000    0.000    0.002    0.000 __init__.py:310(_from_text_for)
       24    0.001    0.000    0.002    0.000
util.py:222(_collapse_string_to_ranges)
      643    0.001    0.000    0.002    0.000 <frozen
importlib._bootstrap>:426(_get_module_lock)
        1    0.000    0.000    0.002    0.002 version.py:161(Version)
       15    0.000    0.000    0.002    0.000 core.py:4842(__init__)
        1    0.000    0.000    0.002    0.002 backend_tools.py:1(<module>)
        7    0.000    0.000    0.002    0.000 enum.py:863(_create_)
        1    0.000    0.000    0.002    0.002 subprocess.py:1(<module>)
       67    0.001    0.000    0.002    0.000 colors.py:1134(reversed)
        1    0.000    0.000    0.002    0.002 _tripcolor.py:1(<module>)
        1    0.000    0.000    0.002    0.002 axes3d.py:41(Axes3D)
      643    0.001    0.000    0.002    0.000 <frozen
importlib._bootstrap>:372(release)
      451    0.000    0.000    0.002    0.000 <frozen
importlib._bootstrap_external>:159(_path_isfile)
        1    0.000    0.000    0.001    0.001 colorbar.py:1(<module>)
        1    0.000    0.000    0.001    0.001 hashlib.py:1(<module>)
```

```
      196    0.000    0.000    0.001    0.000 __init__.py:312(<genexpr>)
       59    0.000    0.000    0.001    0.000 textwrap.py:419(dedent)
     1191    0.001    0.000    0.001    0.000 <string>:2(__init__)
        1    0.000    0.000    0.001    0.001 plistlib.py:1(<module>)
        5    0.000    0.000    0.001    0.000
inspect.py:2350(_signature_from_builtin)
        1    0.000    0.000    0.001    0.001 shutil.py:1(<module>)
      335    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:1588(_get_spec)
    10981    0.001    0.000    0.001    0.000 {method 'pop' of 'list' objects}
        5    0.000    0.000    0.001    0.000
inspect.py:2208(_signature_fromstr)
      640    0.001    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:132(_path_split)
      488    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:150(_path_is_mode_type)
        1    0.000    0.000    0.001    0.001 ExifTags.py:21(Base)
       39    0.000    0.000    0.001    0.000 colors.py:419(to_rgba_array)
       43    0.000    0.000    0.001    0.000 core.py:4847(<genexpr>)
       95    0.001    0.000    0.001    0.000 {built-in method builtins.compile}
       22    0.000    0.000    0.001    0.000 core.py:5667(parseImpl)
      123    0.000    0.000    0.001    0.000 pathlib.py:447(__fspath__)
       24    0.000    0.000    0.001    0.000 typing.py:1261(__or__)
      196    0.000    0.000    0.001    0.000 __init__.py:316(<genexpr>)
      195    0.000    0.000    0.001    0.000 inspect.py:3066(replace)
     8258    0.001    0.000    0.001    0.000 _parser.py:240(__next)
      443    0.000    0.000    0.001    0.000 copy.py:247(_reconstruct)
        1    0.000    0.000    0.001    0.001 decimal.py:1(<module>)
      853    0.001    0.000    0.001    0.000 inspect.py:747(unwrap)
      752    0.001    0.000    0.001    0.000 inspect.py:175(get_annotations)
       31    0.000    0.000    0.001    0.000 typing.py:1562(copy_with)
      256    0.000    0.000    0.001    0.000 typing.py:1147(__init__)
     7640    0.001    0.000    0.001    0.000 enum.py:1129(__new__)
      182    0.001    0.000    0.001    0.000 pathlib.py:387(_parse_path)
        8    0.001    0.000    0.001    0.000 enum.py:1708(convert_class)
      374    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap>:420(__exit__)
        2    0.000    0.000    0.001    0.001 core.py:6786(srange)
      697    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:1469(_path_importer_cache)
   298/41    0.000    0.000    0.001    0.000 ast.py:403(visit)
       12    0.000    0.000    0.001    0.000 dataclasses.py:449(_create_fn)
      541    0.000    0.000    0.001    0.000 __init__.py:164(match)
        2    0.000    0.000    0.001    0.001
offsetbox.py:45(_compat_get_offset)
        1    0.000    0.000    0.001    0.001
offsetbox.py:907(AnchoredOffsetbox)
        3    0.000    0.000    0.001    0.000 _common.py:1(<module>)
```

```
     6229    0.001    0.000    0.001    0.000 {method 'group' of 're.Match'
objects}
        1    0.000    0.000    0.001    0.001 cbook.py:1(<module>)
        1    0.000    0.000    0.001    0.001 _text_helpers.py:1(<module>)
        1    0.000    0.000    0.001    0.001 format.py:1(<module>)
     2163    0.001    0.000    0.001    0.000 typing.py:1134(_is_dunder)
  278/178    0.000    0.000    0.001    0.000 core.py:2168(name)
     1195    0.000    0.000    0.001    0.000 <frozen posixpath>:60(isabs)
        1    0.000    0.000    0.001    0.001 tz.py:1(<module>)
      195    0.001    0.000    0.001    0.000
_shape_base_impl.py:625(column_stack)
        1    0.000    0.000    0.001    0.001 core.py:391(ParserElement)
        1    0.000    0.000    0.001    0.001 _afm.py:1(<module>)
     78/4    0.000    0.000    0.001    0.000 core.py:1077(_parseCache)
       14    0.000    0.000    0.001    0.000 core.py:120(doc_note)
      125    0.000    0.000    0.001    0.000 core.py:3481(copy)
        1    0.000    0.000    0.001    0.001 inset.py:1(<module>)
  208/115    0.000    0.000    0.001    0.000 core.py:2121(default_name)
      196    0.000    0.000    0.001    0.000 __init__.py:103(<genexpr>)
     22/3    0.000    0.000    0.001    0.000 core.py:4540(streamline)
     9702    0.001    0.000    0.001    0.000 {method 'rstrip' of 'str' objects}
      335    0.001    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:802(spec_from_file_location)
       28    0.000    0.000    0.001    0.000 _docstring.py:79(<genexpr>)
      661    0.000    0.000    0.001    0.000 typing.py:166(_type_convert)
        1    0.000    0.000    0.001    0.001 _polynomial_impl.py:1(<module>)
        1    0.000    0.000    0.001    0.001 dviread.py:1(<module>)
     3544    0.001    0.000    0.001    0.000 inspect.py:3045(<genexpr>)
     7603    0.001    0.000    0.001    0.000 {method 'isidentifier' of 'str'
objects}
        1    0.000    0.000    0.001    0.001 _parseaddr.py:1(<module>)
      356    0.000    0.000    0.001    0.000 inspect.py:784(_findclass)
        1    0.000    0.000    0.001    0.001 helpers.py:694(make_html_tags)
        1    0.000    0.000    0.001    0.001 helpers.py:635(_makeTags)
      722    0.001    0.000    0.001    0.000 {method 'sub' of 're.Pattern'
objects}
1789/1609    0.001    0.000    0.001    0.000 {method 'update' of 'dict'
objects}
        1    0.000    0.000    0.001    0.001 ipaddress.py:1(<module>)
        1    0.000    0.000    0.001    0.001 case.py:1(<module>)
     30/4    0.000    0.000    0.001    0.000 core.py:4374(streamline)
      441    0.000    0.000    0.001    0.000 {built-in method builtins.next}
       44    0.000    0.000    0.001    0.000 _base.py:67(__set_name__)
        8    0.000    0.000    0.001    0.000 __init__.py:678(children)
    38/18    0.000    0.000    0.001    0.000 core.py:5150(parseImpl)
       89    0.000    0.000    0.001    0.000 inspect.py:3262(__str__)
   274/19    0.000    0.000    0.001    0.000 ast.py:409(generic_visit)
      345    0.000    0.000    0.001    0.000 typing.py:723(<genexpr>)
```

```
        1    0.000    0.000    0.001    0.001 decoder.py:1(<module>)
        1    0.000    0.000    0.001    0.001
_add_newdocs_scalars.py:1(<module>)
        1    0.000    0.000    0.001    0.001 _format_impl.py:1(<module>)
        1    0.000    0.000    0.001    0.001 layout_engine.py:1(<module>)
      418    0.000    0.000    0.001    0.000 inspect.py:2781(replace)
       36    0.001    0.000    0.001    0.000 <frozen abc>:110(register)
      776    0.000    0.000    0.001    0.000 {built-in method builtins.max}
       70    0.000    0.000    0.001    0.000 typing.py:1390(copy_with)
       20    0.000    0.000    0.001    0.000 core.py:5792(parseImpl)
 4310/959    0.001    0.000    0.001    0.000
__init__.py:368(recursive_subclasses)
        1    0.000    0.000    0.001    0.001 _cm_multivar.py:1(<module>)
       44    0.001    0.000    0.001    0.000 {built-in method posix.listdir}
       83    0.000    0.000    0.001    0.000 core.py:4290(__init__)
     2918    0.001    0.000    0.001    0.000 _parser.py:176(append)
      320    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:1202(path_stats)
      550    0.000    0.000    0.001    0.000 util.py:468(deprecate_argument)
      379    0.001    0.000    0.001    0.000 {method '__exit__' of
'_io._IOBase' objects}
      234    0.000    0.000    0.001    0.000 _parser.py:98(closegroup)
        1    0.000    0.000    0.001    0.001 charset.py:1(<module>)
     7362    0.001    0.000    0.001    0.000 {method '__contains__' of
'frozenset' objects}
        1    0.000    0.000    0.001    0.001 extras.py:1(<module>)
        1    0.000    0.000    0.001    0.001 ImagePalette.py:1(<module>)
        1    0.000    0.000    0.001    0.001 _policybase.py:1(<module>)
        3    0.000    0.000    0.001    0.000
_fontconfig_pattern.py:57(comma_separated)
        1    0.000    0.000    0.001    0.001 pathlib.py:812(PureWindowsPath)
      643    0.001    0.000    0.001    0.000 <frozen
importlib._bootstrap>:74(__new__)
     1425    0.001    0.000    0.001    0.000 enum.py:1544(_get_value)
       36    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:1456(_path_hooks)
       28    0.000    0.000    0.001    0.000 ast.py:34(parse)
        1    0.000    0.000    0.001    0.001 _function_base_impl.py:1(<module>)
       36    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:1644(_fill_cache)
     5540    0.001    0.000    0.001    0.000 {method 'find' of 'str' objects}
       22    0.000    0.000    0.001    0.000 core.py:5940(parseImpl)
    26/14    0.000    0.000    0.001    0.000 core.py:4868(parseImpl)
       24    0.000    0.000    0.001    0.000 deprecation.py:126(deprecate)
        1    0.000    0.000    0.001    0.001 tempfile.py:1(<module>)
     23/6    0.000    0.000    0.001    0.000 core.py:5206(streamline)
       67    0.000    0.000    0.001    0.000 typing.py:885(__init__)
      320    0.000    0.000    0.001    0.000 <frozen
```

```
importlib._bootstrap_external>:666(_classify_pyc)
        1    0.000    0.000    0.001    0.001 <frozen
importlib._bootstrap>:1171(exec_module)
        1    0.000    0.000    0.001    0.001 <frozen ntpath>:1(<module>)
      646    0.000    0.000    0.001    0.000 _compiler.py:398(_simple)
     2470    0.001    0.000    0.001    0.000 typing.py:1246(<genexpr>)
      239    0.001    0.000    0.001    0.000 core.py:485(__init__)
      811    0.001    0.000    0.001    0.000 enum.py:850(__setattr__)
        1    0.000    0.000    0.001    0.001 __init__.py:469(StrFormatStyle)
     2870    0.000    0.000    0.001    0.000 _parser.py:164(__len__)
        1    0.000    0.000    0.001    0.001 signal.py:1(<module>)
     10/3    0.000    0.000    0.001    0.000 unicode.py:14(__get__)
       37    0.000    0.000    0.001    0.000 function_base.py:27(linspace)
      237    0.001    0.000    0.001    0.000 contextlib.py:440(__init__)
     3330    0.000    0.000    0.001    0.000 _parser.py:256(match)
       64    0.000    0.000    0.001    0.000 core.py:5124(__init__)
        1    0.000    0.000    0.001    0.001 dates.py:1(<module>)
      960    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:84(_unpack_uint32)
       12    0.000    0.000    0.001    0.000 __init__.py:238(define_aliases)
      320    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap_external>:699(_validate_timestamp_pyc)
      280    0.000    0.000    0.001    0.000 <frozen posixpath>:71(join)
      212    0.000    0.000    0.001    0.000 pathlib.py:1159(__init__)
        8    0.000    0.000    0.001    0.000 core.py:3306(_generateDefaultName)
        1    0.000    0.000    0.001    0.001 _utils_impl.py:1(<module>)
     1759    0.000    0.000    0.001    0.000 _parser.py:293(tell)
      165    0.000    0.000    0.001    0.000 ast.py:419(visit_Constant)
       33    0.000    0.000    0.001    0.000 enum.py:513(__prepare__)
       15    0.000    0.000    0.001    0.000 core.py:680(set_parse_action)
      122    0.000    0.000    0.001    0.000 pathlib.py:380(with_segments)
       11    0.000    0.000    0.001    0.000 core.py:3307(charsAsStr)
       76    0.000    0.000    0.001    0.000 typing.py:1609(__hash__)
     3611    0.001    0.000    0.001    0.000 <frozen
importlib._bootstrap>:491(_verbose_message)
        1    0.000    0.000    0.001    0.001 calendar.py:1(<module>)
  306/282    0.000    0.000    0.001    0.000 results.py:204(__init__)
     5462    0.001    0.000    0.001    0.000 {method 'strip' of 'str' objects}
       44    0.000    0.000    0.001    0.000 _base.py:52(__init__)
       31    0.000    0.000    0.001    0.000 pathlib.py:1083(glob)
       62    0.000    0.000    0.001    0.000 __init__.py:869(_open_file_or_url)
      372    0.000    0.000    0.001    0.000 __init__.py:101(find_spec)
        1    0.000    0.000    0.001    0.001 actions.py:1(<module>)
       95    0.000    0.000    0.001    0.000
typing.py:345(_remove_dups_flatten)
        1    0.000    0.000    0.001    0.001 string.py:1(<module>)
        1    0.000    0.000    0.001    0.001 scanner.py:1(<module>)
      632    0.000    0.000    0.001    0.000 {built-in method builtins.delattr}
```

```
      159    0.000    0.000    0.001    0.000 __init__.py:757(normalize)
      484    0.000    0.000    0.001    0.000 __init__.py:781(__getitem__)
        1    0.000    0.000    0.001    0.001 _type_check_impl.py:1(<module>)
       33    0.000    0.000    0.001    0.000 contextlib.py:132(__enter__)
     4973    0.001    0.000    0.001    0.000 artist.py:1557(<genexpr>)
        1    0.000    0.000    0.001    0.001 _arraysetops_impl.py:1(<module>)
        5    0.000    0.000    0.001    0.000
inspect.py:2158(_signature_strip_non_python_syntax)
     2686    0.000    0.000    0.001    0.000 util.py:214(__call__)
     9351    0.001    0.000    0.001    0.000 inspect.py:2765(name)
        1    0.000    0.000    0.001    0.001 _mathtext_data.py:1(<module>)
        1    0.000    0.000    0.001    0.001 _base.py:549(_AxesBase)
       19    0.000    0.000    0.001    0.000 core.py:258(_trim_arity)
        1    0.000    0.000    0.001    0.001 bz2.py:1(<module>)
        1    0.000    0.000    0.001    0.001 header.py:1(<module>)
     1819    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap>:1226(__exit__)
     2513    0.001    0.000    0.001    0.000 {method 'rpartition' of 'str'
objects}
      528    0.001    0.000    0.001    0.000 {built-in method numpy.array}
        1    0.000    0.000    0.001    0.001 markers.py:1(<module>)
        1    0.000    0.000    0.001    0.001 TiffTags.py:1(<module>)
     1819    0.000    0.000    0.001    0.000 <frozen
importlib._bootstrap>:1222(__enter__)
        1    0.000    0.000    0.001    0.001 unicode.py:80(alphanums)
       10    0.000    0.000    0.001    0.000 extras.py:265(decorator)
       87    0.000    0.000    0.000    0.000 pathlib.py:711(joinpath)
       79    0.000    0.000    0.000    0.000 _functools.py:89(pass_none)
        1    0.000    0.000    0.000    0.000 string.py:69(__init_subclass__)
        2    0.000    0.000    0.000    0.000 unicode.py:55(_chars_for_ranges)
       27    0.000    0.000    0.000    0.000
_add_newdocs_scalars.py:76(add_newdoc_for_scalar_type)
      688    0.000    0.000    0.000    0.000 enum.py:79(_is_private)
        1    0.000    0.000    0.000    0.000 _globals.py:1(<module>)
       25    0.000    0.000    0.000    0.000 dtypes.py:30(_add_dtype_helper)
        1    0.000    0.000    0.000    0.000 traceback.py:221(extract_stack)
     1926    0.000    0.000    0.000    0.000 inspect.py:371(isfunction)
      212    0.000    0.000    0.000    0.000 pathlib.py:357(__init__)
       10    0.000    0.000    0.000    0.000 _docstring.py:66(__call__)
       21    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:997(exec_module)
        1    0.000    0.000    0.000    0.000 difflib.py:1(<module>)
     2964    0.000    0.000    0.000    0.000 {method 'add' of 'set' objects}
      372    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:445(cb)
        1    0.000    0.000    0.000    0.000 traceback.py:377(extract)
     2639    0.000    0.000    0.000    0.000 {method 'setdefault' of 'dict'
objects}
```

```
       40    0.000    0.000    0.000    0.000 core.py:2729(__init__)
        1    0.000    0.000    0.000    0.000 unicode.py:70(alphas)
        1    0.000    0.000    0.000    0.000
traceback.py:399(_extract_from_extended_frame_gen)
       15    0.000    0.000    0.000    0.000 typing.py:1822(__new__)
      406    0.000    0.000    0.000    0.000 typing.py:1178(__getattr__)
      459    0.000    0.000    0.000    0.000
_function_base_impl.py:363(iterable)
      284    0.000    0.000    0.000    0.000 {built-in method fromkeys}
      891    0.000    0.000    0.000    0.000 colors.py:219(_is_nth_color)
     4462    0.000    0.000    0.000    0.000 typing.py:1599(<genexpr>)
        1    0.000    0.000    0.000    0.000 six.py:1(<module>)
      443    0.000    0.000    0.000    0.000 copyreg.py:98(__newobj__)
      372    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:982(find_spec)
      443    0.000    0.000    0.000    0.000 {method '__reduce_ex__' of
'object' objects}
        2    0.000    0.000    0.000    0.000 abc.py:1(<module>)
       21    0.000    0.000    0.000    0.000 {built-in method
_imp.exec_builtin}
      105    0.000    0.000    0.000    0.000 __init__.py:336(wrapper)
        1    0.000    0.000    0.000    0.000 _twodim_base_impl.py:1(<module>)
     1565    0.000    0.000    0.000    0.000 <frozen posixpath>:41(_get_sep)
      195    0.000    0.000    0.000    0.000
inspect.py:2001(_signature_get_user_defined_method)
      643    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:82(remove)
      196    0.000    0.000    0.000    0.000 __init__.py:109(read)
        1    0.000    0.000    0.000    0.000 __init__.py:436(PercentStyle)
      372    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:232(__init__)
        4    0.000    0.000    0.000    0.000 traceback.py:318(line)
     2913    0.000    0.000    0.000    0.000 {method 'endswith' of 'str'
objects}
      295    0.000    0.000    0.000    0.000 _parser.py:372(_escape)
        1    0.000    0.000    0.000    0.000 artist.py:1407(ArtistInspector)
        2    0.000    0.000    0.000    0.000 linecache.py:26(getline)
      643    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:79(__init__)
       35    0.000    0.000    0.000    0.000 core.py:3430(__init__)
        1    0.000    0.000    0.000    0.000 markers.py:150(MarkerStyle)
      145    0.000    0.000    0.000    0.000 typing.py:317(_deduplicate)
        2    0.000    0.000    0.000    0.000 linecache.py:36(getlines)
    154/1    0.000    0.000    0.000    0.000
_mathtext_data.py:1722(_normalize_stix_fontcodes)
       11    0.000    0.000    0.000    0.000 typing.py:1264(__ror__)
       30    0.000    0.000    0.000    0.000 __init__.py:2149(getLogger)
     1546    0.000    0.000    0.000    0.000 {method 'match' of 're.Pattern'
```

```
objects}
        1    0.000    0.000    0.000    0.000 linecache.py:80(updatecache)
       86    0.000    0.000    0.000    0.000 __init__.py:259(make_alias)
     1280    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:134(<genexpr>)
      338    0.000    0.000    0.000    0.000 inspect.py:2799(__str__)
        1    0.000    0.000    0.000    0.000 figure.py:118(FigureBase)
      351    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1128(find_spec)
       66    0.000    0.000    0.000    0.000
inspect.py:2095(_signature_bound_method)
        1    0.000    0.000    0.000    0.000 _enums.py:1(<module>)
       27    0.000    0.000    0.000    0.000 inspect.py:2292(p)
     5755    0.000    0.000    0.000    0.000 {built-in method builtins.ord}
        2    0.000    0.000    0.000    0.000 dataclasses.py:568(_init_fn)
     7839    0.000    0.000    0.000    0.000 inspect.py:2777(kind)
        1    0.000    0.000    0.000    0.000 ipaddress.py:2314(_IPv6Constants)
        1    0.000    0.000    0.000    0.000 __init__.py:152(EntryPoint)
       27    0.000    0.000    0.000    0.000 core.py:6423(__init__)
        1    0.000    0.000    0.000    0.000 path.py:1(<module>)
     3063    0.000    0.000    0.000    0.000 {method 'get' of 'mappingproxy'
objects}
        2    0.000    0.000    0.000    0.000
dataclasses.py:638(_frozen_get_del_attr)
       34    0.000    0.000    0.000    0.000 ipaddress.py:2238(__init__)
        1    0.000    0.000    0.000    0.000 _cm_bivar.py:1(<module>)
   193/93    0.000    0.000    0.000    0.000 core.py:2179(__str__)
      148    0.000    0.000    0.000    0.000 tokenize.py:460(tokenize)
        1    0.000    0.000    0.000    0.000 main.py:1(<module>)
        1    0.000    0.000    0.000    0.000 printoptions.py:1(<module>)
        1    0.000    0.000    0.000    0.000 random.py:1(<module>)
     2834    0.000    0.000    0.000    0.000 {built-in method
_imp.acquire_lock}
      629    0.000    0.000    0.000    0.000 enum.py:785(__delattr__)
        1    0.000    0.000    0.000    0.000 ImageFile.py:1(<module>)
       36    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1685(path_hook_for_FileFinder)
        1    0.000    0.000    0.000    0.000 animation.py:1(<module>)
      807    0.000    0.000    0.000    0.000 __init__.py:701(_get)
        1    0.000    0.000    0.000    0.000 _constrained_layout.py:1(<module>)
       30    0.000    0.000    0.000    0.000 __init__.py:1377(getLogger)
        1    0.000    0.000    0.000    0.000 _meta.py:1(<module>)
      643    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:173(__exit__)
      686    0.000    0.000    0.000    0.000 {method 'format' of 'str' objects}
       79    0.000    0.000    0.000    0.000 _functools.py:99(wrapper)
        1    0.000    0.000    0.000    0.000 overrides.py:1(<module>)
      139    0.000    0.000    0.000    0.000 {built-in method _abc._abc_init}
```

```
        1    0.000    0.000    0.000    0.000 {method 'readlines' of
'_io._IOBase' objects}
        1    0.000    0.000    0.000    0.000 _shape_base_impl.py:1(<module>)
3140/3134    0.000    0.000    0.000    0.000 {built-in method posix.fspath}
        1    0.000    0.000    0.000    0.000 _mathtext.py:1808(Parser)
       92    0.000    0.000    0.000    0.000 core.py:2667(__init__)
     1863    0.000    0.000    0.000    0.000 {method 'pop' of 'dict' objects}
        2    0.000    0.000    0.000    0.000
__init__.py:522(_get_config_or_cache_dir)
     10/4    0.000    0.000    0.000    0.000 core.py:4852(streamline)
       59    0.000    0.000    0.000    0.000 {method 'findall' of 're.Pattern'
objects}
     1818    0.000    0.000    0.000    0.000 {built-in method sys.intern}
      686    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:645(parent)
        1    0.000    0.000    0.000    0.000 scimath.py:1(<module>)
     1300    0.000    0.000    0.000    0.000 __init__.py:681(_set)
        1    0.000    0.000    0.000    0.000 arrayprint.py:1(<module>)
        1    0.000    0.000    0.000    0.000 _triinterpolate.py:1(<module>)
       19    0.000    0.000    0.000    0.000 path.py:99(__init__)
       30    0.000    0.000    0.000    0.000 pathlib.py:199(_select_from)
      234    0.000    0.000    0.000    0.000 _parser.py:86(opengroup)
       51    0.000    0.000    0.000    0.000
functools.py:518(decorating_function)
      587    0.000    0.000    0.000    0.000 enum.py:38(_is_descriptor)
        1    0.000    0.000    0.000    0.000 __init__.py:845(copy)
     2834    0.000    0.000    0.000    0.000 {built-in method
_imp.release_lock}
      320    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:643(_check_name_wrapper)
      371    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:185(_path_abspath)
        1    0.000    0.000    0.000    0.000 lzma.py:1(<module>)
        1    0.000    0.000    0.000    0.000 result.py:1(<module>)
       21    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:989(create_module)
        1    0.000    0.000    0.000    0.000 ImageMode.py:1(<module>)
       14    0.000    0.000    0.000    0.000 core.py:6668(__init__)
        3    0.000    0.000    0.000    0.000 warnings.py:131(filterwarnings)
  621/523    0.000    0.000    0.000    0.000 typing.py:1258(__hash__)
       13    0.000    0.000    0.000    0.000 typing.py:1519(__getitem__)
        8    0.000    0.000    0.000    0.000
colors.py:2563(make_norm_from_scale)
     2049    0.000    0.000    0.000    0.000 {built-in method
builtins.issubclass}
       36    0.000    0.000    0.000    0.000 <frozen zipimport>:64(__init__)
      435    0.000    0.000    0.000    0.000 {method 'replace' of 'str'
objects}
```

```
        7    0.000    0.000    0.000    0.000 typing.py:740(Optional)
        1    0.000    0.000    0.000    0.000 loader.py:1(<module>)
        1    0.000    0.000    0.000    0.000 encoder.py:1(<module>)
       73    0.000    0.000    0.000    0.000 enum.py:967(_get_mixins_)
       58    0.000    0.000    0.000    0.000 core.py:3541(parseImpl)
        1    0.000    0.000    0.000    0.000 uuid.py:1(<module>)
      690    0.000    0.000    0.000    0.000 _mathtext_data.py:1724(<genexpr>)
       27    0.000    0.000    0.000    0.000 {method 'read' of
'_io.TextIOWrapper' objects}
  240/224    0.000    0.000    0.000    0.000
_compiler.py:436(_get_literal_prefix)
      162    0.000    0.000    0.000    0.000 core.py:2711(__new__)
       62    0.000    0.000    0.000    0.000 _compiler.py:386(_mk_bitmap)
        1    0.000    0.000    0.000    0.000 entities.py:1(<module>)
      306    0.000    0.000    0.000    0.000 results.py:181(__new__)
        4    0.000    0.000    0.000    0.000 core.py:1681(__mul__)
        1    0.000    0.000    0.000    0.000 helpers.py:176(one_of)
       38    0.000    0.000    0.000    0.000
transforms.py:1325(__init_subclass__)
       79    0.000    0.000    0.000    0.000 __init__.py:675(joinpath)
        1    0.000    0.000    0.000    0.000 platform.py:1(<module>)
       21    0.000    0.000    0.000    0.000 {built-in method
_imp.create_builtin}
        2    0.000    0.000    0.000    0.000 util.py:1(<module>)
     1694    0.000    0.000    0.000    0.000 unicode.py:63(<genexpr>)
      481    0.000    0.000    0.000    0.000 functools.py:65(wraps)
        1    0.000    0.000    0.000    0.000 ipaddress.py:1569(_IPv4Constants)
      143    0.000    0.000    0.000    0.000
tokenize.py:569(_generate_tokens_from_c_tokenizer)
       12    0.000    0.000    0.000    0.000
typing.py:1047(_generic_class_getitem)
       13    0.000    0.000    0.000    0.000 typing.py:1533(__getitem_inner__)
      688    0.000    0.000    0.000    0.000 enum.py:59(_is_sunder)
        1    0.000    0.000    0.000    0.000 argparse.py:1(<module>)
      671    0.000    0.000    0.000    0.000 enum.py:48(_is_dunder)
      223    0.000    0.000    0.000    0.000 _compiler.py:216(_compile_charset)
       22    0.000    0.000    0.000    0.000 core.py:4652(_generateDefaultName)
        1    0.000    0.000    0.000    0.000 numbers.py:1(<module>)
       79    0.000    0.000    0.000    0.000 __init__.py:838(_name_from_stem)
        1    0.000    0.000    0.000    0.000
registry.py:142(backward_compatible_entry_points)
       14    0.000    0.000    0.000    0.000 __init__.py:199(split)
        1    0.000    0.000    0.000    0.000 _collections.py:1(<module>)
        1    0.000    0.000    0.000    0.000 _nanfunctions_impl.py:1(<module>)
      589    0.000    0.000    0.000    0.000 {built-in method builtins.iter}
        1    0.000    0.000    0.000    0.000 unicode.py:1(<module>)
       21    0.000    0.000    0.000    0.000 ipaddress.py:1502(__init__)
      813    0.000    0.000    0.000    0.000 __init__.py:1003(<lambda>)
```

```
      982    0.000    0.000    0.000    0.000 {built-in method from_bytes}
      254    0.000    0.000    0.000    0.000 core.py:4305(<genexpr>)
      104    0.000    0.000    0.000    0.000 typing.py:977(_typevar_subst)
        1    0.000    0.000    0.000    0.000 __init__.py:599(matplotlib_fname)
     1353    0.000    0.000    0.000    0.000 {method '__exit__' of
'_thread.RLock' objects}
      136    0.000    0.000    0.000    0.000 <frozen codecs>:319(decode)
      180    0.000    0.000    0.000    0.000 cm.py:94(__getitem__)
      117    0.000    0.000    0.000    0.000 __init__.py:457(_replace)
      350    0.000    0.000    0.000    0.000
function_base.py:456(_needs_add_docstring)
       46    0.000    0.000    0.000    0.000 colors.py:1194(__init__)
        1    0.000    0.000    0.000    0.000 _meta.py:8(PackageMetadata)
      974    0.000    0.000    0.000    0.000 {method 'rfind' of 'str' objects}
      579    0.000    0.000    0.000    0.000 {method 'extend' of 'list'
objects}
       10    0.000    0.000    0.000    0.000 path.py:191(_create_closed)
      233    0.000    0.000    0.000    0.000 _parser.py:231(__init__)
       16    0.000    0.000    0.000    0.000 typing.py:1458(copy_with)
        9    0.000    0.000    0.000    0.000 typing.py:1449(__getitem__)
      130    0.000    0.000    0.000    0.000 inspect.py:1816(getattr_static)
        1    0.000    0.000    0.000    0.000 TiffTags.py:444(_populate)
        1    0.000    0.000    0.000    0.000 _cm_listed.py:1(<module>)
      186    0.000    0.000    0.000    0.000
typing.py:961(_is_unpacked_typevartuple)
        7    0.000    0.000    0.000    0.000 core.py:1648(__radd__)
       50    0.000    0.000    0.000    0.000 core.py:933(__init__)
     12/2    0.000    0.000    0.000    0.000 core.py:1741(makeOptionalList)
        1    0.000    0.000    0.000    0.000 hatch.py:1(<module>)
      138    0.000    0.000    0.000    0.000 _parser.py:449(_uniq)
       23    0.000    0.000    0.000    0.000 colors.py:1234(reversed)
       36    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1567(__init__)
      934    0.000    0.000    0.000    0.000 _parser.py:83(groups)
      184    0.000    0.000    0.000    0.000 colors.py:998(copy)
        3    0.000    0.000    0.000    0.000 __init__.py:620(gen_candidates)
       50    0.000    0.000    0.000    0.000
typing.py:361(_flatten_literal_params)
        3    0.000    0.000    0.000    0.000
deprecation.py:255(rename_parameter)
       19    0.000    0.000    0.000    0.000 {built-in method
_functools.reduce}
      372    0.000    0.000    0.000    0.000 {built-in method _imp.is_builtin}
      117    0.000    0.000    0.000    0.000 _collections.py:28(parse)
        1    0.000    0.000    0.000    0.000 scale.py:748(_get_scale_docs)
       29    0.000    0.000    0.000    0.000
pathlib.py:1067(_make_child_relpath)
     1830    0.000    0.000    0.000    0.000 {method 'lower' of 'str' objects}
```

```
        1    0.000    0.000    0.000    0.000 errors.py:1(<module>)
        1    0.000    0.000    0.000    0.000 patches.py:3167(ArrowStyle)
       50    0.000    0.000    0.000    0.000 ipaddress.py:1920(__init__)
        1    0.000    0.000    0.000    0.000 __init__.py:882(version)
   115/98    0.000    0.000    0.000    0.000 typing.py:1573(__hash__)
        1    0.000    0.000    0.000    0.000 __init__.py:856(distribution)
       27    0.000    0.000    0.000    0.000 artist.py:44(allow_rasterization)
        1    0.000    0.000    0.000    0.000
backend_bases.py:2769(NavigationToolbar2)
        1    0.000    0.000    0.000    0.000 selectors.py:1(<module>)
      548    0.000    0.000    0.000    0.000 rcsetup.py:191(validator)
        1    0.000    0.000    0.000    0.000 __init__.py:383(from_name)
      371    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:180(_path_isabs)
     1831    0.000    0.000    0.000    0.000 {method 'isupper' of 'str'
objects}
      322    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:48(_new_module)
       23    0.000    0.000    0.000    0.000 core.py:5932(__init__)
        1    0.000    0.000    0.000    0.000 _scimath_impl.py:1(<module>)
       76    0.000    0.000    0.000    0.000 {built-in method builtins.sum}
       73    0.000    0.000    0.000    0.000 enum.py:1008(_find_data_type_)
      255    0.000    0.000    0.000    0.000 __init__.py:447(_make)
       38    0.000    0.000    0.000    0.000 rcsetup.py:759(<genexpr>)
        1    0.000    0.000    0.000    0.000 __init__.py:563(get_configdir)
      685    0.000    0.000    0.000    0.000 enum.py:202(__get__)
        1    0.000    0.000    0.000    0.000 dviread.py:202(Dvi)
        1    0.000    0.000    0.000    0.000 figure.py:2424(Figure)
      150    0.000    0.000    0.000    0.000 _parser.py:893(_parse_flags)
      654    0.000    0.000    0.000    0.000 inspect.py:295(isclass)
      818    0.000    0.000    0.000    0.000 ast.py:257(iter_fields)
       33    0.000    0.000    0.000    0.000 __init__.py:678(__init__)
        1    0.000    0.000    0.000    0.000 contextvars.py:1(<module>)
       78    0.000    0.000    0.000    0.000 core.py:4653(<genexpr>)
        1    0.000    0.000    0.000    0.000 _ufunclike_impl.py:1(<module>)
        9    0.000    0.000    0.000    0.000 core.py:1905(__call__)
     1293    0.000    0.000    0.000    0.000 _parser.py:113(__init__)
      184    0.000    0.000    0.000    0.000 colors.py:815(__copy__)
        1    0.000    0.000    0.000    0.000 axis3d.py:38(Axis)
      862    0.000    0.000    0.000    0.000 typing.py:1252(__eq__)
      546    0.000    0.000    0.000    0.000 {built-in method numpy.asanyarray}
      135    0.000    0.000    0.000    0.000 core.py:2244(__eq__)
        1    0.000    0.000    0.000    0.000 _color_data.py:1(<module>)
     1286    0.000    0.000    0.000    0.000 {built-in method
_thread.get_ident}
        8    0.000    0.000    0.000    0.000 core.py:649(_setResultsName)
        1    0.000    0.000    0.000    0.000 __init__.py:289(select)
       15    0.000    0.000    0.000    0.000 typing.py:1966(__init_subclass__)
```

```
       19    0.000    0.000    0.000    0.000 __init__.py:482(cycler)
        2    0.000    0.000    0.000    0.000 __init__.py:294(<genexpr>)
        1    0.000    0.000    0.000    0.000 runner.py:1(<module>)
      439    0.000    0.000    0.000    0.000 socket.py:89(<lambda>)
      182    0.000    0.000    0.000    0.000 <frozen posixpath>:138(splitroot)
      440    0.000    0.000    0.000    0.000 socket.py:94(<lambda>)
        7    0.000    0.000    0.000    0.000 typing.py:1548(__getitem__)
        2    0.000    0.000    0.000    0.000 dataclasses.py:627(_repr_fn)
      137    0.000    0.000    0.000    0.000 colors.py:1012(__init__)
       44    0.000    0.000    0.000    0.000 results.py:672(copy)
      233    0.000    0.000    0.000    0.000 {built-in method _sre.compile}
        1    0.000    0.000    0.000    0.000 mlab.py:1(<module>)
       21    0.000    0.000    0.000    0.000
artist.py:23(_prevent_rasterization)
      731    0.000    0.000    0.000    0.000 {method 'find' of 'bytearray'
objects}
        2    0.000    0.000    0.000    0.000 dataclasses.py:661(_cmp_fn)
      438    0.000    0.000    0.000    0.000 socket.py:84(<lambda>)
        1    0.000    0.000    0.000    0.000 ExifTags.py:305(GPS)
       79    0.000    0.000    0.000    0.000 <frozen posixpath>:117(splitext)
       42    0.000    0.000    0.000    0.000 numeric.py:170(ones)
        1    0.000    0.000    0.000    0.000 csv.py:1(<module>)
        1    0.000    0.000    0.000    0.000 unicode.py:123(pyparsing_unicode)
        1    0.000    0.000    0.000    0.000 message.py:135(Message)
      437    0.000    0.000    0.000    0.000 socket.py:79(<lambda>)
  847/712    0.000    0.000    0.000    0.000 {built-in method builtins.hash}
       13    0.000    0.000    0.000    0.000 textwrap.py:470(indent)
       33    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:974(update)
      458    0.000    0.000    0.000    0.000 _inspect.py:13(ismethod)
       10    0.000    0.000    0.000    0.000 version.py:47(parse)
      109    0.000    0.000    0.000    0.000 _parser.py:312(_class_escape)
      807    0.000    0.000    0.000    0.000 {function RcParams.__getitem__ at
0x7ff4c7311da0}
        1    0.000    0.000    0.000    0.000 __init__.py:582(get_cachedir)
      583    0.000    0.000    0.000    0.000 enum.py:70(_is_internal_class)
      466    0.000    0.000    0.000    0.000 _compiler.py:570(isstring)
       52    0.000    0.000    0.000    0.000 functools.py:479(lru_cache)
        1    0.000    0.000    0.000    0.000 _iotools.py:1(<module>)
        3    0.000    0.000    0.000    0.000 core.py:2757(__init__)
       19    0.000    0.000    0.000    0.000 __init__.py:546(_cycler)
       23    0.000    0.000    0.000    0.000 contextlib.py:272(contextmanager)
      136    0.000    0.000    0.000    0.000 {built-in method
_codecs.utf_8_decode}
       13    0.000    0.000    0.000    0.000 typing.py:1515(copy_with)
        1    0.000    0.000    0.000    0.000 array_utils.py:1(<module>)
        1    0.000    0.000    0.000    0.000 traceback.py:1(<module>)
       10    0.000    0.000    0.000    0.000 version.py:188(__init__)
```

```
        1    0.000    0.000    0.000    0.000 datetime.py:1(<module>)
      130    0.000    0.000    0.000    0.000 inspect.py:1795(_check_class)
       24    0.000    0.000    0.000    0.000 dviread.py:184(decorate)
      195    0.000    0.000    0.000    0.000
_shape_base_impl.py:621(_column_stack_dispatcher)
        3    0.000    0.000    0.000    0.000 pathlib.py:1199(home)
        1    0.000    0.000    0.000    0.000 pathlib.py:80(_make_selector)
        1    0.000    0.000    0.000    0.000 _compat_pickle.py:1(<module>)
        1    0.000    0.000    0.000    0.000 rrule.py:1(<module>)
      945    0.000    0.000    0.000    0.000 {method '__subclasses__' of 'type'
objects}
        1    0.000    0.000    0.000    0.000 relativedelta.py:1(<module>)
       12    0.000    0.000    0.000    0.000 dataclasses.py:760(_get_field)
        1    0.000    0.000    0.000    0.000 isoparser.py:1(<module>)
     1239    0.000    0.000    0.000    0.000 {built-in method builtins.id}
     1019    0.000    0.000    0.000    0.000 {built-in method builtins.vars}
     2368    0.000    0.000    0.000    0.000 {built-in method builtins.chr}
        1    0.000    0.000    0.000    0.000 pathlib.py:192(__init__)
        7    0.000    0.000    0.000    0.000 core.py:6673(__add__)
       22    0.000    0.000    0.000    0.000 __init__.py:147(check_shape)
       31    0.000    0.000    0.000    0.000 ipaddress.py:1286(__init__)
      670    0.000    0.000    0.000    0.000 _parser.py:172(__setitem__)
        1    0.000    0.000    0.000    0.000 registry.py:1(<module>)
      351    0.000    0.000    0.000    0.000 {built-in method _imp.find_frozen}
      201    0.000    0.000    0.000    0.000
_compiler.py:467(_get_charset_prefix)
        1    0.000    0.000    0.000    0.000 _nested_sequence.py:1(<module>)
      151    0.000    0.000    0.000    0.000 TiffTags.py:35(__new__)
        1    0.000    0.000    0.000    0.000 expat.py:1(<module>)
        1    0.000    0.000    0.000    0.000 collections.py:28(Collection)
       33    0.000    0.000    0.000    0.000 contextlib.py:141(__exit__)
      513    0.000    0.000    0.000    0.000 typing.py:935(__eq__)
       38    0.000    0.000    0.000    0.000 {method '__typing_subst__' of
'typing.TypeVar' objects}
      177    0.000    0.000    0.000    0.000
pathlib.py:429(_format_parsed_parts)
        1    0.000    0.000    0.000    0.000 pathlib.py:105(_compile_pattern)
        2    0.000    0.000    0.000    0.000 pathlib.py:1230(resolve)
       14    0.000    0.000    0.000    0.000
hashlib.py:126(__get_openssl_constructor)
       19    0.000    0.000    0.000    0.000 __init__.py:226(_from_iter)
       33    0.000    0.000    0.000    0.000 enum.py:1035(_find_new_)
        1    0.000    0.000    0.000    0.000 _text.py:1(<module>)
        1    0.000    0.000    0.000    0.000 patches.py:4135(FancyArrowPatch)
       34    0.000    0.000    0.000    0.000
ipaddress.py:1651(_ip_int_from_string)
        1    0.000    0.000    0.000    0.000 isoparser.py:42(isoparser)
      643    0.000    0.000    0.000    0.000 {built-in method
```

```
_weakref._remove_dead_weakref}
       36    0.000    0.000    0.000    0.000 {built-in method
_abc._abc_register}
       26    0.000    0.000    0.000    0.000 ast.py:56(literal_eval)
       87    0.000    0.000    0.000    0.000 <frozen posixpath>:169(basename)
        1    0.000    0.000    0.000    0.000 _encoded_words.py:1(<module>)
     1736    0.000    0.000    0.000    0.000 typing.py:774(<genexpr>)
      117    0.000    0.000    0.000    0.000 __init__.py:196(__init__)
        1    0.000    0.000    0.000    0.000 cbook.py:597(_get_data_path)
      649    0.000    0.000    0.000    0.000 {method 'remove' of 'list'
objects}
        1    0.000    0.000    0.000    0.000 legend_handler.py:1(<module>)
        1    0.000    0.000    0.000    0.000 shlex.py:1(<module>)
      183    0.000    0.000    0.000    0.000 textwrap.py:482(prefixed_lines)
    347/1    0.000    0.000    0.000    0.000 __config__.py:19(_cleanup)
        2    0.000    0.000    0.000    0.000 dataclasses.py:882(_hash_add)
        1    0.000    0.000    0.000    0.000 function_base.py:1(<module>)
       15    0.000    0.000    0.000    0.000 typing.py:1841(__init__)
      117    0.000    0.000    0.000    0.000 __init__.py:228(matches)
       75    0.000    0.000    0.000    0.000 {built-in method posix.getcwd}
       36    0.000    0.000    0.000    0.000 dataclasses.py:701(_is_type)
       12    0.000    0.000    0.000    0.000 functools.py:651(cache)
       19    0.000    0.000    0.000    0.000 __init__.py:416(by_key)
      710    0.000    0.000    0.000    0.000 {method 'items' of 'dict' objects}
        1    0.000    0.000    0.000    0.000 core.py:6735(__new__)
      853    0.000    0.000    0.000    0.000 {built-in method
sys.getrecursionlimit}
        3    0.000    0.000    0.000    0.000 pathlib.py:1400(expanduser)
       18    0.000    0.000    0.000    0.000 core.py:1037(__init__)
        2    0.000    0.000    0.000    0.000 dataclasses.py:675(_hash_fn)
       22    0.000    0.000    0.000    0.000
ipaddress.py:1187(_ip_int_from_string)
       23    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:662(spec_from_loader)
      488    0.000    0.000    0.000    0.000 colors.py:358(<genexpr>)
      443    0.000    0.000    0.000    0.000 {built-in method builtins.repr}
       35    0.000    0.000    0.000    0.000 <frozen posixpath>:256(expanduser)
       75    0.000    0.000    0.000    0.000
inspect.py:2121(_signature_is_builtin)
       79    0.000    0.000    0.000    0.000 __init__.py:314(_from_text)
      356    0.000    0.000    0.000    0.000 inspect.py:299(ismethod)
        1    0.000    0.000    0.000    0.000 streamplot.py:1(<module>)
      233    0.000    0.000    0.000    0.000 _parser.py:953(fix_flags)
       65    0.000    0.000    0.000    0.000 results.py:527(__iadd__)
      163    0.000    0.000    0.000    0.000 rcsetup.py:151(validate_bool)
        1    0.000    0.000    0.000    0.000 _exceptions.py:1(<module>)
      183    0.000    0.000    0.000    0.000 colors.py:692(__init__)
        1    0.000    0.000    0.000    0.000 suite.py:1(<module>)
```

```
       26    0.000    0.000    0.000    0.000 core.py:961(__init__)
      212    0.000    0.000    0.000    0.000 pathlib.py:1166(__new__)
        1    0.000    0.000    0.000    0.000 _legacy.py:1(<module>)
        9    0.000    0.000    0.000    0.000 enum.py:1551(__or__)
       15    0.000    0.000    0.000    0.000 {method '__init_subclass__' of
'object' objects}
      322    0.000    0.000    0.000    0.000
rcsetup.py:893(_convert_validator_spec)
      375    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath.add_docstring}
      458    0.000    0.000    0.000    0.000 _inspect.py:26(isfunction)
       50    0.000    0.000    0.000    0.000 _parser.py:274(getuntil)
      372    0.000    0.000    0.000    0.000 _virtualenv.py:52(find_spec)
        1    0.000    0.000    0.000    0.000
_adapters.py:40(CompatibilityFiles)
      352    0.000    0.000    0.000    0.000 typing.py:1565(__eq__)
        1    0.000    0.000    0.000    0.000 getlimits.py:1(<module>)
        1    0.000    0.000    0.000    0.000 struct.py:1(<module>)
        1    0.000    0.000    0.000    0.000
backend_bases.py:677(GraphicsContextBase)
      458    0.000    0.000    0.000    0.000 _inspect.py:41(iscode)
       77    0.000    0.000    0.000    0.000 numerictypes.py:475(issubdtype)
      376    0.000    0.000    0.000    0.000 {built-in method
_thread.allocate_lock}
        1    0.000    0.000    0.000    0.000 ExifTags.py:361(LightSource)
        1    0.000    0.000    0.000    0.000 _nbit_base.py:1(<module>)
        1    0.000    0.000    0.000    0.000 widgets.py:2100(_SelectorWidget)
        1    0.000    0.000    0.000    0.000 legend.py:342(Legend)
        1    0.000    0.000    0.000    0.000 core.py:6135(Forward)
      195    0.000    0.000    0.000    0.000
shape_base.py:206(_arrays_for_stack_dispatcher)
        1    0.000    0.000    0.000    0.000 base64.py:1(<module>)
        1    0.000    0.000    0.000    0.000 _stride_tricks_impl.py:1(<module>)
       55    0.000    0.000    0.000    0.000
ipaddress.py:533(_split_addr_prefix)
        1    0.000    0.000    0.000    0.000 bezier.py:1(<module>)
     1419    0.000    0.000    0.000    0.000 inspect.py:3058(parameters)
        1    0.000    0.000    0.000    0.000 core.py:5828(__init__)
      374    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:599(__init__)
        1    0.000    0.000    0.000    0.000 lines.py:230(Line2D)
       12    0.000    0.000    0.000    0.000
typing.py:1721(_get_protocol_attrs)
        2    0.000    0.000    0.000    0.000 <frozen posixpath>:428(realpath)
       79    0.000    0.000    0.000    0.000 <frozen
genericpath>:133(_splitext)
        1    0.000    0.000    0.000    0.000 umath.py:1(<module>)
       37    0.000    0.000    0.000    0.000 <frozen
```

```
importlib._bootstrap_external>:164(_path_isdir)
        1    0.000    0.000    0.000    0.000 _compression.py:1(<module>)
        4    0.000    0.000    0.000    0.000
colors.py:2612(_make_norm_from_scale)
        8    0.000    0.000    0.000    0.000 pathlib.py:837(stat)
       14    0.000    0.000    0.000    0.000 deprecation.py:185(finalize)
       29    0.000    0.000    0.000    0.000 __init__.py:1428(_fixupParents)
      101    0.000    0.000    0.000    0.000 typing.py:307(_unpack_args)
        1    0.000    0.000    0.000    0.000 patches.py:2380(BoxStyle)
     1890    0.000    0.000    0.000    0.000 __init__.py:887(<lambda>)
        1    0.000    0.000    0.000    0.000 _histograms_impl.py:1(<module>)
    24/22    0.000    0.000    0.000    0.000 ast.py:477(generic_visit)
        1    0.000    0.000    0.000    0.000 unicode.py:85(identchars)
        1    0.000    0.000    0.000    0.000 gzip.py:1(<module>)
        8    0.000    0.000    0.000    0.000 core.py:5641(__init__)
        1    0.000    0.000    0.000    0.000 backend_tools.py:29(Cursors)
        1    0.000    0.000    0.000    0.000 _parser.py:58(_timelex)
        1    0.000    0.000    0.000    0.000 records.py:1(<module>)
        1    0.000    0.000    0.000    0.000 _adapters.py:19(Message)
        1    0.000    0.000    0.000    0.000 patches.py:1313(Arrow)
       48    0.000    0.000    0.000    0.000
_internal.py:853(_ufunc_doc_signature_formatter)
        1    0.000    0.000    0.000    0.000 patches.py:2745(ConnectionStyle)
        6    0.000    0.000    0.000    0.000 core.py:5781(__init__)
      178    0.000    0.000    0.000    0.000 __init__.py:120(valid)
        1    0.000    0.000    0.000    0.000 core.py:2759(MaskedArray)
      117    0.000    0.000    0.000    0.000 __init__.py:224(_for)
        1    0.000    0.000    0.000    0.000 backend_bases.py:1008(TimerBase)
       16    0.000    0.000    0.000    0.000
typing.py:1096(_generic_init_subclass)
        4    0.000    0.000    0.000    0.000 functools.py:852(register)
       44    0.000    0.000    0.000    0.000 core.py:4561(<genexpr>)
        1    0.000    0.000    0.000    0.000
__init__.py:503(_get_xdg_config_dir)
       59    0.000    0.000    0.000    0.000 core.py:2133(set_name)
       93    0.000    0.000    0.000    0.000 _collections.py:20(__missing__)
        1    0.000    0.000    0.000    0.000 patches.py:4517(ConnectionPatch)
        1    0.000    0.000    0.000    0.000 offsetbox.py:1213(AnnotationBbox)
       99    0.000    0.000    0.000    0.000 {built-in method builtins.locals}
        1    0.000    0.000    0.000    0.000 transforms.py:83(TransformNode)
       44    0.000    0.000    0.000    0.000 core.py:3537(_generateDefaultName)
       70    0.000    0.000    0.000    0.000
inspect.py:2133(_signature_is_functionlike)
       14    0.000    0.000    0.000    0.000 __init__.py:695(mtime)
       61    0.000    0.000    0.000    0.000 results.py:252(__getitem__)
       76    0.000    0.000    0.000    0.000 <frozen abc>:7(abstractmethod)
        2    0.000    0.000    0.000    0.000 core.py:4437(_setResultsName)
        1    0.000    0.000    0.000    0.000 rcsetup.py:36(__getattr__)
```

```
        1    0.000    0.000    0.000    0.000 _endian.py:1(<module>)
        2    0.000    0.000    0.000    0.000 typing.py:2854(__new__)
      294    0.000    0.000    0.000    0.000 {method 'values' of 'mappingproxy'
objects}
        6    0.000    0.000    0.000    0.000 pathlib.py:872(is_dir)
       88    0.000    0.000    0.000    0.000 ipaddress.py:1213(_parse_octet)
       10    0.000    0.000    0.000    0.000 _text.py:79(__hash__)
        1    0.000    0.000    0.000    0.000 gridspec.py:1(<module>)
      158    0.000    0.000    0.000    0.000 core.py:891(preParse)
        1    0.000    0.000    0.000    0.000 results.py:1(<module>)
        1    0.000    0.000    0.000    0.000 patches.py:27(Patch)
       49    0.000    0.000    0.000    0.000 colors.py:404(<genexpr>)
      229    0.000    0.000    0.000    0.000 transforms.py:1330(<genexpr>)
       22    0.000    0.000    0.000    0.000 core.py:1127(reset_cache)
       30    0.000    0.000    0.000    0.000 __init__.py:1497(__init__)
      216    0.000    0.000    0.000    0.000 typing.py:1293(<genexpr>)
        1    0.000    0.000    0.000    0.000 patches.py:3888(FancyBboxPatch)
        6    0.000    0.000    0.000    0.000 tokenize.py:352(detect_encoding)
        1    0.000    0.000    0.000    0.000 unicode.py:99(identbodychars)
        6    0.000    0.000    0.000    0.000 numeric.py:2737(extend_all)
        1    0.000    0.000    0.000    0.000 numbers.py:319(Integral)
        1    0.000    0.000    0.000    0.000 quoprimime.py:1(<module>)
       65    0.000    0.000    0.000    0.000 inspect.py:2461(_descriptor_get)
        2    0.000    0.000    0.000    0.000
deprecation.py:314(delete_parameter)
      323    0.000    0.000    0.000    0.000 __init__.py:821(__iter__)
       29    0.000    0.000    0.000    0.000
cbook.py:1347(_to_unmasked_float_array)
        1    0.000    0.000    0.000    0.000 _distributor_init.py:1(<module>)
      643    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:158(__init__)
        1    0.000    0.000    0.000    0.000
_triinterpolate.py:578(_ReducedHCT_Element)
        2    0.000    0.000    0.000    0.000
hashlib.py:82(__get_builtin_constructor)
        2    0.000    0.000    0.000    0.000 pathlib.py:163(select_from)
      133    0.000    0.000    0.000    0.000 core.py:1959(set_whitespace_chars)
      109    0.000    0.000    0.000    0.000 __init__.py:28(decorator)
        1    0.000    0.000    0.000    0.000 calendar.py:58(Month)
        1    0.000    0.000    0.000    0.000
exceptions.py:32(ParseBaseException)
       22    0.000    0.000    0.000    0.000 <frozen os>:680(__getitem__)
       33    0.000    0.000    0.000    0.000 contextlib.py:299(helper)
      4/3    0.000    0.000    0.000    0.000 {method 'view' of 'numpy.ndarray'
objects}
       19    0.000    0.000    0.000    0.000 path.py:202(_update_values)
      264    0.000    0.000    0.000    0.000
overrides.py:108(array_function_dispatch)
```

```
        1    0.000    0.000    0.000    0.000 core.py:230(reload_library)
        1    0.000    0.000    0.000    0.000
__init__.py:513(_get_xdg_cache_dir)
        1    0.000    0.000    0.000    0.000 backend_managers.py:1(<module>)
        1    0.000    0.000    0.000    0.000 transforms.py:209(BboxBase)
      320    0.000    0.000    0.000    0.000 {built-in method
_imp._fix_co_filename}
       19    0.000    0.000    0.000    0.000 __init__.py:150(__init__)
        6    0.000    0.000    0.000    0.000 abc.py:41(_register)
       20    0.000    0.000    0.000    0.000 typing.py:1454(<genexpr>)
       78    0.000    0.000    0.000    0.000 util.py:113(set_)
      997    0.000    0.000    0.000    0.000 inspect.py:2769(default)
      229    0.000    0.000    0.000    0.000 transforms.py:1336(<genexpr>)
        1    0.000    0.000    0.000    0.000 __init__.py:873(blas_fpe_check)
      248    0.000    0.000    0.000    0.000 patches.py:2353(<genexpr>)
        1    0.000    0.000    0.000    0.000 core.py:4285(ParseExpression)
       33    0.000    0.000    0.000    0.000
enum.py:957(_check_for_existing_members_)
       34    0.000    0.000    0.000    0.000 ipaddress.py:1631(_make_netmask)
      263    0.000    0.000    0.000    0.000 _compiler.py:31(_combine_flags)
        1    0.000    0.000    0.000    0.000 testing.py:19(pyparsing_test)
       98    0.000    0.000    0.000    0.000 rcsetup.py:77(__call__)
       30    0.000    0.000    0.000    0.000 rcsetup.py:63(__init__)
      233    0.000    0.000    0.000    0.000 _parser.py:77(__init__)
      237    0.000    0.000    0.000    0.000 contextlib.py:446(__exit__)
        1    0.000    0.000    0.000    0.000 win.py:1(<module>)
        1    0.000    0.000    0.000    0.000 heapq.py:1(<module>)
        1    0.000    0.000    0.000    0.000 abc.py:62(Traversable)
        1    0.000    0.000    0.000    0.000 core.py:5119(ParseElementEnhance)
        1    0.000    0.000    0.000    0.000 units.py:1(<module>)
       54    0.000    0.000    0.000    0.000 {built-in method numpy.empty}
       46    0.000    0.000    0.000    0.000 typing.py:1542(<genexpr>)
        1    0.000    0.000    0.000    0.000 core.py:190(update_user_library)
       46    0.000    0.000    0.000    0.000 six.py:110(__init__)
        1    0.000    0.000    0.000    0.000 path.py:24(Path)
       78    0.000    0.000    0.000    0.000 util.py:110(get)
        1    0.000    0.000    0.000    0.000
transforms.py:2172(BlendedGenericTransform)
        1    0.000    0.000    0.000    0.000 __init__.py:593(get_data_path)
        8    0.000    0.000    0.000    0.000 core.py:4907(_generateDefaultName)
       77    0.000    0.000    0.000    0.000 signal.py:9(<lambda>)
       25    0.000    0.000    0.000    0.000 {method 'sort' of 'list' objects}
        4    0.000    0.000    0.000    0.000 _version.py:1(<module>)
       14    0.000    0.000    0.000    0.000 __init__.py:728(search)
        2    0.000    0.000    0.000    0.000 __init__.py:685(zip_children)
        3    0.000    0.000    0.000    0.000 enum.py:1414(_missing_)
       29    0.000    0.000    0.000    0.000 pathlib.py:618(stem)
        2    0.000    0.000    0.000    0.000 core.py:3040(__array_finalize__)
```

```
       37    0.000    0.000    0.000    0.000 {built-in method numpy.arange}
        2    0.000    0.000    0.000    0.000 <frozen
posixpath>:437(_joinrealpath)
      170    0.000    0.000    0.000    0.000 textwrap.py:479(predicate)
        1    0.000    0.000    0.000    0.000 core.py:2872(__new__)
        1    0.000    0.000    0.000    0.000 _layoutgrid.py:1(<module>)
        3    0.000    0.000    0.000    0.000 core.py:1833(__invert__)
      148    0.000    0.000    0.000    0.000 inspect.py:1813(_shadowed_dict)
        1    0.000    0.000    0.000    0.000 core.py:126(Diagnostics)
      105    0.000    0.000    0.000    0.000 types.py:192(__init__)
      441    0.000    0.000    0.000    0.000 _compiler.py:428(_get_iscased)
       33    0.000    0.000    0.000    0.000 enum.py:383(__init__)
        1    0.000    0.000    0.000    0.000
__init__.py:21(__deprecated_private_func)
       79    0.000    0.000    0.000    0.000 __init__.py:101(section_pairs)
       11    0.000    0.000    0.000    0.000 rcsetup.py:361(_validate_cmap)
        1    0.000    0.000    0.000    0.000 _factories.py:1(<module>)
        9    0.000    0.000    0.000    0.000 getlimits.py:178(__new__)
       14    0.000    0.000    0.000    0.000 {method 'split' of 're.Pattern'
objects}
        1    0.000    0.000    0.000    0.000 geo.py:255(AitoffAxes)
        2    0.000    0.000    0.000    0.000 __init__.py:269(__init__)
        1    0.000    0.000    0.000    0.000 ipaddress.py:1914(IPv6Address)
        1    0.000    0.000    0.000    0.000 mixins.py:1(<module>)
        1    0.000    0.000    0.000    0.000 bisect.py:1(<module>)
       21    0.000    0.000    0.000    0.000
overrides.py:25(get_array_function_like_doc)
        2    0.000    0.000    0.000    0.000 core.py:611(set_results_name)
        8    0.000    0.000    0.000    0.000 rcsetup.py:223(_validate_marker)
       32    0.000    0.000    0.000    0.000 {built-in method numpy.asarray}
        3    0.000    0.000    0.000    0.000 six.py:887(wrapper)
       22    0.000    0.000    0.000    0.000 __init__.py:228(__getattr__)
      154    0.000    0.000    0.000    0.000 numerictypes.py:293(issubclass_)
       16    0.000    0.000    0.000    0.000 copyreg.py:107(_slotnames)
       59    0.000    0.000    0.000    0.000 <frozen codecs>:309(__init__)
        4    0.000    0.000    0.000    0.000 colors.py:2630(Norm)
      374    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:412(__init__)
        1    0.000    0.000    0.000    0.000 Image.py:127(Transpose)
       33    0.000    0.000    0.000    0.000 results.py:261(__setitem__)
        3    0.000    0.000    0.000    0.000 core.py:1793(__xor__)
        3    0.000    0.000    0.000    0.000 core.py:5622(__init__)
        4    0.000    0.000    0.000    0.000 core.py:3294(copy)
        1    0.000    0.000    0.000    0.000 _enums.py:17(JoinStyle)
        1    0.000    0.000    0.000    0.000 ExifTags.py:344(Interop)
        1    0.000    0.000    0.000    0.000 geo.py:416(LambertAxes)
        1    0.000    0.000    0.000    0.000 __init__.py:809(_sanity_check)
       28    0.000    0.000    0.000    0.000
```

```
rcsetup.py:474(_validate_linestyle)
      622    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:71(_relax_case)
        2    0.000    0.000    0.000    0.000 __init__.py:145(make)
        4    0.000    0.000    0.000    0.000 inspect.py:3090(__hash__)
        1    0.000    0.000    0.000    0.000 tokenize.py:445(open)
       93    0.000    0.000    0.000    0.000 {method 'splitlines' of 'str'
objects}
        1    0.000    0.000    0.000    0.000 memmap.py:1(<module>)
        1    0.000    0.000    0.000    0.000 patches.py:2004(Arc)
       49    0.000    0.000    0.000    0.000 {method 'copy' of 'dict' objects}
        7    0.000    0.000    0.000    0.000 _legacy.py:15(deprecated)
        1    0.000    0.000    0.000    0.000 _parser.py:569(__init__)
      222    0.000    0.000    0.000    0.000 patches.py:2346(<genexpr>)
        1    0.000    0.000    0.000    0.000 _ufunc_config.py:1(<module>)
      101    0.000    0.000    0.000    0.000 core.py:6813(_expanded)
        1    0.000    0.000    0.000    0.000 Image.py:516(Image)
        1    0.000    0.000    0.000    0.000
backend_bases.py:1663(FigureCanvasBase)
        1    0.000    0.000    0.000    0.000 container.py:1(<module>)
        1    0.000    0.000    0.000    0.000 _docstring.py:1(<module>)
        1    0.000    0.000    0.000    0.000 calendar.py:75(Day)
        1    0.000    0.000    0.000    0.000 _parser.py:294(__init__)
        1    0.000    0.000    0.000    0.000 Image.py:138(Transform)
       34    0.000    0.000    0.000    0.000 __init__.py:234(_acquireLock)
        6    0.000    0.000    0.000    0.000 __init__.py:1517(debug)
       44    0.000    0.000    0.000    0.000 core.py:3282(initChars)
        1    0.000    0.000    0.000    0.000 <frozen os>:44(_get_exports_list)
       47    0.000    0.000    0.000    0.000 rcsetup.py:382(validate_fontsize)
        3    0.000    0.000    0.000    0.000 core.py:4682(__init__)
      555    0.000    0.000    0.000    0.000 typing.py:2154(cast)
      406    0.000    0.000    0.000    0.000 enum.py:820(<genexpr>)
       55    0.000    0.000    0.000    0.000
ipaddress.py:156(_split_optional_netmask)
      467    0.000    0.000    0.000    0.000 {built-in method builtins.globals}
        2    0.000    0.000    0.000    0.000 __init__.py:87(__init__)
      245    0.000    0.000    0.000    0.000 pathlib.py:569(_tail)
        1    0.000    0.000    0.000    0.000 core.py:3193(view)
      175    0.000    0.000    0.000    0.000 helpers.py:240(<lambda>)
        4    0.000    0.000    0.000    0.000 core.py:6522(__init__)
       33    0.000    0.000    0.000    0.000 contextlib.py:104(__init__)
        1    0.000    0.000    0.000    0.000 typing.py:731(_make_union)
        1    0.000    0.000    0.000    0.000 axis.py:557(Axis)
       31    0.000    0.000    0.000    0.000 warnings.py:482(__enter__)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1817(_MathStyle)
       30    0.000    0.000    0.000    0.000 core.py:4908(<genexpr>)
       11    0.000    0.000    0.000    0.000 __init__.py:65(check_isinstance)
        1    0.000    0.000    0.000    0.000 deprecation.py:1(<module>)
```

```
        1    0.000    0.000    0.000    0.000 pprint.py:1(<module>)
        7    0.000    0.000    0.000    0.000 core.py:4031(__init__)
      580    0.000    0.000    0.000    0.000 enum.py:1185(__init__)
       10    0.000    0.000    0.000    0.000 <frozen _collections_abc>:804(get)
        5    0.000    0.000    0.000    0.000 cbook.py:800(__init__)
       16    0.000    0.000    0.000    0.000 typing.py:1557(<genexpr>)
        1    0.000    0.000    0.000    0.000 patches.py:2286(_Style)
        8    0.000    0.000    0.000    0.000 pathlib.py:719(__truediv__)
        1    0.000    0.000    0.000    0.000 geo.py:301(HammerAxes)
        1    0.000    0.000    0.000    0.000 geo.py:346(MollweideAxes)
        1    0.000    0.000    0.000    0.000 pathlib.py:628(with_name)
      156    0.000    0.000    0.000    0.000 core.py:2253(__hash__)
        1    0.000    0.000    0.000    0.000 _trifinder.py:1(<module>)
      320    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1153(__init__)
      130    0.000    0.000    0.000    0.000 unicode.py:105(<genexpr>)
        1    0.000    0.000    0.000    0.000
mixins.py:60(NDArrayOperatorsMixin)
        4    0.000    0.000    0.000    0.000 __init__.py:415(<genexpr>)
        1    0.000    0.000    0.000    0.000 _datasource.py:1(<module>)
        1    0.000    0.000    0.000    0.000 backend_bases.py:1302(MouseButton)
      350    0.000    0.000    0.000    0.000 enum.py:1292(value)
       73    0.000    0.000    0.000    0.000 inspect.py:2507(<lambda>)
      320    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1178(get_filename)
        1    0.000    0.000    0.000    0.000 _cm.py:1(<module>)
       12    0.000    0.000    0.000    0.000
__init__.py:279(get_aliased_and_aliases)
        1    0.000    0.000    0.000    0.000 ExifTags.py:352(IFD)
      200    0.000    0.000    0.000    0.000 {method 'partition' of 'str'
objects}
        1    0.000    0.000    0.000    0.000 core.py:3987(__init__)
       30    0.000    0.000    0.000    0.000 pathlib.py:583(name)
        3    0.000    0.000    0.000    0.000 core.py:4130(__init__)
      359    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:653(has_location)
        1    0.000    0.000    0.000    0.000
transforms.py:2104(IdentityTransform)
       88    0.000    0.000    0.000    0.000 six.py:146(__init__)
        1    0.000    0.000    0.000    0.000 spines.py:14(Spine)
       19    0.000    0.000    0.000    0.000 __init__.py:62(_process_keys)
       46    0.000    0.000    0.000    0.000 ipaddress.py:1755(_parse_hextet)
        1    0.000    0.000    0.000    0.000
numerictypes.py:626(_register_types)
      479    0.000    0.000    0.000    0.000 enum.py:251(__init__)
    38/26    0.000    0.000    0.000    0.000 ast.py:86(_convert)
       54    0.000    0.000    0.000    0.000 core.py:2770(parseImpl)
       21    0.000    0.000    0.000    0.000 <frozen
```

```
importlib._bootstrap>:501(_requires_builtin_wrapper)
        1    0.000    0.000    0.000    0.000 abc.py:153(TraversableResources)
        1    0.000    0.000    0.000    0.000 table.py:39(Cell)
        1    0.000    0.000    0.000    0.000 ImageColor.py:1(<module>)
        1    0.000    0.000    0.000    0.000 patches.py:1396(FancyArrow)
        1    0.000    0.000    0.000    0.000 Image.py:147(Resampling)
        3    0.000    0.000    0.000    0.000 core.py:1931(suppress)
        1    0.000    0.000    0.000    0.000 text.py:80(Text)
        2    0.000    0.000    0.000    0.000 __init__.py:1308(__init__)
        1    0.000    0.000    0.000    0.000 core.py:6753(__array_finalize__)
        1    0.000    0.000    0.000    0.000 _enums.py:109(CapStyle)
        1    0.000    0.000    0.000    0.000 patches.py:724(Rectangle)
        1    0.000    0.000    0.000    0.000 _globals.py:66(_CopyMode)
        1    0.000    0.000    0.000    0.000 backend_bases.py:2756(_Mode)
        1    0.000    0.000    0.000    0.000 patches.py:1775(Annulus)
      216    0.000    0.000    0.000    0.000 __init__.py:429(<genexpr>)
        1    0.000    0.000    0.000    0.000
_policybase.py:99(_extend_docstrings)
       21    0.000    0.000    0.000    0.000 ipaddress.py:1161(_make_netmask)
       12    0.000    0.000    0.000    0.000
dataclasses.py:864(_set_new_attribute)
      102    0.000    0.000    0.000    0.000 {method 'setter' of 'property'
objects}
        8    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:811(__contains__)
       35    0.000    0.000    0.000    0.000 __init__.py:255(escape)
        6    0.000    0.000    0.000    0.000 _compiler.py:391(_bytes_to_codes)
       28    0.000    0.000    0.000    0.000 <frozen os>:762(encode)
        6    0.000    0.000    0.000    0.000 __init__.py:1790(isEnabledFor)
        3    0.000    0.000    0.000    0.000 colors.py:2046(__init__)
       39    0.000    0.000    0.000    0.000 {method 'reshape' of
'numpy.ndarray' objects}
        1    0.000    0.000    0.000    0.000 _trirefine.py:1(<module>)
      288    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1573(<genexpr>)
      149    0.000    0.000    0.000    0.000 __init__.py:259(__iter__)
        1    0.000    0.000    0.000    0.000 __config__.py:14(DisplayModes)
        4    0.000    0.000    0.000    0.000
deprecation.py:505(suppress_matplotlib_deprecation_warning)
        1    0.000    0.000    0.000    0.000 core.py:6037(__init__)
        7    0.000    0.000    0.000    0.000 _parser.py:309(_convert)
       33    0.000    0.000    0.000    0.000 enum.py:986(_find_data_repr_)
        1    0.000    0.000    0.000    0.000 scale.py:479(AsinhTransform)
        1    0.000    0.000    0.000    0.000 core.py:2779(Keyword)
        2    0.000    0.000    0.000    0.000 typing.py:2186(get_type_hints)
       22    0.000    0.000    0.000    0.000 _docstring.py:113(register)
        2    0.000    0.000    0.000    0.000
__init__.py:203(caching_module_getattr)
```

```
      126    0.000    0.000    0.000    0.000
typing.py:1598(_value_and_type_iter)
       10    0.000    0.000    0.000    0.000 enum.py:1404(_iter_member_by_def_)
        4    0.000    0.000    0.000    0.000 pathlib.py:420(_from_parsed_parts)
        6    0.000    0.000    0.000    0.000 weakref.py:104(__init__)
       31    0.000    0.000    0.000    0.000 warnings.py:503(__exit__)
       22    0.000    0.000    0.000    0.000 typing.py:2476(overload)
       35    0.000    0.000    0.000    0.000 _parser.py:265(getwhile)
        1    0.000    0.000    0.000    0.000 rrule.py:1307(rruleset)
        1    0.000    0.000    0.000    0.000 numeric.py:2229(identity)
        9    0.000    0.000    0.000    0.000
overrides.py:30(finalize_array_function_like)
       10    0.000    0.000    0.000    0.000 core.py:5232(_generateDefaultName)
        1    0.000    0.000    0.000    0.000 _tritools.py:1(<module>)
        3    0.000    0.000    0.000    0.000 __init__.py:509(PYFUNCTYPE)
       25    0.000    0.000    0.000    0.000 helpers.py:277(<genexpr>)
        1    0.000    0.000    0.000    0.000 texmanager.py:56(TexManager)
        1    0.000    0.000    0.000    0.000 patches.py:1595(Ellipse)
        1    0.000    0.000    0.000    0.000 proj3d.py:1(<module>)
        3    0.000    0.000    0.000    0.000
__init__.py:36(__deprecate_private_class)
      105    0.000    0.000    0.000    0.000 _docstring.py:132(do_copy)
      334    0.000    0.000    0.000    0.000 enum.py:1287(name)
        3    0.000    0.000    0.000    0.000 __init__.py:722(_update_raw)
       10    0.000    0.000    0.000    0.000 results.py:392(get)
       65    0.000    0.000    0.000    0.000 inspect.py:303(ismethoddescriptor)
        1    0.000    0.000    0.000    0.000 text.py:1631(Annotation)
       12    0.000    0.000    0.000    0.000 core.py:278(wrapper)
      320    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:986(create_module)
        4    0.000    0.000    0.000    0.000 inspect.py:3081(_hash_basis)
      117    0.000    0.000    0.000    0.000 __init__.py:248(<genexpr>)
      161    0.000    0.000    0.000    0.000 core.py:1948(leave_whitespace)
        2    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1544(find_distributions)
        2    0.000    0.000    0.000    0.000 pathlib.py:1308(mkdir)
       28    0.000    0.000    0.000    0.000 getlimits.py:412(__init__)
        1    0.000    0.000    0.000    0.000 Image.py:166(Dither)
       23    0.000    0.000    0.000    0.000
_compiler.py:407(_generate_overlap_table)
        1    0.000    0.000    0.000    0.000 deprecation.py:240(__set_name__)
        1    0.000    0.000    0.000    0.000 core.py:5242(IndentedBlock)
        1    0.000    0.000    0.000    0.000 artist.py:116(Artist)
        1    0.000    0.000    0.000    0.000 _structures.py:1(<module>)
      109    0.000    0.000    0.000    0.000 __init__.py:17(set_module)
        2    0.000    0.000    0.000    0.000 fnmatch.py:74(translate)
        1    0.000    0.000    0.000    0.000 patches.py:1018(StepPatch)
        1    0.000    0.000    0.000    0.000 core.py:1216(enable_packrat)
```

```
       62    0.000    0.000    0.000    0.000 patches.py:2372(_register_style)
        1    0.000    0.000    0.000    0.000 __init__.py:265(_reset_cache)
       50    0.000    0.000    0.000    0.000 _parser.py:304(checkgroupname)
       13    0.000    0.000    0.000    0.000 weakref.py:367(__init__)
        1    0.000    0.000    0.000    0.000 unicode.py:236(Japanese)
       34    0.000    0.000    0.000    0.000 __init__.py:243(_releaseLock)
        1    0.000    0.000    0.000    0.000 _pylab_helpers.py:1(<module>)
        1    0.000    0.000    0.000    0.000 PngImagePlugin.py:110(Disposal)
        2    0.000    0.000    0.000    0.000 functools.py:800(singledispatch)
        1    0.000    0.000    0.000    0.000 Image.py:179(Quantize)
        1    0.000    0.000    0.000    0.000 _dtype.py:1(<module>)
        4    0.000    0.000    0.000    0.000
_function_base_impl.py:2431(__init__)
       13    0.000    0.000    0.000    0.000
rcsetup.py:298(validate_color_or_auto)
        1    0.000    0.000    0.000    0.000 core.py:4099(__init__)
      204    0.000    0.000    0.000    0.000 {method 'ljust' of 'str' objects}
       25    0.000    0.000    0.000    0.000
ipaddress.py:474(_prefix_from_prefix_string)
       49    0.000    0.000    0.000    0.000 core.py:2741(_generateDefaultName)
        1    0.000    0.000    0.000    0.000 inset.py:14(InsetIndicator)
       16    0.000    0.000    0.000    0.000 rcsetup.py:96(_listify_validator)
      104    0.000    0.000    0.000    0.000 typing.py:1603(__eq__)
        4    0.000    0.000    0.000    0.000 core.py:1185(__init__)
      200    0.000    0.000    0.000    0.000 core.py:514(mayReturnEmpty)
        1    0.000    0.000    0.000    0.000 helpers.py:756(OpAssoc)
        1    0.000    0.000    0.000    0.000 patches.py:664(Shadow)
        1    0.000    0.000    0.000    0.000 _twodim_base_impl.py:176(eye)
       37    0.000    0.000    0.000    0.000 {method 'result_type' of
'numpy._core._multiarray_umath._array_converter' objects}
        1    0.000    0.000    0.000    0.000 _asarray.py:1(<module>)
        1    0.000    0.000    0.000    0.000 registry.py:5(BackendFilter)
        1    0.000    0.000    0.000    0.000 patches.py:941(RegularPolygon)
        4    0.000    0.000    0.000    0.000 getlimits.py:234(_init)
        1    0.000    0.000    0.000    0.000 fractions.py:162(Fraction)
        1    0.000    0.000    0.000    0.000 unicode.py:75(nums)
        1    0.000    0.000    0.000    0.000 pickle.py:1129(_Unpickler)
        1    0.000    0.000    0.000    0.000 _iotools.py:452(StringConverter)
        1    0.000    0.000    0.000    0.000 GimpGradientFile.py:1(<module>)
        3    0.000    0.000    0.000    0.000
_common.py:132(_validate_fromutc_inputs)
        3    0.000    0.000    0.000    0.000 colors.py:1266(__init__)
       62    0.000    0.000    0.000    0.000 {method 'translate' of 'bytearray'
objects}
        2    0.000    0.000    0.000    0.000 core.py:6930(__init__)
       25    0.000    0.000    0.000    0.000 {built-in method unicodedata.name}
        1    0.000    0.000    0.000    0.000 _scalars.py:1(<module>)
      122    0.000    0.000    0.000    0.000 core.py:2726(__getnewargs__)
```

```
       10    0.000    0.000    0.000    0.000 version.py:523(_cmpkey)
       14    0.000    0.000    0.000    0.000 __init__.py:145(_check_size)
       24    0.000    0.000    0.000    0.000
numerictypes.py:594(_scalar_type_key)
        2    0.000    0.000    0.000    0.000 __init__.py:73(CFUNCTYPE)
       18    0.000    0.000    0.000    0.000 transforms.py:55(_make_str_method)
       12    0.000    0.000    0.000    0.000 core.py:6769(<lambda>)
        1    0.000    0.000    0.000    0.000 __init__.py:60(Sectioned)
        1    0.000    0.000    0.000    0.000 art3d.py:957(Poly3DCollection)
        1    0.000    0.000    0.000    0.000 quiver.py:489(Quiver)
        2    0.000    0.000    0.000    0.000
dataclasses.py:250(_recursive_repr)
      157    0.000    0.000    0.000    0.000 rcsetup.py:70(func)
       50    0.000    0.000    0.000    0.000 cbook.py:1871(_str_lower_equal)
        4    0.000    0.000    0.000    0.000 typing.py:2112(runtime_checkable)
        1    0.000    0.000    0.000    0.000 _parser.py:1371(_tzparser)
        1    0.000    0.000    0.000    0.000 _array_api_info.py:1(<module>)
        2    0.000    0.000    0.000    0.000 {built-in method _ctypes.POINTER}
      206    0.000    0.000    0.000    0.000 pathlib.py:560(root)
        7    0.000    0.000    0.000    0.000 tokenize.py:382(find_cookie)
      102    0.000    0.000    0.000    0.000 exceptions.py:51(__init__)
        1    0.000    0.000    0.000    0.000 core.py:3896(__init__)
      163    0.000    0.000    0.000    0.000 {method 'values' of 'dict'
objects}
      105    0.000    0.000    0.000    0.000 _docstring.py:130(copy)
       75    0.000    0.000    0.000    0.000 inspect.py:517(isbuiltin)
        4    0.000    0.000    0.000    0.000 isoparser.py:22(_takes_ascii)
        1    0.000    0.000    0.000    0.000 __init__.py:890(hugepage_setup)
        2    0.000    0.000    0.000    0.000
__init__.py:777(find_distributions)
       97    0.000    0.000    0.000    0.000 core.py:6815(<genexpr>)
        1    0.000    0.000    0.000    0.000 image.py:233(_ImageBase)
        1    0.000    0.000    0.000    0.000 transforms.py:669(Bbox)
        1    0.000    0.000    0.000    0.000 patches.py:1127(Polygon)
       35    0.000    0.000    0.000    0.000 {method 'translate' of 'str'
objects}
        1    0.000    0.000    0.000    0.000 offsetbox.py:202(OffsetBox)
        1    0.000    0.000    0.000    0.000 PngImagePlugin.py:131(Blend)
        4    0.000    0.000    0.000    0.000 rrule.py:80(_invalidates_cache)
        1    0.000    0.000    0.000    0.000 result.py:24(TestResult)
      276    0.000    0.000    0.000    0.000 {built-in method _operator.eq}
       95    0.000    0.000    0.000    0.000 __init__.py:185(keys)
        1    0.000    0.000    0.000    0.000 patches.py:1962(Circle)
      191    0.000    0.000    0.000    0.000 {built-in method
_sre.unicode_iscased}
        1    0.000    0.000    0.000    0.000 case.py:345(TestCase)
      205    0.000    0.000    0.000    0.000 multiarray.py:197(concatenate)
       85    0.000    0.000    0.000    0.000 core.py:2185(streamline)
```

```
        1    0.000    0.000    0.000    0.000 ipaddress.py:1280(IPv4Address)
        6    0.000    0.000    0.000    0.000 warnings.py:182(_add_filter)
        1    0.000    0.000    0.000    0.000 _mathtext.py:743(StixFonts)
        1    0.000    0.000    0.000    0.000 subprocess.py:749(Popen)
        1    0.000    0.000    0.000    0.000 signals.py:1(<module>)
        4    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath._populate_finfo_constants}
       32    0.000    0.000    0.000    0.000 __init__.py:208(_checkLevel)
        1    0.000    0.000    0.000    0.000 __init__.py:1293(__init__)
      149    0.000    0.000    0.000    0.000 __init__.py:247(<genexpr>)
        1    0.000    0.000    0.000    0.000 __init__.py:343(__init__)
        6    0.000    0.000    0.000    0.000 typing.py:1554(<genexpr>)
        1    0.000    0.000    0.000    0.000 _deprecate.py:1(<module>)
        4    0.000    0.000    0.000    0.000 uuid.py:139(__init__)
       34    0.000    0.000    0.000    0.000 ipaddress.py:1885(_split_scope_id)
        2    0.000    0.000    0.000    0.000 __init__.py:401(discover)
       37    0.000    0.000    0.000    0.000 {method 'astype' of
'numpy.ndarray' objects}
        1    0.000    0.000    0.000    0.000 fnmatch.py:1(<module>)
       13    0.000    0.000    0.000    0.000 rcsetup.py:163(validate_axisbelow)
       48    0.000    0.000    0.000    0.000
_add_newdocs_scalars.py:89(<genexpr>)
       79    0.000    0.000    0.000    0.000 {function
FreezableDefaultDict.__missing__ at 0x7ff4c6fa4400}
        1    0.000    0.000    0.000    0.000 getlimits.py:60(finfo)
        1    0.000    0.000    0.000    0.000 results.py:40(ParseResults)
        2    0.000    0.000    0.000    0.000 functools.py:188(total_ordering)
        3    0.000    0.000    0.000    0.000 warnings.py:166(simplefilter)
       79    0.000    0.000    0.000    0.000 inspect.py:741(getmro)
        1    0.000    0.000    0.000    0.000
_add_newdocs_scalars.py:18(numeric_type_aliases)
        1    0.000    0.000    0.000    0.000 _linalg.py:84(EigResult)
        1    0.000    0.000    0.000    0.000 patches.py:1226(Wedge)
        1    0.000    0.000    0.000    0.000 Image.py:174(Palette)
        2    0.000    0.000    0.000    0.000 core.py:3015(_update_from)
        2    0.000    0.000    0.000    0.000 rcsetup.py:446(validate_whiskers)
        1    0.000    0.000    0.000    0.000 __init__.py:659(FastPath)
        1    0.000    0.000    0.000    0.000 platform.py:978(system)
        1    0.000    0.000    0.000    0.000 argparse.py:166(HelpFormatter)
       27    0.000    0.000    0.000    0.000 inspect.py:2240(parse_name)
       13    0.000    0.000    0.000    0.000 mixins.py:45(_numeric_methods)
        1    0.000    0.000    0.000    0.000 dviread.py:550(DviFont)
        6    0.000    0.000    0.000    0.000 __init__.py:317(_logged_cached)
        1    0.000    0.000    0.000    0.000 geo.py:15(GeoAxes)
        6    0.000    0.000    0.000    0.000
rcsetup.py:291(validate_color_or_inherit)
       37    0.000    0.000    0.000    0.000 numeric.py:1962(isscalar)
        1    0.000    0.000    0.000    0.000 __init__.py:928(__init__)
```

```
        1    0.000    0.000    0.000    0.000 __init__.py:119(Cycler)
       43    0.000    0.000    0.000    0.000 core.py:4606(<genexpr>)
        1    0.000    0.000    0.000    0.000 _triangulation.py:1(<module>)
        1    0.000    0.000    0.000    0.000
collections.py:1502(RegularPolyCollection)
        2    0.000    0.000    0.000    0.000 core.py:4170(__init__)
      237    0.000    0.000    0.000    0.000 contextlib.py:443(__enter__)
        1    0.000    0.000    0.000    0.000 core.py:810(add_condition)
        8    0.000    0.000    0.000    0.000 {built-in method posix.lstat}
        1    0.000    0.000    0.000    0.000 collections.py:2352(QuadMesh)
        1    0.000    0.000    0.000    0.000 widgets.py:3133(RectangleSelector)
        1    0.000    0.000    0.000    0.000 GimpPaletteFile.py:1(<module>)
        9    0.000    0.000    0.000    0.000 deprecation.py:174(finalize)
      158    0.000    0.000    0.000    0.000 {built-in method
_io.text_encoding}
        1    0.000    0.000    0.000    0.000 random.py:126(__init__)
       12    0.000    0.000    0.000    0.000 dataclasses.py:489(_field_init)
      161    0.000    0.000    0.000    0.000 util.py:261(escape_re_range_char)
        1    0.000    0.000    0.000    0.000
multiarray.py:81(_override___module__)
        1    0.000    0.000    0.000    0.000 _ufunc.py:1(<module>)
        1    0.000    0.000    0.000    0.000
Image.py:3873(_apply_env_variables)
        1    0.000    0.000    0.000    0.000 tz.py:1470(__get_gettz)
        1    0.000    0.000    0.000    0.000 _linalg.py:88(EighResult)
        1    0.000    0.000    0.000    0.000 _linalg.py:100(SVDResult)
        1    0.000    0.000    0.000    0.000
font_manager.py:588(FontProperties)
        1    0.000    0.000    0.000    0.000 __init__.py:365(Distribution)
        2    0.000    0.000    0.000    0.000
arrayprint.py:577(decorating_function)
        1    0.000    0.000    0.000    0.000 _ufunc_config.py:491(__call__)
        7    0.000    0.000    0.000    0.000 core.py:2604(_arraymethod)
        1    0.000    0.000    0.000    0.000 core.py:4471(And)
       53    0.000    0.000    0.000    0.000 six.py:182(_add_module)
        1    0.000    0.000    0.000    0.000 pprint.py:106(PrettyPrinter)
        3    0.000    0.000    0.000    0.000 result.py:12(failfast)
        1    0.000    0.000    0.000    0.000 font_manager.py:1042(FontManager)
        1    0.000    0.000    0.000    0.000 axis.py:37(Tick)
        1    0.000    0.000    0.000    0.000 table.py:239(Table)
        6    0.000    0.000    0.000    0.000 weakref.py:289(update)
       72    0.000    0.000    0.000    0.000 _internal.py:866(<genexpr>)
        1    0.000    0.000    0.000    0.000 widgets.py:2456(SpanSelector)
        3    0.000    0.000    0.000    0.000 <frozen genericpath>:16(exists)
       34    0.000    0.000    0.000    0.000 {method 'acquire' of
'_thread.RLock' objects}
       61    0.000    0.000    0.000    0.000 {method 'insert' of 'list'
objects}
```

```
       23    0.000    0.000    0.000    0.000 {built-in method _struct.calcsize}
        5    0.000    0.000    0.000    0.000 rcsetup.py:237(_validate_pathlike)
      170    0.000    0.000    0.000    0.000 {built-in method
_sre.unicode_tolower}
        1    0.000    0.000    0.000    0.000 _dtype_ctypes.py:1(<module>)
        3    0.000    0.000    0.000    0.000 core.py:796(add_parse_action)
        1    0.000    0.000    0.000    0.000 ImageSequence.py:1(<module>)
        2    0.000    0.000    0.000    0.000 core.py:3927(_generateDefaultName)
        1    0.000    0.000    0.000    0.000 PaletteFile.py:1(<module>)
       33    0.000    0.000    0.000    0.000 {method 'clear' of 'dict' objects}
        1    0.000    0.000    0.000    0.000
collections.py:1967(EllipseCollection)
        1    0.000    0.000    0.000    0.000 _parser.py:568(parser)
       23    0.000    0.000    0.000    0.000 core.py:4860(<genexpr>)
      100    0.000    0.000    0.000    0.000 enum.py:93(_is_single_bit)
       12    0.000    0.000    0.000    0.000 dataclasses.py:404(field)
        1    0.000    0.000    0.000    0.000 _arrayterator_impl.py:1(<module>)
        8    0.000    0.000    0.000    0.000 util.py:119(clear)
        1    0.000    0.000    0.000    0.000 collections.py:2135(TriMesh)
        1    0.000    0.000    0.000    0.000 mathtext.py:37(MathTextParser)
       37    0.000    0.000    0.000    0.000 {method 'as_arrays' of
'numpy._core._multiarray_umath._array_converter' objects}
        1    0.000    0.000    0.000    0.000 dviread.py:821(PsfontsMap)
        1    0.000    0.000    0.000    0.000 _util.py:1(<module>)
        1    0.000    0.000    0.000    0.000 _string_helpers.py:1(<module>)
        1    0.000    0.000    0.000    0.000
__init__.py:611(DistributionFinder)
        1    0.000    0.000    0.000    0.000 defmatrix.py:73(matrix)
        1    0.000    0.000    0.000    0.000 pathlib.py:291(PurePath)
       10    0.000    0.000    0.000    0.000
enum.py:1394(_iter_member_by_value_)
        1    0.000    0.000    0.000    0.000 random.py:135(seed)
      105    0.000    0.000    0.000    0.000 enum.py:241(__set_name__)
        1    0.000    0.000    0.000    0.000 core.py:6725(MaskedConstant)
        2    0.000    0.000    0.000    0.000 <frozen os>:688(__setitem__)
        5    0.000    0.000    0.000    0.000 functools.py:841(_is_union_type)
       15    0.000    0.000    0.000    0.000 enum.py:816(__iter__)
        1    0.000    0.000    0.000    0.000 patches.py:1570(CirclePolygon)
       37    0.000    0.000    0.000    0.000 {method 'wrap' of
'numpy._core._multiarray_umath._array_converter' objects}
       24    0.000    0.000    0.000    0.000 patches.py:2351(<genexpr>)
        2    0.000    0.000    0.000    0.000 {built-in method posix.mkdir}
        1    0.000    0.000    0.000    0.000 platform.py:889(uname)
       18    0.000    0.000    0.000    0.000
_add_newdocs_scalars.py:19(type_aliases_gen)
       69    0.000    0.000    0.000    0.000 __init__.py:167(<genexpr>)
        1    0.000    0.000    0.000    0.000
animation.py:127(AbstractMovieWriter)
```

```
        1    0.000    0.000    0.000    0.000 _linalg.py:92(QRResult)
        1    0.000    0.000    0.000    0.000 numbers.py:57(Complex)
       24    0.000    0.000    0.000    0.000 deprecation.py:97(deprecated)
        1    0.000    0.000    0.000    0.000 pickle.py:401(_Pickler)
        2    0.000    0.000    0.000    0.000 __init__.py:790(_search_paths)
        6    0.000    0.000    0.000    0.000
functools.py:845(_is_valid_dispatch_type)
        4    0.000    0.000    0.000    0.000 core.py:5958(_generateDefaultName)
       48    0.000    0.000    0.000    0.000 {method 'encode' of 'str' objects}
        1    0.000    0.000    0.000    0.000 patches.py:990(PathPatch)
        1    0.000    0.000    0.000    0.000 pathlib.py:826(Path)
       44    0.000    0.000    0.000    0.000 unicode.py:17(<genexpr>)
       48    0.000    0.000    0.000    0.000 {method 'issuperset' of 'set'
objects}
       14    0.000    0.000    0.000    0.000 dataclasses.py:857(_set_qualname)
        1    0.000    0.000    0.000    0.000 _linalg.py:96(SlogdetResult)
      156    0.000    0.000    0.000    0.000 core.py:906(postParse)
      113    0.000    0.000    0.000    0.000 {method 'isascii' of 'str'
objects}
        3    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:966(clear)
       39    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:341(__subclasshook__)
        2    0.000    0.000    0.000    0.000 ast.py:78(_convert_signed_num)
        1    0.000    0.000    0.000    0.000 ipaddress.py:671(_BaseNetwork)
        1    0.000    0.000    0.000    0.000 core.py:5455(__init__)
      129    0.000    0.000    0.000    0.000 results.py:30(__getitem__)
       25    0.000    0.000    0.000    0.000 typing.py:1061(<genexpr>)
        1    0.000    0.000    0.000    0.000 _parser.py:1373(_result)
      102    0.000    0.000    0.000    0.000 enum.py:942(<lambda>)
       11    0.000    0.000    0.000    0.000 typing.py:2310(get_origin)
        1    0.000    0.000    0.000    0.000 _common.py:149(_tzinfo)
        9    0.000    0.000    0.000    0.000
deprecation.py:152(_deprecated_property)
        1    0.000    0.000    0.000    0.000 colorbar.py:196(Colorbar)
        1    0.000    0.000    0.000    0.000 cbook.py:198(CallbackRegistry)
        3    0.000    0.000    0.000    0.000 six.py:96(__get__)
        1    0.000    0.000    0.000    0.000 quiver.py:915(Barbs)
        2    0.000    0.000    0.000    0.000 <frozen os>:694(__delitem__)
        1    0.000    0.000    0.000    0.000 deprecation.py:137(finalize)
        1    0.000    0.000    0.000    0.000 __init__.py:865(distributions)
       65    0.000    0.000    0.000    0.000 results.py:306(__bool__)
        1    0.000    0.000    0.000    0.000 tz.py:41(tzutc)
        1    0.000    0.000    0.000    0.000 colorizer.py:38(Colorizer)
       31    0.000    0.000    0.000    0.000 warnings.py:456(__init__)
        1    0.000    0.000    0.000    0.000
core.py:322(condition_as_parse_action)
      113    0.000    0.000    0.000    0.000 {method 'isdigit' of 'str'
```

```
objects}
        1    0.000    0.000    0.000    0.000
collections.py:1260(FillBetweenPolyCollection)
      181    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:868(__iter__)
        1    0.000    0.000    0.000    0.000 uuid.py:85(UUID)
       22    0.000    0.000    0.000    0.000 util.py:209(__init__)
        1    0.000    0.000    0.000    0.000
_array_like.py:36(_SupportsArrayFunc)
        6    0.000    0.000    0.000    0.000 dataclasses.py:437(_tuple_str)
       22    0.000    0.000    0.000    0.000 _type_aliases.py:128(<lambda>)
        2    0.000    0.000    0.000    0.000 enum.py:1677(global_enum)
        1    0.000    0.000    0.000    0.000 backend_bases.py:130(RendererBase)
        1    0.000    0.000    0.000    0.000 {method 'disable' of
'_lsprof.Profiler' objects}
        1    0.000    0.000    0.000    0.000 unicode.py:31(unicode_set)
        3    0.000    0.000    0.000    0.000 {built-in method
_csv.register_dialect}
        1    0.000    0.000    0.000    0.000 art3d.py:740(Path3DCollection)
        1    0.000    0.000    0.000    0.000 quiver.py:277(QuiverKey)
        1    0.000    0.000    0.000    0.000 _mathtext.py:428(BakomaFonts)
        3    0.000    0.000    0.000    0.000 {built-in method posix.uname}
        6    0.000    0.000    0.000    0.000 inspect.py:1456(formatannotation)
        1    0.000    0.000    0.000    0.000 core.py:6593(__init__)
        7    0.000    0.000    0.000    0.000 legend_handler.py:171(__init__)
       43    0.000    0.000    0.000    0.000 {method 'index' of 'list' objects}
        1    0.000    0.000    0.000    0.000 widgets.py:3737(PolygonSelector)
        1    0.000    0.000    0.000    0.000 _pytesttester.py:1(<module>)
       79    0.000    0.000    0.000    0.000 __init__.py:804(__init__)
       17    0.000    0.000    0.000    0.000
enum.py:1188(_generate_next_value_)
       37    0.000    0.000    0.000    0.000 fromnumeric.py:3482(ndim)
        1    0.000    0.000    0.000    0.000 __init__.py:592(__init__)
       25    0.000    0.000    0.000    0.000 getlimits.py:436(max)
        1    0.000    0.000    0.000    0.000 collections.py:2198(_MeshData)
        1    0.000    0.000    0.000    0.000 core.py:104(__diag__)
       37    0.000    0.000    0.000    0.000 version.py:207(<genexpr>)
        1    0.000    0.000    0.000    0.000 _polynomial_impl.py:1093(poly1d)
        1    0.000    0.000    0.000    0.000 calendar.py:94(_localized_month)
        1    0.000    0.000    0.000    0.000 core.py:2679(__init__)
        2    0.000    0.000    0.000    0.000 <frozen posixpath>:413(abspath)
       29    0.000    0.000    0.000    0.000 core.py:4859(<genexpr>)
        1    0.000    0.000    0.000    0.000
argparse.py:1188(_SubParsersAction)
        2    0.000    0.000    0.000    0.000 selectors.py:588(_can_use)
        3    0.000    0.000    0.000    0.000 colors.py:1522(__init__)
       10    0.000    0.000    0.000    0.000
axis.py:2339(_make_getset_interval)
```

```
        3    0.000    0.000    0.000    0.000 core.py:5636(_generateDefaultName)
        1    0.000    0.000    0.000    0.000 _common.py:21(package_to_anchor)
        2    0.000    0.000    0.000    0.000 core.py:4011(_generateDefaultName)
      110    0.000    0.000    0.000    0.000 ipaddress.py:574(__int__)
        6    0.000    0.000    0.000    0.000
_nbit_base.py:57(__init_subclass__)
       25    0.000    0.000    0.000    0.000 getlimits.py:423(min)
        2    0.000    0.000    0.000    0.000 decoder.py:284(__init__)
        4    0.000    0.000    0.000    0.000 legend_handler.py:214(__init__)
        1    0.000    0.000    0.000    0.000 pathlib.py:1061(_scandir)
        6    0.000    0.000    0.000    0.000 _policybase.py:94(_append_doc)
        1    0.000    0.000    0.000    0.000 case.py:45(_Outcome)
       56    0.000    0.000    0.000    0.000 {method 'keys' of 'dict' objects}
       25    0.000    0.000    0.000    0.000 {built-in method
sys._getframemodulename}
        1    0.000    0.000    0.000    0.000 axes3d.py:4044(_Quaternion)
        1    0.000    0.000    0.000    0.000 _factories.py:26(__init__)
        2    0.000    0.000    0.000    0.000
dataclasses.py:428(_fields_in_init_order)
       68    0.000    0.000    0.000    0.000 {built-in method
_warnings._filters_mutated}
        6    0.000    0.000    0.000    0.000 typing.py:1415(__mro_entries__)
        1    0.000    0.000    0.000    0.000 art3d.py:104(Text3D)
        1    0.000    0.000    0.000    0.000 _internal.py:253(_missing_ctypes)
        1    0.000    0.000    0.000    0.000 polar.py:812(PolarAxes)
       57    0.000    0.000    0.000    0.000 __init__.py:280(<genexpr>)
        1    0.000    0.000    0.000    0.000 art3d.py:225(Line3D)
        5    0.000    0.000    0.000    0.000 inspect.py:2259(RewriteSymbolics)
        1    0.000    0.000    0.000    0.000 tz.py:132(tzoffset)
        1    0.000    0.000    0.000    0.000 ipaddress.py:1611(_BaseV6)
        2    0.000    0.000    0.000    0.000 charset.py:206(__init__)
        1    0.000    0.000    0.000    0.000 functools.py:861(<lambda>)
       16    0.000    0.000    0.000    0.000 typing.py:295(_check_generic)
       46    0.000    0.000    0.000    0.000 {method 'issuperset' of
'frozenset' objects}
       17    0.000    0.000    0.000    0.000 inspect.py:2824(__hash__)
        8    0.000    0.000    0.000    0.000 rrule.py:77(<genexpr>)
      134    0.000    0.000    0.000    0.000 six.py:93(__init__)
        1    0.000    0.000    0.000    0.000 axis.py:2369(XAxis)
       55    0.000    0.000    0.000    0.000 colors.py:414(<genexpr>)
       30    0.000    0.000    0.000    0.000 core.py:789(<genexpr>)
        1    0.000    0.000    0.000    0.000 {method 'dot' of 'numpy.ndarray'
objects}
        2    0.000    0.000    0.000    0.000 ast.py:74(_convert_num)
        1    0.000    0.000    0.000    0.000 {method 'copy' of 'list' objects}
        1    0.000    0.000    0.000    0.000 colors.py:680(Colormap)
       85    0.000    0.000    0.000    0.000 _compat_pickle.py:167(<genexpr>)
        1    0.000    0.000    0.000    0.000
```

```
collections.py:964(_CollectionWithSizes)
        5    0.000    0.000    0.000    0.000 weakref.py:510(update)
        1    0.000    0.000    0.000    0.000 transforms.py:1156(LockableBbox)
        1    0.000    0.000    0.000    0.000 numbers.py:172(Real)
        1    0.000    0.000    0.000    0.000 platform.py:842(uname_result)
        1    0.000    0.000    0.000    0.000
testing.py:145(TestParseResultsAsserts)
        6    0.000    0.000    0.000    0.000
rcsetup.py:185(_make_type_validator)
        1    0.000    0.000    0.000    0.000 figure.py:2214(SubFigure)
        1    0.000    0.000    0.000    0.000 _pylab_helpers.py:9(Gcf)
        1    0.000    0.000    0.000    0.000 {function Random.seed at
0x7ff4c7f40f40}
       30    0.000    0.000    0.000    0.000 {method 'rsplit' of 'str' objects}
        1    0.000    0.000    0.000    0.000 dviread.py:1023(_LuatexKpsewhich)
        1    0.000    0.000    0.000    0.000 __init__.py:1282(ZipFile)
        1    0.000    0.000    0.000    0.000 rcsetup.py:281(_validate_toolbar)
       46    0.000    0.000    0.000    0.000 dataclasses.py:461(<genexpr>)
        6    0.000    0.000    0.000    0.000 {method 'tolist' of 'memoryview'
objects}
       43    0.000    0.000    0.000    0.000 _compat_pickle.py:165(<genexpr>)
        3    0.000    0.000    0.000    0.000 legend_handler.py:433(__init__)
        2    0.000    0.000    0.000    0.000 __init__.py:750(__init__)
        1    0.000    0.000    0.000    0.000 ImageChops.py:1(<module>)
       20    0.000    0.000    0.000    0.000 inspect.py:3082(<genexpr>)
        1    0.000    0.000    0.000    0.000
_secondary_axes.py:12(SecondaryAxis)
        1    0.000    0.000    0.000    0.000 ticker.py:397(ScalarFormatter)
        1    0.000    0.000    0.000    0.000
_add_newdocs_scalars.py:54(_get_platform_and_machine)
       97    0.000    0.000    0.000    0.000 __init__.py:108(<lambda>)
       94    0.000    0.000    0.000    0.000 inspect.py:3062(return_annotation)
        1    0.000    0.000    0.000    0.000
subprocess.py:695(_use_posix_spawn)
        1    0.000    0.000    0.000    0.000 _ufunc_config.py:472(__enter__)
        1    0.000    0.000    0.000    0.000
rcsetup.py:311(_validate_color_or_linecolor)
        4    0.000    0.000    0.000    0.000 typing.py:2285(_strip_annotations)
        2    0.000    0.000    0.000    0.000 six.py:194(find_spec)
        6    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:104(_check_methods)
        1    0.000    0.000    0.000    0.000 random.py:110(Random)
        6    0.000    0.000    0.000    0.000 six.py:131(__init__)
        1    0.000    0.000    0.000    0.000
font_manager.py:537(_cleanup_fontproperties_init)
        1    0.000    0.000    0.000    0.000
tempfile.py:824(SpooledTemporaryFile)
       19    0.000    0.000    0.000    0.000 functools.py:965(__init__)
```

```
       31    0.000    0.000    0.000    0.000 __init__.py:811(__init__)
        1    0.000    0.000    0.000    0.000 _nbit.py:1(<module>)
        1    0.000    0.000    0.000    0.000 _tight_layout.py:1(<module>)
        1    0.000    0.000    0.000    0.000
transforms.py:1081(TransformedBbox)
        1    0.000    0.000    0.000    0.000 textpath.py:26(__init__)
       33    0.000    0.000    0.000    0.000 core.py:5147(recurse)
        1    0.000    0.000    0.000    0.000 colors.py:1514(BivarColormap)
       24    0.000    0.000    0.000    0.000 cbook.py:1860(_str_equal)
        1    0.000    0.000    0.000    0.000 polar.py:32(PolarTransform)
        1    0.000    0.000    0.000    0.000 widgets.py:1281(TextBox)
       16    0.000    0.000    0.000    0.000 _collections.py:23(freeze)
        1    0.000    0.000    0.000    0.000 _array_utils_impl.py:1(<module>)
       25    0.000    0.000    0.000    0.000
ipaddress.py:431(_ip_int_from_prefix)
        1    0.000    0.000    0.000    0.000 {built-in method posix.scandir}
        1    0.000    0.000    0.000    0.000
_index_tricks_impl.py:325(AxisConcatenator)
        7    0.000    0.000    0.000    0.000 tokenize.py:376(read_or_stop)
       59    0.000    0.000    0.000    0.000 <frozen codecs>:260(__init__)
        7    0.000    0.000    0.000    0.000
fractions.py:533(_operator_fallbacks)
        1    0.000    0.000    0.000    0.000 core.py:4153(__init__)
       25    0.000    0.000    0.000    0.000 helpers.py:284(<genexpr>)
        1    0.000    0.000    0.000    0.000 message.py:977(MIMEPart)
       34    0.000    0.000    0.000    0.000 {method 'release' of
'_thread.RLock' objects}
        1    0.000    0.000    0.000    0.000 axis.py:2593(YAxis)
       24    0.000    0.000    0.000    0.000 dataclasses.py:683(_is_classvar)
       38    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:435(__subclasshook__)
       19    0.000    0.000    0.000    0.000 {method 'update' of 'set' objects}
       24    0.000    0.000    0.000    0.000 dviread.py:152(_dispatch)
        1    0.000    0.000    0.000    0.000 relativedelta.py:18(relativedelta)
        1    0.000    0.000    0.000    0.000 colors.py:2119(Normalize)
        1    0.000    0.000    0.000    0.000 transforms.py:1882(Affine2D)
        1    0.000    0.000    0.000    0.000 __init__.py:1878(LoggerAdapter)
        1    0.000    0.000    0.000    0.000 Image.py:3914(Exif)
        1    0.000    0.000    0.000    0.000 ipaddress.py:1487(IPv4Network)
       40    0.000    0.000    0.000    0.000 {method 'pop' of 'set' objects}
        1    0.000    0.000    0.000    0.000 _layoutgrid.py:31(LayoutGrid)
        1    0.000    0.000    0.000    0.000 widgets.py:595(RangeSlider)
        1    0.000    0.000    0.000    0.000 _factories.py:56(__init__)
        3    0.000    0.000    0.000    0.000 weakref.py:495(popitem)
        1    0.000    0.000    0.000    0.000 _inspect.py:1(<module>)
        1    0.000    0.000    0.000    0.000 ipaddress.py:383(_IPAddressBase)
        1    0.000    0.000    0.000    0.000 __init__.py:958(createLock)
        1    0.000    0.000    0.000    0.000
```

```
backend_tools.py:162(ToolToggleBase)
        6    0.000    0.000    0.000    0.000
_exceptions.py:16(_display_as_base)
       12    0.000    0.000    0.000    0.000 __init__.py:431(<genexpr>)
       20    0.000    0.000    0.000    0.000 mixins.py:17(_binary_method)
        1    0.000    0.000    0.000    0.000 offsetbox.py:597(DrawingArea)
        1    0.000    0.000    0.000    0.000 abc.py:16(ResourceReader)
        1    0.000    0.000    0.000    0.000 csv.py:83(DictReader)
        1    0.000    0.000    0.000    0.000 __init__.py:189(Path)
       23    0.000    0.000    0.000    0.000
overrides.py:180(array_function_from_dispatcher)
       12    0.000    0.000    0.000    0.000 legend_handler.py:62(__init__)
       42    0.000    0.000    0.000    0.000 typing.py:2786(<genexpr>)
        1    0.000    0.000    0.000    0.000 core.py:1366(make_mask_descr)
       42    0.000    0.000    0.000    0.000 {method 'bit_length' of 'int'
objects}
        1    0.000    0.000    0.000    0.000
collections.py:1578(LineCollection)
       11    0.000    0.000    0.000    0.000 typing.py:1070(<genexpr>)
       42    0.000    0.000    0.000    0.000 core.py:4848(<genexpr>)
       42    0.000    0.000    0.000    0.000 multiarray.py:1085(copyto)
        4    0.000    0.000    0.000    0.000 rcsetup.py:246(validate_fonttype)
        1    0.000    0.000    0.000    0.000 socket.py:215(socket)
       17    0.000    0.000    0.000    0.000 results.py:309(__iter__)
       34    0.000    0.000    0.000    0.000 {method 'groupdict' of 're.Match'
objects}
       12    0.000    0.000    0.000    0.000 dataclasses.py:549(_init_param)
        1    0.000    0.000    0.000    0.000 __init__.py:450(validate)
        1    0.000    0.000    0.000    0.000 widgets.py:66(Widget)
       28    0.000    0.000    0.000    0.000 __init__.py:772(__bool__)
        1    0.000    0.000    0.000    0.000 offsetbox.py:1458(DraggableBase)
        1    0.000    0.000    0.000    0.000 widgets.py:1541(RadioButtons)
       74    0.000    0.000    0.000    0.000
util.py:264(no_escape_re_range_char)
        1    0.000    0.000    0.000    0.000 _shape.py:1(<module>)
        1    0.000    0.000    0.000    0.000
backend_managers.py:32(ToolManager)
        4    0.000    0.000    0.000    0.000 __init__.py:634(__init__)
        4    0.000    0.000    0.000    0.000 case.py:388(__init_subclass__)
        1    0.000    0.000    0.000    0.000 PngImagePlugin.py:385(PngStream)
        2    0.000    0.000    0.000    0.000 <frozen os>:1087(__subclasshook__)
       21    0.000    0.000    0.000    0.000
typing.py:2846(_namedtuple_mro_entries)
        1    0.000    0.000    0.000    0.000 difflib.py:44(SequenceMatcher)
       78    0.000    0.000    0.000    0.000 signal.py:16(<lambda>)
       36    0.000    0.000    0.000    0.000 {method 'end' of 're.Match'
objects}
        1    0.000    0.000    0.000    0.000 transforms.py:1277(Transform)
```

```
       10    0.000    0.000    0.000    0.000 core.py:4174(parseImpl)
        1    0.000    0.000    0.000    0.000 widgets.py:2980(ToolHandles)
        1    0.000    0.000    0.000    0.000
backend_bases.py:2545(FigureManagerBase)
        8    0.000    0.000    0.000    0.000 <frozen os>:766(decode)
        1    0.000    0.000    0.000    0.000 offsetbox.py:509(PaddedBox)
        1    0.000    0.000    0.000    0.000 cm.py:66(ColormapRegistry)
        1    0.000    0.000    0.000    0.000
backend_bases.py:3270(ToolContainerBase)
        1    0.000    0.000    0.000    0.000 __init__.py:656(RcParams)
        1    0.000    0.000    0.000    0.000 legend_handler.py:633(__init__)
        1    0.000    0.000    0.000    0.000 mathtext.py:48(__init__)
        1    0.000    0.000    0.000    0.000
six.py:498(Module_six_moves_urllib)
       39    0.000    0.000    0.000    0.000 {built-in method _operator.index}
        2    0.000    0.000    0.000    0.000 linecache.py:147(lazycache)
       37    0.000    0.000    0.000    0.000
fromnumeric.py:3478(_ndim_dispatcher)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_md5}
        1    0.000    0.000    0.000    0.000 _mathtext.py:215(Fonts)
        1    0.000    0.000    0.000    0.000 __init__.py:442(LibraryLoader)
        2    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:407(__subclasshook__)
        1    0.000    0.000    0.000    0.000 gridspec.py:26(GridSpecBase)
        1    0.000    0.000    0.000    0.000 core.py:3397(Regex)
        1    0.000    0.000    0.000    0.000 colors.py:1261(MultivarColormap)
       14    0.000    0.000    0.000    0.000 dataclasses.py:643(<genexpr>)
       10    0.000    0.000    0.000    0.000 _text.py:90(lower)
        1    0.000    0.000    0.000    0.000 loader.py:63(TestLoader)
        2    0.000    0.000    0.000    0.000 <frozen posixpath>:405(normpath)
        2    0.000    0.000    0.000    0.000
__init__.py:1776(getEffectiveLevel)
        1    0.000    0.000    0.000    0.000
core.py:1352(_replace_dtype_fields)
        1    0.000    0.000    0.000    0.000
collections.py:1764(EventCollection)
        1    0.000    0.000    0.000    0.000 __init__.py:1117(StreamHandler)
        1    0.000    0.000    0.000    0.000 _afm.py:358(AFM)
        5    0.000    0.000    0.000    0.000 _policybase.py:104(<genexpr>)
        2    0.000    0.000    0.000    0.000 {built-in method posix.putenv}
        1    0.000    0.000    0.000    0.000 _binary.py:1(<module>)
        1    0.000    0.000    0.000    0.000 util.py:103(__init__)
        1    0.000    0.000    0.000    0.000 __init__.py:892(_addHandlerRef)
       79    0.000    0.000    0.000    0.000 signal.py:21(<lambda>)
        1    0.000    0.000    0.000    0.000
transforms.py:2332(CompositeGenericTransform)
        1    0.000    0.000    0.000    0.000
```

```
_exceptions.py:108(_ArrayMemoryError)
       10    0.000    0.000    0.000    0.000 enum.py:117(_iter_bits_lsb)
        1    0.000    0.000    0.000    0.000
__init__.py:776(MetadataPathFinder)
        1    0.000    0.000    0.000    0.000 tz.py:1545(__init__)
       25    0.000    0.000    0.000    0.000
ipaddress.py:415(_check_int_address)
        1    0.000    0.000    0.000    0.000 registry.py:267(list_builtin)
        1    0.000    0.000    0.000    0.000 __init__.py:100(CompleteDirs)
        1    0.000    0.000    0.000    0.000 gridspec.py:521(SubplotSpec)
        8    0.000    0.000    0.000    0.000 core.py:5659(stop_on)
        1    0.000    0.000    0.000    0.000 textpath.py:20(TextToPath)
        5    0.000    0.000    0.000    0.000 <string>:1(<lambda>)
        1    0.000    0.000    0.000    0.000 {built-in method numpy.zeros}
        1    0.000    0.000    0.000    0.000 selectors.py:80(BaseSelector)
        1    0.000    0.000    0.000    0.000 contour.py:551(ContourSet)
        6    0.000    0.000    0.000    0.000 __init__.py:668(__new__)
       12    0.000    0.000    0.000    0.000 dataclasses.py:477(_field_assign)
        1    0.000    0.000    0.000    0.000 _text.py:7(FoldedCase)
       37    0.000    0.000    0.000    0.000
function_base.py:22(_linspace_dispatcher)
       15    0.000    0.000    0.000    0.000 {method 'decode' of 'bytes'
objects}
       58    0.000    0.000    0.000    0.000 pathlib.py:175(_select_from)
        1    0.000    0.000    0.000    0.000 {built-in method math.exp}
        1    0.000    0.000    0.000    0.000 backend_bases.py:3473(_Backend)
        6    0.000    0.000    0.000    0.000 __init__.py:100(check_in_list)
        1    0.000    0.000    0.000    0.000
colors.py:98(ColorSequenceRegistry)
        6    0.000    0.000    0.000    0.000 __init__.py:45(__init__)
        3    0.000    0.000    0.000    0.000 enum.py:1526(__repr__)
       10    0.000    0.000    0.000    0.000 enum.py:828(__members__)
        1    0.000    0.000    0.000    0.000
parse.py:152(_NetlocResultMixinBase)
        5    0.000    0.000    0.000    0.000
rcsetup.py:583(_validate_greaterthan_minushalf)
        1    0.000    0.000    0.000    0.000 polar.py:514(_ThetaShift)
       24    0.000    0.000    0.000    0.000 dataclasses.py:691(_is_initvar)
        1    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:469(__new__)
        5    0.000    0.000    0.000    0.000 <frozen os>:824(fsdecode)
        1    0.000    0.000    0.000    0.000 widgets.py:329(Slider)
        1    0.000    0.000    0.000    0.000 _triangulation.py:8(Triangulation)
        1    0.000    0.000    0.000    0.000 patches.py:2922(Angle)
        1    0.000    0.000    0.000    0.000
colorizer.py:325(_ColorizerInterface)
       21    0.000    0.000    0.000    0.000 core.py:4318(recurse)
        3    0.000    0.000    0.000    0.000 cm.py:90(__init__)
```

```
        7    0.000    0.000    0.000    0.000 rrule.py:70(__init__)
        1    0.000    0.000    0.000    0.000 _triplot.py:1(<module>)
        3    0.000    0.000    0.000    0.000
rcsetup.py:591(_validate_greaterequal0_lessequal1)
       30    0.000    0.000    0.000    0.000
version.py:471(_parse_letter_version)
        4    0.000    0.000    0.000    0.000 numerictypes.py:239(obj2sctype)
        1    0.000    0.000    0.000    0.000 dviread.py:65(Text)
        1    0.000    0.000    0.000    0.000
artist.py:87(_finalize_rasterization)
        1    0.000    0.000    0.000    0.000
tempfile.py:999(TemporaryDirectory)
        1    0.000    0.000    0.000    0.000 bz2.py:26(BZ2File)
        1    0.000    0.000    0.000    0.000 __init__.py:546(Formatter)
        1    0.000    0.000    0.000    0.000 _mathtext.py:534(UnicodeFonts)
       33    0.000    0.000    0.000    0.000 results.py:27(__init__)
        1    0.000    0.000    0.000    0.000
transforms.py:1686(TransformWrapper)
        1    0.000    0.000    0.000    0.000 offsetbox.py:709(TextArea)
        1    0.000    0.000    0.000    0.000 ticker.py:199(Formatter)
        2    0.000    0.000    0.000    0.000 results.py:514(__getattr__)
        1    0.000    0.000    0.000    0.000 ImagePalette.py:31(ImagePalette)
        1    0.000    0.000    0.000    0.000 animation.py:229(MovieWriter)
        1    0.000    0.000    0.000    0.000 lines.py:1483(AxLine)
        4    0.000    0.000    0.000    0.000 core.py:5798(_generateDefaultName)
        1    0.000    0.000    0.000    0.000 widgets.py:2870(ToolLineHandles)
        2    0.000    0.000    0.000    0.000 _functools.py:6(method_cache)
        1    0.000    0.000    0.000    0.000 Image.py:3763(register_extensions)
        1    0.000    0.000    0.000    0.000 ipaddress.py:1139(_BaseV4)
        2    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:288(__subclasshook__)
        1    0.000    0.000    0.000    0.000 ImageFile.py:465(StubHandler)
        1    0.000    0.000    0.000    0.000 text.py:1458(_AnnotationBase)
       30    0.000    0.000    0.000    0.000 results.py:300(__contains__)
        1    0.000    0.000    0.000    0.000 axis3d.py:729(XAxis)
        1    0.000    0.000    0.000    0.000 core.py:81(__compat__)
        1    0.000    0.000    0.000    0.000 ast.py:69(_raise_malformed_node)
        1    0.000    0.000    0.000    0.000 __init__.py:1867(__init__)
        1    0.000    0.000    0.000    0.000 textpath.py:293(TextPath)
        1    0.000    0.000    0.000    0.000 widgets.py:976(CheckButtons)
        1    0.000    0.000    0.000    0.000 image.py:1007(NonUniformImage)
        1    0.000    0.000    0.000    0.000 _policybase.py:112(Policy)
        2    0.000    0.000    0.000    0.000 {built-in method posix.access}
        1    0.000    0.000    0.000    0.000 transforms.py:2526(BboxTransform)
        1    0.000    0.000    0.000    0.000 __init__.py:1342(is_interactive)
        1    0.000    0.000    0.000    0.000 patches.py:2456(Ellipse)
        1    0.000    0.000    0.000    0.000
PngImagePlugin.py:758(PngImageFile)
```

```
        1    0.000    0.000    0.000    0.000 difflib.py:1666(HtmlDiff)
       22    0.000    0.000    0.000    0.000 core.py:3993(<genexpr>)
        1    0.000    0.000    0.000    0.000 six.py:236(create_module)
        1    0.000    0.000    0.000    0.000 __init__.py:1482(Logger)
        1    0.000    0.000    0.000    0.000 _expired_attrs_2_0.py:1(<module>)
        1    0.000    0.000    0.000    0.000
_base.py:204(_process_plot_var_args)
        1    0.000    0.000    0.000    0.000 spines.py:529(Spines)
        1    0.000    0.000    0.000    0.000 colors.py:62(__init__)
        1    0.000    0.000    0.000    0.000 rcsetup.py:142(_validate_date)
        2    0.000    0.000    0.000    0.000 _ufunc_config.py:462(__init__)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha1}
        6    0.000    0.000    0.000    0.000 {method 'startswith' of 'bytes'
objects}
        7    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1285(_sanity_check)
        1    0.000    0.000    0.000    0.000 base64mime.py:1(<module>)
       24    0.000    0.000    0.000    0.000 patches.py:2347(<genexpr>)
        1    0.000    0.000    0.000    0.000 colorizer.py:506(_ScalarMappable)
        1    0.000    0.000    0.000    0.000 __init__.py:855(ZipExtFile)
        1    0.000    0.000    0.000    0.000 extras.py:1736(MAxisConcatenator)
        2    0.000    0.000    0.000    0.000
traceback.py:391(extended_frame_gen)
        1    0.000    0.000    0.000    0.000 getlimits.py:354(iinfo)
        1    0.000    0.000    0.000    0.000 argparse.py:1754(ArgumentParser)
        1    0.000    0.000    0.000    0.000 hatch.py:67(SouthEastHatch)
        1    0.000    0.000    0.000    0.000 colors.py:2445(CenteredNorm)
       10    0.000    0.000    0.000    0.000
rcsetup.py:399(validate_fontweight)
        1    0.000    0.000    0.000    0.000 __init__.py:919(Handler)
        1    0.000    0.000    0.000    0.000 ticker.py:2042(MaxNLocator)
        2    0.000    0.000    0.000    0.000
rcsetup.py:431(_validate_mathtext_fallback)
        2    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1349(_get_parent_path)
        1    0.000    0.000    0.000    0.000 patches.py:3843(Wedge)
        1    0.000    0.000    0.000    0.000 colors.py:2350(TwoSlopeNorm)
        4    0.000    0.000    0.000    0.000 typing.py:406(_eval_type)
        2    0.000    0.000    0.000    0.000
rcsetup.py:780(_validate_legend_loc)
        1    0.000    0.000    0.000    0.000
__init__.py:262(_register_at_fork_reinit_lock)
        1    0.000    0.000    0.000    0.000 case.py:244(_AssertRaisesContext)
        1    0.000    0.000    0.000    0.000 util.py:15(__config_flags)
       33    0.000    0.000    0.000    0.000 __init__.py:79(<genexpr>)
        1    0.000    0.000    0.000    0.000 __init__.py:376(ZipInfo)
        1    0.000    0.000    0.000    0.000 <frozen
```

```
importlib._bootstrap_external>:1332(__init__)
        2    0.000    0.000    0.000    0.000 rcsetup.py:569(validate_sketch)
        8    0.000    0.000    0.000    0.000 relativedelta.py:13(<genexpr>)
       13    0.000    0.000    0.000    0.000
mixins.py:37(_inplace_binary_method)
        1    0.000    0.000    0.000    0.000 _weakrefset.py:37(__init__)
        2    0.000    0.000    0.000    0.000
__init__.py:428(_discover_resolvers)
        1    0.000    0.000    0.000    0.000 traceback.py:374(StackSummary)
        1    0.000    0.000    0.000    0.000 core.py:3951(White)
       10    0.000    0.000    0.000    0.000 _docstring.py:61(__init__)
        1    0.000    0.000    0.000    0.000 gzip.py:139(GzipFile)
        1    0.000    0.000    0.000    0.000
ticker.py:1077(LogFormatterMathtext)
        1    0.000    0.000    0.000    0.000 _itertools.py:1(<module>)
        1    0.000    0.000    0.000    0.000 registry.py:15(BackendRegistry)
       12    0.000    0.000    0.000    0.000 core.py:6527(postParse)
        5    0.000    0.000    0.000    0.000 version.py:78(__lt__)
       24    0.000    0.000    0.000    0.000 core.py:4858(<genexpr>)
        1    0.000    0.000    0.000    0.000 __init__.py:273(EntryPoints)
        1    0.000    0.000    0.000    0.000
colors.py:1003(LinearSegmentedColormap)
        1    0.000    0.000    0.000    0.000 stackplot.py:1(<module>)
        2    0.000    0.000    0.000    0.000 core.py:6826(__setattr__)
        4    0.000    0.000    0.000    0.000 core.py:3934(parseImpl)
        1    0.000    0.000    0.000    0.000 _common.py:267(tzrangebase)
        6    0.000    0.000    0.000    0.000 signal.py:51(decorator)
        1    0.000    0.000    0.000    0.000 widgets.py:148(Button)
        1    0.000    0.000    0.000    0.000 abc.py:96(InspectLoader)
        6    0.000    0.000    0.000    0.000 {method 'cast' of 'memoryview'
objects}
        1    0.000    0.000    0.000    0.000 plistlib.py:176(_PlistParser)
        1    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1367(__iter__)
        9    0.000    0.000    0.000    0.000 core.py:4687(<genexpr>)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1745(ParserState)
        1    0.000    0.000    0.000    0.000 ipaddress.py:2147(IPv6Interface)
        1    0.000    0.000    0.000    0.000 Image.py:3687(register_open)
        1    0.000    0.000    0.000    0.000 stride_tricks.py:1(<module>)
       14    0.000    0.000    0.000    0.000 _collections.py:24(<lambda>)
        1    0.000    0.000    0.000    0.000
registry.py:165(_validate_and_store_entry_points)
       18    0.000    0.000    0.000    0.000 typing.py:1971(<genexpr>)
        1    0.000    0.000    0.000    0.000 backend_tools.py:73(ToolBase)
        2    0.000    0.000    0.000    0.000 {method 'readline' of
'_io.BufferedReader' objects}
        2    0.000    0.000    0.000    0.000 __init__.py:1951(__del__)
        1    0.000    0.000    0.000    0.000 main.py:57(TestProgram)
```

```
        1    0.000    0.000    0.000    0.000 ticker.py:1336(EngFormatter)
       19    0.000    0.000    0.000    0.000 __init__.py:190(change_key)
        1    0.000    0.000    0.000    0.000 tz.py:201(tzlocal)
        1    0.000    0.000    0.000    0.000 pickle.py:257(_Unframer)
        1    0.000    0.000    0.000    0.000 widgets.py:3662(LassoSelector)
        2    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1231(_resolve_name)
        1    0.000    0.000    0.000    0.000 animation.py:845(Animation)
        1    0.000    0.000    0.000    0.000 widgets.py:1808(SubplotTool)
        2    0.000    0.000    0.000    0.000 six.py:119(_resolve)
        2    0.000    0.000    0.000    0.000 copyreg.py:12(pickle)
        1    0.000    0.000    0.000    0.000 colors.py:3231(LightSource)
        1    0.000    0.000    0.000    0.000 __init__.py:1452(_fixupChildren)
       12    0.000    0.000    0.000    0.000 dataclasses.py:309(__init__)
        1    0.000    0.000    0.000    0.000 lines.py:1644(VertexSelector)
       38    0.000    0.000    0.000    0.000 {built-in method _ctypes.sizeof}
        1    0.000    0.000    0.000    0.000 axis3d.py:745(ZAxis)
        1    0.000    0.000    0.000    0.000 ticker.py:2762(LogitLocator)
        1    0.000    0.000    0.000    0.000 patches.py:3217(_Base)
        5    0.000    0.000    0.000    0.000 threading.py:124(RLock)
        1    0.000    0.000    0.000    0.000 axis.py:482(Ticker)
        1    0.000    0.000    0.000    0.000 ipaddress.py:1420(IPv4Interface)
        1    0.000    0.000    0.000    0.000 ipaddress.py:563(_BaseAddress)
        1    0.000    0.000    0.000    0.000 pathlib.py:262(_PathParents)
        1    0.000    0.000    0.000    0.000 _tight_bbox.py:1(<module>)
        5    0.000    0.000    0.000    0.000 weakref.py:417(__len__)
       34    0.000    0.000    0.000    0.000 core.py:2190(recurse)
        1    0.000    0.000    0.000    0.000 tz.py:386(tzfile)
        1    0.000    0.000    0.000    0.000 widgets.py:94(AxesWidget)
        1    0.000    0.000    0.000    0.000
subprocess.py:470(CompletedProcess)
       19    0.000    0.000    0.000    0.000 {built-in method from_iterable}
        1    0.000    0.000    0.000    0.000 {built-in method time.localtime}
        1    0.000    0.000    0.000    0.000 __init__.py:803(PathDistribution)
       13    0.000    0.000    0.000    0.000 {method 'items' of 'mappingproxy'
objects}
        1    0.000    0.000    0.000    0.000 legend_handler.py:524(__init__)
        1    0.000    0.000    0.000    0.000
transforms.py:2707(AffineDeltaTransform)
        1    0.000    0.000    0.000    0.000 figure.py:70(_AxesStack)
        1    0.000    0.000    0.000    0.000 image.py:819(AxesImage)
        1    0.000    0.000    0.000    0.000 _tritools.py:11(TriAnalyzer)
        1    0.000    0.000    0.000    0.000 _iotools.py:229(NameValidator)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1442(Glue)
        8    0.000    0.000    0.000    0.000 enum.py:1692(_simple_enum)
        1    0.000    0.000    0.000    0.000 axis3d.py:737(YAxis)
        1    0.000    0.000    0.000    0.000
category.py:26(StrCategoryConverter)
```

```
        1    0.000    0.000    0.000    0.000 header.py:175(Header)
        1    0.000    0.000    0.000    0.000 units.py:108(ConversionInterface)
        1    0.000    0.000    0.000    0.000 widgets.py:28(LockDraw)
        1    0.000    0.000    0.000    0.000 npyio.py:1(<module>)
       19    0.000    0.000    0.000    0.000 functools.py:970(__set_name__)
        1    0.000    0.000    0.000    0.000 _datasource.py:195(DataSource)
        1    0.000    0.000    0.000    0.000
_triinterpolate.py:286(CubicTriInterpolator)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha3_224}
        1    0.000    0.000    0.000    0.000 contour.py:58(ContourLabeler)
        1    0.000    0.000    0.000    0.000 ticker.py:1539(PercentFormatter)
        1    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:819(keys)
        1    0.000    0.000    0.000    0.000 quopri.py:1(<module>)
        1    0.000    0.000    0.000    0.000 _adapters.py:81(ChildPath)
        1    0.000    0.000    0.000    0.000 colors.py:563(ColorConverter)
        1    0.000    0.000    0.000    0.000
argparse.py:1374(_ActionsContainer)
        1    0.000    0.000    0.000    0.000
_trirefine.py:47(UniformTriRefiner)
        1    0.000    0.000    0.000    0.000
layout_engine.py:216(ConstrainedLayoutEngine)
        3    0.000    0.000    0.000    0.000 six.py:85(_import_module)
        1    0.000    0.000    0.000    0.000
collections.py:1947(CircleCollection)
        2    0.000    0.000    0.000    0.000 __init__.py:637(path)
        1    0.000    0.000    0.000    0.000 extras.py:1789(__init__)
        1    0.000    0.000    0.000    0.000 polar.py:756(_WedgeBbox)
        1    0.000    0.000    0.000    0.000 _npyio_impl.py:115(NpzFile)
        1    0.000    0.000    0.000    0.000 calendar.py:113(_localized_day)
        1    0.000    0.000    0.000    0.000 lzma.py:38(LZMAFile)
        1    0.000    0.000    0.000    0.000 core.py:3082(Word)
        1    0.000    0.000    0.000    0.000 ImageFile.py:114(ImageFile)
        2    0.000    0.000    0.000    0.000 scale.py:713(get_scale_names)
        2    0.000    0.000    0.000    0.000 __init__.py:75(register)
        1    0.000    0.000    0.000    0.000 offsetbox.py:1142(OffsetImage)
        1    0.000    0.000    0.000    0.000 image.py:1180(PcolorImage)
        2    0.000    0.000    0.000    0.000 Image.py:3752(register_extension)
        3    0.000    0.000    0.000    0.000 {method 'popitem' of 'dict'
objects}
        2    0.000    0.000    0.000    0.000 rcsetup.py:873(validate_hist_bins)
        1    0.000    0.000    0.000    0.000 text.py:1384(OffsetFrom)
       24    0.000    0.000    0.000    0.000 dataclasses.py:697(_is_kw_only)
        7    0.000    0.000    0.000    0.000 typing.py:487(__repr__)
        1    0.000    0.000    0.000    0.000
inspect.py:1801(_shadowed_dict_from_mro_tuple)
        1    0.000    0.000    0.000    0.000
```

```
__init__.py:804(_get_backend_or_none)
        1    0.000    0.000    0.000    0.000 _parser.py:241(parserinfo)
        1    0.000    0.000    0.000    0.000
collections.py:1568(StarPolygonCollection)
        6    0.000    0.000    0.000    0.000 core.py:4012(<genexpr>)
        1    0.000    0.000    0.000    0.000 records.py:279(recarray)
        1    0.000    0.000    0.000    0.000 scale.py:422(SymmetricalLogScale)
        3    0.000    0.000    0.000    0.000 {method 'toordinal' of
'datetime.date' objects}
        1    0.000    0.000    0.000    0.000 rrule.py:1418(_rrulestr)
        2    0.000    0.000    0.000    0.000 traceback.py:265(__init__)
       14    0.000    0.000    0.000    0.000
mixins.py:27(_reflected_binary_method)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1062(Char)
        1    0.000    0.000    0.000    0.000 animation.py:374(FileMovieWriter)
        1    0.000    0.000    0.000    0.000 six.py:219(is_package)
        1    0.000    0.000    0.000    0.000
core.py:1320(_replace_dtype_fields_recursive)
        1    0.000    0.000    0.000    0.000 offsetbox.py:827(AuxTransformBox)
        6    0.000    0.000    0.000    0.000 _pytesttester.py:75(__init__)
        2    0.000    0.000    0.000    0.000 {built-in method posix.unsetenv}
        1    0.000    0.000    0.000    0.000
traceback.py:679(TracebackException)
        1    0.000    0.000    0.000    0.000 _meta.py:47(SimplePath)
        8    0.000    0.000    0.000    0.000 unicode.py:9(__init__)
        1    0.000    0.000    0.000    0.000 deprecation.py:237(__init__)
        6    0.000    0.000    0.000    0.000 typing.py:966(_is_typevar_like)
        1    0.000    0.000    0.000    0.000 colorizer.py:642(ColorizingArtist)
        1    0.000    0.000    0.000    0.000 calendar.py:189(Calendar)
        1    0.000    0.000    0.000    0.000 transforms.py:1814(Affine2DBase)
        2    0.000    0.000    0.000    0.000
rcsetup.py:626(_validate_minor_tick_ndivs)
        1    0.000    0.000    0.000    0.000 _ufunc_config.py:488(__exit__)
        1    0.000    0.000    0.000    0.000 __init__.py:1353(Manager)
        3    0.000    0.000    0.000    0.000 {built-in method
posix.register_at_fork}
        1    0.000    0.000    0.000    0.000 art3d.py:429(Line3DCollection)
        1    0.000    0.000    0.000    0.000 calendar.py:325(TextCalendar)
        1    0.000    0.000    0.000    0.000 six.py:205(load_module)
        1    0.000    0.000    0.000    0.000
transforms.py:2446(CompositeAffine2D)
        1    0.000    0.000    0.000    0.000 backend_tools.py:891(ToolHelpBase)
        1    0.000    0.000    0.000    0.000 image.py:1315(FigureImage)
        3    0.000    0.000    0.000    0.000
_index_tricks_impl.py:337(__init__)
        7    0.000    0.000    0.000    0.000 _axes.py:49(_make_axes_method)
        1    0.000    0.000    0.000    0.000 bezier.py:189(BezierSegment)
        1    0.000    0.000    0.000    0.000 traceback.py:248(FrameSummary)
```

```
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha3_384}
        1    0.000    0.000    0.000    0.000 _structures.py:6(InfinityType)
        1    0.000    0.000    0.000    0.000 tz.py:1475(GettzFunc)
        1    0.000    0.000    0.000    0.000 widgets.py:251(SliderBase)
        1    0.000    0.000    0.000    0.000 patches.py:3288(_Curve)
        1    0.000    0.000    0.000    0.000 PngImagePlugin.py:162(ChunkStream)
        1    0.000    0.000    0.000    0.000
GimpPaletteFile.py:26(GimpPaletteFile)
        1    0.000    0.000    0.000    0.000 encoders.py:1(<module>)
        1    0.000    0.000    0.000    0.000 polar.py:274(_AxisWrapper)
        1    0.000    0.000    0.000    0.000 collections.py:2465(PolyQuadMesh)
        1    0.000    0.000    0.000    0.000 deprecation.py:348(<genexpr>)
        2    0.000    0.000    0.000    0.000 <frozen
abc>:146(update_abstractmethods)
        1    0.000    0.000    0.000    0.000 colorbar.py:124(_ColorbarSpine)
        1    0.000    0.000    0.000    0.000 core.py:6064(_update_ignorer)
        1    0.000    0.000    0.000    0.000
arrayprint.py:1455(StructuredVoidFormat)
        1    0.000    0.000    0.000    0.000
offsetbox.py:1601(DraggableAnnotation)
        1    0.000    0.000    0.000    0.000 __init__.py:742(Prepared)
        1    0.000    0.000    0.000    0.000
subprocess.py:126(CalledProcessError)
       14    0.000    0.000    0.000    0.000 _common.py:9(__init__)
        2    0.000    0.000    0.000    0.000 traceback.py:299(__getitem__)
        1    0.000    0.000    0.000    0.000 numbers.py:292(Rational)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1133(Accent)
        1    0.000    0.000    0.000    0.000 {method 'view' of 'numpy.generic'
objects}
        2    0.000    0.000    0.000    0.000 legend_handler.py:319(__init__)
        1    0.000    0.000    0.000    0.000 csv.py:137(DictWriter)
        1    0.000    0.000    0.000    0.000 core.py:6528(mvoid)
        1    0.000    0.000    0.000    0.000 _collections.py:27(Pair)
        1    0.000    0.000    0.000    0.000 ticker.py:2330(LogLocator)
        1    0.000    0.000    0.000    0.000 ImageSequence.py:26(Iterator)
        1    0.000    0.000    0.000    0.000 container.py:5(Container)
        1    0.000    0.000    0.000    0.000 socket.py:664(SocketIO)
        1    0.000    0.000    0.000    0.000 ticker.py:1140(LogitFormatter)
       15    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1276(__init__)
        1    0.000    0.000    0.000    0.000 core.py:6827(token_map)
        1    0.000    0.000    0.000    0.000 iterators.py:1(<module>)
        1    0.000    0.000    0.000    0.000
backend_tools.py:415(AxisScaleBase)
        1    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath._make_extobj}
        5    0.000    0.000    0.000    0.000 six.py:186(_get_module)
```

```
        1    0.000    0.000    0.000    0.000 layout_engine.py:32(LayoutEngine)
        1    0.000    0.000    0.000    0.000
transforms.py:2627(BboxTransformFrom)
        1    0.000    0.000    0.000    0.000 PngImagePlugin.py:256(iTXt)
        1    0.000    0.000    0.000    0.000
argparse.py:743(MetavarTypeHelpFormatter)
        1    0.000    0.000    0.000    0.000 image.py:1381(BboxImage)
        1    0.000    0.000    0.000    0.000 _policybase.py:18(_PolicyBase)
        1    0.000    0.000    0.000    0.000
_index_tricks_impl.py:590(ndenumerate)
        1    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1353(_recalculate)
       14    0.000    0.000    0.000    0.000 __init__.py:672(__init__)
        1    0.000    0.000    0.000    0.000
_structures.py:35(NegativeInfinityType)
       14    0.000    0.000    0.000    0.000 {method 'islower' of 'str'
objects}
        1    0.000    0.000    0.000    0.000 widgets.py:3620(EllipseSelector)
        1    0.000    0.000    0.000    0.000 backend_tools.py:704(ToolZoom)
        1    0.000    0.000    0.000    0.000 cbook.py:35(_ExceptionInfo)
        1    0.000    0.000    0.000    0.000
_index_tricks_impl.py:549(__init__)
        1    0.000    0.000    0.000    0.000 backend_bases.py:1310(MouseEvent)
        1    0.000    0.000    0.000    0.000 Image.py:3022(ImagePointHandler)
        1    0.000    0.000    0.000    0.000 streamplot.py:380(StreamMask)
        1    0.000    0.000    0.000    0.000
category.py:139(StrCategoryFormatter)
        4    0.000    0.000    0.000    0.000 core.py:3482(dtype)
        6    0.000    0.000    0.000    0.000 core.py:3522(re_match)
        7    0.000    0.000    0.000    0.000 enum.py:467(<genexpr>)
        1    0.000    0.000    0.000    0.000 polar.py:157(PolarAffine)
        1    0.000    0.000    0.000    0.000 widgets.py:1967(MultiCursor)
        1    0.000    0.000    0.000    0.000 platform.py:794(_Processor)
        2    0.000    0.000    0.000    0.000 __init__.py:1369(disable)
       15    0.000    0.000    0.000    0.000 results.py:533(<lambda>)
        1    0.000    0.000    0.000    0.000
polar.py:205(InvertedPolarTransform)
        1    0.000    0.000    0.000    0.000 dates.py:1062(DateLocator)
        1    0.000    0.000    0.000    0.000 ticker.py:1914(MultipleLocator)
        1    0.000    0.000    0.000    0.000 runner.py:30(TextTestResult)
        1    0.000    0.000    0.000    0.000
transforms.py:2740(TransformedPath)
        1    0.000    0.000    0.000    0.000
_exceptions.py:52(_UFuncBinaryResolutionError)
        1    0.000    0.000    0.000    0.000 suite.py:328(_ErrorHolder)
        2    0.000    0.000    0.000    0.000 typing.py:944(__hash__)
        1    0.000    0.000    0.000    0.000 abc.py:28(__getattr__)
        1    0.000    0.000    0.000    0.000 _encoded_words.py:73(_QByteMap)
```

```
        1    0.000    0.000    0.000    0.000
legend_handler.py:361(HandlerStepPatch)
        4    0.000    0.000    0.000    0.000 __init__.py:1317(__init__)
        1    0.000    0.000    0.000    0.000 <frozen genericpath>:39(isdir)
        1    0.000    0.000    0.000    0.000 rrule.py:305(rrule)
        1    0.000    0.000    0.000    0.000
plistlib.py:459(_BinaryPlistParser)
        1    0.000    0.000    0.000    0.000 scale.py:596(LogitTransform)
        1    0.000    0.000    0.000    0.000 __init__.py:1358(__init__)
        1    0.000    0.000    0.000    0.000 _internal.py:257(c_void_p)
        1    0.000    0.000    0.000    0.000
geo.py:390(InvertedMollweideTransform)
        6    0.000    0.000    0.000    0.000 results.py:303(__len__)
        1    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1158(create_module)
        1    0.000    0.000    0.000    0.000
collections.py:1179(PolyCollection)
        1    0.000    0.000    0.000    0.000 _adapters.py:46(SpecPath)
        1    0.000    0.000    0.000    0.000 _internal.py:262(_ctypes)
        1    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1103(_resolve_filename)
        1    0.000    0.000    0.000    0.000
_index_tricks_impl.py:266(__init__)
        1    0.000    0.000    0.000    0.000 ImageFile.py:882(PyEncoder)
        1    0.000    0.000    0.000    0.000 _mathtext.py:323(TruetypeFonts)
        1    0.000    0.000    0.000    0.000 art3d.py:625(Patch3DCollection)
        1    0.000    0.000    0.000    0.000 gzip.py:483(_GzipReader)
        1    0.000    0.000    0.000    0.000 dates.py:1724(DateConverter)
        1    0.000    0.000    0.000    0.000
transforms.py:2662(ScaledTranslation)
        3    0.000    0.000    0.000    0.000 _parser.py:295(seek)
        1    0.000    0.000    0.000    0.000 scale.py:512(AsinhScale)
        1    0.000    0.000    0.000    0.000 _util.py:16(DeferredError)
        1    0.000    0.000    0.000    0.000 Image.py:457(ImagePointTransform)
        1    0.000    0.000    0.000    0.000 animation.py:640(ImageMagickBase)
        1    0.000    0.000    0.000    0.000 string.py:57(Template)
        1    0.000    0.000    0.000    0.000 util.py:127(LRUMemo)
        1    0.000    0.000    0.000    0.000 shlex.py:19(shlex)
        3    0.000    0.000    0.000    0.000 __init__.py:907(<genexpr>)
        8    0.000    0.000    0.000    0.000 {method 'removeprefix' of 'str'
objects}
        1    0.000    0.000    0.000    0.000 dates.py:1653(MicrosecondLocator)
        1    0.000    0.000    0.000    0.000 __init__.py:69(ProjectionRegistry)
        1    0.000    0.000    0.000    0.000
case.py:202(_AssertRaisesBaseContext)
        1    0.000    0.000    0.000    0.000 ticker.py:1833(LinearLocator)
        2    0.000    0.000    0.000    0.000 {method 'cache_clear' of
'functools._lru_cache_wrapper' objects}
```

```
        3    0.000    0.000    0.000    0.000 core.py:1400(getmask)
        1    0.000    0.000    0.000    0.000 transforms.py:2154(_BlendedMixin)
        1    0.000    0.000    0.000    0.000
_arrayterator_impl.py:16(Arrayterator)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha224}
        1    0.000    0.000    0.000    0.000 {method 'close' of 'select.epoll'
objects}
       10    0.000    0.000    0.000    0.000 {method 'discard' of 'set'
objects}
        1    0.000    0.000    0.000    0.000 font_manager.py:309(FontEntry)
       21    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap>:1014(is_package)
        1    0.000    0.000    0.000    0.000 __init__.py:125(DeprecatedTuple)
        1    0.000    0.000    0.000    0.000 core.py:5763(_generateDefaultName)
       17    0.000    0.000    0.000    0.000 traceback.py:309(__len__)
        1    0.000    0.000    0.000    0.000 colors.py:2930(BoundaryNorm)
        1    0.000    0.000    0.000    0.000 backend_tools.py:637(ZoomPanBase)
        1    0.000    0.000    0.000    0.000 tz.py:1253(tzical)
        1    0.000    0.000    0.000    0.000 _parser.py:394(_ymd)
        1    0.000    0.000    0.000    0.000 abc.py:52(MetaPathFinder)
        1    0.000    0.000    0.000    0.000 charset.py:162(Charset)
        3    0.000    0.000    0.000    0.000 __init__.py:43(private_class)
        1    0.000    0.000    0.000    0.000 ticker.py:853(LogFormatter)
        1    0.000    0.000    0.000    0.000 pathlib.py:154(__init__)
        1    0.000    0.000    0.000    0.000
parse.py:361(_fix_result_transcoding)
        1    0.000    0.000    0.000    0.000
_function_base_impl.py:2267(vectorize)
       13    0.000    0.000    0.000    0.000 _globals.py:59(__repr__)
        1    0.000    0.000    0.000    0.000 __init__.py:182(check_getitem)
        1    0.000    0.000    0.000    0.000 colors.py:2772(SymLogNorm)
        1    0.000    0.000    0.000    0.000 widgets.py:4109(Lasso)
        1    0.000    0.000    0.000    0.000 calendar.py:45(__getattr__)
        1    0.000    0.000    0.000    0.000 cbook.py:766(Grouper)
        1    0.000    0.000    0.000    0.000
__init__.py:503(StringTemplateStyle)
        3    0.000    0.000    0.000    0.000 __init__.py:1323(append)
        1    0.000    0.000    0.000    0.000
_nested_sequence.py:13(_NestedSequence)
        1    0.000    0.000    0.000    0.000 tz.py:328(_ttinfo)
        1    0.000    0.000    0.000    0.000 _base.py:1463(ArtistList)
        1    0.000    0.000    0.000    0.000 transforms.py:1764(AffineBase)
        1    0.000    0.000    0.000    0.000 ImageFile.py:474(StubImageFile)
        1    0.000    0.000    0.000    0.000 calendar.py:442(HTMLCalendar)
        1    0.000    0.000    0.000    0.000
scale.py:363(SymmetricalLogTransform)
        1    0.000    0.000    0.000    0.000 _compression.py:9(BaseStream)
```

```
        1    0.000    0.000    0.000    0.000 patches.py:2785(_Base)
        1    0.000    0.000    0.000    0.000 {built-in method _ctypes.dlopen}
        1    0.000    0.000    0.000    0.000 dates.py:1138(RRuleLocator)
        1    0.000    0.000    0.000    0.000 _functools.py:1(<module>)
        1    0.000    0.000    0.000    0.000 __init__.py:114(version_info)
        1    0.000    0.000    0.000    0.000
_compression.py:33(DecompressReader)
        1    0.000    0.000    0.000    0.000 core.py:2674(NoMatch)
        1    0.000    0.000    0.000    0.000 core.py:5875(_NullToken)
        1    0.000    0.000    0.000    0.000 core.py:3622(QuotedString)
        1    0.000    0.000    0.000    0.000 polar.py:326(ThetaTick)
        1    0.000    0.000    0.000    0.000
transforms.py:2568(BboxTransformTo)
        1    0.000    0.000    0.000    0.000 scale.py:106(LinearScale)
        1    0.000    0.000    0.000    0.000 ticker.py:160(_DummyAxis)
        3    0.000    0.000    0.000    0.000 {built-in method atexit.register}
        1    0.000    0.000    0.000    0.000 six.py:91(_LazyDescr)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1302(Vlist)
        1    0.000    0.000    0.000    0.000 axis.py:360(XTick)
        1    0.000    0.000    0.000    0.000 core.py:6428(Combine)
        2    0.000    0.000    0.000    0.000 rcsetup.py:555(validate_bbox)
        1    0.000    0.000    0.000    0.000 core.py:2430(_MaskedPrintOption)
        1    0.000    0.000    0.000    0.000 six.py:164(_resolve)
        1    0.000    0.000    0.000    0.000 core.py:6921(_extrema_operation)
        1    0.000    0.000    0.000    0.000 __init__.py:238(__getattr__)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha3_256}
        1    0.000    0.000    0.000    0.000
collections.py:1573(AsteriskPolygonCollection)
        1    0.000    0.000    0.000    0.000 _parseaddr.py:512(AddressList)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_shake_256}
        1    0.000    0.000    0.000    0.000 {method 'union' of 'set' objects}
        1    0.000    0.000    0.000    0.000 core.py:4660(Or)
        1    0.000    0.000    0.000    0.000 gzip.py:124(_WriteBufferStream)
       14    0.000    0.000    0.000    0.000 dataclasses.py:432(<genexpr>)
        1    0.000    0.000    0.000    0.000 header.py:536(_Accumulator)
        1    0.000    0.000    0.000    0.000
__init__.py:48(PackageNotFoundError)
        1    0.000    0.000    0.000    0.000 animation.py:736(HTMLWriter)
        1    0.000    0.000    0.000    0.000 colors.py:1166(ListedColormap)
        1    0.000    0.000    0.000    0.000 __init__.py:121(__version__)
        1    0.000    0.000    0.000    0.000 __init__.py:2285(NullHandler)
        7    0.000    0.000    0.000    0.000 enum.py:1411(<lambda>)
        1    0.000    0.000    0.000    0.000 tz.py:1167(_tzicalvtz)
        1    0.000    0.000    0.000    0.000 _base.py:35(_axis_method_wrapper)
        1    0.000    0.000    0.000    0.000 pickle.py:194(_Framer)
        1    0.000    0.000    0.000    0.000 animation.py:477(PillowWriter)
```

```
        1    0.000    0.000    0.000    0.000
_triinterpolate.py:232(LinearTriInterpolator)
        1    0.000    0.000    0.000    0.000 contour.py:1277(QuadContourSet)
        1    0.000    0.000    0.000    0.000 widgets.py:1880(Cursor)
        1    0.000    0.000    0.000    0.000
backend_bases.py:1244(LocationEvent)
        1    0.000    0.000    0.000    0.000
arrayprint.py:1366(_TimelikeFormat)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha384}
        1    0.000    0.000    0.000    0.000 _iotools.py:133(LineSplitter)
        1    0.000    0.000    0.000    0.000 pathlib.py:56(_is_case_sensitive)
        1    0.000    0.000    0.000    0.000 decoder.py:254(JSONDecoder)
        4    0.000    0.000    0.000    0.000 core.py:6729(__has_singleton)
        1    0.000    0.000    0.000    0.000 __init__.py:1311(PlaceHolder)
        2    0.000    0.000    0.000    0.000
rcsetup.py:457(validate_ps_distiller)
        1    0.000    0.000    0.000    0.000 argparse.py:1684(_ArgumentGroup)
        1    0.000    0.000    0.000    0.000
collections.py:2075(PatchCollection)
        1    0.000    0.000    0.000    0.000 _parseaddr.py:211(AddrlistClass)
        1    0.000    0.000    0.000    0.000 parse.py:841(__getattr__)
        7    0.000    0.000    0.000    0.000 typing.py:2534(final)
        1    0.000    0.000    0.000    0.000
_triinterpolate.py:985(_DOF_estimator)
        1    0.000    0.000    0.000    0.000 ImageFile.py:504(Parser)
        2    0.000    0.000    0.000    0.000 traceback.py:327(walk_stack)
        1    0.000    0.000    0.000    0.000 _dtype_like.py:29(_DTypeDictBase)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha3_512}
        1    0.000    0.000    0.000    0.000
layout_engine.py:137(TightLayoutEngine)
        1    0.000    0.000    0.000    0.000
__init__.py:739(_ensure_has_backend)
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_shake_128}
        1    0.000    0.000    0.000    0.000 encoder.py:105(__init__)
        1    0.000    0.000    0.000    0.000 suite.py:16(BaseTestSuite)
        8    0.000    0.000    0.000    0.000 deprecation.py:169(__set_name__)
        1    0.000    0.000    0.000    0.000 memmap.py:23(memmap)
        1    0.000    0.000    0.000    0.000
backend_tools.py:452(ToolViewsPositions)
        1    0.000    0.000    0.000    0.000 _version.py:13(NumpyVersion)
        1    0.000    0.000    0.000    0.000 PngImagePlugin.py:283(PngInfo)
        1    0.000    0.000    0.000    0.000 colors.py:2810(AsinhNorm)
        1    0.000    0.000    0.000    0.000 random.py:222(__init_subclass__)
        1    0.000    0.000    0.000    0.000 _ufunc_config.py:386(errstate)
        1    0.000    0.000    0.000    0.000 {built-in method
```

```
_hashlib.openssl_sha256}
        1    0.000    0.000    0.000    0.000 {built-in method
_hashlib.openssl_sha512}
        4    0.000    0.000    0.000    0.000 typing.py:2867(<genexpr>)
        1    0.000    0.000    0.000    0.000 colors.py:137(__init__)
        1    0.000    0.000    0.000    0.000 records.py:196(record)
        2    0.000    0.000    0.000    0.000 enum.py:1267(__hash__)
        1    0.000    0.000    0.000    0.000 _factories.py:9(__init__)
        1    0.000    0.000    0.000    0.000 ticker.py:1649(Locator)
        3    0.000    0.000    0.000    0.000 __init__.py:443(__init__)
        6    0.000    0.000    0.000    0.000 animation.py:84(wrapper)
        1    0.000    0.000    0.000    0.000 encoder.py:74(JSONEncoder)
        1    0.000    0.000    0.000    0.000
Image.py:3033(ImageTransformHandler)
        1    0.000    0.000    0.000    0.000 calendar.py:195(__init__)
        1    0.000    0.000    0.000    0.000 core.py:2649(MaskedIterator)
        9    0.000    0.000    0.000    0.000 core.py:4688(<genexpr>)
        1    0.000    0.000    0.000    0.000 scale.py:276(LogScale)
        1    0.000    0.000    0.000    0.000 _adapters.py:112(OrphanPath)
        9    0.000    0.000    0.000    0.000 core.py:1713(<genexpr>)
        1    0.000    0.000    0.000    0.000 pathlib.py:51(_ignore_error)
        1    0.000    0.000    0.000    0.000 _globals.py:53(__new__)
        1    0.000    0.000    0.000    0.000 _factories.py:13(__call__)
        1    0.000    0.000    0.000    0.000 axis.py:421(YTick)
        1    0.000    0.000    0.000    0.000
_mathtext.py:897(FontConstantsBase)
        1    0.000    0.000    0.000    0.000 __init__.py:616(Context)
        1    0.000    0.000    0.000    0.000 six.py:169(_SixMetaPathImporter)
        1    0.000    0.000    0.000    0.000 _index_tricks_impl.py:107(nd_grid)
        1    0.000    0.000    0.000    0.000 _dtype_like.py:35(_DTypeDict)
        1    0.000    0.000    0.000    0.000 _dtype_like.py:44(_HasDType)
        2    0.000    0.000    0.000    0.000 dataclasses.py:1240(dataclass)
        1    0.000    0.000    0.000    0.000 geo.py:18(ThetaFormatter)
        1    0.000    0.000    0.000    0.000 art3d.py:480(Patch3D)
        1    0.000    0.000    0.000    0.000 header.py:408(_ValueFormatter)
        1    0.000    0.000    0.000    0.000 string.py:188(Formatter)
        2    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1339(_find_parent_path_names)
        1    0.000    0.000    0.000    0.000 rrule.py:94(rrulebase)
        1    0.000    0.000    0.000    0.000 __init__.py:1198(_ZipWriteFile)
        1    0.000    0.000    0.000    0.000 _cm.py:66(cubehelix)
        1    0.000    0.000    0.000    0.000 polar.py:418(ThetaAxis)
        1    0.000    0.000    0.000    0.000 core.py:5883(Opt)
        1    0.000    0.000    0.000    0.000
collections.py:1011(PathCollection)
        1    0.000    0.000    0.000    0.000
__init__.py:85(get_projection_names)
        1    0.000    0.000    0.000    0.000 dviread.py:641(Vf)
```

```
        1    0.000    0.000    0.000    0.000 suite.py:92(TestSuite)
        1    0.000    0.000    0.000    0.000 parse.py:850(_Quoter)
        1    0.000    0.000    0.000    0.000
_array_api_info.py:29(__array_namespace_info__)
        6    0.000    0.000    0.000    0.000 animation.py:74(register)
        1    0.000    0.000    0.000    0.000 subprocess.py:163(TimeoutExpired)
        1    0.000    0.000    0.000    0.000 loader.py:74(__init__)
        1    0.000    0.000    0.000    0.000 __init__.py:322(CDLL)
        1    0.000    0.000    0.000    0.000 gridspec.py:303(GridSpec)
        1    0.000    0.000    0.000    0.000
_collections.py:5(FreezableDefaultDict)
        2    0.000    0.000    0.000    0.000 core.py:3498(shape)
        1    0.000    0.000    0.000    0.000 geo.py:419(LambertTransform)
        1    0.000    0.000    0.000    0.000 colors.py:2842(PowerNorm)
        1    0.000    0.000    0.000    0.000 __init__.py:1287(_StderrHandler)
        1    0.000    0.000    0.000    0.000 polar.py:465(RadialLocator)
        1    0.000    0.000    0.000    0.000 _weakrefset.py:85(add)
        1    0.000    0.000    0.000    0.000 geo.py:232(_GeoTransform)
        1    0.000    0.000    0.000    0.000 core.py:5802(DelimitedList)
        1    0.000    0.000    0.000    0.000 _docstring.py:6(kwarg_doc)
        1    0.000    0.000    0.000    0.000 _npyio_impl.py:50(BagObj)
       11    0.000    0.000    0.000    0.000 version.py:537(<lambda>)
        1    0.000    0.000    0.000    0.000 legend_handler.py:628(HandlerStem)
        1    0.000    0.000    0.000    0.000 _mathtext.py:173(FontMetrics)
        1    0.000    0.000    0.000    0.000 _mathtext.py:69(VectorParse)
        1    0.000    0.000    0.000    0.000 colors.py:61(_ColorMapping)
        1    0.000    0.000    0.000    0.000 polar.py:707(RadialAxis)
        1    0.000    0.000    0.000    0.000 _datasource.py:532(Repository)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1027(Box)
        1    0.000    0.000    0.000    0.000 _mathtext.py:205(FontInfo)
        1    0.000    0.000    0.000    0.000 backend_tools.py:825(ToolPan)
        3    0.000    0.000    0.000    0.000 __init__.py:510(CFunctionType)
       14    0.000    0.000    0.000    0.000 dataclasses.py:1142(<genexpr>)
        6    0.000    0.000    0.000    0.000 {built-in method _stat.S_ISDIR}
        1    0.000    0.000    0.000    0.000 streamplot.py:259(DomainMap)
        1    0.000    0.000    0.000    0.000 _mathtext.py:666(DejaVuFonts)
        1    0.000    0.000    0.000    0.000 _mathtext.py:91(RasterParse)
        1    0.000    0.000    0.000    0.000
backend_tools.py:249(ToolSetCursor)
        1    0.000    0.000    0.000    0.000 selectors.py:290(SelectSelector)
        1    0.000    0.000    0.000    0.000 plistlib.py:80(UID)
        1    0.000    0.000    0.000    0.000
core.py:1017(_MaskedBinaryOperation)
        1    0.000    0.000    0.000    0.000 TiffTags.py:32(TagInfo)
        1    0.000    0.000    0.000    0.000
tempfile.py:571(_TemporaryFileCloser)
        3    0.000    0.000    0.000    0.000 {method 'copy' of 'mappingproxy'
objects}
```

```
        1    0.000    0.000    0.000    0.000 patches.py:3082(Bar)
        1    0.000    0.000    0.000    0.000 {method 'set' of
'_contextvars.ContextVar' objects}
        1    0.000    0.000    0.000    0.000 _mathtext.py:1004(Node)
        8    0.000    0.000    0.000    0.000 {built-in method _stat.S_ISLNK}
        1    0.000    0.000    0.000    0.000 csv.py:26(Dialect)
        1    0.000    0.000    0.000    0.000 ImageFile.py:828(PyDecoder)
        1    0.000    0.000    0.000    0.000 selectors.py:442(EpollSelector)
        1    0.000    0.000    0.000    0.000 hatch.py:148(SmallFilledCircles)
        2    0.000    0.000    0.000    0.000 <frozen posixpath>:52(normcase)
        1    0.000    0.000    0.000    0.000
offsetbox.py:1576(DraggableOffsetBox)
        1    0.000    0.000    0.000    0.000
legend_handler.py:275(HandlerLine2D)
       14    0.000    0.000    0.000    0.000 core.py:1067(clear)
        1    0.000    0.000    0.000    0.000 abc.py:80(ResourceLoader)
        1    0.000    0.000    0.000    0.000 __init__.py:28(classproperty)
        1    0.000    0.000    0.000    0.000 cbook.py:628(_Stack)
        2    0.000    0.000    0.000    0.000 __init__.py:1955(close)
        1    0.000    0.000    0.000    0.000
animation.py:68(MovieWriterRegistry)
        1    0.000    0.000    0.000    0.000
dates.py:1812(_SwitchableDateConverter)
        1    0.000    0.000    0.000    0.000 patches.py:2844(Arc3)
        1    0.000    0.000    0.000    0.000 __init__.py:322(PackagePath)
        1    0.000    0.000    0.000    0.000 core.py:2621(_PendingSkip)
        1    0.000    0.000    0.000    0.000 case.py:1365(FunctionTestCase)
        1    0.000    0.000    0.000    0.000 arrayprint.py:977(FloatingFormat)
        1    0.000    0.000    0.000    0.000
_index_tricks_impl.py:211(MGridClass)
        1    0.000    0.000    0.000    0.000 streamplot.py:322(Grid)
        1    0.000    0.000    0.000    0.000 legend_handler.py:724(__init__)
        8    0.000    0.000    0.000    0.000 six.py:80(_add_doc)
        1    0.000    0.000    0.000    0.000 patches.py:2670(Sawtooth)
        1    0.000    0.000    0.000    0.000
tempfile.py:271(_RandomNameSequence)
        1    0.000    0.000    0.000    0.000
selectors.py:206(_BaseSelectorImpl)
        1    0.000    0.000    0.000    0.000 argparse.py:1118(_CountAction)
        1    0.000    0.000    0.000    0.000 legend_handler.py:46(HandlerBase)
        1    0.000    0.000    0.000    0.000
_triinterpolate.py:1215(_Sparse_Matrix_coo)
        1    0.000    0.000    0.000    0.000 ImageFile.py:750(PyCodec)
        1    0.000    0.000    0.000    0.000 records.py:56(format_parser)
        1    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:845(__init__)
        1    0.000    0.000    0.000    0.000 art3d.py:544(PathPatch3D)
        1    0.000    0.000    0.000    0.000 __init__.py:764(legacy_normalize)
```

```
        1    0.000    0.000    0.000    0.000 scale.py:325(FuncScaleLog)
        1    0.000    0.000    0.000    0.000
selectors.py:341(_PollLikeSelector)
        1    0.000    0.000    0.000    0.000 _internal.py:591(_Stream)
        6    0.000    0.000    0.000    0.000 {method 'upper' of 'str' objects}
        2    0.000    0.000    0.000    0.000 {built-in method
posix._path_normpath}
        1    0.000    0.000    0.000    0.000 rrule.py:1112(_iterinfo)
        1    0.000    0.000    0.000    0.000 _text_helpers.py:13(LayoutItem)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1200(Hlist)
        1    0.000    0.000    0.000    0.000 _mathtext.py:114(Output)
        1    0.000    0.000    0.000    0.000 plistlib.py:286(_DumbXMLWriter)
        1    0.000    0.000    0.000    0.000 scale.py:621(LogisticTransform)
        1    0.000    0.000    0.000    0.000 rcsetup.py:62(ValidateInStrings)
        5    0.000    0.000    0.000    0.000 {method 'mro' of 'type' objects}
        1    0.000    0.000    0.000    0.000 tz.py:874(tzrange)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1490(Kern)
        1    0.000    0.000    0.000    0.000 _policybase.py:279(Compat32)
        1    0.000    0.000    0.000    0.000 scale.py:639(LogitScale)
        1    0.000    0.000    0.000    0.000
ticker.py:2516(SymmetricalLogLocator)
        1    0.000    0.000    0.000    0.000 backend_tools.py:355(ToolQuit)
        1    0.000    0.000    0.000    0.000
colors.py:2016(SegmentedBivarColormap)
        1    0.000    0.000    0.000    0.000
Image.py:3229(SupportsArrayInterface)
        1    0.000    0.000    0.000    0.000 {method 'title' of 'str' objects}
        1    0.000    0.000    0.000    0.000 animation.py:513(FFMpegBase)
        1    0.000    0.000    0.000    0.000 patches.py:2882(Angle3)
        3    0.000    0.000    0.000    0.000 core.py:845(__init__)
        1    0.000    0.000    0.000    0.000 difflib.py:724(Differ)
        1    0.000    0.000    0.000    0.000
_index_tricks_impl.py:583(__init__)
        1    0.000    0.000    0.000    0.000 mlab.py:770(GaussianKDE)
        1    0.000    0.000    0.000    0.000 offsetbox.py:1099(AnchoredText)
        1    0.000    0.000    0.000    0.000 csv.py:172(Sniffer)
        1    0.000    0.000    0.000    0.000 core.py:5315(_IndentGreater)
        1    0.000    0.000    0.000    0.000 ticker.py:1739(IndexLocator)
        1    0.000    0.000    0.000    0.000
_index_tricks_impl.py:318(__init__)
        1    0.000    0.000    0.000    0.000
geo.py:458(InvertedLambertTransform)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1156(List)
        1    0.000    0.000    0.000    0.000 patches.py:2412(Square)
        1    0.000    0.000    0.000    0.000 _tricontour.py:8(TriContourSet)
        1    0.000    0.000    0.000    0.000 spines.py:494(SpinesProxy)
        1    0.000    0.000    0.000    0.000 glob.py:1(<module>)
        1    0.000    0.000    0.000    0.000 runner.py:164(TextTestRunner)
```

```
        1    0.000    0.000    0.000    0.000 gzip.py:78(_PaddedFile)
        1    0.000    0.000    0.000    0.000 category.py:169(UnitData)
        1    0.000    0.000    0.000    0.000 patches.py:2986(Arc)
        1    0.000    0.000    0.000    0.000 __init__.py:82(InitializedState)
        1    0.000    0.000    0.000    0.000
results.py:23(_ParseResultsWithOffset)
        1    0.000    0.000    0.000    0.000
_arraysetops_impl.py:419(UniqueAllResult)
        1    0.000    0.000    0.000    0.000 {built-in method
_imp.get_frozen_object}
        1    0.000    0.000    0.000    0.000
_base.py:96(_TransformedBoundsLocator)
        1    0.000    0.000    0.000    0.000 version.py:69(_BaseVersion)
        1    0.000    0.000    0.000    0.000 _internal.py:211(dummy_ctype)
        1    0.000    0.000    0.000    0.000
_exceptions.py:37(_UFuncNoLoopError)
        1    0.000    0.000    0.000    0.000
_trifinder.py:27(TrapezoidMapTriFinder)
        1    0.000    0.000    0.000    0.000 core.py:209(update_nested_dict)
        1    0.000    0.000    0.000    0.000
backend_tools.py:327(RubberbandBase)
        1    0.000    0.000    0.000    0.000 _adapters.py:7(SpecLoaderAdapter)
        1    0.000    0.000    0.000    0.000 core.py:2752(Empty)
        1    0.000    0.000    0.000    0.000
_index_tricks_impl.py:723(IndexExpression)
        1    0.000    0.000    0.000    0.000 _array_like.py:31(_SupportsArray)
        1    0.000    0.000    0.000    0.000 animation.py:1550(FuncAnimation)
        1    0.000    0.000    0.000    0.000 patches.py:2563(Round)
        1    0.000    0.000    0.000    0.000 core.py:943(_MaskedUnaryOperation)
        1    0.000    0.000    0.000    0.000 core.py:836(_DomainCheckInterval)
        1    0.000    0.000    0.000    0.000 selectors.py:433(PollSelector)
        1    0.000    0.000    0.000    0.000
_triinterpolate.py:15(TriInterpolator)
        1    0.000    0.000    0.000    0.000 abc.py:149(ExecutionLoader)
       10    0.000    0.000    0.000    0.000
version.py:511(_parse_local_version)
        6    0.000    0.000    0.000    0.000 signal.py:50(_wraps)
        1    0.000    0.000    0.000    0.000 arrayprint.py:1392(DatetimeFormat)
        1    0.000    0.000    0.000    0.000 hatch.py:157(Stars)
        1    0.000    0.000    0.000    0.000 plistlib.py:324(_PlistWriter)
        1    0.000    0.000    0.000    0.000 loader.py:22(_FailedTest)
        1    0.000    0.000    0.000    0.000 ipaddress.py:2222(IPv6Network)
        4    0.000    0.000    0.000    0.000 {method 'count' of 'list' objects}
        1    0.000    0.000    0.000    0.000 _common.py:6(weekday)
        1    0.000    0.000    0.000    0.000 case.py:1423(_SubTest)
        1    0.000    0.000    0.000    0.000 core.py:1040(_CacheType)
        1    0.000    0.000    0.000    0.000 version.py:38(_Version)
        1    0.000    0.000    0.000    0.000
```

```
argparse.py:904(BooleanOptionalAction)
        1    0.000    0.000    0.000    0.000 axis.py:523(_LazyTickList)
        1    0.000    0.000    0.000    0.000 _index_tricks_impl.py:640(ndindex)
        1    0.000    0.000    0.000    0.000 core.py:1054(NullCache)
        1    0.000    0.000    0.000    0.000
testing.py:24(reset_pyparsing_context)
        1    0.000    0.000    0.000    0.000 scale.py:140(FuncTransform)
        1    0.000    0.000    0.000    0.000 colors.py:3058(NoNorm)
        1    0.000    0.000    0.000    0.000 ImageMode.py:22(ModeDescriptor)
        1    0.000    0.000    0.000    0.000 {method 'reset' of
'_contextvars.ContextVar' objects}
        1    0.000    0.000    0.000    0.000 core.py:5969(SkipTo)
        1    0.000    0.000    0.000    0.000 core.py:2689(Literal)
        1    0.000    0.000    0.000    0.000 hatch.py:48(NorthEastHatch)
        1    0.000    0.000    0.000    0.000 ticker.py:2670(AsinhLocator)
        3    0.000    0.000    0.000    0.000 six.py:885(add_metaclass)
        1    0.000    0.000    0.000    0.000 __init__.py:706(Lookup)
        1    0.000    0.000    0.000    0.000 core.py:2662(Token)
        1    0.000    0.000    0.000    0.000
transforms.py:2265(BlendedAffine2D)
        1    0.000    0.000    0.000    0.000 scale.py:46(ScaleBase)
        1    0.000    0.000    0.000    0.000 version.py:454(_TrimmedRelease)
        4    0.000    0.000    0.000    0.000 __init__.py:57(fget)
        1    0.000    0.000    0.000    0.000 _datasource.py:72(_FileOpeners)
        1    0.000    0.000    0.000    0.000
__init__.py:727(BufferingFormatter)
        2    0.000    0.000    0.000    0.000 __init__.py:102(CFunctionType)
        1    0.000    0.000    0.000    0.000 core.py:4934(Each)
        1    0.000    0.000    0.000    0.000
transforms.py:2811(TransformedPatchPath)
        1    0.000    0.000    0.000    0.000 {built-in method posix.confstr}
        1    0.000    0.000    0.000    0.000 linecache.py:52(checkcache)
        1    0.000    0.000    0.000    0.000
colorbar.py:147(_ColorbarAxesLocator)
        1    0.000    0.000    0.000    0.000 patches.py:3676(Simple)
        1    0.000    0.000    0.000    0.000 backend_tools.py:375(ToolGrid)
        1    0.000    0.000    0.000    0.000 ImageFile.py:102(_Tile)
        1    0.000    0.000    0.000    0.000 random.py:876(SystemRandom)
        1    0.000    0.000    0.000    0.000 __init__.py:1373(disable)
        1    0.000    0.000    0.000    0.000 exceptions.py:108(AxisError)
        1    0.000    0.000    0.000    0.000 polar.py:556(RadialTick)
        1    0.000    0.000    0.000    0.000 dates.py:941(rrulewrapper)
        1    0.000    0.000    0.000    0.000
layout_engine.py:111(PlaceHolderLayoutEngine)
        4    0.000    0.000    0.000    0.000 core.py:885(__init__)
        1    0.000    0.000    0.000    0.000 core.py:5767(ZeroOrMore)
        1    0.000    0.000    0.000    0.000 unicode.py:8(_lazyclassproperty)
        1    0.000    0.000    0.000    0.000 _parser.py:219(_resultbase)
```

```
        1    0.000    0.000    0.000    0.000 dates.py:1214(AutoDateLocator)
        1    0.000    0.000    0.000    0.000 units.py:135(DecimalConverter)
        1    0.000    0.000    0.000    0.000
backend_managers.py:13(ToolTriggerEvent)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1384(Rule)
        2    0.000    0.000    0.000    0.000
__init__.py:742(_check_compression)
        1    0.000    0.000    0.000    0.000 ticker.py:271(FixedFormatter)
        4    0.000    0.000    0.000    0.000 mixins.py:52(_unary_method)
        1    0.000    0.000    0.000    0.000
backend_tools.py:299(ToolCursorPosition)
        1    0.000    0.000    0.000    0.000 __init__.py:671(LZMACompressor)
        1    0.000    0.000    0.000    0.000 ticker.py:1995(_Edge_integer)
        1    0.000    0.000    0.000    0.000 scale.py:259(InvertedLogTransform)
        1    0.000    0.000    0.000    0.000
legend_handler.py:166(HandlerNpoints)
        1    0.000    0.000    0.000    0.000 patches.py:3755(Fancy)
        1    0.000    0.000    0.000    0.000 _mathtext.py:707(DejaVuSerifFonts)
        1    0.000    0.000    0.000    0.000 core.py:4822(MatchFirst)
        1    0.000    0.000    0.000    0.000 ticker.py:188(TickHelper)
        2    0.000    0.000    0.000    0.000
rcsetup.py:412(validate_fontstretch)
        1    0.000    0.000    0.000    0.000 selectors.py:60(_SelectorMapping)
        1    0.000    0.000    0.000    0.000 core.py:6638(Suppress)
        1    0.000    0.000    0.000    0.000 scale.py:218(LogTransform)
        1    0.000    0.000    0.000    0.000 cbook.py:2064(_OrderedSet)
        1    0.000    0.000    0.000    0.000 dates.py:567(DateFormatter)
        1    0.000    0.000    0.000    0.000 backend_bases.py:1165(Event)
        1    0.000    0.000    0.000    0.000 actions.py:19(OnlyOnce)
        1    0.000    0.000    0.000    0.000 scale.py:176(FuncScale)
        1    0.000    0.000    0.000    0.000 cbook.py:877(GrouperView)
        1    0.000    0.000    0.000    0.000 __init__.py:286(LogRecord)
        1    0.000    0.000    0.000    0.000 dates.py:597(ConciseDateFormatter)
        1    0.000    0.000    0.000    0.000 legend.py:54(DraggableLegend)
        1    0.000    0.000    0.000    0.000
legend_handler.py:430(HandlerRegularPolyCollection)
        1    0.000    0.000    0.000    0.000 backend_bases.py:1193(DrawEvent)
        1    0.000    0.000    0.000    0.000 core.py:5640(_MultipleMatch)
        1    0.000    0.000    0.000    0.000
parse.py:190(_NetlocResultMixinStr)
        1    0.000    0.000    0.000    0.000 _datasource.py:97(__init__)
        1    0.000    0.000    0.000    0.000 pickle.py:97(_Stop)
        1    0.000    0.000    0.000    0.000
geo.py:280(InvertedAitoffTransform)
        1    0.000    0.000    0.000    0.000 six.py:108(MovedModule)
        6    0.000    0.000    0.000    0.000 _common.py:13(tzname_in_python2)
        1    0.000    0.000    0.000    0.000 __init__.py:165(FastLookup)
        1    0.000    0.000    0.000    0.000 pprint.py:80(_safe_key)
```

```
        1    0.000    0.000    0.000    0.000 __init__.py:795(_SharedFile)
        1    0.000    0.000    0.000    0.000 _policybase.py:41(__init__)
        1    0.000    0.000    0.000    0.000 _globals.py:32(_NoValueType)
        7    0.000    0.000    0.000    0.000 enum.py:183(__init__)
        1    0.000    0.000    0.000    0.000 rrule.py:1315(_genitem)
        1    0.000    0.000    0.000    0.000 _factories.py:8(_TzSingleton)
        1    0.000    0.000    0.000    0.000
plistlib.py:640(_BinaryPlistWriter)
        1    0.000    0.000    0.000    0.000
calendar.py:603(LocaleTextCalendar)
        1    0.000    0.000    0.000    0.000 core.py:2980(CloseMatch)
        1    0.000    0.000    0.000    0.000 TiffTags.py:24(_TagInfo)
        1    0.000    0.000    0.000    0.000
tempfile.py:614(_TemporaryFileWrapper)
        2    0.000    0.000    0.000    0.000
_index_tricks_impl.py:143(__init__)
        1    0.000    0.000    0.000    0.000 container.py:42(BarContainer)
        1    0.000    0.000    0.000    0.000
_mathtext.py:933(ComputerModernFontConstants)
        1    0.000    0.000    0.000    0.000 hatch.py:14(HorizontalHatch)
        1    0.000    0.000    0.000    0.000 patches.py:3554(BracketA)
        1    0.000    0.000    0.000    0.000 abc.py:195(SourceLoader)
        1    0.000    0.000    0.000    0.000 __init__.py:2078(PyZipFile)
        1    0.000    0.000    0.000    0.000 core.py:4037(GoToColumn)
        1    0.000    0.000    0.000    0.000 ticker.py:2930(AutoMinorLocator)
        2    0.000    0.000    0.000    0.000 rcsetup.py:174(validate_dpi)
        1    0.000    0.000    0.000    0.000
parse.py:220(_NetlocResultMixinBytes)
        1    0.000    0.000    0.000    0.000 __init__.py:1202(FileHandler)
        1    0.000    0.000    0.000    0.000 _dtype_like.py:49(_HasNumPyDType)
        1    0.000    0.000    0.000    0.000 patches.py:2435(Circle)
        1    0.000    0.000    0.000    0.000 _mathtext.py:725(DejaVuSansFonts)
        1    0.000    0.000    0.000    0.000
calendar.py:624(LocaleHTMLCalendar)
        1    0.000    0.000    0.000    0.000 unicode.py:239(Kanji)
        1    0.000    0.000    0.000    0.000 _trifinder.py:7(TriFinder)
        1    0.000    0.000    0.000    0.000
_triinterpolate.py:1156(_DOF_estimator_min_E)
        1    0.000    0.000    0.000    0.000 rrule.py:66(weekday)
        1    0.000    0.000    0.000    0.000
__init__.py:346(DeprecatedNonAbstract)
        1    0.000    0.000    0.000    0.000 csv.py:57(excel)
        1    0.000    0.000    0.000    0.000 case.py:283(_AssertWarnsContext)
        1    0.000    0.000    0.000    0.000
_exceptions.py:76(_UFuncInputCastingError)
        1    0.000    0.000    0.000    0.000 art3d.py:400(Collection3D)
        1    0.000    0.000    0.000    0.000 polar.py:297(ThetaLocator)
        1    0.000    0.000    0.000    0.000 patches.py:2621(Round4)
```

```
        1    0.000    0.000    0.000    0.000 ticker.py:1768(FixedLocator)
        1    0.000    0.000    0.000    0.000
GimpGradientFile.py:71(GradientFile)
        1    0.000    0.000    0.000    0.000 __init__.py:157(py_object)
        1    0.000    0.000    0.000    0.000
_arraysetops_impl.py:431(UniqueInverseResult)
        1    0.000    0.000    0.000    0.000
category.py:119(StrCategoryLocator)
        1    0.000    0.000    0.000    0.000 hatch.py:87(Shapes)
        1    0.000    0.000    0.000    0.000
backend_tools.py:929(ToolCopyToClipboardBase)
        3    0.000    0.000    0.000    0.000
extras.py:249(_fromnxfunction_function)
        1    0.000    0.000    0.000    0.000 runner.py:14(_WritelnDecorator)
        1    0.000    0.000    0.000    0.000 core.py:3867(CharsNotIn)
        1    0.000    0.000    0.000    0.000 cbook.py:115(_StrongRef)
        1    0.000    0.000    0.000    0.000
_arraysetops_impl.py:426(UniqueCountsResult)
        1    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath.set_typeDict}
        1    0.000    0.000    0.000    0.000
gridspec.py:461(GridSpecFromSubplotSpec)
        1    0.000    0.000    0.000    0.000 backend_managers.py:4(ToolEvent)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1422(_GlueSpec)
        1    0.000    0.000    0.000    0.000 __init__.py:338(FileHash)
        1    0.000    0.000    0.000    0.000 core.py:2922(CaselessLiteral)
        1    0.000    0.000    0.000    0.000 unicode.py:160(Greek)
        1    0.000    0.000    0.000    0.000
scale.py:497(InvertedAsinhTransform)
        2    0.000    0.000    0.000    0.000 rcsetup.py:366(validate_aspect)
        1    0.000    0.000    0.000    0.000
colors.py:2066(BivarColormapFromImage)
        1    0.000    0.000    0.000    0.000 arrayprint.py:1429(SubArrayFormat)
        1    0.000    0.000    0.000    0.000 _convertions.py:1(<module>)
        1    0.000    0.000    0.000    0.000 {method 'seek' of
'_io.BufferedReader' objects}
        1    0.000    0.000    0.000    0.000
animation.py:703(ImageMagickFileWriter)
        1    0.000    0.000    0.000    0.000
dates.py:1785(ConciseDateConverter)
        1    0.000    0.000    0.000    0.000 hatch.py:31(VerticalHatch)
        1    0.000    0.000    0.000    0.000 csv.py:72(unix_dialect)
        1    0.000    0.000    0.000    0.000 cbook.py:143(_UnhashDict)
        1    0.000    0.000    0.000    0.000 animation.py:1473(ArtistAnimation)
        1    0.000    0.000    0.000    0.000 six.py:129(_LazyModule)
        1    0.000    0.000    0.000    0.000 offsetbox.py:388(PackerBase)
        1    0.000    0.000    0.000    0.000 backend_bases.py:1418(PickEvent)
        1    0.000    0.000    0.000    0.000 decoder.py:20(JSONDecodeError)
```

```
        1    0.000    0.000    0.000    0.000 message.py:1200(EmailMessage)
        1    0.000    0.000    0.000    0.000
_adapters.py:20(TraversableResourcesLoader)
        1    0.000    0.000    0.000    0.000 Image.py:3725(register_save)
        1    0.000    0.000    0.000    0.000 _utils_impl.py:126(_Deprecate)
        1    0.000    0.000    0.000    0.000 argparse.py:118(_AttributeHolder)
        1    0.000    0.000    0.000    0.000 Image.py:3710(register_mime)
        1    0.000    0.000    0.000    0.000 offsetbox.py:475(HPacker)
        1    0.000    0.000    0.000    0.000 patches.py:2526(DArrow)
        1    0.000    0.000    0.000    0.000
_mathtext.py:944(STIXFontConstants)
        1    0.000    0.000    0.000    0.000 extras.py:1768(mr_class)
        1    0.000    0.000    0.000    0.000
transforms.py:2688(_ScaledRotation)
        1    0.000    0.000    0.000    0.000 PaletteFile.py:22(PaletteFile)
        1    0.000    0.000    0.000    0.000 pathlib.py:1415(PosixPath)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1470(HCentered)
        1    0.000    0.000    0.000    0.000
backend_tools.py:405(ToolFullScreen)
        1    0.000    0.000    0.000    0.000
scale.py:395(InvertedSymmetricalLogTransform)
        1    0.000    0.000    0.000    0.000 rcsetup.py:762(_DunderChecker)
        1    0.000    0.000    0.000    0.000
arrayprint.py:1333(ComplexFloatingFormat)
        2    0.000    0.000    0.000    0.000 {built-in method math.log}
        1    0.000    0.000    0.000    0.000 _docstring.py:110(__init__)
        1    0.000    0.000    0.000    0.000 argparse.py:806(Action)
        1    0.000    0.000    0.000    0.000 animation.py:71(__init__)
        1    0.000    0.000    0.000    0.000 _animation_data.py:1(<module>)
        1    0.000    0.000    0.000    0.000
_index_tricks_impl.py:273(OGridClass)
        2    0.000    0.000    0.000    0.000 {built-in method maketrans}
        1    0.000    0.000    0.000    0.000 geo.py:258(AitoffTransform)
        1    0.000    0.000    0.000    0.000 errors.py:97(NonPrintableDefect)
        1    0.000    0.000    0.000    0.000 core.py:5595(NotAny)
        1    0.000    0.000    0.000    0.000 ticker.py:305(FuncFormatter)
        1    0.000    0.000    0.000    0.000 unicode.py:213(Chinese)
        1    0.000    0.000    0.000    0.000
traceback.py:656(_ExceptionPrintContext)
        1    0.000    0.000    0.000    0.000 animation.py:1404(TimedAnimation)
        1    0.000    0.000    0.000    0.000 patches.py:2484(LArrow)
        1    0.000    0.000    0.000    0.000 __init__.py:806(Filterer)
        1    0.000    0.000    0.000    0.000 __init__.py:373(_FuncPtr)
        1    0.000    0.000    0.000    0.000 _pytesttester.py:45(PytestTester)
        1    0.000    0.000    0.000    0.000 arrayprint.py:1304(IntegerFormat)
        1    0.000    0.000    0.000    0.000 geo.py:304(HammerTransform)
        1    0.000    0.000    0.000    0.000
legend_handler.py:314(HandlerPatch)
```

```
        1    0.000    0.000    0.000    0.000 _parser.py:1589(ParserError)
        1    0.000    0.000    0.000    0.000 _factories.py:55(_TzStrFactory)
        1    0.000    0.000    0.000    0.000 tz.py:1036(tzstr)
        1    0.000    0.000    0.000    0.000 backend_bases.py:3577(ShowBase)
        1    0.000    0.000    0.000    0.000
backend_tools.py:629(SaveFigureBase)
        1    0.000    0.000    0.000    0.000 hatch.py:9(HatchPatternBase)
        1    0.000    0.000    0.000    0.000 patches.py:3515(Curve)
        1    0.000    0.000    0.000    0.000 core.py:480(DebugActions)
        1    0.000    0.000    0.000    0.000 core.py:5367(AtStringStart)
        1    0.000    0.000    0.000    0.000 PngImagePlugin.py:1168(_Frame)
        1    0.000    0.000    0.000    0.000 __init__.py:769(Filter)
        2    0.000    0.000    0.000    0.000
arrayprint.py:567(_recursive_guard)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1517(AutoHeightChar)
        1    0.000    0.000    0.000    0.000
geo.py:322(InvertedHammerTransform)
        1    0.000    0.000    0.000    0.000 __init__.py:8(_SubplotBaseMeta)
        1    0.000    0.000    0.000    0.000 <string>:1(__create_fn__)
        1    0.000    0.000    0.000    0.000 backend_bases.py:1220(ResizeEvent)
        1    0.000    0.000    0.000    0.000 backend_tools.py:365(ToolQuitAll)
        1    0.000    0.000    0.000    0.000 artist.py:110(_Unset)
        1    0.000    0.000    0.000    0.000 errors.py:37(MessageDefect)
        1    0.000    0.000    0.000    0.000 core.py:2436(__init__)
        1    0.000    0.000    0.000    0.000 core.py:4148(StringStart)
        1    0.000    0.000    0.000    0.000 _nbit_base.py:7(NBitBase)
        1    0.000    0.000    0.000    0.000
legend_handler.py:208(HandlerNpointsYoffsets)
        1    0.000    0.000    0.000    0.000 dates.py:822(AutoDateFormatter)
        2    0.000    0.000    0.000    0.000 axis.py:531(__init__)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1414(Vrule)
        1    0.000    0.000    0.000    0.000 backend_tools.py:432(ToolYScale)
        1    0.000    0.000    0.000    0.000 backend_tools.py:595(ToolHome)
        2    0.000    0.000    0.000    0.000 calendar.py:118(__init__)
        1    0.000    0.000    0.000    0.000 __init__.py:835(_Tellable)
        1    0.000    0.000    0.000    0.000 helpers.py:273(<genexpr>)
        1    0.000    0.000    0.000    0.000 ticker.py:357(_UnicodeMinusFormat)
        1    0.000    0.000    0.000    0.000 _exceptions.py:31(UFuncTypeError)
        1    0.000    0.000    0.000    0.000 numbers.py:37(Number)
        2    0.000    0.000    0.000    0.000 dataclasses.py:433(<genexpr>)
        2    0.000    0.000    0.000    0.000 {method 'reverse' of 'list'
objects}
        2    0.000    0.000    0.000    0.000 six.py:199(__get_module)
        1    0.000    0.000    0.000    0.000 offsetbox.py:435(VPacker)
        1    0.000    0.000    0.000    0.000 units.py:72(AxisInfo)
        1    0.000    0.000    0.000    0.000 backend_bases.py:1467(KeyEvent)
        1    0.000    0.000    0.000    0.000 calendar.py:201(setfirstweekday)
        1    0.000    0.000    0.000    0.000 core.py:4491(_ErrorStop)
```

```
        1    0.000    0.000    0.000    0.000 core.py:3372(Char)
        1    0.000    0.000    0.000    0.000 core.py:4213(WordEnd)
        1    0.000    0.000    0.000    0.000
deprecation.py:221(deprecate_privatize_attribute)
        2    0.000    0.000    0.000    0.000 {method 'isdisjoint' of 'set'
objects}
        4    0.000    0.000    0.000    0.000 {built-in method
_sre.ascii_tolower}
        1    0.000    0.000    0.000    0.000 _trirefine.py:12(TriRefiner)
        1    0.000    0.000    0.000    0.000 six.py:178(__init__)
        1    0.000    0.000    0.000    0.000 _factories.py:25(_TzOffsetFactory)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1557(AutoWidthChar)
        1    0.000    0.000    0.000    0.000
backend_tools.py:390(ToolMinorGrid)
        1    0.000    0.000    0.000    0.000 patches.py:3614(BarAB)
        1    0.000    0.000    0.000    0.000 cm.py:100(__iter__)
        1    0.000    0.000    0.000    0.000
core.py:1164(_DomainedBinaryOperation)
        1    0.000    0.000    0.000    0.000 core.py:4071(LineStart)
        1    0.000    0.000    0.000    0.000
unicode.py:135(BasicMultilingualPlane)
        1    0.000    0.000    0.000    0.000 registry.py:77(__init__)
        1    0.000    0.000    0.000    0.000
legend_handler.py:521(HandlerErrorbar)
        1    0.000    0.000    0.000    0.000 _factories.py:19(_TzFactory)
        1    0.000    0.000    0.000    0.000 core.py:861(_DomainTan)
        1    0.000    0.000    0.000    0.000 core.py:4185(WordStart)
        1    0.000    0.000    0.000    0.000 core.py:4242(Tag)
        1    0.000    0.000    0.000    0.000 core.py:6499(Group)
        1    0.000    0.000    0.000    0.000
core.py:242(_ParseActionIndexError)
        1    0.000    0.000    0.000    0.000 parse.py:323(DefragResult)
        1    0.000    0.000    0.000    0.000 _index_tricks_impl.py:556(CClass)
        3    0.000    0.000    0.000    0.000 {method 'remove' of 'set' objects}
        1    0.000    0.000    0.000    0.000 _mathtext.py:1404(Hrule)
        1    0.000    0.000    0.000    0.000 backend_tools.py:604(ToolBack)
        1    0.000    0.000    0.000    0.000 backend_tools.py:613(ToolForward)
        1    0.000    0.000    0.000    0.000 hatch.py:132(SmallCircles)
        1    0.000    0.000    0.000    0.000 suite.py:375(_DebugResult)
        1    0.000    0.000    0.000    0.000 core.py:4125(LineEnd)
        1    0.000    0.000    0.000    0.000 core.py:5468(PrecededBy)
        1    0.000    0.000    0.000    0.000 ticker.py:2908(AutoLocator)
        1    0.000    0.000    0.000    0.000
_docstring.py:86(_ArtistPropertiesSubstitution)
        1    0.000    0.000    0.000    0.000 pathlib.py:150(_Selector)
        1    0.000    0.000    0.000    0.000 __init__.py:402(PyDLL)
        1    0.000    0.000    0.000    0.000 argparse.py:777(ArgumentError)
        1    0.000    0.000    0.000    0.000
```

```
legend_handler.py:398(HandlerLineCollection)
        1    0.000    0.000    0.000    0.000
_triinterpolate.py:1071(_DOF_estimator_geom)
        1    0.000    0.000    0.000    0.000
backend_bases.py:2540(NonGuiException)
        1    0.000    0.000    0.000    0.000 calendar.py:31(IllegalMonthError)
        1    0.000    0.000    0.000    0.000 signals.py:9(_InterruptHandler)
        1    0.000    0.000    0.000    0.000 core.py:5424(FollowedBy)
        1    0.000    0.000    0.000    0.000 Image.py:3738(register_save_all)
        1    0.000    0.000    0.000    0.000 PngImagePlugin.py:1135(_idat)
        1    0.000    0.000    0.000    0.000
PngImagePlugin.py:379(_RewindState)
        1    0.000    0.000    0.000    0.000 _docstring.py:34(Substitution)
        1    0.000    0.000    0.000    0.000
Image.py:3239(SupportsArrowArrayInterface)
        1    0.000    0.000    0.000    0.000 introspect.py:1(<module>)
        1    0.000    0.000    0.000    0.000
__init__.py:351(ExecutableNotFoundError)
        1    0.000    0.000    0.000    0.000 _endian.py:23(_swapped_meta)
        1    0.000    0.000    0.000    0.000
_exceptions.py:92(_UFuncOutputCastingError)
        1    0.000    0.000    0.000    0.000 dtypes.py:1(<module>)
        1    0.000    0.000    0.000    0.000
argparse.py:1726(_MutuallyExclusiveGroup)
        1    0.000    0.000    0.000    0.000 pathlib.py:802(PurePosixPath)
        1    0.000    0.000    0.000    0.000 streamplot.py:249(StreamplotSet)
        1    0.000    0.000    0.000    0.000 backend_tools.py:442(ToolXScale)
        1    0.000    0.000    0.000    0.000 core.py:6418(TokenConverter)
        1    0.000    0.000    0.000    0.000 util.py:185(_GroupConsecutive)
        1    0.000    0.000    0.000    0.000 ImageFile.py:739(PyCodecState)
        1    0.000    0.000    0.000    0.000 parse.py:136(_ResultMixinStr)
        1    0.000    0.000    0.000    0.000
_stride_tricks_impl.py:14(DummyArray)
        1    0.000    0.000    0.000    0.000 argparse.py:1141(_HelpAction)
        1    0.000    0.000    0.000    0.000 patches.py:2516(RArrow)
        1    0.000    0.000    0.000    0.000 hatch.py:124(Circles)
        1    0.000    0.000    0.000    0.000 core.py:5388(AtLineStart)
        1    0.000    0.000    0.000    0.000 _index_tricks_impl.py:452(RClass)
        1    0.000    0.000    0.000    0.000 argparse.py:216(_Section)
        2    0.000    0.000    0.000    0.000 {built-in method sys.audit}
        1    0.000    0.000    0.000    0.000 units.py:161(Registry)
        1    0.000    0.000    0.000    0.000 gridspec.py:731(SubplotParams)
        1    0.000    0.000    0.000    0.000
backend_managers.py:20(ToolManagerMessageEvent)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1048(Vbox)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1055(Hbox)
        1    0.000    0.000    0.000    0.000 uuid.py:78(SafeUUID)
        1    0.000    0.000    0.000    0.000 font_manager.py:972(_JSONEncoder)
```

```
        1    0.000    0.000    0.000    0.000 core.py:879(_DomainSafeDivide)
        1    0.000    0.000    0.000    0.000 case.py:193(_BaseTestCaseContext)
        1    0.000    0.000    0.000    0.000 core.py:4165(StringEnd)
        1    0.000    0.000    0.000    0.000 traceback.py:90(_Sentinel)
        1    0.000    0.000    0.000    0.000
numerictypes.py:368(_PreprocessDTypeError)
        1    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath._reload_guard}
        1    0.000    0.000    0.000    0.000 argparse.py:1299(FileType)
        2    0.000    0.000    0.000    0.000 dataclasses.py:372(__init__)
        1    0.000    0.000    0.000    0.000 geo.py:349(MollweideTransform)
        1    0.000    0.000    0.000    0.000 animation.py:603(FFMpegFileWriter)
        1    0.000    0.000    0.000    0.000 dates.py:1447(YearLocator)
        1    0.000    0.000    0.000    0.000 _mathtext.py:1480(VCentered)
        1    0.000    0.000    0.000    0.000
calendar.py:38(IllegalWeekdayError)
        1    0.000    0.000    0.000    0.000 calendar.py:578(different_locale)
        1    0.000    0.000    0.000    0.000 abc.py:68(PathEntryFinder)
        1    0.000    0.000    0.000    0.000
exceptions.py:19(DuplicateConstraint)
        3    0.000    0.000    0.000    0.000 core.py:906(__init__)
        1    0.000    0.000    0.000    0.000 ticker.py:369(StrMethodFormatter)
        1    0.000    0.000    0.000    0.000
core.py:185(_should_enable_warnings)
        1    0.000    0.000    0.000    0.000 pathlib.py:1427(WindowsPath)
        5    0.000    0.000    0.000    0.000 platform.py:836(_unknown_as_blank)
        1    0.000    0.000    0.000    0.000 ticker.py:1813(NullLocator)
        1    0.000    0.000    0.000    0.000 ticker.py:263(NullFormatter)
        1    0.000    0.000    0.000    0.000 cbook.py:396(silent_list)
        1    0.000    0.000    0.000    0.000 __init__.py:1861(RootLogger)
        1    0.000    0.000    0.000    0.000 argparse.py:1160(_VersionAction)
        1    0.000    0.000    0.000    0.000 argparse.py:961(_StoreAction)
        1    0.000    0.000    0.000    0.000 {built-in method time.time}
        1    0.000    0.000    0.000    0.000 core.py:932(_MaskedUFunc)
        1    0.000    0.000    0.000    0.000
transforms.py:2606(BboxTransformToMaxOnly)
        1    0.000    0.000    0.000    0.000 unicode.py:200(Cyrillic)
        1    0.000    0.000    0.000    0.000
exceptions.py:338(RecursiveGrammarException)
        1    0.000    0.000    0.000    0.000 ticker.py:333(FormatStrFormatter)
        1    0.000    0.000    0.000    0.000 _iotools.py:423(ConverterError)
        1    0.000    0.000    0.000    0.000 arrayprint.py:1323(BoolFormat)
        1    0.000    0.000    0.000    0.000 argparse.py:1053(_AppendAction)
        4    0.000    0.000    0.000    0.000 {built-in method
_sre.ascii_iscased}
        1    0.000    0.000    0.000    0.000 patches.py:3654(CurveBracket)
        1    0.000    0.000    0.000    0.000 dviread.py:770(Tfm)
        1    0.000    0.000    0.000    0.000
```

```
_mathtext.py:953(STIXSansFontConstants)
        1    0.000    0.000    0.000    0.000
backend_tools.py:583(ViewsPositionsBase)
        1    0.000    0.000    0.000    0.000 patches.py:3592(BracketAB)
        1    0.000    0.000    0.000    0.000 core.py:900(_DomainGreater)
        1    0.000    0.000    0.000    0.000 core.py:6538(Dict)
        1    0.000    0.000    0.000    0.000 util.py:167(UnboundedMemo)
        1    0.000    0.000    0.000    0.000
pathlib.py:222(_RecursiveWildcardSelector)
        1    0.000    0.000    0.000    0.000
_globals.py:99(_SignatureDescriptor)
        1    0.000    0.000    0.000    0.000 container.py:77(ErrorbarContainer)
        1    0.000    0.000    0.000    0.000
legend_handler.py:719(HandlerTuple)
        1    0.000    0.000    0.000    0.000 _blocking_input.py:1(<module>)
        1    0.000    0.000    0.000    0.000 patches.py:3632(BracketCurve)
        1    0.000    0.000    0.000    0.000 core.py:2953(CaselessKeyword)
        1    0.000    0.000    0.000    0.000
arrayprint.py:1424(TimedeltaFormat)
        1    0.000    0.000    0.000    0.000 argparse.py:1354(Namespace)
        1    0.000    0.000    0.000    0.000 six.py:144(MovedAttribute)
        1    0.000    0.000    0.000    0.000 dates.py:1551(DayLocator)
        1    0.000    0.000    0.000    0.000 __init__.py:694(LZMADecompressor)
        1    0.000    0.000    0.000    0.000 errors.py:85(HeaderDefect)
        1    0.000    0.000    0.000    0.000 core.py:4030(PositionToken)
        1    0.000    0.000    0.000    0.000 Image.py:510(SupportsGetData)
        1    0.000    0.000    0.000    0.000
pathlib.py:240(_DoubleRecursiveWildcardSelector)
        1    0.000    0.000    0.000    0.000 _linalg.py:114(LinAlgError)
        1    0.000    0.000    0.000    0.000
argparse.py:714(ArgumentDefaultsHelpFormatter)
        1    0.000    0.000    0.000    0.000 container.py:109(StemContainer)
        1    0.000    0.000    0.000    0.000 patches.py:3573(BracketB)
        1    0.000    0.000    0.000    0.000 typing.py:3013(<lambda>)
        3    0.000    0.000    0.000    0.000 core.py:2762(_generateDefaultName)
        1    0.000    0.000    0.000    0.000 core.py:5309(_Indent)
        1    0.000    0.000    0.000    0.000 unicode.py:246(Hiragana)
        1    0.000    0.000    0.000    0.000 results.py:110(List)
        1    0.000    0.000    0.000    0.000 colors.py:2729(FuncNorm)
        1    0.000    0.000    0.000    0.000 units.py:52(ConversionError)
        1    0.000    0.000    0.000    0.000 hatch.py:140(LargeCircles)
        1    0.000    0.000    0.000    0.000 core.py:916(_DomainGreaterEqual)
        1    0.000    0.000    0.000    0.000 unicode.py:336(Devanagari)
        1    0.000    0.000    0.000    0.000 core.py:5722(OneOrMore)
        1    0.000    0.000    0.000    0.000
deprecation.py:306(_deprecated_parameter_class)
        1    0.000    0.000    0.000    0.000
_exceptions.py:67(_UFuncCastingError)
```

```
        1    0.000    0.000    0.000    0.000 polar.py:261(ThetaFormatter)
        1    0.000    0.000    0.000    0.000 util.py:81(_UnboundedCache)
        1    0.000    0.000    0.000    0.000
GimpGradientFile.py:119(GimpGradientFile)
        1    0.000    0.000    0.000    0.000 version.py:59(InvalidVersion)
        1    0.000    0.000    0.000    0.000
rcsetup.py:375(validate_fontsize_None)
        1    0.000    0.000    0.000    0.000 ipaddress.py:20(AddressValueError)
        1    0.000    0.000    0.000    0.000 ipaddress.py:1131(_BaseConstants)
        1    0.000    0.000    0.000    0.000 unicode.py:282(Hangul)
        1    0.000    0.000    0.000    0.000 tz.py:373(_tzfile)
        1    0.000    0.000    0.000    0.000 dates.py:1497(MonthLocator)
        2    0.000    0.000    0.000    0.000 core.py:922(__init__)
        1    0.000    0.000    0.000    0.000 unicode.py:322(Hebrew)
        1    0.000    0.000    0.000    0.000 unicode.py:141(Latin1)
        1    0.000    0.000    0.000    0.000 core.py:2769(_SingleCharLiteral)
        2    0.000    0.000    0.000    0.000
_index_tricks_impl.py:770(__init__)
        1    0.000    0.000    0.000    0.000 _ufunc_config.py:379(_unspecified)
        1    0.000    0.000    0.000    0.000
argparse.py:1190(_ChoicesPseudoAction)
        1    0.000    0.000    0.000    0.000
_triinterpolate.py:1061(_DOF_estimator_user)
        1    0.000    0.000    0.000    0.000 tz.py:1156(_tzicalvtzcomp)
        1    0.000    0.000    0.000    0.000 __init__.py:72(__init__)
        1    0.000    0.000    0.000    0.000
exceptions.py:26(DuplicateEditVariable)
        1    0.000    0.000    0.000    0.000 core.py:869(__init__)
        4    0.000    0.000    0.000    0.000 core.py:6685(postParse)
        1    0.000    0.000    0.000    0.000 unicode.py:307(Thai)
        1    0.000    0.000    0.000    0.000
ticker.py:1124(LogFormatterSciNotation)
        1    0.000    0.000    0.000    0.000 _endian.py:55(BigEndianUnion)
        1    0.000    0.000    0.000    0.000 _parser.py:661(_result)
        1    0.000    0.000    0.000    0.000
six.py:480(Module_six_moves_urllib_robotparser)
        1    0.000    0.000    0.000    0.000 patches.py:2729(Roundtooth)
        1    0.000    0.000    0.000    0.000 socket.py:212(_GiveupOnSendfile)
        1    0.000    0.000    0.000    0.000 unicode.py:314(Arabic)
        1    0.000    0.000    0.000    0.000 unicode.py:258(Katakana)
        1    0.000    0.000    0.000    0.000 PngImagePlugin.py:1146(_fdat)
        1    0.000    0.000    0.000    0.000 rcsetup.py:889(_ignorecase)
        1    0.000    0.000    0.000    0.000 argparse.py:1288(_ExtendAction)
        1    0.000    0.000    0.000    0.000 exceptions.py:47(ComplexWarning)
        1    0.000    0.000    0.000    0.000 copyreg.py:22(constructor)
        1    0.000    0.000    0.000    0.000
legend_handler.py:238(HandlerLine2DCompound)
        1    0.000    0.000    0.000    0.000
```

```
six.py:340(Module_six_moves_urllib_parse)
        1    0.000    0.000    0.000    0.000 dates.py:1629(SecondLocator)
        1    0.000    0.000    0.000    0.000 core.py:5550(Located)
        1    0.000    0.000    0.000    0.000
ticker.py:1062(LogFormatterExponent)
        1    0.000    0.000    0.000    0.000
deprecation.py:20(MatplotlibDeprecationWarning)
        1    0.000    0.000    0.000    0.000 parse.py:342(DefragResultBytes)
        1    0.000    0.000    0.000    0.000 _iotools.py:439(ConversionWarning)
        1    0.000    0.000    0.000    0.000
pathlib.py:173(_TerminatingSelector)
        1    0.000    0.000    0.000    0.000 pathlib.py:179(_ParentSelector)
        1    0.000    0.000    0.000    0.000 parse.py:331(SplitResult)
        1    0.000    0.000    0.000    0.000 __init__.py:241(c_char_p)
        1    0.000    0.000    0.000    0.000 _endian.py:48(BigEndianStructure)
        1    0.000    0.000    0.000    0.000 pickle.py:73(PickleError)
        1    0.000    0.000    0.000    0.000 argparse.py:996(_StoreConstAction)
        1    0.000    0.000    0.000    0.000
legend_handler.py:772(HandlerPolyCollection)
        1    0.000    0.000    0.000    0.000 errors.py:8(MessageError)
        1    0.000    0.000    0.000    0.000 unicode.py:148(LatinA)
        1    0.000    0.000    0.000    0.000
_iotools.py:431(ConverterLockError)
        1    0.000    0.000    0.000    0.000 __init__.py:166(c_short)
        1    0.000    0.000    0.000    0.000
argparse.py:1091(_AppendConstAction)
        1    0.000    0.000    0.000    0.000 {method 'index' of 'tuple'
objects}
        1    0.000    0.000    0.000    0.000 patches.py:3539(CurveFilledA)
        1    0.000    0.000    0.000    0.000 _mathtext.py:858(StixSansFonts)
        1    0.000    0.000    0.000    0.000 case.py:26(SkipTest)
        1    0.000    0.000    0.000    0.000
_docstring.py:72(_ArtistKwdocLoader)
        1    0.000    0.000    0.000    0.000 parse.py:144(_ResultMixinBytes)
        1    0.000    0.000    0.000    0.000
argparse.py:692(RawDescriptionHelpFormatter)
        1    0.000    0.000    0.000    0.000
exceptions.py:75(VisibleDeprecationWarning)
        1    0.000    0.000    0.000    0.000 six.py:245(_MovedItems)
        1    0.000    0.000    0.000    0.000 dates.py:1524(WeekdayLocator)
        1    0.000    0.000    0.000    0.000 isoparser.py:43(__init__)
        1    0.000    0.000    0.000    0.000 __init__.py:14(SubplotBase)
        1    0.000    0.000    0.000    0.000 csv.py:67(excel_tab)
        1    0.000    0.000    0.000    0.000 exceptions.py:299(ParseException)
        1    0.000    0.000    0.000    0.000 animation.py:575(FFMpegWriter)
        1    0.000    0.000    0.000    0.000 backend_bases.py:1240(CloseEvent)
        2    0.000    0.000    0.000    0.000 calendar.py:99(__init__)
        1    0.000    0.000    0.000    0.000
```

```
core.py:89(MaskedArrayFutureWarning)
        1    0.000    0.000    0.000    0.000 core.py:149(MaskError)
        1    0.000    0.000    0.000    0.000 _docstring.py:28(decorator)
        1    0.000    0.000    0.000    0.000
__init__.py:78(UnidentifiedImageError)
        1    0.000    0.000    0.000    0.000 __init__.py:257(c_wchar_p)
        1    0.000    0.000    0.000    0.000 _nbit_base.py:65(_128Bit)
        1    0.000    0.000    0.000    0.000 argparse.py:1019(_StoreTrueAction)
        1    0.000    0.000    0.000    0.000 dates.py:1604(MinuteLocator)
        1    0.000    0.000    0.000    0.000
_mathtext.py:960(DejaVuSerifFontConstants)
        1    0.000    0.000    0.000    0.000
plistlib.py:451(InvalidFileException)
        1    0.000    0.000    0.000    0.000 abc.py:186(FileLoader)
        1    0.000    0.000    0.000    0.000 core.py:141(MAError)
        1    0.000    0.000    0.000    0.000 unicode.py:154(LatinB)
        1    0.000    0.000    0.000    0.000 exceptions.py:96(TooHardError)
        1    0.000    0.000    0.000    0.000 <string>:1(<module>)
        1    0.000    0.000    0.000    0.000 dates.py:1579(HourLocator)
        1    0.000    0.000    0.000    0.000 __init__.py:39(BadZipFile)
        1    0.000    0.000    0.000    0.000
exceptions.py:33(UnknownConstraint)
        1    0.000    0.000    0.000    0.000 case.py:335(_OrderedChainMap)
        1    0.000    0.000    0.000    0.000 pathlib.py:190(_WildcardSelector)
        1    0.000    0.000    0.000    0.000 __init__.py:178(c_ulong)
        1    0.000    0.000    0.000    0.000 exceptions.py:86(RankWarning)
        1    0.000    0.000    0.000    0.000
exceptions.py:199(DTypePromotionError)
        1    0.000    0.000    0.000    0.000
exceptions.py:22(_ExceptionWordUnicodeSet)
        1    0.000    0.000    0.000    0.000 shutil.py:67(Error)
        1    0.000    0.000    0.000    0.000 parse.py:336(ParseResult)
        1    0.000    0.000    0.000    0.000 _nbit_base.py:76(_64Bit)
        1    0.000    0.000    0.000    0.000 pickle.py:77(PicklingError)
        1    0.000    0.000    0.000    0.000 {built-in method
numpy._core._multiarray_umath._set_madvise_hugepage}
        1    0.000    0.000    0.000    0.000
__init__.py:11(DeprecatedTzFormatWarning)
        1    0.000    0.000    0.000    0.000
_mathtext.py:964(DejaVuSansFontConstants)
        1    0.000    0.000    0.000    0.000 __init__.py:43(LargeZipFile)
        1    0.000    0.000    0.000    0.000
errors.py:45(NoBoundaryInMultipartDefect)
        1    0.000    0.000    0.000    0.000
exceptions.py:15(BadRequiredStrength)
        1    0.000    0.000    0.000    0.000 util.py:102(_FifoCache)
        1    0.000    0.000    0.000    0.000 gzip.py:120(BadGzipFile)
        1    0.000    0.000    0.000    0.000 parse.py:355(ParseResultBytes)
```

```
        1    0.000    0.000    0.000    0.000 subprocess.py:123(SubprocessError)
        1    0.000    0.000    0.000    0.000
argparse.py:1036(_StoreFalseAction)
        1    0.000    0.000    0.000    0.000
argparse.py:703(RawTextHelpFormatter)
        1    0.000    0.000    0.000    0.000 {built-in method sys._getframe}
        1    0.000    0.000    0.000    0.000
legend_handler.py:503(HandlerPathCollection)
        1    0.000    0.000    0.000    0.000
bezier.py:25(NonIntersectingPathException)
        1    0.000    0.000    0.000    0.000
exceptions.py:58(ModuleDeprecationWarning)
        1    0.000    0.000    0.000    0.000
animation.py:690(ImageMagickWriter)
        1    0.000    0.000    0.000    0.000 _parser.py:1378(_attr)
        1    0.000    0.000    0.000    0.000
six.py:382(Module_six_moves_urllib_error)
        1    0.000    0.000    0.000    0.000 errors.py:12(MessageParseError)
        1    0.000    0.000    0.000    0.000
errors.py:24(MultipartConversionError)
        1    0.000    0.000    0.000    0.000 abc.py:58(TraversalError)
        1    0.000    0.000    0.000    0.000 ipaddress.py:24(NetmaskValueError)
        1    0.000    0.000    0.000    0.000 parse.py:350(SplitResultBytes)
        1    0.000    0.000    0.000    0.000 shutil.py:70(SameFileError)
        1    0.000    0.000    0.000    0.000 __init__.py:224(c_ubyte)
        1    0.000    0.000    0.000    0.000
six.py:402(Module_six_moves_urllib_request)
        1    0.000    0.000    0.000    0.000 patches.py:3524(CurveA)
        1    0.000    0.000    0.000    0.000
exceptions.py:40(UnknownEditVariable)
        1    0.000    0.000    0.000    0.000
exceptions.py:47(UnsatisfiableConstraint)
        1    0.000    0.000    0.000    0.000
exceptions.py:322(ParseFatalException)
        1    0.000    0.000    0.000    0.000
Image.py:75(DecompressionBombWarning)
        1    0.000    0.000    0.000    0.000 __init__.py:170(c_ushort)
        1    0.000    0.000    0.000    0.000 __init__.py:191(c_uint)
        1    0.000    0.000    0.000    0.000 {built-in method math.sqrt}
        1    0.000    0.000    0.000    0.000 patches.py:3534(CurveAB)
        1    0.000    0.000    0.000    0.000
errors.py:48(StartBoundaryNotFoundDefect)
        1    0.000    0.000    0.000    0.000
errors.py:60(MissingHeaderBodySeparatorDefect)
        1    0.000    0.000    0.000    0.000 __init__.py:247(c_void_p)
        1    0.000    0.000    0.000    0.000 pickle.py:84(UnpicklingError)
        1    0.000    0.000    0.000    0.000 {method '__exit__' of
'posix.ScandirIterator' objects}
```

```
        1    0.000    0.000    0.000    0.000
legend_handler.py:513(HandlerCircleCollection)
        1    0.000    0.000    0.000    0.000
backend_tools.py:622(ConfigureSubplotsBase)
        1    0.000    0.000    0.000    0.000 errors.py:16(HeaderParseError)
        1    0.000    0.000    0.000    0.000 errors.py:20(BoundaryError)
        1    0.000    0.000    0.000    0.000
errors.py:51(CloseBoundaryNotFoundDefect)
        1    0.000    0.000    0.000    0.000
errors.py:54(FirstHeaderLineIsContinuationDefect)
        1    0.000    0.000    0.000    0.000 case.py:34(_ShouldStop)
        1    0.000    0.000    0.000    0.000 unicode.py:304(CJK)
        1    0.000    0.000    0.000    0.000
Image.py:79(DecompressionBombError)
        1    0.000    0.000    0.000    0.000 __init__.py:199(c_double)
        1    0.000    0.000    0.000    0.000 _endian.py:35(_swapped_union_meta)
        1    0.000    0.000    0.000    0.000 {method 'clear' of 'list' objects}
        1    0.000    0.000    0.000    0.000
streamplot.py:434(InvalidIndexError)
        1    0.000    0.000    0.000    0.000 patches.py:3529(CurveB)
        1    0.000    0.000    0.000    0.000 patches.py:3549(CurveFilledAB)
        1    0.000    0.000    0.000    0.000 errors.py:32(HeaderWriteError)
        1    0.000    0.000    0.000    0.000
errors.py:57(MisplacedEnvelopeHeaderDefect)
        1    0.000    0.000    0.000    0.000
errors.py:80(InvalidBase64LengthDefect)
        1    0.000    0.000    0.000    0.000
errors.py:108(ObsoleteHeaderDefect)
        1    0.000    0.000    0.000    0.000 case.py:39(_UnexpectedSuccess)
        1    0.000    0.000    0.000    0.000 shutil.py:73(SpecialFileError)
        1    0.000    0.000    0.000    0.000
six.py:459(Module_six_moves_urllib_response)
        1    0.000    0.000    0.000    0.000 patches.py:3544(CurveFilledB)
        1    0.000    0.000    0.000    0.000 errors.py:116(InvalidDateDefect)
        1    0.000    0.000    0.000    0.000
exceptions.py:329(ParseSyntaxException)
        1    0.000    0.000    0.000    0.000 __init__.py:174(c_long)
        1    0.000    0.000    0.000    0.000 __init__.py:195(c_float)
        1    0.000    0.000    0.000    0.000 __init__.py:203(c_longdouble)
        1    0.000    0.000    0.000    0.000 _nbit_base.py:71(_96Bit)
        1    0.000    0.000    0.000    0.000 _nbit_base.py:81(_32Bit)
        1    0.000    0.000    0.000    0.000 _nbit_base.py:86(_16Bit)
        1    0.000    0.000    0.000    0.000 argparse.py:797(ArgumentTypeError)
        1    0.000    0.000    0.000    0.000 <frozen
_collections_abc>:511(_is_param_expr)
        1    0.000    0.000    0.000    0.000
_parser.py:1608(UnknownTimezoneWarning)
        1    0.000    0.000    0.000    0.000 errors.py:28(CharsetError)
```

```
        1    0.000    0.000    0.000    0.000
errors.py:68(InvalidMultipartContentTransferEncodingDefect)
        1    0.000    0.000    0.000    0.000
errors.py:71(UndecodableBytesDefect)
        1    0.000    0.000    0.000    0.000 errors.py:91(InvalidHeaderDefect)
        1    0.000    0.000    0.000    0.000
errors.py:94(HeaderMissingRequiredValue)
        1    0.000    0.000    0.000    0.000
errors.py:111(NonASCIILocalPartDefect)
        1    0.000    0.000    0.000    0.000 shutil.py:77(ExecError)
        1    0.000    0.000    0.000    0.000 __init__.py:262(c_wchar)
        1    0.000    0.000    0.000    0.000
_endian.py:34(_swapped_struct_meta)
        1    0.000    0.000    0.000    0.000
errors.py:65(MultipartInvariantViolationDefect)
        1    0.000    0.000    0.000    0.000
errors.py:74(InvalidBase64PaddingDefect)
        2    0.000    0.000    0.000    0.000 _functools.py:83(<lambda>)
        1    0.000    0.000    0.000    0.000 shutil.py:83(RegistryError)
        1    0.000    0.000    0.000    0.000 shutil.py:87(_GiveupOnFastCopy)
        1    0.000    0.000    0.000    0.000 __init__.py:252(c_bool)
        1    0.000    0.000    0.000    0.000
errors.py:77(InvalidBase64CharactersDefect)
        1    0.000    0.000    0.000    0.000 shutil.py:80(ReadError)
        1    0.000    0.000    0.000    0.000 __init__.py:187(c_int)
        1    0.000    0.000    0.000    0.000 __init__.py:231(c_byte)
        1    0.000    0.000    0.000    0.000 __init__.py:236(c_char)
        1    0.000    0.000    0.000    0.000 streamplot.py:510(OutOfBounds)
        1    0.000    0.000    0.000    0.000
streamplot.py:438(TerminateTrajectory)
        1    0.000    0.000    0.000    0.000 _nbit_base.py:91(_8Bit)
        1    0.000    0.000    0.000    0.000 six.py:239(exec_module)
        1    0.000    0.000    0.000    0.000 <frozen
importlib._bootstrap_external>:1408(exec_module)


Traceback (most recent call last):
  File "<frozen runpy>", line 198, in _run_module_as_main
  File "<frozen runpy>", line 88, in _run_code
  File "/usr/lib/python3.12/cProfile.py", line 195, in <module>
    main()
  File "/usr/lib/python3.12/cProfile.py", line 184, in main
    runctx(code, globs, None, options.outfile, options.sort)
  File "/usr/lib/python3.12/cProfile.py", line 21, in runctx
    return _pyprofile._Utils(Profile).runctx(statement, globals, locals,
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/usr/lib/python3.12/profile.py", line 64, in runctx
    prof.runctx(statement, globals, locals)
```

```
  File "/usr/lib/python3.12/cProfile.py", line 102, in runctx
    exec(cmd, globals, locals)
  File "conway2.py", line 59, in <module>
    @profile
     ^^^^^^^^
NameError: name 'profile' is not defined. Did you forget to import 'profile'?
```

[4]:
```
!python -m kernprof -l -v conway2.py
```

```
Wrote profile results to 'conway2.py.lprof'
Timer unit: 1e-06 s

Total time: 1.4806 s
File: conway2.py
Function: update at line 59

Line #      Hits         Time  Per Hit   % Time  Line Contents
==============================================================
    59                                           @profile
    60                                           def update(frameNum, img, grid,
N):
    61                                               # copy grid since we
require 8 neighbors for calculation
    62                                               # and we go line by line
    63       100        433.9      4.3      0.0      newGrid = grid.copy()
    64
    65       100       4443.1     44.4      0.3      top = np.roll(grid, 1, 0)
    66       100       2458.1     24.6      0.2      bottom = np.roll(grid, -1,
0)
    67
    68       800       4572.3      5.7      0.3      total2 = (top + bottom
    69       100       2453.9     24.5      0.2                + np.roll(grid,
1, 1)
    70       100       2140.9     21.4      0.1                + np.roll(grid,
-1, 1)
    71       100       2146.6     21.5      0.1                + np.roll(top, 1,
1)
    72       100       2122.3     21.2      0.1                + np.roll(top,
-1, 1)
    73       100       2095.3     21.0      0.1                + np.roll(bottom,
1, 1)
    74       100       2096.9     21.0      0.1                + np.roll(bottom,
-1, 1)
    75       100         36.8      0.4      0.0                ) / 255
    76
    77     10100       2655.0      0.3      0.2      for i in range(N):
    78   1010000     279656.4      0.3     18.9          for j in range(N):
    79                                                       # compute 8-neghbor
```

```
sum
    80                                                      # using toroidal
boundary conditions - x and y wrap around
    81                                                      # so that the
simulaton takes place on a toroidal surface.
    82
    83   1000000     436375.3      0.4     29.5             total =
total2[i][j]
    84                                                      # apply Conway's
rules
    85   1000000     400489.8      0.4     27.0             if grid[i, j] ==
ON:
    86    120129      39637.3      0.3      2.7                 if (total < 2)
or (total > 3):
    87     49651      18532.2      0.4      1.3                     newGrid[i,
j] = OFF
    88                                                      else:
    89    879871     259567.2      0.3     17.5                 if total == 3:
    90     48565      17757.8      0.4      1.2                     newGrid[i,
j] = ON
    91                                                # update data
    92                                                #img.set_data(newGrid)
    93       100        759.8      7.6      0.1      grid[:] = newGrid[:]
    94       100        169.8      1.7      0.0      return (img,)
```

[6]:
```python
from IPython.display import Image
Image("benchmark2.png")
```

[6]:



As can be seen the optimization was a success, the correctness was tested with `assert` against the original implementation. The performance gains are significant as now we can run a 300x300 grind in about the same time it took for a 150x150 grid with the old implementation.