SECTION C. HEALTH

Note: Both, Follow-up sample (n=12,305) and New sample (n=4,809) answered this section. However, some questions were skipped for Proxy interviews (n=1,328). These questions will have a special missing ".p" assigned.

tab tipent_18

Type of interview 2018	Freq.	Percent	Cum.
1.Direct, follow-up interview	11,183	65.34	65.34
2.Direct, new sample interview	4,603	26.90	92.24
3.Proxy, follow-up interview	1,122	6.56	98.80
4.Proxy, new sample interview	206	1.20	100.00
Total	17,114	100.00	

In addition, some questions may have missing values if the section was not completed. Only n=19 observations were included in the final data sets with incomplete interviews; these were included if they completed at least Section C. In these questions a special missing ".i" was assigned to indicate that the interview was incomplete.

tab nocomplete_18

nocomplete_18	Freq.	Percent	Cum.
0.Complete Interview	17,095	99.89	99.8
1. Incomplete Interview	19	0.11	100.00
Total	17,114	100.00	

The following is a list of the different special missing values assigned within the individual level sections:

Special Missing	**Label**	**Description**
".s"	Skipped	Skip pattern explained by previous question(s)
".p"	Proxy Interview	Interview Completed by proxy informant
".i"	Incomplete Interview	Incomplete interview, completed at least Section C
".e"	Error	Question asked or skipped in error

c1_18 Now I have some questions about your health. Would you say your health is…
Ahora tengo algunas preguntas sobre su salud ¿Diría usted que su salud es…

	Freq.	Percent	Cum.
1.Excellent	445	2.60	2.60
2.Very good	796	4.65	7.25
3.Good	4,670	27.29	34.54
4.Fair	8,381	48.97	83.51
5.Poor	1,491	8.71	92.22
8.RF	2	0.01	92.23
9.DK	1	0.01	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c2a_18 Comparing your health now with your health two years ago, would you say your health now is…?
Comparando su salud con la de hace dos años, ¿Diría usted que su salud ahora está…?

	Freq.	Percent	Cum.
1.Much better	628	3.67	3.67
2.Somewhat better	1,626	9.50	13.17
3.More or less the same	9,026	52.74	65.91
4.Somewhat worse	3,882	22.68	88.59
5.Much worse	610	3.56	92.16
8.RF	7	0.04	92.20
9.DK	7	0.04	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c3a_18 Compared with other people your age, would you say that currently your health is…
Comparado con otras personas de su edad, ¿Diría usted que actualmente su salud es…

	Freq.	Percent	Cum.
1.Better	6,673	38.99	38.99
2.More or less the same	7,419	43.35	82.34
3.Worse	1,527	8.92	91.26
8.RF	14	0.08	91.35
9.DK	153	0.89	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c3b_18 During the past two years, have you been treated by a doctor or medical staff?
Durante los dos últimos años, ¿le ha atendido un doctor o personal medico?

	Freq.	Percent	Cum.
1.Yes	12,511	73.10	73.10
2.No	3,263	19.07	92.17
8.RF	9	0.05	92.22
9.DK	3	0.02	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c4_18 Has a doctor or medical personnel ever diagnosed you with hypertension or high blood pressure?
¿Alguna vez le ha dicho un doctor o personal médico que usted tiene hipertensión o presión alta?

	Freq.	Percent	Cum.
1.Yes	7,436	43.45	43.45
2.No	9,657	56.43	99.88
8.RF	4	0.02	99.90
9.DK	17	0.10	100.00
Total	17,114	100.00	

c5_18 Are you currently taking any medication to lower your blood pressure?
¿Está usted tomando ahora algún medicamento para bajar la presión?

	Freq.	Percent	Cum.
1.Yes	6,513	38.06	38.06
2.No	920	5.38	43.43
8.RF	2	0.01	43.44
9.DK	1	0.01	43.45
.s	9,678	56.55	100.00
Total	17,114	100.00	

Skip (n=9,678) if C4 = 2, 8, or 9

c6_18 Has a doctor or medical personnel ever diagnosed you with diabetes?
¿Alguna vez le ha dicho un doctor o personal médico que usted tiene diabetes?

	Freq.	Percent	Cum.
1.Yes	4,193	24.50	24.50
2.No	12,891	75.32	99.82
8.RF	4	0.02	99.85
9.DK	26	0.15	100.00
Total	17,114	100.00	

c7_18 Are you currently taking any oral medication in order to control your diabetes?
¿Está usted tomando ahora alguna medicina oralmente para controlar su diabetes?

	Freq.	Percent	Cum.
1.Yes	3,771	22.03	22.03
2.No	421	2.46	24.49
9.DK	1	0.01	24.50
.s	12,921	75.50	100.00
Total	17,114	100.00	

Skip (n=12,921) if C6 = 2, 8, or 9

c8_18 Are you currently using insulin shots?
¿Está usted usando ahora inyecciones o bomba de insulina?

	Freq.	Percent	Cum.
1.Yes	1,057	6.18	6.18
2.No	3,132	18.30	24.48
8.RF	2	0.01	24.49
9.DK	2	0.01	24.50
.s	12,921	75.50	100.00
Total	17,114	100.00	

Skip (n=12,921) if C6 = 2, 8, or 9

c9_18 Do you follow a special diet to control your diabetes?
¿Sigue una dieta especial para controlar su diabetes?

	Freq.	Percent	Cum.
1.Yes	2,271	13.27	13.27
2.No	1,570	9.17	22.44
8.RF	2	0.01	22.46
9.DK	3	0.02	22.47
.p	1,328	7.76	30.23
.s	11,940	69.77	100.00
Total	17,114	100.00	

Skip (n=11,940) if C6 = 2, 8, or 9 (Direct, follow-up and new sample)

c10_18 In general, is your diabetes under control now?
¿En general ahora está su diabetes bajo control?

	Freq.	Percent	Cum.
1.Yes	3,464	20.24	20.24
2.No	340	1.99	22.23
8.RF	1	0.01	22.23
9.DK	41	0.24	22.47
.p	1,328	7.76	30.23
.s	11,940	69.77	100.00
Total	17,114	100.00	

Skip (n=11,940) if C6 = 2, 8, or 9 (Direct, follow-up and new sample)

c11_1_18 How frequently do you measure your blood sugar level or urine-sugar level? (Number of times)
¿Con qué frecuencia se le mide el nivel de azúcar en la sangre o en la orina? (Número de veces)

Variable	Obs	Mean	Std. Dev.	Min	Max
c11_1_18 (Excluding RF/DK=88/99)	4,155	2.078941	2.216611	0	30

	Freq.	Percent	Cum.
88.RF	9	0.07	0.07
99.DK	29	0.22	0.29
.s	12,921	99.71	100.00
Total	12,959	100.00	

Skip (n=12,921) if C6 = 2, 8, or 9

c11_2_18 How frequently do you measure your blood sugar level or urine-sugar level? (Period)
¿Con qué frecuencia se le mide el nivel de azúcar en la sangre o en la orina? (Periodo)

	Freq.	Percent	Cum.
1.Week	1,080	6.31	6.31
2.Month	2,153	12.58	18.89
3.Year	775	4.53	23.42
5.Never	147	0.86	24.28
8.RF	9	0.05	24.33
9.DK	29	0.17	24.50
.s	12,921	75.50	100.00
Total	17,114	100.00	

Skip (n=12,921) if C6 = 2, 8, or 9

c12_18 Has a doctor or medical personnel ever diagnosed you with cancer?
¿Alguna vez le ha dicho un doctor o personal médico que usted tiene cáncer?

	Freq.	Percent	Cum.
1.Yes	462	2.70	2.70
2.No	16,636	97.21	99.91
8.RF	4	0.02	99.93
9.DK	12	0.07	100.00
Total	17,114	100.00	

c13_18 In total, how many cancers in different places or organs have you ever had?
En total, ¿cuántos cánceres en distintos lugares u órganos ha tenido usted?

	Freq.	Percent	Cum.
1	425	2.48	2.48
2	30	0.18	2.66
3	5	0.03	2.69
4	1	0.01	2.69
99.DK	1	0.01	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_01_18 What type of cancer? – Breast
¿Qué tipo de cáncer? – Mama

	Freq.	Percent	Cum.
0.Not a selected answer	345	2.02	2.02
1.Yes	117	0.68	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_02_18 What type of cancer? – Cervical/Cervix
¿Qué tipo de cáncer? – Cervical/cérvix

	Freq.	Percent	Cum.
0.Not a selected answer	395	2.31	2.31
1.Yes	67	0.39	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_03_18 What type of cancer? – Endometrial/Uterine
¿Qué tipo de cáncer? – Endometrio/útero

	Freq.	Percent	Cum.
0.Not a selected answer	416	2.43	2.43
1.Yes	46	0.27	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_04_18 What type of cancer? – Liver
¿Qué tipo de cáncer? – Hígado

	Freq.	Percent	Cum.
0.Not a selected answer	459	2.68	2.68
1.Yes	3	0.02	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_05_18 What type of cancer? – Stomach
¿Qué tipo de cáncer? – Estómago

	Freq.	Percent	Cum.
0.Not a selected answer	451	2.64	2.64
1.Yes	11	0.06	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_06_18 What type of cancer? – Pancreas
¿Qué tipo de cáncer? – Páncreas

	Freq.	Percent	Cum.
0.Not a selected answer	458	2.68	2.68
1.Yes	4	0.02	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_07_18 What type of cancer? – Prostate
¿Qué tipo de cáncer? – Próstata

	Freq.	Percent	Cum.
0.Not a selected answer	389	2.27	2.27
1.Yes	73	0.43	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_08_18 What type of cancer? – Colorectal
¿Qué tipo de cáncer? – Colon/recto

	Freq.	Percent	Cum.
0.Not a selected answer	450	2.63	2.63
1.Yes	12	0.07	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_09_18 What type of cancer? – Lung
¿Qué tipo de cáncer? – Pulmón

	Freq.	Percent	Cum.
0.Not a selected answer	448	2.62	2.62
1.Yes	14	0.08	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_10_18 What type of cancer? – OTHER
¿Qué tipo de cáncer? – OTRO

	Freq.	Percent	Cum.
0.Not a selected answer	323	1.89	1.89
1.Yes	139	0.81	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_88_18 What type of cancer? – RF
¿Qué tipo de cáncer? – NO RESPONDE

	Freq.	Percent	Cum.
0.Not a selected answer	461	2.69	2.69
1.Yes	1	0.01	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c14_99_18 What type of cancer? – DK
¿Qué tipo de cáncer? – NO SABE

	Freq.	Percent	Cum.
0.Not a selected answer	458	2.68	2.68
1.Yes	4	0.02	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c15_18 In the last two years, have you consulted a doctor or medical personnel about your cancer?
En los últimos dos años ¿ha consultado a un doctor o personal médico sobre su cáncer?

	Freq.	Percent	Cum.
1.Yes	350	2.05	2.05
2.No	112	0.65	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c16_1_18 In the last two years, what type of treatments have you received for your cancer? – Chemotherapy or Medication
Durante los últimos dos años, ¿qué tipo de tratamientos ha recibido para el cáncer? - Quimioterapia o Medicamento

	Freq.	Percent	Cum.
0.Not a selected answer	355	2.07	2.07
1.Yes	107	0.63	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c16_2_18 In the last two years, what type of treatments have you received for your cancer? – Surgery or Biopsy
Durante los últimos dos años, ¿qué tipo de tratamientos ha recibido para el cáncer? - Cirugía o Biopsia

	Freq.	Percent	Cum.
0.Not a selected answer	354	2.07	2.07
1.Yes	108	0.63	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c16_3_18 In the last two years, what type of treatments have you received for your cancer? – Radiation or X-Ray
Durante los últimos dos años, ¿qué tipo de tratamientos ha recibido para el cáncer? - Radiación o Rayos X

	Freq.	Percent	Cum.
0.Not a selected answer	398	2.33	2.33
1.Yes	64	0.37	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c16_4_18 In the last two years, what type of treatments have you received for your cancer? – Medication or Treatment for symptoms (pain, nausea, rash)
Durante los últimos dos años, ¿qué tipo de tratamientos ha recibido para el cáncer? - Medicamentos o Tratamiento para síntomas (dolor, nausea, salpullidos)

	Freq.	Percent	Cum.
0.Not a selected answer	307	1.79	1.79
1.Yes	155	0.91	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c16_5_18 In the last two years, what type of treatments have you received for your cancer? – None
Durante los últimos dos años, ¿qué tipo de tratamientos ha recibido para el cáncer? - Ninguno

	Freq.	Percent	Cum.
0.Not a selected answer	283	1.65	1.65
1.Yes	179	1.05	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c16_7_18 In the last two years, what type of treatments have you received for your cancer? – OTHER
Durante los últimos dos años, ¿qué tipo de tratamientos ha recibido para el cáncer? - OTRO

	Freq.	Percent	Cum.
0.Not a selected answer	462	2.70	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c16_7a_18 In the last two years, what type of treatments have you received for your cancer? Specify.
Durante los últimos dos años, ¿qué tipo de tratamientos ha recibido para el cáncer? Especifique.
Not tabulated

c16_8_18 In the last two years, what type of treatments have you received for your cancer? – RF
Durante los últimos dos años, ¿qué tipo de tratamientos ha recibido para el cáncer? – NO RESPONDE

	Freq.	Percent	Cum.
0.Not a selected answer	460	2.69	2.69
1.Yes	2	0.01	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c16_9_18 In the last two years, what type of treatments have you received for your cancer? – DK
Durante los últimos dos años, ¿qué tipo de tratamientos ha recibido para el cáncer? – NO SABE

	Freq.	Percent	Cum.
0.Not a selected answer	459	2.68	2.68
1.Yes	3	0.02	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c17_18 Are you currently receiving treatment for your cancer?
¿Está usted ahora recibiendo tratamiento para el cáncer?

	Freq.	Percent	Cum.
1.Yes	178	1.04	1.04
2.No	283	1.65	2.69
8.RF	1	0.01	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9

c18_1_18 In what year was your (most recent) cancer diagnosed?
¿Cómo en qué año le diagnosticaron su cáncer (más reciente)?

	Freq.	Percent	Cum.
1978	1	0.01	0.01
1982	1	0.01	0.01
1983	1	0.01	0.02

1987	1	0.01	0.02
1988	1	0.01	0.03
1989	1	0.01	0.04
1993	1	0.01	0.04
1994	1	0.01	0.05
1997	2	0.01	0.06
1998	2	0.01	0.07
1999	2	0.01	0.08
2000	9	0.05	0.13
2001	2	0.01	0.15
2002	8	0.05	0.19
2003	10	0.06	0.25
2004	4	0.02	0.27
2005	8	0.05	0.32
2006	10	0.06	0.38
2007	5	0.03	0.41
2008	12	0.07	0.48
2009	7	0.04	0.52
2010	22	0.13	0.65
2011	12	0.07	0.72
2012	19	0.11	0.83
2013	19	0.11	0.94
2014	23	0.13	1.08
2015	30	0.18	1.25
2016	47	0.27	1.53
2017	37	0.22	1.74
2018	38	0.22	1.96
8888.RF	2	0.01	1.97
9999.DK	4	0.02	2.00
.	120	0.70	2.70
.s	16,652	97.30	100.00
Total	17,114	100.00	

Skip (n=16,652) if C12 = 2, 8, or 9
Provided age (n=120) in C18_2_18, but not year

c18_2_18 At what age was your (most recent) cancer diagnosed?
¿En qué edad le diagnosticaron su cáncer (más reciente)?

Variable	Obs	Mean	Std. Dev.	Min	Max
c18_2_18	120	51.00833	16.41402	12	99

Skip (n=16,652) if C12 = 2, 8, or 9
Provided year (n=336) in C18_1_18, but not age

	Freq.	Percent	Cum.
.s	16,652	100.00	100.00
Total	16,652	100.00	

c19_18 Has a doctor or medical personnel ever told/diagnosed you with a respiratory illness, such as asthma or emphysema?
¿Alguna vez le ha dicho un doctor o personal médico que usted tiene alguna enfermedad respiratoria, tal como asma o enfisema?

	Freq.	Percent	Cum.
1.Yes	1,005	5.87	5.87
2.No	16,096	94.05	99.92
8.RF	6	0.04	99.96
9.DK	7	0.04	100.00
Total	17,114	100.00	

c20a_18 Are you currently taking medication or using another treatment for your respiratory illness?
¿Está usted tomando ahora medicina u otro tratamiento para su enfermedad respiratoria?

	Freq.	Percent	Cum.
1.Yes	635	3.71	3.71
2.No	370	2.16	5.87
.s	16,109	94.13	100.00
Total	17,114	100.00	

Skip (n=16,109) if C19 = 2, 8, or 9

c20b_18 Are you receiving oxygen for your pulmonary disease?
¿Está recibiendo oxígeno para su enfermedad pulmonar?

	Freq.	Percent	Cum.
1.Yes	172	1.01	1.01
2.No	833	4.87	5.87
.s	16,109	94.13	100.00
Total	17,114	100.00	

Skip (n=16,109) if C19 = 2, 8, or 9

c21_18 Does this condition limit your daily activities such as household or your job?
¿Esta condición le limita sus actividades normales tales como las labores del hogar o su trabajo?

	Freq.	Percent	Cum.
1.Yes	335	1.96	1.96
2.No	554	3.24	5.19
.p	1,328	7.76	12.95
.s	14,897	87.05	100.00
Total	17,114	100.00	

Skip (n=14,897) if C19 = 2, 8, or 9 (Direct, follow-up and new sample)

c22a_18 Has a doctor or medical personnel ever told you that you have had a heart attack?
¿Alguna vez le ha dicho un doctor o personal médico que usted ha tenido un ataque/infarto al corazón?

	Freq.	Percent	Cum.
1.Yes	674	3.94	3.94
2.No	16,428	95.99	99.93
8.RF	5	0.03	99.96
9.DK	7	0.04	100.00
Total	17,114	100.00	

c22b1_18 In what year did you have your (most recent) heart attack?
¿En qué año tuvo su ataque/infarto al corazón (más reciente)?

	Freq.	Percent	Cum.
1957	1	0.01	0.01
1966	1	0.01	0.01
1979	1	0.01	0.02
1982	1	0.01	0.02
1983	1	0.01	0.03
1984	1	0.01	0.04
1985	1	0.01	0.04
1986	2	0.01	0.05
1988	1	0.01	0.06
1990	2	0.01	0.07
1991	1	0.01	0.08
1992	4	0.02	0.10
1993	1	0.01	0.11
1994	1	0.01	0.11
1995	2	0.01	0.12
1996	1	0.01	0.13
1997	1	0.01	0.13
1998	7	0.04	0.18
1999	1	0.01	0.18
2000	6	0.04	0.22
2001	6	0.04	0.25
2002	4	0.02	0.27
2003	9	0.05	0.33
2004	6	0.04	0.36
2005	10	0.06	0.42
2006	7	0.04	0.46
2007	3	0.02	0.48
2008	33	0.19	0.67
2009	10	0.06	0.73
2010	26	0.15	0.88
2011	18	0.11	0.99
2012	24	0.14	1.13
2013	29	0.17	1.30
2014	49	0.29	1.58
2015	48	0.28	1.86
2016	59	0.34	2.21
2017	75	0.44	2.65
2018	90	0.53	3.17
8888.RF	1	0.01	3.18
9999.DK	13	0.08	3.25
.	117	0.68	3.94

```
                    .s |     16,440       96.06      100.00
-----------------------+-----------------------------------
                 Total |     17,114      100.00
```

Skip (n=16,440) if C22a = 2, 8, or 9
Provided age (n = 117) in C22b2, but not year in C22b1

c22b2_18 At about what age did you have your (most recent) heart attack?
¿En qué edad tuviste su ataque/infarto al corazón (más reciente)?

```
   Variable  |        Obs        Mean    Std. Dev.       Min        Max
-------------+---------------------------------------------------------
    c22b2_18 |        117    51.22222    19.12171          1         92
```

Skip (n=16,440) if C22a = 2, 8, or 9
Provided year (n=543) in C22b1, but not age in C22b2

```
            |      Freq.     Percent        Cum.
------------+-----------------------------------
          .s |     16,440      100.00      100.00
------------+-----------------------------------
      Total |     16,440      100.00
```

c23_18 Are you currently taking medication for your heart condition?
¿Está usted tomando ahora medicinas para su enfermedad del corazón?

```
            |      Freq.     Percent        Cum.
------------+-----------------------------------
      1.Yes |        460        2.69        2.69
       2.No |        213        1.24        3.93
       8.RF |          1        0.01        3.94
          .s |     16,440       96.06      100.00
------------+-----------------------------------
      Total |     17,114      100.00
```

Skip (n=16,440) if C22a = 2, 8, or 9

c25a_18 Does this heart problem limit your daily activities such as household chores or your job?
¿Este problema del corazón le limita sus actividades normales tales como las labores del hogar o su trabajo?

```
            |      Freq.     Percent        Cum.
------------+-----------------------------------
      1.Yes |        239        1.40        1.40
       2.No |        364        2.13        3.52
       8.RF |          1        0.01        3.53
          .p |      1,328        7.76       11.29
          .s |     15,182       88.71      100.00
------------+-----------------------------------
      Total |     17,114      100.00
```

Skip (n=15,182) if C22a = 2, 8, or 9 (Direct, follow-up and new sample)

c25b_18 Has a doctor or medical personnel ever told you that you have had heart failure/cardiac failure/congestive heart failure, arrhythmia, or angina?
¿Alguna vez le ha dicho un doctor o personal médico que usted ha tenido: falla cardiaca/insu ciencia cardiaca/falla congestiva del corazón, arritmia, o angina?

	Freq.	Percent	Cum.
1.Yes	1,239	7.24	7.24
2.No	15,815	92.41	99.65
8.RF	28	0.16	99.81
9.DK	32	0.19	100.00
Total	17,114	100.00	

c26_18 Has a doctor or medical personnel ever told you that you had a stroke, possible stroke or transient ischemic attack (TIA)?
¿Alguna vez le ha dicho un doctor o personal médico que usted ha tenido una embolia cerebral, derrame cerebral o isquemia cerebral transitoria?

	Freq.	Percent	Cum.
1.Yes	437	2.55	2.55
2.No	16,668	97.39	99.95
8.RF	4	0.02	99.97
9.DK	5	0.03	100.00
Total	17,114	100.00	

c27_1_18 Because of your stroke do you have… weakness in the arms and/or legs, or the capacity to move them has diminished?
Debido a la embolia ¿tiene usted… debilidad en los brazos y/o las piernas o ha disminuído su capacidad de moverlas o usarlas?

	Freq.	Percent	Cum.
1.Yes	300	1.75	1.75
2.No	137	0.80	2.55
.s	16,677	97.45	100.00
Total	17,114	100.00	

Skip (n=16,677) if C26 = 2, 8, or 9

c27_2_18 Because of your stroke do you have… difficulties when speaking or eating?
Debido a la embolia ¿tiene usted… dificultad en hablar o en comer?

	Freq.	Percent	Cum.
1.Yes	166	0.97	0.97
2.No	270	1.58	2.55
8.RF	1	0.01	2.55
.s	16,677	97.45	100.00
Total	17,114	100.00	

Skip (n=16,677) if C26 = 2, 8, or 9

c27_3_18 Because of your stroke do you have… difficulties with sight or vision?
Debido a la embolia ¿tiene usted… dificultad con la vista o visión?

	Freq.	Percent	Cum.
1.Yes	213	1.24	1.24
2.No	223	1.30	2.55
8.RF	1	0.01	2.55
.s	16,677	97.45	100.00
Total	17,114	100.00	

Skip (n=16,677) if C26 = 2, 8, or 9

c27_4_18 Because of your stroke do you have… difficulties when thinking or saying what you want?
Debido a la embolia ¿tiene usted… dificultad en pensar o en decir lo que quiere?

	Freq.	Percent	Cum.
1.Yes	194	1.13	1.13
2.No	240	1.40	2.54
8.RF	2	0.01	2.55
9.DK	1	0.01	2.55
.s	16,677	97.45	100.00
Total	17,114	100.00	

Skip (n=16,677) if C26 = 2, 8, or 9

c28_18 Are you currently taking any medications because of your stroke or for complications due to the stroke?
¿Está usted tomando ahora medicinas debido a la embolia cerebral o por complicaciones de ésta?

	Freq.	Percent	Cum.
1.Yes	239	1.40	1.40
2.No	197	1.15	2.55
8.RF	1	0.01	2.55
.s	16,677	97.45	100.00
Total	17,114	100.00	

Skip (n=16,677) if C26 = 2, 8, or 9

c29_18 Are you doing physical therapy or rehabilitation because of the stroke or the complications that resulted from the stroke?
¿Está usted recibiendo terapia o rehabilitación a causa de la embolia o las complicaciones que resultaron de ésta?

	Freq.	Percent	Cum.
1.Yes	89	0.52	0.52
2.No	347	2.03	2.55
8.RF	1	0.01	2.55
.s	16,677	97.45	100.00
Total	17,114	100.00	

Skip (n=16,677) if C26 = 2, 8, or 9

c30_1_18 In what year did you have your (most recent) stroke?
¿En qué año tuvo su embolia (más reciente)?

	Freq.	Percent	Cum.
1918	1	0.01	0.01
1967	1	0.01	0.01
1973	1	0.01	0.02
1979	1	0.01	0.02
1980	2	0.01	0.04
1984	1	0.01	0.04
1986	1	0.01	0.05
1987	2	0.01	0.06
1990	1	0.01	0.06
1991	1	0.01	0.07
1993	1	0.01	0.08
1994	2	0.01	0.09
1995	1	0.01	0.09
1996	1	0.01	0.10
1998	1	0.01	0.11
1999	2	0.01	0.12
2000	7	0.04	0.16
2001	2	0.01	0.17
2003	8	0.05	0.22
2004	5	0.03	0.25
2005	5	0.03	0.27
2006	7	0.04	0.32
2007	6	0.04	0.35
2008	8	0.05	0.40
2009	5	0.03	0.43
2010	8	0.05	0.47
2011	10	0.06	0.53
2012	16	0.09	0.63
2013	24	0.14	0.77
2014	21	0.12	0.89
2015	39	0.23	1.12
2016	47	0.27	1.39
2017	50	0.29	1.68
2018	43	0.25	1.93
8888.RF	8	0.05	1.98
9999.DK	8	0.05	2.03
.	90	0.53	2.55
.s	16,677	97.45	100.00
Total	17,114	100.00	

Skip (n=16,677) if C26 = 2, 8, or 9
Provided age (n=90) in C30_2, but not year in C30_1

c30_2_18 At about what age did you have your (most recent) stroke?
¿En qué edad tuviste su embolia (más reciente)?

Variable	Obs	Mean	Std. Dev.	Min	Max
c30_2_18	90	53.01111	19.43037	1	90

Skip (n=16,677) if C26 = 2, 8, or 9
Provided year (n=331) in C30_1, but not age in C30_2

	Freq.	Percent	Cum.
.s	16,677	100.00	100.00
Total	16,677	100.00	

c31_18 Has this stroke limited your daily activities such as household chores or your job?
¿Esta embolia le ha limitado sus actividades normales tales como las labores del hogar o su trabajo?

	Freq.	Percent	Cum.
1.Yes	162	0.95	0.95
2.No	155	0.91	1.85
8.RF	1	0.01	1.86
.p	1,328	7.76	9.62
.s	15,468	90.38	100.00
Total	17,114	100.00	

Skip (n=15,468) if C26 = 2, 8, or 9 (Direct, follow-up and new sample)

c32_18 Has a doctor or medical personnel ever diagnosed you with arthritis or rheumatism?
¿Alguna vez le ha dicho un doctor o personal médico que usted tiene artritis o reumatismo?

	Freq.	Percent	Cum.
1.Yes	2,034	11.89	11.89
2.No	15,058	87.99	99.87
8.RF	5	0.03	99.90
9.DK	17	0.10	100.00
Total	17,114	100.00	

c33_18 Do you feel pain, stiffness, or swelling in your joints?
¿Siente dolor, rigidez o hinchazón de las articulaciones o coyunturas?

	Freq.	Percent	Cum.
1.Yes	1,810	10.58	10.58
2.No	224	1.31	11.89
.s	15,080	88.11	100.00
Total	17,114	100.00	

Skip (n=15,080) if C32 = 2, 8, or 9

c34_18 Are you taking medication or are you receiving other treatment for your arthritis or rheumatism?
¿Está tomando medicinas o está recibiendo otro tratamiento para su artritis o reumatismo?

	Freq.	Percent	Cum.
1.Yes	1,253	7.32	7.32
2.No	776	4.53	11.86
8.RF	2	0.01	11.87
9.DK	3	0.02	11.89
.s	15,080	88.11	100.00
Total	17,114	100.00	

Skip (n=15,080) if C32 = 2, 8, or 9

c35_18 Are your daily activities such as household chores or your job limited because of your arthritis?
¿Están limitadas a veces sus actividades normales tales como las labores del hogar o su trabajo por la artritis o reumatismo?

	Freq.	Percent	Cum.
1.Yes	985	5.76	5.76
2.No	890	5.20	10.96
8.RF	1	0.01	10.96
.p	1,328	7.76	18.72
.s	13,910	81.28	100.00
Total	17,114	100.00	

Skip (n=13,910) if C32 = 2, 8, or 9 (Direct, follow-up and new sample)

c36_1_18 In the last 2 years, has a doctor or medical personnel told you that you have… kidney infection?
En los últimos dos años, ¿le ha dicho un doctor o personal médico que usted tenía… infección del hígado?

	Freq.	Percent	Cum.
1.Yes	439	2.57	2.57
2.No	16,616	97.09	99.66
8.RF	24	0.14	99.80
9.DK	35	0.20	100.00
Total	17,114	100.00	

c36_2_18 In the last 2 years, has a doctor or medical personnel told you that you have… liver infection?
En los últimos dos años, ¿le ha dicho un doctor o personal médico que usted tenía… infección del riñón?

	Freq.	Percent	Cum.
1.Yes	1,814	10.60	10.60
2.No	15,245	89.08	99.68
8.RF	22	0.13	99.81
9.DK	33	0.19	100.00
Total	17,114	100.00	

c36_3_18 In the last 2 years, has a doctor or medical personnel told you that you have… tuberculosis?
En los últimos dos años, ¿le ha dicho un doctor o personal médico que usted tenía… tuberculosis?

	Freq.	Percent	Cum.
1.Yes	77	0.45	0.45
2.No	16,985	99.25	99.70
8.RF	23	0.13	99.83
9.DK	29	0.17	100.00
Total	17,114	100.00	

c36_4_18 In the last 2 years, has a doctor or medical personnel told you that you have… pneumonia?
En los últimos dos años, ¿le ha dicho un doctor o personal médico que usted tenía… neumonía?

	Freq.	Percent	Cum.
1.Yes	332	1.94	1.94
2.No	16,730	97.76	99.70
8.RF	22	0.13	99.82
9.DK	30	0.18	100.00
Total	17,114	100.00	

c36_5_18 In the last 2 years, has a doctor or medical personnel told you that you have… herpes or herpes zoster?
En los últimos dos años, ¿le ha dicho un doctor o personal médico que usted tenía… herpes o herpes zoster?

	Freq.	Percent	Cum.
1.Yes	307	1.79	1.79
2.No	16,751	97.88	99.67
8.RF	24	0.14	99.81
9.DK	32	0.19	100.00
Total	17,114	100.00	

c37_18 Have you fallen down in the last two years?
¿Se ha caído en los últimos dos años?

	Freq.	Percent	Cum.
1.Yes	6,994	40.87	40.87
2.No	10,110	59.07	99.94
8.RF	1	0.01	99.95
9.DK	9	0.05	100.00
Total	17,114	100.00	

c38_18 Approximately how many times has this happened?
¿Como cuántas veces ha ocurrido esto?

Variable	Obs	Mean	Std. Dev.	Min	Max
c38_18	6,938	2.800519	3.726561	1	98

	Freq.	Percent	Cum.
88.RF	4	0.04	0.04
99.DK	52	0.51	0.55
.s	10,120	99.45	100.00
Total	10,176	100.00	

Skip (n=10,120) if C37 = 2, 8, or 9

c39_18 Have you hurt yourself in these falls badly enough to need medical treatment?
¿Se lastimó en esa(s) caída(s) de tal manera que necesitó tratamiento médico?

	Freq.	Percent	Cum.
1.Yes	2,708	15.82	15.82
2.No	4,283	25.03	40.85
8.RF	3	0.02	40.87
.s	10,120	59.13	100.00
Total	17,114	100.00	

Skip (n=10,120) if C37 = 2, 8, or 9

c40b_18 In the last 2 years, have you fractured any bone(s) including your hip?
En los últimos 2 años ¿se ha fracturado algún(os) hueso(s) incluyendo la cadera?

	Freq.	Percent	Cum.
1.No, none	15,621	91.28	91.28
2.Yes, the hip	476	2.78	94.06
3.Yes, the hip and other bone(s)	65	0.38	94.44
4.Yes, other bone(s)	942	5.50	99.94
8.RF	6	0.04	99.98
9.DK	4	0.02	100.00
Total	17,114	100.00	

c41_18 Do you usually wear glasses?
¿Normalmente usa usted lentes?

	Freq.	Percent	Cum.
1.Yes	9,555	55.83	55.83
2.No	7,555	44.15	99.98
8.RF	3	0.02	99.99
9.DK	1	0.01	100.00
Total	17,114	100.00	

c42_18 How is your vision (with glasses)? Is it…?
¿Cómo es su visión (con lentes)? ¿Es…?

	Freq.	Percent	Cum.
1.Excellent	910	5.32	5.32
2.Very good	1,366	7.98	13.30
3.Good	5,879	34.35	47.65
4.Fair	6,447	37.67	85.32
5.Poor	1,097	6.41	91.73
6.Legally blind	49	0.29	92.02
8.RF	13	0.08	92.09
9.DK	25	0.15	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c43_18 Do you normally use a hearing aid or auditory device?
¿Normalmente usa usted audífono o aparato auditivo?

	Freq.	Percent	Cum.
1.Yes	384	2.24	2.24
2.No	16,724	97.72	99.96
8.RF	5	0.03	99.99
9.DK	1	0.01	100.00
Total	17,114	100.00	

c44_18 How is you hearing/auditory range (using hearing aid or auditory device)?
¿Cómo es su alcance de oído/audición (con aparato si normalmente lo usa)?

	Freq.	Percent	Cum.
1.Excellent	1,215	7.10	7.10
2.Very good	1,861	10.87	17.97
3.Good	7,310	42.71	60.69
4.Fair	4,757	27.80	88.48
5.Poor	619	3.62	92.10
6.Legally deaf	5	0.03	92.13
8.RF	12	0.07	92.20
9.DK	7	0.04	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c45_18 Do you often suffer from pain?
¿Sufre de dolor físico a menudo?

	Freq.	Percent	Cum.
1.Yes	6,218	36.33	36.33
2.No	9,561	55.87	92.20
8.RF	6	0.04	92.23
9.DK	1	0.01	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c46_18 How is the pain the majority of the time?
¿Cómo es el dolor físico la mayor parte del tiempo...

	Freq.	Percent	Cum.
1.Mild	2,101	12.28	12.28
2.Moderate	2,676	15.64	27.91
3.Severe	1,441	8.42	36.33
.p	1,328	7.76	44.09
.s	9,568	55.91	100.00
Total	17,114	100.00	

Skip (n=9,568) if C45 = 2, 8, or 9 (Direct, follow-up and new sample)

c47_18 Does this pain limit your usual activities such as household chores or your job?
¿Este dolor le limita sus actividades normales como las labores del hogar o el trabajo?

	Freq.	Percent	Cum.
1.Yes	2,895	16.92	16.92
2.No	3,322	19.41	36.33
8.RF	1	0.01	36.33
.p	1,328	7.76	44.09
.s	9,568	55.91	100.00
Total	17,114	100.00	

Skip (n=9,568) if C45 = 2, 8, or 9 (Direct, follow-up and new sample)

c48a_18 In the last two years, have you had any of the following exams or medical procedures? – Colonoscopy sigmoidoscopy or other test to detect colon cancer
En los últimos dos años ¿ha tenido alguna de las siguientes pruebas o procedimientos médicos? - Colonoscopia, sigmoidoscopia u otra prueba para la detección del cáncer de colon

	Freq.	Percent	Cum.
1.Yes	1,307	7.64	7.64
2.No	15,739	91.97	99.60
8.RF	16	0.09	99.70
9.DK	52	0.30	100.00
Total	17,114	100.00	

c48b_18 In the last two years, have you had any of the following exams or medical procedures? – Cholesterol blood test
En los últimos dos años ¿ha tenido alguna de las siguientes pruebas o procedimientos médicos? - Análisis de sangre para el colesterol

	Freq.	Percent	Cum.
1.Yes	11,269	65.85	65.85
2.No	5,800	33.89	99.74
8.RF	14	0.08	99.82
9.DK	31	0.18	100.00
Total	17,114	100.00	

c48c_18 In the last two years, have you had any of the following exams or medical procedures? – Tuberculosis test
En los últimos dos años ¿ha tenido alguna de las siguientes pruebas o procedimientos médicos? - Prueba para la tuberculosis

	Freq.	Percent	Cum.
1.Yes	2,492	14.56	14.56
2.No	14,495	84.70	99.26
8.RF	22	0.13	99.39
9.DK	105	0.61	100.00
Total	17,114	100.00	

c48d_18 In the last two years, have you had any of the following exams or medical procedures? – Diabetes test
En los últimos dos años ¿ha tenido alguna de las siguientes pruebas o procedimientos médicos? - Prueba para la diabetes

	Freq.	Percent	Cum.
1.Yes	12,169	71.11	71.11
2.No	4,906	28.67	99.77
8.RF	10	0.06	99.83
9.DK	29	0.17	100.00
Total	17,114	100.00	

c48e_18 In the last two years, have you had any of the following exams or medical procedures? – Hypertension or blood pressure test
En los últimos dos años ¿ha tenido alguna de las siguientes pruebas o procedimientos médicos? - Prueba para la hipertensión o presión alta

	Freq.	Percent	Cum.
1.Yes	12,156	71.03	71.03
2.No	4,929	28.80	99.83
8.RF	9	0.05	99.88
9.DK	20	0.12	100.00
Total	17,114	100.00	

c48f_18 In the last two years, have you had any of the following exams or medical procedures? – Flu vaccine

En los últimos dos años ¿ha tenido alguna de las siguientes pruebas o procedimientos médicos? - Vacuna contra la influenza

	Freq.	Percent	Cum.
1.Yes	9,292	54.29	54.29
2.No	7,758	45.33	99.63
8.RF	10	0.06	99.68
9.DK	54	0.32	100.00
Total	17,114	100.00	

c48g_18 In the last two years, have you had any of the following exams or medical procedures? – Pneumonia vaccine

En los últimos dos años ¿ha tenido alguna de las siguientes pruebas o procedimientos médicos? - Vacuna contra la neumonía

	Freq.	Percent	Cum.
1.Yes	3,408	19.91	19.91
2.No	13,485	78.80	98.71
8.RF	26	0.15	98.86
9.DK	195	1.14	100.00
Total	17,114	100.00	

c48h_18 In the last two years, have you had any of the following exams or medical procedures? – Monthly self-breast exam

En los últimos dos años ¿ha tenido alguna de las siguientes pruebas o procedimientos médicos? - Se examina los senos cada mes para detector nudos o bultos

	Freq.	Percent	Cum.
1.Yes	5,658	33.06	33.06
2.No	3,537	20.67	53.73
8.RF	17	0.10	53.83
9.DK	18	0.11	53.93
.p	1,328	7.76	61.69
.s	6,556	38.31	100.00
Total	17,114	100.00	

Skip (n=6,556) if respondent is male (Direct, follow-up and new sample)

c48i_18 In the last two years, have you had any of the following exams or medical procedures? – Had you had a mammogram or x-ray to check for breast cancer
En los últimos dos años ¿ha tenido alguna de las siguientes pruebas o procedimientos médicos? - Le han hecho una mamografía o una radiografía de los senos para detectar cáncer

	Freq.	Percent	Cum.
1.Yes	4,958	28.97	28.97
2.No	4,240	24.78	53.75
8.RF	16	0.09	53.84
9.DK	16	0.09	53.93
.p	1,328	7.76	61.69
.s	6,556	38.31	100.00
Total	17,114	100.00	

Skip (n=6,556) if respondent is male (Direct, follow-up and new sample)

c48j_18 In the last two years, have you had any of the following exams or medical procedures? – Have you had a pap smear to check for uterine cancer
En los últimos dos años ¿ha tenido alguna de las siguientes pruebas o procedimientos médicos? - Le han hecho una prueba Papanicolaou para cáncer de la matriz

	Freq.	Percent	Cum.
1.Yes	5,359	31.31	31.31
2.No	3,826	22.36	53.67
8.RF	26	0.15	53.82
9.DK	19	0.11	53.93
.p	1,328	7.76	61.69
.s	6,556	38.31	100.00
Total	17,114	100.00	

Skip (n=6,556) if respondent is male (Direct, follow-up and new sample)

c48k_18 How old were you when you stopped menstruating?
¿Qué edad tenía usted cuando terminó de pasar por su menopausia, es decir, su última menstruación o regla?

Variable	Obs	Mean	Std. Dev.	Min	Max
c48k_18	7,801	46.80182	7.013738	4	99

(Excluding RF/Still menstruates/DK=888/997/999)

	Freq.	Percent	Cum.
888.RF	45	0.48	0.48
997.Still menstruates	952	10.22	10.71
999.DK	432	4.64	15.34
.p	1,328	14.26	29.60
.s	6,556	70.40	100.00
Total	9,313	100.00	

Skip (n=6,556) if respondent is male (Direct, follow-up and new sample)

c48k1_18 Were you…?
¿Tenía usted…?

	Freq.	Percent	Cum.
1.Less than 45 years old	118	0.69	0.69
2.About 50 years old	217	1.27	1.96
3.More than 55 years old	34	0.20	2.16
8.RF	28	0.16	2.32
9.DK	80	0.47	2.79
.p	1,328	7.76	10.55
.s	15,309	89.45	100.00
Total	17,114	100.00	

Skip (n=6,556) if respondent is male (Direct, follow-up and new sample)
Provided age (n=7,801) in C48k
Skip (n=952) if C48k = 997

c48l_18 Have you had a hysterectomy, that is surgery to remove the womb (uterus) and ovaries, or womb (uterus) only?
¿Le han hecho una histerectomía, es decir una cirugía para quitarle la matriz (útero) y ovarios, o la matriz (útero) solamente?

	Freq.	Percent	Cum.
1.Yes	1,767	10.32	10.32
2.No	7,422	43.37	53.69
8.RF	17	0.10	53.79
9.DK	24	0.14	53.93
.p	1,328	7.76	61.69
.s	6,556	38.31	100.00
Total	17,114	100.00	

Skip (n=6,556) if respondent is male (Direct, follow-up and new sample)

c48m_18 In the last 2 years, have you had a rectal exam or blood test to screen for prostate cancer?
En los dos últimos años, ¿le han hecho una prueba de tacto rectal o prueba de sangre para cáncer de próstata?

	Freq.	Percent	Cum.
1.Yes	1,854	10.83	10.83
2.No	4,548	26.57	37.41
3.Already had operation	129	0.75	38.16
8.RF	11	0.06	38.23
9.DK	14	0.08	38.31
.p	1,328	7.76	46.07
.s	9,230	53.93	100.00
Total	17,114	100.00	

Skip (n=9,230) if respondent is female (Direct, follow-up and new sample)

c49_1_18 These questions refer to how you have felt during the past week. For each question please tell me if the majority of the time… have you felt depressed?
Estas preguntas se refieren a cómo se ha sentido usted durante la semana pasada. Para cada pregunta, por favor dígame si la mayor parte del tiempo… se ha sentido deprimido?

	Freq.	Percent	Cum.
1.Yes	5,065	29.60	29.60
2.No	10,705	62.55	92.15
8.RF	8	0.05	92.19
9.DK	8	0.05	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c49_2_18 Everything you did was difficult to do?
Ha sentido que todo lo que hacía era un esfuerzo?

	Freq.	Percent	Cum.
1.Yes	5,181	30.27	30.27
2.No	10,580	61.82	92.09
8.RF	12	0.07	92.16
9.DK	13	0.08	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c49_3_18 Had restless sleep?
Ha sentido que su sueño era intranquilo?

	Freq.	Percent	Cum.
1.Yes	6,551	38.28	38.28
2.No	9,218	53.86	92.14
8.RF	12	0.07	92.21
9.DK	5	0.03	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c49_4_18 Felt happy?
Se ha sentido feliz?

	Freq.	Percent	Cum.
1.Yes	12,678	74.08	74.08
2.No	3,064	17.90	91.98
8.RF	26	0.15	92.14
9.DK	18	0.11	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c49_5_18 Felt alone?
Se ha sentido solo?

	Freq.	Percent	Cum.
1.Yes	4,606	26.91	26.91
2.No	11,153	65.17	92.08
8.RF	15	0.09	92.17
9.DK	12	0.07	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c49_6_18 Felt you enjoyed life?
Ha sentido que disfrutaba de la vida?

	Freq.	Percent	Cum.
1.Yes	12,306	71.91	71.91
2.No	3,429	20.04	91.94
8.RF	20	0.12	92.06
9.DK	31	0.18	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c49_7_18 Felt sad?
Se ha sentido triste?

	Freq.	Percent	Cum.
1.Yes	6,069	35.46	35.46
2.No	9,691	56.63	92.09
8.RF	18	0.11	92.19
9.DK	8	0.05	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c49_8_18 Felt tired?
Se ha sentido cansado?

	Freq.	Percent	Cum.
1.Yes	9,165	53.55	53.55
2.No	6,602	38.58	92.13
8.RF	12	0.07	92.20
9.DK	7	0.04	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c49_9_18 Felt very energetic?
Ha sentido que tenía mucha energía?

	Freq.	Percent	Cum.
1.Yes	7,305	42.68	42.68
2.No	8,433	49.28	91.96
8.RF	21	0.12	92.08
9.DK	27	0.16	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c50a_18 In the last 2 years, have you ever felt sad, blue, or depressed for more than two weeks in a row?
En los últimos dos años, ¿Alguna vez se sintió usted triste, bajo(a) de ánimos, o deprimido(a) por dos o más semanas seguidas?

	Freq.	Percent	Cum.
1.Yes	4,279	25.00	25.00
2.No	11,494	67.16	92.16
8.RF	6	0.04	92.20
9.DK	7	0.04	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c50b_18 On average during the last two years, have you exercised or done hard physical work three or more times per weeks in a row?
En promedio durante los últimos dos años, ¿ha hecho ejercicio o trabajo físico pesado tres veces por semana o más?

	Freq.	Percent	Cum.
1.Yes	5,504	32.16	32.16
2.No	10,268	60.00	92.16
8.RF	8	0.05	92.21
9.DK	6	0.04	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c51_18 Have you ever smoked cigarettes?
¿Alguna vez ha fumado cigarros?

	Freq.	Percent	Cum.
1.Yes	6,300	36.81	36.81
2.No	10,800	63.11	99.92
8.RF	5	0.03	99.95
9.DK	9	0.05	100.00
Total	17,114	100.00	

c52_1_18 About how old were you when you started smoking? (Age)
¿Cuántos años tenía cuando comenzó a fumar? (Edad)

Variable	Obs	Mean	Std. Dev.	Min	Max
c52_1_18	5,682	19.51267	8.619983	1	99

(Excluding DK=888,999)

Skip (n=9,927) if C51 = 2, 8, or 9 (Direct, follow-up and new sample)
Provided year he/she started smoking (n=45) in c52_2_18, but not age in c52_1_18
Provided years ago he/she started smoking (n=91) in c52_3_18, but not age or year in c52_1_18/c52_2_18

	Freq.	Percent	Cum.
888.RF	60	0.53	0.53
.p	1,328	11.74	12.27
.s	9,927	87.73	100.00
Total	11,315	100.00	

c52_2_18 What year was it when you started smoking? (Year)
¿En qué año fue cuando empezó a fumar? (Año)

	Freq.	Percent	Cum.
1950	1	0.01	0.01
1955	1	0.01	0.01
1970	5	0.03	0.04
1972	2	0.01	0.05
1975	2	0.01	0.06
1978	1	0.01	0.07
1980	1	0.01	0.08
1982	1	0.01	0.08
1983	3	0.02	0.10
1984	1	0.01	0.11
1985	1	0.01	0.11
1988	1	0.01	0.12
1989	1	0.01	0.12
1991	1	0.01	0.13
1992	1	0.01	0.13
1994	1	0.01	0.14
1996	1	0.01	0.15
1998	1	0.01	0.15
1999	1	0.01	0.16
2000	1	0.01	0.16
2002	1	0.01	0.17
2003	1	0.01	0.18
2004	1	0.01	0.18
2005	1	0.01	0.19
2006	1	0.01	0.19
2007	1	0.01	0.20
2008	2	0.01	0.21
2012	1	0.01	0.22
2013	2	0.01	0.23
2015	2	0.01	0.24
2016	3	0.02	0.26
2018	1	0.01	0.26
.	5,814	33.97	34.24

.p	1,328	7.76	41.99
.s	9,927	58.01	100.00
Total	17,114	100.00	

Skip (n=9,927) if C51 = 2, 8, or 9 (Direct, follow-up and new sample)
Provided age he/she started smoking (n=5,742) in c52_1_18, but not year in c52_2_18
Provided years ago he/she started smoking (n=72) in c52_3_18, but not year or age in c52_2_18/c52_1_18

c52_3_18 How many years ago did you start smoking? (Number or years)
¿Cuántos años hace que empezó a fumar? (Número de años)

Variable	Obs	Mean	Std. Dev.	Min	Max
c52_3_18	72	19.97222	9.126609	1	49
(Excluding RF/DK=88/99)					

Skip (n=9,927) if C51 = 2, 8, or 9 (Direct, follow-up and new sample)
Provided age he/she started smoking (n=5,663) in c52_1_18, but not years age in c52_3_18
Provided year he/she started smoking (n=45) in c52_2_18, but not years ago she/he started smoking years or age in c52_3_18/c52_1_18

	Freq.	Percent	Cum.
.	5,787	33.96	33.96
.p	1,328	7.79	41.75
.s	9,927	58.25	100.00
Total	17,042	100.00	

c53_18 Have you smoked cigarettes in the last two years?
¿Fumó usted cigarros en los últimos dos años?

	Freq.	Percent	Cum.
1.Yes	2,119	12.38	12.38
2.No	3,738	21.84	34.22
8.RF	2	0.01	34.24
.p	1,328	7.76	41.99
.s	9,927	58.01	100.00
Total	17,114	100.00	

Skip (n=9,927) if C51 = 2, 8, or 9 (Direct, follow-up and new sample)

c54_18 Do you smoke cigarettes now?
¿Fuma cigarros actualmente?

	Freq.	Percent	Cum.
1.Yes	1,960	11.45	11.45
2.No	598	3.49	14.95
9.DK	2	0.01	14.96
.s	14,554	85.04	100.00

```
      Total |     17,114      100.00

Skip (n=10,814) if C51 = 2, 8, 9
Skip (n=3,740) if C53 = 2, 8, 9
```

c55_18 How often do you smoke?
¿Qué tan a menudo fuma usted?

```
               |      Freq.     Percent        Cum.
---------------+-----------------------------------
    1.Everyday |      1,266        7.40        7.40
2.Not everyday |        694        4.06       11.45
            .s |     15,154       88.55      100.00
---------------+-----------------------------------
         Total |     17,114      100.00

Skip (n=10,814) if C51 = 2, 8, 9
Skip (n=3,740) if C53 = 2, 8, 9
Skip (n=600) if C54 = 2, 8, 9
```

c56_18 About how many cigarettes or packs do you usually smoke in a day?
¿Cuántos cigarros fuma usted normalmente al día?

```
    Variable |        Obs        Mean    Std. Dev.       Min        Max
-------------+---------------------------------------------------------
      c56_18 |      1,263    7.979414    7.509184          1         87
             (Excluding DK=99)

Skip (n=10,814) if C51 = 2, 8, 9
Skip (n=3,740) if C53 = 2, 8, 9
Skip (n=600) if C54 = 2, 8, 9
Skip (n=694) if C55 = 2, 8, 9

                         |      Freq.     Percent        Cum.
-------------------------+-----------------------------------
                  88.RF |          2        0.01        0.01
                  99.DK |          1        0.01        0.02
                     .s |     15,848       99.98      100.00
-------------------------+-----------------------------------
                  Total |     15,851      100.00
```

c57_18 When you were smoking the most, about how many cigarettes or packs did you usually smoke in a day?
Cuando más fumaba usted ¿cuántos cigarros se fumaba en un día?

```
    Variable |        Obs        Mean    Std. Dev.       Min        Max
-------------+---------------------------------------------------------
      c57_18 |      3,977    9.522756    11.37216          0         83
      (Excluding 87 or more/RF/DK=87/88/99)

Skip (n=9,927) if C51 = 2, 8, 9 (Direct, follow-up and new sample)
Skip (n=1,842) if C54 = 1 (Direct, follow-up and new sample)
```

	Freq.	Percent	Cum.
87.87 or more cigarettes	6	0.05	0.05
88.RF	6	0.05	0.09
99.DK	28	0.21	0.30
.p	1,328	10.11	10.41
.s	11,769	89.59	100.00
Total	13,137	100.00	

c58_1_18 About how many years ago did you stop smoking? (Number of years)
¿Hace cuántos años dejó de fumar? (Número de años)

Variable	Obs	Mean	Std. Dev.	Min	Max
c58_1_18	3,192	21.79229	14.19391	1	82

(Excluding RF/DK=88/99)

Skip (n=9,927) if C51 = 2, 8, or 9 (Direct, follow-up and new sample)
Skip (n=1,842) if C54 = 1 (Direct, follow-up and new sample)
Provided year he/she stopped smoking (n=252) in c58_2_18, but not number of years ago he/she stopped smoking in c58_1_18
Provided age he/she stopped smoking (n=499) in c58_3_18, but not number of years ago he/she stopped smoking or year in c58_1_18/c58_2_18

	Freq.	Percent	Cum.
88.RF	8	0.06	0.06
99.DK	66	0.47	0.53
.	751	5.39	5.93
.p	1,328	9.54	15.46
.s	11,769	84.52	100.00
Total	13,922	100.00	

c58_2_18 What year did you stop smoking? (Year)
¿En qué año dejó de fumar? (Año)

	Freq.	Percent	Cum.
1960	3	0.02	0.02
1961	1	0.01	0.02
1964	1	0.01	0.03
1968	2	0.01	0.04
1971	3	0.02	0.06
1972	2	0.01	0.07
1975	5	0.03	0.10
1976	5	0.03	0.13
1978	1	0.01	0.13
1979	2	0.01	0.15
1980	10	0.06	0.20
1981	3	0.02	0.22
1982	5	0.03	0.25
1983	2	0.01	0.26
1984	6	0.04	0.30
1985	7	0.04	0.34
1986	1	0.01	0.34
1987	3	0.02	0.36

1988	3	0.02	0.38
1989	1	0.01	0.39
1990	7	0.04	0.43
1991	1	0.01	0.43
1992	4	0.02	0.46
1993	4	0.02	0.48
1994	8	0.05	0.53
1995	3	0.02	0.54
1996	4	0.02	0.57
1997	3	0.02	0.58
1998	6	0.04	0.62
1999	2	0.01	0.63
2000	8	0.05	0.68
2001	8	0.05	0.72
2002	3	0.02	0.74
2003	7	0.04	0.78
2004	3	0.02	0.80
2005	1	0.01	0.81
2006	1	0.01	0.81
2007	5	0.03	0.84
2008	7	0.04	0.88
2009	3	0.02	0.90
2010	8	0.05	0.95
2011	3	0.02	0.96
2012	5	0.03	0.99
2013	5	0.03	1.02
2014	6	0.04	1.06
2015	9	0.05	1.11
2016	7	0.04	1.15
2017	19	0.11	1.26
2018	36	0.21	1.47
.	3,765	22.00	23.47
.p	1,328	7.76	31.23
.s	11,769	68.77	100.00
Total	17,114	100.00	

Skip (n=9,927) if C51 = 2, 8, or 9 (Direct, follow-up and new sample)
Skip (n=1,842) if C54 = 1 (Direct, follow-up and new sample)
Provided number of years ago he/she stopped smoking (n=3,266) in c58_1_18, but not year in c58_2_18
Provided age he/she stopped smoking (n=499) in c58_3_18, but not year or number ago he/she stopped smoking in c58_2_18/c58_1_18

c58_3_18 At what age did you stop smoking?
¿A qué edad dejó de fumar?

Variable	Obs	Mean	Std. Dev.	Min	Max
c58_3_18	499	31.04008	14.31945	7	85

Skip (n=9,927) if C51 = 2, 8, or 9 (Direct, follow-up and new sample)
Skip (n=1,842) if C54 = 1 (Direct, follow-up and new sample)
Provided number of years he/she stopped smoking (n=3,266) in c58_1_18, but not age inc58_3_18
Provided year he/she stopped smoking (n=252) in c58_2_18, but not age or number of years ago he/she stopped smoking in c58_3_18/c58_1_18

	Freq.	Percent	Cum.
.	3,518	21.17	21.17
.p	1,328	7.99	29.17
.s	11,769	70.83	100.00
Total	16,615	100.00	

c59a_18 Currently, do you ever drink any alcoholic beverages such as beer, wine, liquor, or pulque (drink made from fermented cactus sap)?
¿Actualmente toma bebidas alcohólicas como cerveza, vino, licor, o pulque?

	Freq.	Percent	Cum.
1.Yes	4,691	27.41	27.41
2.No	10,502	61.36	88.78
3.Never drank alcohol	1,912	11.17	99.95
8.RF	6	0.04	99.98
9.DK	3	0.02	100.00
Total	17,114	100.00	

c59b_18 In the last three months, about how many days a week have you had an alcoholic beverage?
En los últimos tres meses, ¿como cuántos días por semana ha tomado alguna bebida alcohólica?

Variable	Obs	Mean	Std. Dev.	Min	Max
c59b_18	3,292	2.100547	1.720673	1	7
(Excluding None/RF/DK=0/8/9)					

Skip (n=12,423) if C59a = 2, 3, 8 or 9

	Freq.	Percent	Cum.
0.None	1,315	9.51	9.51
8.RF	39	0.28	9.80
9.DK	45	0.33	10.12
.s	12,423	89.88	100.00
Total	13,822	100.00	

c59c_18 On the days that you drank alcoholic beverages in the last three months, about how many drinks did you have per day?
De los días en que tomó bebidas alcohólicas en los últimos tres meses ¿como cuántas bebidas tomó por día?

Variable	Obs	Mean	Std. Dev.	Min	Max
c59c_18	3,299	4.403456	5.997776	1	82
(Excluding RF/DK=88/99)					

Skip (n=12,423) if C59a = 2, 3, 8, or 9
Skip (n=1,315) if C59b = 0

	Freq.	Percent	Cum.
88.RF	33	0.24	0.24
99.DK	44	0.32	0.56
.s	13,738	99.44	100.00
Total	13,815	100.00	

c59d_18 In the last three months, on how many days have you had four or more drinks on one occasion?
En los últimos tres meses, ¿cuántos días tomó cuatro o más bebidas en una ocasión?

Variable	Obs	Mean	Std. Dev.	Min	Max
c59d_18	1,887	4.411765	6.794868	1	84

(Excluding 87 or more days/RF/DK=87/88/89)

Skip (n=12,423) if C59a = 2, 3, 8, or 9
Skip (n=1,315) if C59b = 0

	Freq.	Percent	Cum.
00.None	1,421	9.33	9.33
87.87 or more days	27	0.18	9.51
88.RF	13	0.09	9.59
99.DK	28	0.18	9.78
.s	13,738	90.22	100.00
Total	15,227	100.00	

c59e_18 During the last two years, have you had any alcoholic drinks such as beer, wine, liqour, or pulque (drink made from fermented cactus sap)?
Durante los últimos dos años ¿ha tomado usted bebidas alcohólicas como cerveza, vino, licor o pulque?

	Freq.	Percent	Cum.
1.Yes	2,083	12.17	12.17
2.No	7,519	43.93	56.11
8.RF	5	0.03	56.14
9.DK	8	0.05	56.18
.p	1,328	7.76	63.94
.s	6,171	36.06	100.00
Total	17,114	100.00	

Skip (n=4,423) if C59a = 1 (Direct, follow-up and new sample)
Skip (n=1,748) if C59a = 3 (Direct, follow-up and new sample)

c64_18 Compared with two years ago, your weight...
¿Comparado con hace dos años, usted pesa...

	Freq.	Percent	Cum.
1.Has increased 5 kilos/more	2,995	17.50	17.50
2.Has decreased 5 kilos/more	4,988	29.15	46.65
3.Has remained more or less the same	9,064	52.96	99.61
8.RF	3	0.02	99.63
9.DK	64	0.37	100.00
Total	17,114	100.00	

c65_18 In the last two years, have you changed your diet or your exercise habits in order to gain or lose weight?
En los últimos dos años, ¿ha cambiado su alimentación o sus hábitos de ejercicio para subir o bajar de peso?

	Freq.	Percent	Cum.
1.Yes	4,060	23.72	23.72
2.No	13,034	76.16	99.88
8.RF	9	0.05	99.94
9.DK	11	0.06	100.00
Total	17,114	100.00	

c66_18 About how much do you weigh now?
¿Como cuántos kilos pesa usted ahora?

Variable	Obs	Mean	Std. Dev.	Min	Max
c66_18	16,361	70.60155	14.29609	30	175

(Excluding RF/DK=888/999)

	Freq.	Percent	Cum.
888.RF	11	1.46	1.46
999.DK	742	98.54	100.00
Total	753	100.00	

c67_1_18 About how tall are you without shoes? - Meters
¿Como cuánto mide usted sin zapatos? - Metros

Variable	Obs	Mean	Std. Dev.	Min	Max
c67_1_18	15,561	1.000064	.0080164	1	2

(Excluding RF/DK=888/999)

	Freq.	Percent	Cum.
888.RF	26	1.67	1.67
999.DK	1,527	98.33	100.00
Total	1,553	100.00	

c67_2_18 About how tall are you without shoes? - Centimeters
¿Como cuánto mide usted sin zapatos? - Centímetros

Variable	Obs	Mean	Std. Dev.	Min	Max
c67_2_18	15,561	59.89082	10.29928	0	99

(Excluding RF/DK=88/99 if C67_1 = 8 or 9)

	Freq.	Percent	Cum.
888.RF	26	1.67	1.67
999.DK	1,527	98.33	100.00
Total	1,553	100.00	

c68a_18 During the last two years have you frequently had any of the following problems or inconveniences? – Frequent swelling in the feet or ankles
Durante los últimos dos años, ¿ha tenido alguno de los siguientes problemas o molestias frecuentemente? - Hinchazón frecuente en los pies o en los tobillos

	Freq.	Percent	Cum.
1.Yes	3,689	21.56	21.56
2.No	12,089	70.64	92.19
8.RF	6	0.04	92.23
9.DK	2	0.01	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c68b_18 During the last two years have you frequently had any of the following problems or inconveniences? – Difficulty breathing, panting or coughing, or phlegm
Durante los últimos dos años, ¿ha tenido alguno de los siguientes problemas o molestias frecuentemente? – Dificultad en respirar, jadeo o tos, o producción de flema

	Freq.	Percent	Cum.
1.Yes	2,771	16.19	16.19
2.No	13,007	76.00	92.19
8.RF	6	0.04	92.23
9.DK	2	0.01	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c68c_18 During the last two years have you frequently had any of the following problems or inconveniences? – Nausea or fainting

Durante los últimos dos años, ¿ha tenido alguno de los siguientes problemas o molestias frecuentemente? – Mareos o desmayos

	Freq.	Percent	Cum.
1.Yes	3,309	19.34	19.34
2.No	12,467	72.85	92.18
8.RF	7	0.04	92.22
9.DK	3	0.02	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c68d_18 During the last two years have you frequently had any of the following problems or inconveniences? – Extreme thirst

Durante los últimos dos años, ¿ha tenido alguno de los siguientes problemas o molestias frecuentemente? – Sed intensa

	Freq.	Percent	Cum.
1.Yes	1,969	11.51	11.51
2.No	13,805	80.66	92.17
8.RF	9	0.05	92.22
9.DK	3	0.02	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c68e_18 During the last two years have you frequently had any of the following problems or inconveniences? – Severe fatigue or exhaustion

Durante los últimos dos años, ¿ha tenido alguno de los siguientes problemas o molestias frecuentemente? – Fatiga severa o agotamiento serio

	Freq.	Percent	Cum.
1.Yes	2,996	17.51	17.51
2.No	12,777	74.66	92.16
8.RF	10	0.06	92.22
9.DK	3	0.02	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c68f_18 During the last two years have you frequently had any of the following problems or inconveniences? – Stomach pain, indigestion or diarrhea

Durante los últimos dos años, ¿ha tenido alguno de los siguientes problemas o molestias frecuentemente? – Dolor de estómago, indigestión, diarrea

	Freq.	Percent	Cum.
1.Yes	3,245	18.96	18.96
2.No	12,532	73.23	92.19
8.RF	7	0.04	92.23
9.DK	2	0.01	92.24
.p	1,328	7.76	100.00

Total	17,114	100.00

c68g_18 During the last two years have you frequently had any of the following problems or inconveniences? – Incontinence when coughing, sneezing, picking something up, or exercising

Durante los últimos dos años, ¿ha tenido alguno de los siguientes problemas o molestias frecuentemente? – pérdida involuntaria de orina, al hacer cosas como toser, estornudar, recoger cosas o hacer ejercicio

	Freq.	Percent	Cum.
1.Yes	2,682	15.67	15.67
2.No	13,088	76.48	92.15
8.RF	11	0.06	92.21
9.DK	5	0.03	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c68h_18 During the last two years have you frequently had any of the following problems or inconveniences? – Incontinence when had the urge to urinate, but couldn't reach the bathroom in time

Durante los últimos dos años, ¿ha tenido alguno de los siguientes problemas o molestias frecuentemente? – Pérdida involuntaria de orina, cuando tenía urgencia de orinar pero no pudo llegar al baño a tiempo

	Freq.	Percent	Cum.
1.Yes	2,601	15.20	15.20
2.No	13,169	76.95	92.15
8.RF	11	0.06	92.21
9.DK	5	0.03	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c68i_18 During the last two years have you frequently had any of the following problems or inconveniences? – Burning sensation when urinating

Durante los últimos dos años, ¿ha tenido alguno de los siguientes problemas o molestias frecuentemente? – Ardor o quemazón al orinar

	Freq.	Percent	Cum.
1.Yes	1,708	9.98	9.98
2.No	14,057	82.14	92.12
8.RF	16	0.09	92.21
9.DK	5	0.03	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c69a_18 How would you evaluate your hand strength (your dominant hand)? Would you say…?
¿Cómo evaluaría la fuerza de su mano (la que utiliza más)? ¿Diría que es…?

	Freq.	Percent	Cum.
1.Very strong	3,000	17.53	17.53
2.Somewhat strong	8,913	52.08	69.61
3.Somewhat weak	3,332	19.47	89.08
4.Very weak	529	3.09	92.17
8.RF	6	0.04	92.21
9.DK	6	0.04	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c69b_18 How often do you have difficulty with balance? Would you say…?
¿Qué tan seguido tiene usted dificultad en mantener su equilibrio/balance? ¿Diría que…?

	Freq.	Percent	Cum.
1.Often	1,237	7.23	7.23
2.Sometimes	3,131	18.29	25.52
3.Hardly ever	2,819	16.47	41.99
4.Never	8,566	50.05	92.05
8.RF	12	0.07	92.12
9.DK	21	0.12	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c70_18 In the last two years, have you eaten less because of loss of appetite, digestive problems, and difficulties chewing or swallowing?
En los últimos dos años, ¿ha comido menos por falta de apetito, problemas digestivos, dificultades para masticar o tragar?

	Freq.	Percent	Cum.
1.Most of the time	921	5.38	5.38
2.Sometimes	3,258	19.04	24.42
3.Hardly ever	11,591	67.73	92.15
8.RF	11	0.06	92.21
9.DK	5	0.03	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c70a_18 In the last two years, have you had difficulty eating because of problems with your teeth or false teeth?
En los últimos dos años, ¿ha tenido dificultades para comer por problemas con sus dientes o su dentadura postiza?

	Freq.	Percent	Cum.
1.Yes	1,748	10.21	10.21
2.No	2,425	14.17	24.38
8.RF	4	0.02	24.41
9.DK	2	0.01	24.42
.p	1,328	7.76	32.18
.s	11,607	67.82	100.00
Total	17,114	100.00	

Skip (n=11,607) if C70 = 3, 8, 9

c71a_18 Have you lost an extremity or part of your leg or arm due to an accident or sickness?
¿Le falta alguna extremidad o parte de sus piernas o brazos debido a un accidente o enfermedad?

	Freq.	Percent	Cum.
1.Yes	202	1.18	1.18
2.No	16,901	98.76	99.94
8.RF	7	0.04	99.98
9.DK	4	0.02	100.00
Total	17,114	100.00	

c71b_18 Did this loss occur in the last 2 years?
¿Ocurrió esta perdida en los últimos dos años?

	Freq.	Percent	Cum.
1.Yes	54	0.32	0.32
2.No	148	0.86	1.18
.s	16,912	98.82	100.00
Total	17,114	100.00	

Skip (n=16,912) if C71a = 2, 8, or 9

c72_18 Have you ever been told by a doctor or medical personnel that you suffer from a health problem caused by your job?
¿Alguna vez le ha dicho un doctor o personal médico que sufre de algún problema de salud causado por su actividad laboral?

	Freq.	Percent	Cum.
1.Yes	1,463	8.55	8.55
2.No	14,700	85.89	94.44
3.Never worked	929	5.43	99.87
8.RF	8	0.05	99.92
9.DK	14	0.08	100.00
Total	17,114	100.00	

c73_18 Due to sickness or injury, during the last 12 months, how many days did you stay in bed for at least half the day?
Debido a enfermedad o heridas, durante los últimos 12 meses, ¿como cuántos días se tuvo que quedar en cama por más de medio día?

Variable	Obs	Mean	Std. Dev.	Min	Max
c73_18	3,904	22.44775	61.1558	1	365

(Excluding None/RF/DK=0/888/999)

	Freq.	Percent	Cum.
000.None	13,159	99.61	99.61
888.RF	14	0.11	99.72
999.DK	37	0.28	100.00
Total	13,210	100.00	

c74a_18 How often do you have trouble falling asleep? Would you say…?
¿Con qué frecuencia tiene dificultad para quedarse dormido(a)? ¿Diría que…?

	Freq.	Percent	Cum.
1.Most of the time	2,013	11.76	11.76
2.Sometimes	4,424	25.85	37.61
3.Rarely or never	9,345	54.60	92.22
8.RF	3	0.02	92.23
9.DK	1	0.01	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c74b_18 How often do you have trouble with waking up during the night (after you have fallen asleep)? Would you say…?
¿Con qué frecuencia se despierta durante la noche después de que se quedó dormido? ¿Diría que…?

	Freq.	Percent	Cum.
1.Most of the time	2,638	15.41	15.41
2.Sometimes	7,090	41.43	56.84
3.Rarely or never	6,053	35.37	92.21
8.RF	3	0.02	92.23
9.DK	2	0.01	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c74c_18 How often do you have trouble with waking up too early and not being able to fall asleep again? Would you say…?
¿Con qué frecuencia se despierta temprano y no puede dormirse nuevamente? ¿Diría que…?

	Freq.	Percent	Cum.
1.Most of the time	3,200	18.70	18.70
2.Sometimes	4,650	27.17	45.87
3.Rarely or never	7,925	46.31	92.18
8.RF	5	0.03	92.21
9.DK	6	0.04	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c74d_18 How often do you feel really rested when you wake up in the morning? Would you say…?
¿Con qué frecuencia se siente descansado(a) cuando se despierta en las mañanas? ¿Diría que…?

	Freq.	Percent	Cum.
1.Most of the time	8,876	51.86	51.86
2.Sometimes	4,434	25.91	77.77
3.Rarely or never	2,462	14.39	92.16
8.RF	4	0.02	92.18
9.DK	10	0.06	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c75_18 In the last 12 months, do you think you have had…
En los últimos 12 meses, ¿crees que has tenido…

	Freq.	Percent	Cum.
1.A lot of stress	2,263	13.22	13.22
2.Moderate stress	3,311	19.35	32.57
3.Little stress	4,035	23.58	56.15
4.Almost no stress	6,129	35.81	91.96
8.RF	11	0.06	92.02
9.DK	37	0.22	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	

c76_18 In the last 12 months, how much effect do you think stress has had on your health?
En los últimos 12 meses, ¿cuánto efecto cree que ha tenido el estrés en su salud?

	Freq.	Percent	Cum.
1.Very much	1,745	10.20	10.20
2.Something	3,591	20.98	31.18
3.Almost nothing	3,312	19.35	50.53
4.Nothing	7,059	41.25	91.78
8.RF	14	0.08	91.86
9.DK	65	0.38	92.24
.p	1,328	7.76	100.00
Total	17,114	100.00	