

ID# _____
Date _____

Completed: Yes.....1
No.....5

NPI FIRST INFORMANT

What is your relationship
to (NAME)?

SPOUSE..... 01
CHILD 02
SIBLING 03
PARENT 04
FRIEND 05
GUARDIAN 06
NEIGHBOR 07
OTHER (specify) 08
NA 97
DK 98
RF 99

SPECIFY: _____

How long have you known (NAME)?
(DK=998) YEARS

.....|_|_|

How often do you see or talk with (her/him)?

LIVES WITH RESPONDENT 01
DAILY 02
SEVERAL TIMES A WEEK 03
ONCE A WEEK 04
ONE-THREE TIMES A MONTH 05
LESS THAN ONCE A MONTH 06
NEVER 07
OTHER (specify) 08
NA 97
DK 98
RF 99

SPECIFY: _____

NPI SECOND INFORMANT

What is your relationship
to (NAME)?

SPOUSE..... 01
CHILD 02
SIBLING 03
PARENT 04
FRIEND 05
GUARDIAN 06
NEIGHBOR 07
OTHER (specify) 08
NA 97
DK 98
RF 99

SPECIFY:_____

How long have you known (NAME)?
(DK=98)
(SKIPPED = 96)

YEARS

How often do you see or talk with (her/him)?

LIVES WITH RESPONDENT 01
DAILY 02
SEVERAL TIMES A WEEK..... 03
ONCE A WEEK..... 04
ONE-THREE TIMES A MONTH 05
LESS THAN ONCE A MONTH 06
NEVER..... 07
OTHER (specify)..... 08
SKIPPED 96
NA 97
DK 98
RF 99

SPECIFY:_____

Introduction: Now I'm going to ask you some questions about [NAME's] behavior. I have to ask the questions exactly as they're written. I also am only interested in behaviors you have seen in the past month. In other words, if it's something you saw 6 months ago but not in the last month, it doesn't count. The questions can usually be answered 'yes' or 'no' so please try to give me brief answers.

A. Delusions

In the last month, has (NAME) had beliefs that you know are not true? For example, insisting that people are trying to harm (HIM/HER) or steal from (HIM/HER). Has (HE/SHE) said that family members are not who they say they are or that the house is not (HIS/HER) home? I'm not asking about mere suspiciousness; I am interested if (NAME) is convinced that these things are happening to (HIM/HER).

YES.....1 NO5 IV.....8 NA97 DK.....98 RF.....99

If ≠ YES THEN SKIP TO B

		YES	NO	IV	NA	DK	RF
A1.	Does (NAME) believe that (HE/SHE) is in danger-- that others are planning to hurt (HIM/HER)?	1	5	8	97	98	99
A2.	Does (NAME) believe that others are stealing from (HIM/HER)?	1	5	8	97	98	99
A3.	Does (NAME) believe that (HIS/HER) spouse is having an affair?	1	5	8	97	98	99
A4.	Does (NAME) believe that unwelcome guests are living in (HIS/HER) house?	1	5	8	97	98	99
A5.	Does (NAME) believe that (HIS/HER) spouse or others are not who they claim to be?	1	5	8	97	98	99
A6.	Does (NAME) believe that (HIS/HER) house is not (HIS/HER) home?	1	5	8	97	98	99
A7.	Does (NAME) believe that family members plan to abandon (HIM/HER)?	1	5	8	97	98	99
A8.	Does (NAME) believe that television or magazine figures are actually present in the home? (Does (HE/SHE) try to talk or interact with them?)	1	5	8	97	98	99
A9.	Does (HE/SHE) believe any other unusual things that I haven't asked about? Specify _____	1	5	8	97	98	99

IF YES SPECIFY

If the screening question is confirmed, determine the frequency and severity of the delusions.

A10. Frequency:	OCCASIONAL.....	1
Occasionally - less than once per week.	OFTEN.....	2
Often - about once per week.	FREQUENTLY.....	3
Frequently - several times per week but less than daily.	VERY FRQTLY.....	4
Very Frequently - once or more per day		
A11. Severity:	MILD.....	1
<u>Mild</u> - delusions present but seem harmless and produce little distress in the subject.	MODERATE.....	2
<u>Moderate</u> - delusions are distressing and disruptive.	MARKED.....	3
<u>Marked</u> - delusions are very disruptive and are a major source of behavioral disruption. (If PRN medications are prescribed, their use signals that the delusions are of marked severity).		
A12. Do these problems represent a change from the way (HE/SHE) has always been?	YES.....	1
<u>Yes</u> - they represent a clear change.	EXG. OF PROB.....	2
<u>Exaggeration</u> - They are an exaggeration of previous problems.	NO.....	5
<u>No</u> - they represent no change (life long characteristics).	DK.....	98
<u>Don't know</u> .		
A13. How emotionally distressing do you find this behavior?	NOT AT ALL.....	0
	MINIMALLY.....	1
	MILDLY.....	2
	MODERATELY.....	3
	SEVERELY.....	4
	VERY SEVERELY OR EXTREMELY..	5

B. Hallucinations

In the last month, did (NAME) have hallucinations such as false visions or voices? Does (HE/SHE) seem to see, hear or experience things that are not present? By this questions we do not mean just mistaken beliefs such as stating that someone who has died is still alive; rather we are asking if (NAME) actually has abnormal experiences of sounds or visions.

YES.....1 NO5 IV.....8 NA97 DK.....98 RF.....99

If ≠ YES THEN SKIP TO C

	YES	NO	IV	NA	DK	RF
B1. Does (NAME) describe hearing voices or act as if (HE/SHE) hears voices?	1	5	8	97	98	99
B2. Does (NAME) talk to people who are not there?	1	5	8	97	98	99
B3. Does (NAME) describe seeing things not seen by others or behave as if (HE/SHE) is seeing things not seen by others (people, animals, lights, etc.)?	1	5	8	97	98	99
B4. Does (NAME) report smelling odors not smelled by others?	1	5	8	97	98	99
B5. Does (NAME) describe feeling things on (HIS/HER) skin or otherwise appear to be feeling things crawling or touching (HIM/HER)?	1	5	8	97	98	99

B6. Does (NAME) describe tastes that are without known cause? 1 5 8 97 98 99

B7. Does (NAME) describe any other unusual sensory experiences? 1 5 8 97 98 99
Specify _____
IF YES SPECIFY

If the screening question is confirmed, determine the frequency and severity of the hallucinations.

B8. Frequency: OCCASIONAL..... 1
Occasionally - less than once per week. OFTEN..... 2
Often - about once per week. FREQUENTLY..... 3
Frequently - several times per week but less than every day. VERY FRQTLY..... 4
Very Frequently - once or more per day.

B9. Severity: MILD..... 1
Mild - hallucinations are present but harmless and cause little distress for the subject. MODERATE..... 2
Moderate - hallucinations are distressing and are disruptive to the subject. MARKED..... 3
Marked - hallucinations are very disruptive and are a major source of behavioral disruption.
(PRN medications may be required to control them).

B10. Do these problems represent a change from the way (HE/SHE) has always been? YES..... 1
EXG OF PROB..... 2
Yes - they represent a clear change. NO..... 5
Exaggeration - they are an exaggeration of previous problems. DK..... 98
No - they represent no change (life long characteristics).
Don't know.

B11. How emotionally distressing do you find this behavior? NOT AT ALL..... 0
MINIMALLY..... 1
MILDLY..... 0
MODERATELY..... 3
SEVERELY..... 4
VERY SEVERELY OR EXTREMELY..... 5

C. Agitation/Aggression

In the last month, has (NAME) had periods when (HE/SHE) refuses to cooperate or won't let people help (HIM/HER)? Is (HE/SHE) hard to handle?

YES.....1 NO5 IV.....8 NA97 DK.....98 RF.....99

If ≠ YES THEN SKIP TO D

	YES	NO	IV	NA	DK	RF
C1. Does (NAME) get upset with those trying to care for (HIM/HER) or resist activities such as bathing or changing clothes?	1	5	8	97	98	99
C2. Is (NAME) stubborn, having to have things (HIS/HER) way?	1	5	8	97	98	99

C3.	Is (NAME) uncooperative, resistive to help from others?	1	5	8	97	98	99
C4.	Does (NAME) have any other behaviors that make (HIM/HER) hard to handle?	1	5	8	97	98	99
C5.	Does (NAME) shout or curse angrily?	1	5	8	97	98	99
C6.	Does (NAME) slam doors, kick furniture, throw things?	1	5	8	97	98	99
C7.	Does (HE/SHE) attempt to hurt or hit others?	1	5	8	97	98	99
C8.	Does (HE/SHE) have any other aggressive or agitated behaviors? Specify _____	1	5	8	97	98	99

IF YES SPECIFY

If the screening question is confirmed, determine the frequency and severity of the agitation.

C9.	Frequency: <u>Occasionally</u> - less than once per week. <u>Often</u> - about once per week. <u>Frequently</u> - several times per week but less than daily. <u>Very Frequently</u> - once or more per day.	OCCASIONAL.....1 OFTEN..... 2 FREQUENTLY..... 3 VERY FRQTLY..... 4
C10.	Severity: <u>Mild</u> - behavior is disruptive but can be managed with redirection or reassurance. <u>Moderate</u> - behaviors disruptive and difficult to redirect or control. <u>Marked</u> - agitation is very disruptive and a major source of difficulty; there may be a threat of personal harm. Medications are often required.	MILD..... 1 MODERATE..... 2 MARKED..... 3
C11.	Do these problems represent a change from the way (HE/SHE) has always been? <u>Yes</u> - they represent a clear change. <u>Exaggeration</u> - they are an exaggeration of previous problems. <u>No</u> - they represent no change (life long characteristics). <u>Don't know</u> .	YES..... 1 EXG OF PROB..... 2 NO..... 5 DK..... 98
C12.	How emotionally distressing do you find this behavior?	NOT AT ALL..... 0 MINIMALLY..... 1 MILDLY.....2 MODERATELY.....3 SEVERELY.....4 VERY SEVERELY OR EXTREMELY.....5

D. Depression/Dysphoria

In the last month, did (NAME) seem sad or depressed? Does (NAME) say that (HE/SHE) feels sad or depressed?

YES.....1 NO5 IV.....8 NA97 DK.....98 RF.....99

If ≠ YES THEN SKIP TO E

	YES	NO	IV	NA	DK	RF
D1. Is (NAME) currently being treated for clinical depression?	1	5	8	97	98	99
D2. Does (NAME) have periods of tearfulness or sobbing that seem to indicate sadness?	1	5	8	97	98	99
D3. Does (NAME) say or act as if (HE/SHE) is sad or in low spirits?	1	5	8	97	98	99
	IF NO, DK, IV, NA, RF (GO TO D5)					
D4. Has that been for >2 weeks?	1	5	8	97	98	99
D5. Has (HE/SHE) been irritable?	1	5	8	97	98	99
	IF NO, DK, IV, NA, RF (GO TO D7)					
D6. Has that been for >2 weeks?	1	5	8	97	98	99
D7. Does (NAME'S) mood change a lot from day to day?	1	5	8	97	98	99
D8. Does (NAME) put (HIM/HER)self down or say that (HE/SHE) feels like a failure?	1	5	8	97	98	99
D9. Does (NAME) say that (HE/SHE) is a bad person or deserves to be punished?	1	5	8	97	98	99
D10. Does (NAME) seem to be discouraged or say that (HE/SHE) has no future?	1	5	8	97	98	99
D11. Does (HE/SHE) feel that life is not worthwhile?	1	5	8	97	98	99
D12. Does (NAME) say that (HE/SHE) is a burden to the family or that the family would be better off without (HIM/HER)?	1	5	8	97	98	99
D13. Does (HE/SHE) feel worthless?	1	5	8	97	98	99
D14. Does (NAME) express a wish for death or talk about killing (HIM/HER)self?	1	5	8	97	98	99
D15. Has (HE/SHE) tried to commit suicide in the past six months?	1	5	8	97	98	99

If the screening question is confirmed, determine the frequency and severity of the depression.

D16. Frequency:	OCCASIONAL.....	1
<u>Occasionally</u> - less than once per week.	OFTEN.....	2
<u>Often</u> - about once per week.	FREQUENTLY.....	3
<u>Frequently</u> - several times per week but less than every day.	VERY FRQTLY.....	4
<u>Very Frequently</u> - essentially continuously present.		
D17. Severity:	MILD.....	1
<u>Mild</u> - depression is distressing but usually responds to redirection or reassurance.	MODERATE.....	2
<u>Moderate</u> - depression is distressing, depressive symptoms are spontaneously voiced by the subject and difficult to alleviate.	MARKED.....	3
<u>Marked</u> - depression is very distressing and a major source of suffering for the subject.		
D18. Do these problems represent a change from the way (HE/SHE) has always been?	YES.....	1
<u>Yes</u> - they represent a clear change.	EXG OF PROB.....	2
<u>Exaggeration</u> - They are an exaggeration of previous problems.	NO.....	5
<u>No</u> - they represent no change (life long characteristics).	DK.....	98
<u>Don't know</u> .		
D19. How emotionally distressing do you find this behavior?	NOT AT ALL.....	0
	MINIMALLY.....	1
	MILDLY.....	2
	MODERATELY.....	3
	SEVERELY.....	4
	VERY SEVERELY OR EXTREMELY.....	5

E. Apathy/Indifference

In the last month, has (NAME) lost interest in the world around (HIM/HER)? Has (HE/SHE) lost interest in doing things or lacked motivation for starting new activities? Is (HE/SHE) more difficult to engage in conversation or in doing chores? Is (NAME) apathetic or indifferent?

YES.....1 NO5 IV.....8 NA97 DK.....98 RF.....99

If ≠ YES THEN SKIP TO F

	YES	NO	IV	NA	DK	RF
E1. Does (NAME) seem less spontaneous and less active than usual?	1	5	8	97	98	99
E2. Is (NAME) less likely to initiate a conversation?	1	5	8	97	98	99
E3. Is (NAME) less affectionate or lacking in emotions when compared to (HIS/HER) usual self?	1	5	8	97	98	99
E4. Does (NAME) contribute less to household chores?	1	5	8	97	98	99

E5.	Does (NAME) seem less interested in the activities and plans of others?	1	5	8	97	98	99
E6.	Has (NAME) lost interest in friends and family members?	1	5	8	97	98	99
E7.	Is (NAME) less enthusiastic about (HIS/HER) usual interests?	1	5	8	97	98	99
E8.	Has (HE/SHE) lost interest in almost everything?	1	5	8	97	98	99
		IF NO, DK, IV, NA, RF (GO TO E10)					
E9.	Has that been for >2 weeks?	1	5	8	97	98	99
E10.	Has (HE/SHE) lost pleasure in everything?	1	5	8	97	98	99
		IF NO, DK, IV, NA, RF (GO TO E12)					
E11.	Has that been for >2 weeks?	1	5	8	97	98	99
E12.	Does (NAME) show any other signs that (HE/SHE) doesn't care about doing new things? Specify _____	1	5	8	97	98	99
		IF YES SPECIFY					

If the screening question is confirmed, determine the frequency and severity of the apathy/indifference.

E13.	Frequency:	OCCASIONAL.....	1
	<u>Occasionally</u> - less than once per week.	OFTEN.....	2
	<u>Often</u> - about once per week.	FREQUENTLY.....	3
	<u>Frequently</u> - several times per week but less than every day.	VERY FRQTLY.....	4
	<u>Very Frequently</u> - nearly always present.		
E14.	Severity:	MILD.....	1
	<u>Mild</u> - apathy is notable but produces little interference with daily routines; only mildly different from subject's usual behavior; subject responds to suggestions to engage in activities.	MODERATE.....	2
	<u>Moderate</u> - apathy is very evident; may be overcome by the care giver with coaxing and encouragement; responds spontaneously only to powerful events such as visits from close relatives or family members.	MARKED.....	3
	<u>Marked</u> - apathy is very evident and usually fails to respond to any encouragement or external events.		
E15.	Do these problems represent a change from the way (HE/SHE) has always been?	YES.....	1
	Yes - they represent a clear change.	EXG OF PROB.....	2
	Exaggeration-they are an exaggeration of previous problems.	NO.....	5
	<u>No</u> - they represent no change (life long characteristics).	DK.....	98
	<u>Don't know</u> .		

E16. How emotionally distressing do you find this behavior?	NOT AT ALL.....0
	MINIMALLY..... 1
	MILDLY..... 2
	MODERATELY..... 3
	SEVERELY..... 4
	VERY SEVERELY OR EXTREMELY 5

F. Elation/Euphoria

In the last month, has (NAME) seemed too cheerful or too happy for no reason? I don't mean the normal happiness that comes from seeing friends, receiving presents, or spending time with family members. I am asking if (HE/SHE) has a persistent and abnormally good mood or finds humor where others do not.

YES.....1 NO5 IV.....8 NA97 DK.....98 RF.....99
If ≠ YES THEN SKIP TO G

	YES	NO	IV	NA	DK	RF
F1. Does (NAME) appear to feel too good or too happy, different from (HIS/HER) usual self?	1	5	8	97	98	99
F2. Does (NAME) find humor and laugh at things that others do not find funny?	1	5	8	97	98	99
F3. Does (NAME) seem to have a childish sense of humor with a tendency to giggle or laugh inappropriately (such as when something unfortunate happens to others)?	1	5	8	97	98	99
F4. Does (NAME) tell jokes or make remarks that have little humor for others but seem funny to (HIM/HER)?	1	5	8	97	98	99
F5. Does (HE/SHE) play childish pranks such as pinching or playing "keep away" for the fun of it?	1	5	8	97	98	99
F6. Does (HE/SHE) "talk big" or claim to have more abilities or wealth than is true?	1	5	8	97	98	99
F7. Does (NAME) show any other signs of feeling too good or being too happy? Specify _____	1	5	8	97	98	99

IF YES SPECIFY

If the screening question is confirmed, determine the frequency and severity of the elation/euphoria.

F8. Frequency:	OCCASIONAL..... 1
<u>Occasionally</u> - less than once per week.	OFTEN..... 2
<u>Often</u> - about once per week.	FREQUENTLY..... 3
<u>Frequently</u> - several times per week but less than every day.	VERY FRQTLY..... 4
<u>Very Frequently</u> - essentially continuously present.	

F9.	Severity: <u>Mild</u> - elation is notable to friends and family but is not disruptive. <u>Moderate</u> - elation is notably abnormal. <u>Marked</u> - elation is very pronounced; subject is euphoric and finds nearly everything to be humorous.	MILD..... 1 MODERATE..... 2 MARKED..... 3
F10.	Do these problems represent a change from the way (HE/SHE) has always been? <u>Yes</u> - they represent a clear change. <u>Exaggeration</u> -they are an exaggeration of previous problems. <u>No</u> - they represent no change (life long characteristics). <u>Don't know</u> .	YES..... 1 EXG OF PROB..... 2 NO..... 5 DK..... 98
F11.	How emotionally distressing do you find this behavior?	NOT AT ALL..... 0 MINIMALLY..... 1 MILDLY..... 2 MODERATELY..... 3 SEVERELY..... 4 VERY SEVERELY OR EXTREMELY..... 5

G. Anxiety

In the last month, has (NAME) been very nervous, worried, or frightened for no apparent reason? Does (HE/SHE) seem very tense or fidgety? Is (NAME) afraid to be apart from you?

YES.....1 NO5 IV.....8 NA97 DK.....98 RF.....99

If ≠ YES THEN SKIP TO H

	YES	NO	IV	NA	DK	RF
G1. Does (NAME) say that (HE/SHE) is worried about planned events?	1	5	8	97	98	99
G2. Does (NAME) have periods of feeling shaky, unable to relax, or feeling excessively tense?	1	5	8	97	98	99
G3. Does (NAME) have periods of [or complain of] shortness of breath, gasping, or sighing for no apparent reason other than nervousness?	1	5	8	97	98	99
G4. Does (HE/SHE) complain of butterflies in (HIS/HER) stomach, or of racing or pounding of the heart in association with nervousness? (Symptoms not explained by ill health).	1	5	8	97	98	99
G5. Does (HE/SHE) avoid certain places or situations that make (HIM/HER) more nervous such as riding in the car, meeting with friends, or being in crowds?	1	5	8	97	98	99
G6. Does (NAME) become nervous and upset when separated from you [or (HIS/HER) care giver]? [Does (HE/SHE) cling to you to keep from being separated?]	1	5	8	97	98	99

G7. Does (HE/SHE) show any other signs of anxiety? 1 5 8 97 98 99
Specify _____ IF YES SPECIFY

If the screening question is confirmed, determine the frequency and severity of the anxiety.

G8. Frequency: OCCASIONAL..... 1
Occasionally - less than once per week. OFTEN..... 2
Often - about once per week. FREQUENTLY..... 3
Frequently - several times per week but less than every day. VERY FRQTLY..... 4
Very Frequently - once or more per day.

G9. Severity: MILD..... 1
Mild - anxiety is distressing but usually responds to redirection or reassurance. MODERATE..... 2
Moderate - anxiety is distressing, anxiety symptoms are spontaneously voiced by the subject and difficult to alleviate. MARKED..... 3
Marked - anxiety is very distressing and a major source of suffering for the subject.

G10. Do these problems represent a change from the way (HE/SHE) has always been? YES..... 1
EXG OF PROB..... 2
Yes - they represent a clear change. NO..... 5
Exaggeration - they are an exaggeration of previous problems. DK..... 98
No - they represent no change (life long characteristics).
Don't know.

G11. How emotionally distressing do you find this behavior? NOT AT ALL..... 0
MINIMALLY..... 1
MILDLY..... 2
MODERATELY..... 3
SEVERELY..... 4
VERY SEVERELY OR EXTREMELY..... 5

H. Disinhibition

In the last month, did (NAME) seem to act impulsively without thinking? Does (HE/SHE) do or say things that are not usually done or said in public? Does (HE/SHE) do things that are embarrassing to you or others?

YES.....1 NO5 IV.....8 NA97 DK.....98 RF.....99
If ≠ YES THEN SKIP TO I

	YES	NO	IV	NA	DK	RF
H1. Does (NAME) act impulsively without appearing to consider the consequences?	1	5	8	97	98	99
H2. Does (NAME) talk to total strangers as if (HE/SHE) knew them?	1	5	8	97	98	99
H3. Does (NAME) say things to people that are insensitive or hurt their feelings?	1	5	8	97	98	99

H4.	Does (HE/SHE) say crude things or make sexual remarks that (HE/SHE) would not usually have said?	1	5	8	97	98	99
H5.	Does (HE/SHE) talk openly about very personal or private matters not usually discussed in public?	1	5	8	97	98	99
H6.	Does (HE/SHE) take liberties or touch or hug others in a way that is out of character for (HIM/HER)?	1	5	8	97	98	99
H7.	Does (HE/SHE) show any other signs of loss of control of (HIS/HER) impulses? Specify _____	1	5	8	97	98	99

If the screening question is confirmed, determine the frequency and severity of the disinhibition.

H8.	Frequency: <u>Occasionally</u> - less than once per week <u>Often</u> - about once per week. <u>Frequently</u> - several times per week <u>Very Frequently</u> - essentially continuously present.	OCCASIONAL.....	1
		OFTEN.....	2
		FREQUENTLY.....	3
		VERY FRQTLY.....	4
H9.	Severity: <u>Mild</u> - disinhibition is notable but usually responds to redirection and guidance. <u>Moderate</u> - disinhibition is very evident and difficult to overcome by the care giver. <u>Marked</u> - disinhibition usually fails to respond to any intervention by the care giver, and is a source of embarrassment or social distress.	MILD.....	1
		MODERATE.....	2
		MARKED.....	3
H10.	Do these problems represent a change from the way (HE/SHE) has always been? <u>Yes</u> - they represent a clear change. <u>Exaggeration</u> - they are an exaggeration of previous problems. <u>No</u> - they represent no change (life long characteristics). <u>Don't know</u> .	YES.....	1
		EXG OR PROB.....	2
		NO.....	5
		DK.....	98
H11.	How emotionally distressing do you find this behavior?	NOT AT ALL.....	0
		MINIMALLY.....	1
		MILDLY.....	2
		MODERATELY.....	3
		SEVERELY.....	4
		VERY SEVERELY OR EXTREMELY.....	5

I. Irritability/Lability

In the last month, did (NAME) get irritated and easily disturbed? Are (HIS/HER) moods very changeable? Is (HE/SHE) abnormally impatient? We do not mean frustration over memory loss or inability to perform usual tasks, we are interested to know if (HE/SHE) has abnormal irritability, impatience or rapid emotional changes different from (HIS/HER) normal self.

YES.....1 NO5 IV.....8 NA97 DK.....98 RF.....99

If ≠ YES THEN SKIP TO J

		YES	NO	IV	NA	DK	RF
I1.	Does (NAME) have a bad temper, flying “off the handle” easily over little things?	1	5	8	97	98	99
I2.	Does (NAME) rapidly change moods from one minute to another, being fine one minute and angry the next?	1	5	8	97	98	99
I3.	Does (NAME) have sudden flashes of anger?	1	5	8	97	98	99
I4.	Is (NAME) impatient, having trouble coping with delays or waiting for planned activities?	1	5	8	97	98	99
I5.	Is (NAME) cranky and irritable?	1	5	8	97	98	99
I6.	Is (HE/SHE) argumentative and difficult to get along with?	1	5	8	97	98	99
I7.	Does (HE/SHE) show any other signs of irritability? Specify _____	1	5	8	97	98	99
		(IF YES SPECIFY)					

If the screening question is confirmed, determine the frequency and severity of the irritability/lability.

I8.	Frequency:	OCCASIONAL.....	1
	<u>Occasionally</u> - less than once per week.	OFTEN.....	2
	<u>Often</u> - about once per week.	FREQUENTLY.....	3
	<u>Frequently</u> - several times per week but less than every day.	VERY FRQTLY.....	4
	<u>Very Frequently</u> - essentially continuously present.		
I9.	Severity:	MILD.....	1
	<u>Mild</u> - irritability or lability is notable but usually responds to redirection and reassurance.	MODERATE.....	2
	<u>Moderate</u> - irritability and lability are very evident and difficult to overcome by the care giver.	MARKED.....	3
	<u>Marked</u> - irritability and lability are very evident, they usually fail to respond to any intervention by the care giver, and they are a major source of distress.		
I10.	Do these problems represent a change from the way (HE/SHE) has always been?	YES.....	1
		EXG OF PROB.....	2
	<u>Yes</u> - they represent a clear change.	NO.....	5
	<u>Exaggeration</u> - they are an exaggeration of previous problems.	DK.....	98
	<u>No</u> - they represent no change (life long characteristics).		
	<u>Don't know</u> .		
I11.	How emotionally distressing do you find this behavior?	NOT AT ALL.....	0
		MINIMALLY.....	1
		MILDLY.....	2
		MODERATELY.....	3
		SEVERELY.....	4
		VERY SEVERELY OR EXTREMELY.....	5

J. Aberrant Motor Behavior

In the last month, did (NAME) pace, do things over and over such as opening closets or drawers, or repeatedly pick at things or wind string or threads?

YES.....1 NO5 IV.....8 NA97 DK.....98 RF.....99

If ≠ YES THEN SKIP TO K

		YES	NO	IV	NA	DK	RF
J1.	Does (NAME) pace around the house without apparent purpose?	1	5	8	97	98	99
J2.	Does (NAME) rummage around opening and unpacking drawers or closets?	1	5	8	97	98	99
J3.	Does (NAME) repeatedly put on and take off clothing?	1	5	8	97	98	99
J4.	Does (HE/SHE) have repetitive activities or “habits” that (HE/SHE) performs over and over?	1	5	8	97	98	99
J5.	Does (NAME) engage in repetitive activities such as handling buttons, picking, wrapping string, etc.?	1	5	8	97	98	99
J6.	Does (HE/SHE) fidget excessively, seem unable to sit still, or bounce (HIS/HER) feet or tap (HIS/HER) fingers a lot?	1	5	8	97	98	99
J7.	Does (HE/SHE) do any other activities over and over? Specify _____	1	5	8	97	98	99

(IF YES SPECIFY)

If the screening question is confirmed, determine the frequency and severity of the aberrant motor activity.

J8.	Frequency: <u>Occasionally</u> - less than once per week. <u>Often</u> - about once per week. <u>Frequently</u> - several times per week but less than every day. <u>Very Frequently</u> - essentially continuously present.	OCCASIONAL.....	1
		OFTEN.....	2
		FREQUENTLY.....	3
		VERY FRQTLY.....	4
J9.	Severity: <u>Mild</u> - abnormal motor activity is notable but produces little interference with daily routines. <u>Moderate</u> - abnormal motor activity is very evident; can be overcome by the care giver. <u>Marked</u> - abnormal motor activity is very evident; it usually fails to respond to any intervention by the care giver and is a major source of distress.	MILD.....	1
		MODERATE.....	2
		MARKED.....	3
J10.	Do these problems represent a change from the way (HE/SHE) has always been? <u>Yes</u> - they represent a clear change. <u>Exaggeration</u> - they are an exaggeration of previous problems. <u>No</u> - they represent no change (life long characteristics). <u>Don't know</u> .	YES.....	1
		EXG OF PROB.....	2
		NO.....	5
		DK.....	98

J11.	How emotionally distressing do you find this behavior?	NOT AT ALL.....	0
		MINIMALLY.....	1
		MILDLY.....	2
		MODERATELY.....	3
		SEVERELY.....	4
		VERY SEVERELY OR EXTREMELY.....	5

K. Other Behaviors Affected by Aging

	YES	NO	IV	NA	DK	RF
<u>Appetite</u>						
K1. Has (HIS/HER) appetite been reduced?	1	5	8	97	98	99
K2. Has (HE/SHE) lost weight?	1	5	8	97	98	99
K3. Has (HIS/HER) appetite increased a lot?	1	5	8	97	98	99
K4. Has (HE/SHE) gained weight?	1	5	8	97	98	99
<u>Sleep</u>						
K5. Does (NAME) have trouble falling asleep?	1	5	8	97	98	99
K6. Does (HE/SHE) wake a lot?	1	5	8	97	98	99
K7. Does (HE/SHE) wake too early?	1	5	8	97	98	99
K8. Does (HE/SHE) sleep too much?	1	5	8	97	98	99
<u>Energy</u>						
K9. Does (NAME) feel overly tired?	1	5	8	97	98	99
K10. Does (HE/SHE) have enough energy?	1	5	8	97	98	99
K11. Has (HE/SHE) lost get up and go?	1	5	8	97	98	99
<u>Cognition</u>						
K12. Does (NAME) describe trouble thinking clearly?	1	5	8	97	98	99
K13. Does (HE/SHE) describe trouble concentrating?	1	5	8	97	98	99
K14. Does (HE/SHE) describe trouble making a decision?	1	5	8	97	98	99
<u>Psychomotor</u>						
K15. Are (NAME'S) movements slower than usual?	1	5	8	97	98	99
<u>Other Somatic</u>						
K16. Has (NAME'S) interest in sex decreased recently?	1	5	8	97	98	99
	IF YES SKIP TO K18					
K17. Has (HIS/HER) interest in sex increased recently?	1	5	8	97	98	99
K18. Does (HE/SHE) have trouble with constipation?	1	5	8	97	98	99

L. Reliability of Informant Report

L1.	How reliable is the informant's report of the subject?	VERY RELIABLE.....	1
		PROBABLY RELIABLE.....	2
		NOT RELIABLE.....	3