

Appendix A - AHEAD WAVE 1 CODEBOOK EXPANDED CODES

CENSUS REGION (Division)

Region 1 - Northeast

Division 1 - New England

Maine
New Hampshire
Vermont
Massachusetts
Rhode Island
Connecticut

Division 2 - Middle Atlantic

New York
New Jersey
Pennsylvania

Region 2 - North Central

Division 3 - East North Central

Ohio
Indiana
Illinois
Michigan
Wisconsin

Division 4 - West North Central

Minnesota
Iowa
Missouri
North Dakota
South Dakota
Nebraska
Kansas

Region 3 - South

Division 5 - South Atlantic

Delaware
Maryland
District of Columbia
Virginia
West Virginia
North Carolina
South Carolina
Georgia
Florida

Division 6 - East South Central

Kentucky
Tennessee
Alabama
Mississippi

Division 7 - West South Central

Arkansas
Louisiana
Oklahoma
Texas

Region 4 - West

Division 8 - Mountain

Montana
Idaho
Wyoming
Colorado
New Mexico
Arizona
Utah
Nevada

Division 9 - Pacific

Washington
Oregon
California

RELIGIOUS PREFERENCE CODE V134

"7. OTHER SPECIFY" was recoded to V134 codes when possible:

1. PROTESTANT - A.M.E, Amish, Anglican, Assembly of God, Baptist, Brethren, Christian, Christian Reformed, Church of Christ, Church of God, Church of God in Christ, Church of the Brethren, Congregational, Disciples of Christ, Dutch Reformed, Episcopalian, Evangelical and Reformed, Evangelical United Brethren, Free Methodist, Free Will Baptist, Holiness, Lutheran, Mennonite, Methodist, Missionary, Nazarene, Pentecostal, Plymouth Brethren, Presbyterian, Primitive Baptist, Reformed, Salvation Army, Seventh Day Adventist, Southern Baptist, United Brethren, United Church of Christ
2. CATHOLIC - Roman Catholic, Greek Rite Catholic, Greek Orthodox, Russian Orthodox, Rumanian Orthodox, Serbian Orthodox
3. JEWISH
4. NO PREFERENCE; Agnostic, Atheist
7. OTHER - any denomination/sect/religion not listed above, and specifically Bahai, Buddhist, Hindu, Muslim

TYPE OF HISPANIC CODE V141

- 01. MEXICAN AMERICAN/CHICANO
- 02. PUERTO RICAN
- 03. CUBAN AMERICAN

- 04. Spain
- 05. Central America: Belize, Costa Rica, El Salvador, Guatemala, Honduras, Nicaragua, Panama
- 06. South American (any): Columbia, Peru, Brazil, Venezuela, Chile
- 07. Dominican Republic

- 97. Still OTHER
- .D DK
- .R NA
- . INAP, NOT HISPANIC IN V140

WHERE CANCER START CODE V231 Use format Q231F.

01. "Abdomen" - NFS
02. Adrenal gland
03. "Arm" - NFS
04. "Back" - NFS
05. Bladder
06. "Blood" - NFS
07. Bone; cartilage
08. Bone marrow
09. Brain; astrocytoma
10. Breast
11. Bronchia; bronchus
12. Bowel
13. Cervix
12. Colon
14. Ear
15. Endometrium
16. Esophagus
17. "Extremities" - NFS
18. Eye
19. "Face" - NFS
20. "Female organs" - NFS
21. Gallbladder
22. Gastrointestinal
23. "Head" - NFS
24. Hip
25. Hodgkins
26. Jaw
27. Kidney; renal
28. Larynx; vocal cords
29. "Leg" - NFS
06. Leukemia
30. Lip
31. Liver
11. Lung; "chest" - NFS
32. Lymph nodes/glands; "glands behind the ear"; "nodes"; lymphoma
(except 25)
33. Melanoma
95. Metastasized; "all over"
34. Mouth; oral
08. Myeloma (multiple)
35. "Neck" - NFS
36. Nose; nasal
37. Ovary
38. Pancreas; ampulla of Vater
39. "Pelvis" - NFS
40. Penis
41. Prostate
12. Rectum
33. Skin - melanoma; black mole
42. Skin - basal cell
43. Skin - other or NA which (include any body part with skin cancer)
44. Spine
45. Spleen
46. Stomach
47. Testicles
48. Throat
49. Thyroid; goiter on neck
50. Tongue
51. Trachea
52. Urethra/ureter
15. Uterus/womb
53. Vagina
54. Vulva; labia
97. Other
.D DK
.R NA
. INAP, NOT HAVE CANCER

Cancers and tumors; skin conditions

- 101. Cancer--any site or type; leukemia; Hodgkin's disease; melanomas; "tumors" if specified as malignant
- 102. Tumors, cysts or growths (exc. 101); "polyps"
- 103. Skin conditions--any mention exc. cancer (101) or tumor (102); dermatitis; eczema; "rashes"; Paget's disease

Musculoskeletal system and connective tissue

- 111. Arthritis; rheumatism; bursitis
- 112. Back/neck/spine problems: chronic stiffness, deformity or pain; disc problems; scoliosis; spinal bifida; "bad back"
- 113. Stiffness, deformity, numbness or chronic pain in foot, leg, arm or hand; "bad knee"/hip problems; hip replacement
- 114. Missing legs, feet, arms, hands, or fingers (from amputation or congenital deformity)
- 115. Paralysis--any mention (incl. from polio)
- 116. Hernias; hiatal hernia
- 117. Muscular dystrophy

- 119. Other musculoskeletal or connective tissue problems; lupus; osteoporosis; pinched nerve; carpal tunnel syndrome; carpal tunnel syndrome; fibrositis

Heart, circulatory and blood conditions

- 121. Heart problems: heart attack (coronary) or failure; arteriosclerosis; aneurysms; heart deformities; angina; "bad heart"; congestive heart disease
- 122. High blood pressure (hypertension)
- 123. Stroke; cerebral hemorrhage or accident
- 124. Blood disorders: anemia; hemophilia; polycythemia; "bad blood"; toxemia

- 129. Other circulatory problems; phlebitis, clots, embolisms; varicose veins; hemorrhoids; low blood pressure

Respiratory system conditions

- 131. Allergies; hayfever; sinusitis; tonsillitis
- 132. Asthma
- 133. Bronchitis; pneumonia; "acute upper respiratory problems"
- 134. Emphysema

- 139. Other respiratory problems; tuberculosis

Endocrine, metabolic and nutritional conditions

- 141. Diabetes
- 142. Thyroid trouble; goiter
- 143. Cystic fibrosis
- 144. Nutritional problems; weight problems; eating disorders; high cholesterol

- 149. Other endocrine/metabolic problems; pancreatitis; pituitary problems; Addison's disease

Digestive system (stomach, liver, gallbladder, kidney, bladder)

- 151. Stomach and intestinal conditions: ulcers; colitis; gastritis; diverticulosis; appendicitis; Chron's disease; "stomach pains"
- 152. Liver conditions: cirrhosis; hepatitis
- 153. Kidney conditions: kidney stones; kidney failure (incl. dialysis)
- 154. Gallbladder conditions
- 155. Bladder conditions [except 156]; urinary infections

156. Urinary incontinence; urinary loss/leakage; problems with bladder control [90MESA]

159. Other digestive system problems

Neurological and sensory conditions

161. Blindness or vision problems: glaucoma; cataracts; detached retina

162. Deafness, hearing loss or other ear conditions

163. Multiple sclerosis; cerebral palsy; epilepsy; Parkinson's; ALS; "seizures"; neuropathy

164. Speech conditions--any mention: congenital speech defects; stuttering

165. Mental retardation; learning disabilities; Down syndrome

169. Other neurological/sensory problems; sciatica; "headaches"; "dizziness"; "blackouts"; "brain damage"--NFS; meningitis; "memory loss"

Reproductive system and prostate conditions

171. Pregnancy and childbirth problems; miscarriage; stillbirth; RH factor

172. Infertility; sterilization; vasectomy; tubal ligation

173. Prostate conditions

179. Other problems of reproductive system; hysterectomy; ovarian problems; PMS; menopause

Emotional and psychological conditions

181. Alcoholism

182. Drug abuse, addiction

183. Other severe psychological conditions: (chronic) depression; schizophrenia; mania; paranoia; autism; psychosis

189. Other emotional and psychological problems; "mental problems"; "nerves"; "nervous breakdown"

Miscellaneous

- 191. Alzheimer's disease; "senility"
- 192. Dental and gum conditions--any mention
- 193. Acute infectious diseases; flu, colds, fever, mumps, etc.
- 194. Injuries and traumas: broken bones; pulled muscles; strains;
tendon damage; burns, lacerations; concussion; side
effects/conditions due to surgery
- 195. Sleep disorders; sleep apnea; narcolepsy
- 196. Immune system disorders; HIV positive; AIDS; ARC

Other symptoms

- 595. Old age; "everything wore out"
- 596. Lack of energy/strength; (chronic) fatigue--n.e.c.
- 597. "Aches and pains"--NFS
- 997. Other health condition
 - . NO HEALTH PROBLEM OR NO 2ND MENTION

597. Aches and pains
149. Acromegaly
133. Acute upper respiratory diseases
149. Addison's disease
196. AIDS
181. Alcoholism
131. Allergies
103. Alopecia
191. Alzheimer's disease
114. Amputation of limbs
124. Anemia
121. Aneurysm
121. Angina
183. Anxiety
151. Appendectomy
151. Appendicitis
121. Arterial blockage
121. Arteries, hardening
121. Arteriosclerosis
111. Arthritis
132. Asthma
194. Back injuries
112. Back, bad
189. Behavioral problems
102. Benign tumors
183. Bipolar depression
171. Birth of child
139. Black lung
155. Bladder conditions
161. Blindness
129. Blood clots
124. Blood disorders, specific
124. Blood disorders, NFS
194. Bones, broken/damaged from injuries/accidents
151. Bowel, irritable
194. Brain damage, from injuries/accidents
169. "Brain damage," NFS
139. Breathing problems
133. Bronchitis
194. Burns
111. Bursitis
121. Bypass surgery
101. Cancer
101. Carcinoma
119. Carpal tunnel syndrome
161. Cataracts
163. Cerebral palsy
997. Chest pains
171. Childbirth
171. Childbirth, hemorrhaging from
171. Childbirth, complications from
144. Cholesterol, high
129. "Circulation"
129. Circulatory system, other specific
152. Cirrhosis
193. Colds
151. Colitis
151. Colostomy
194. Concussions
121. Congestive heart disease
161. Conjunctivitis
121. Coronary
151. Crohn's disease
143. Cystic fibrosis
155. Cystitis
102. Cysts
162. Deafness

183. Depression
 103. Dermatitis
 161. Detached retina
 141. Diabetes
 153. Dialysis
 112. Disc, slipped
 112. Disc, worn
 151. Diverticulosis
 182. Drug addiction
 182. Drug dependence
 179. Dysmenorrhea
 162. Ear conditions, all
 144. Eating disorders
 103. Eczema
 134. Emphysema
 179. Endometriosis
 151. Enteritis
 163. Epilepsy
 171. Episiotomy
 161. Eye conditions, NFS
 596. Fatigue (chronic); lack of energy/strength
 179. Female problems
 193. "Fever"
 119. Fibrositis
 193. "Flu"
 154. Gallbladder conditions
 154. Gallbladder, removal
 154. Gallstones
 151. Gastritis
 161. Glaucoma
 149. Gout
 149. Gland problem
 102. "Growths"
 179. Gynecological problems, NFS
 142. Goiter
 131. Hayfever
 162. Hearing, loss of
 121. Heart attack
 121. Heart bypass surgery
 121. Heart condition, NFS
 121. Heart deformities, congenital
 121. Heart murmurs
 121. Heart valve blockage
 121. Heart valve prolapse
 121. Heart valve replacement
 124. Hemophilia
 129. Hemorrhoids
 152. Hepatitis
 116. Hernia, hiatal
 122. High blood pressure
 141. High blood sugar
 113. Hip problem/replacement
 196. HIV positive
 149. Hormone problems
 149. Hyperpituitarism
 122. Hypertension
 149. Hypoglycemia
 179. Hysterectomy
 151. Ileitis
 193. "Infection"
 172. Infertility
 193. Influenza
 194. Injuries, accidental
 189. Insomnia
 151. Intestinal conditions
 151. Irritable bowel conditions
 152. Jaundice
 153. Kidney failure
 153. Kidney removal

153. Kidney stones
 113. Knee, bad
 194. Lacerations
 164. Laryngectomy
 189. Learning disabilities
 101. Leukemia
 152. Liver conditions
 142. Low blood sugar
 119. Lupus
 101. Malignant tumors
 183. Manic-depression
 193. Measles
 101. Melanoma
 101. Melanoma, removal
 169. Memory loss
 162. Meniere's disease
 169. Meningitis
 179. Menopause
 179. Menstrual periods, painful
 189. Mental health problem, vague
 189. Mental problems
 165. Mental retardation
 169. Migraines
 171. Miscarriage
 121. Mitral valve prolapse
 102. Mole removal
 193. Mononucleosis
 163. Multiple sclerosis
 193. Mumps
 117. Muscular dystrophy
 119. Myasthenia gravis
 121. Myocardial infarction
 121. Myocardial ischemia
 195. Narcolepsy
 194. Neck injuries
 153. Nephritis
 119. Nerve, pinched
 189. Nerves, bad
 189. Nervous breakdown
 189. Nervous condition
 119. Neuritis
 163. Neuropathy
 144. Obesity
 144. Overweight
 119. Osteoporosis
 595. Old age
 103. Paget's disease
 149. Pancreatitis
 183. Panic attacks
 163. Parkinson's disease
 151. Peritonitis
 129. Phlebitis
 139. Pleurisy
 133. Pneumonia
 115. Polio
 124. Polycythemia
 102. Polyps
 179. Premenstrual syndrome (P.M.S.)
 173. Prostate conditions
 103. Psoriasis
 189. Psychosis
 194. Pulled muscle
 103. Rash, skin
 179. Reproductive organs, removal of (exc. for cancer, tumors)
 133. Respiratory diseases, acute upper
 161. Retina, detached
 161. Retina, torn
 121. Rheumatic heart disease
 111. Rheumatism

193. Rubella
139. Sarcoidosis
169. Sciatica/sciatic nerve problem
112. Scoliosis
163. "Seizures"
191. Senility
169. "Shaky hands"
169. Shingles
124. Sickle cell anemia
131. Sinusitis
194. Skull bone injuries
194. Skull fracture
195. Sleep apnea
164. Speech conditions, all
164. Speech impediment
194. Spinal cord damage, from injuries/accident
194. Sprain
171. Stillbirth
151. Stomach conditions
151. Stomach pains
151. Stomach, removal
193. Strep throat
123. Stroke
164. Stuttering
172. Sterilization
142. Thyroid problems
131. Tonsillitis
124. Toxemia
139. Tuberculosis
102. Tumors, benign
101. Tumor, malignant (or cancerous)
102. Tumor, NA whether malignant or benign
172. Tubal ligation
172. Tubes tied
151. Ulcerative colitis
151. Ulcers, stomach (peptic or duodenal)
103. Ulcers, skin
156. Urinary incontinence
155. Urinary infections
172. Vasectomy
129. Varicose veins
193. "Virus," NFS
161. Vision problems, NFS
144. Vitamin deficiency
102. Warts
144. Weight problems

SRC 2-DIGIT OCCUPATION CODE (Adapted from 1980 U.S. Census Occupation Code)
Use format OCCF. for all occupation variables

(1) PROFESSIONAL, TECHNICAL AND KINDRED WORKERS

- 10. Physicians--medical, psychiatric and osteopathic; dentists
- 11. Other Medical and Paramedical (exc. health technicians--see chiropractors, optometrists, pharmacists, veterinarians, dieticians, registered nurses, etc.
- 12. Accountants; Auditors
- 13. Teachers, except College
- 14. Teachers, College; Social Scientists; Librarians
- 15. Architects; Chemists; Engineers; Physical and Biological Scientists
- 16. Technicians: Computer programmers and analysts, health, engineering, science and other technicians, designers, radio and television announcers, etc.
- 17. Public Advisors: Personnel and labor relations workers, clergy and other religious workers, social and recreation workers, editors and reporters, public relations persons, etc.
- 18. Judges; Lawyers
- 19. Other professional, technical and kindred workers

(2) MANAGERS, OFFICIALS AND PROPRIETORS (EXCEPT FARM)

- 20. Not self-employed; employee of own corporation
- 31. Self-employed--unincorporated businesses

(3) CLERICAL AND KINDRED WORKERS

- 40. Secretaries, stenographers, typists
- 41. Other Clerical Workers: bank tellers, bookkeepers, cashiers, estimators & investigators, mail carriers, payroll & postal clerks, shipping & receiving clerks, stock clerks, etc.

(4) SALES WORKERS

- 45. Demonstrators, hucksters and peddlers, insurance and real estate agents and brokers, sales representatives & sales clerks, etc.

(5) CRAFTSMEN, FOREMEN AND KINDRED WORKERS

- 50. Foremen, n.e.c., except craft
- 51. Craftsmen, craft foremen and supervisors
- 52. Government protective service workers: firemen, guards, policemen, etc.

(6) OPERATIVES AND KINDRED WORKERS

- 61. Transport equipment operatives: bus drivers, conductors, deliverymen and routemen, fork lift and tow motor operators, taxicab drivers, truck drivers, etc.
- 62. Operatives, except transport

(7) LABORERS AND FARM FOREMEN

- 70. Unskilled laborers--non-farm
- 71. Farm laborers and foremen

(8) SERVICE WORKERS

- 73. Private household workers
- 75. Other service workers: maids, cleaners, janitors, bartenders, cooks, waiters, nursing aides, practical nurses, barbers, babysitters (exc. 73), beauticians, etc.

(9) FARMERS AND FARM MANAGERS

- 80. Farmers (owners and tenants) and farm managers

MISCELLANEOUS GROUPS

- 55. Members of Armed Forces
- 99. Occupation DK, NA

AHEAD Household Member Person and Helper Numbers

Household member	PN	BRELATEP	HN
1st Household member and their spouse	410	1-Child, Relative, or Other	411
		2-Spouse of (Child, Relative, or Other)	412
		3-1st Grandchild (Great/Great-Great) or Spouse	413
		4-2nd Grandchild (Great/Great-Great) or Spouse	414
2nd Household member and their spouse	420	1-Child, Relative, or Other	421
		2-Spouse of (Child, Relative, or Other)	422
		3-1st Grandchild (Great/Great-Great) or Spouse	423
		4-2nd Grandchild (Great/Great-Great) or Spouse	424
3rd Household member and their spouse	430	1-Child, Relative, or Other	431
		2-Spouse of (Child, Relative, or Other)	432
		3-1st Grandchild (Great/Great-Great) or Spouse	433
		4-2nd Grandchild (Great/Great-Great) or Spouse	434
4th Household member and their spouse	440	1-Child, Relative, or Other	441
		2-Spouse of (Child, Relative, or Other)	442
		3-1st Grandchild (Great/Great-Great) or Spouse	443
		4-2nd Grandchild (Great/Great-Great) or Spouse	444
5th Household member and their spouse	450	1-Child, Relative, or Other	451
		2-Spouse of (Child, Relative, or Other)	452
		3-1st Grandchild (Great/Great-Great) or Spouse	453
		4-2nd Grandchild (Great/Great-Great) or Spouse	454
6th Household member and their spouse	460	1-Child, Relative, or Other	461
		2-Spouse of (Child, Relative, or Other)	462
		3-1st Grandchild (Great/Great-Great) or Spouse	463
		4-2nd Grandchild (Great/Great-Great) or Spouse	464
7th Household member and their spouse	470	1-Child, Relative, or Other	471
		2-Spouse of (Child, Relative, or Other)	472
		3-1st Grandchild (Great/Great-Great) or Spouse	473
		4-2nd Grandchild (Great/Great-Great) or Spouse	474
8th Household member and their spouse	480	1-Child, Relative, or Other	481
		2-Spouse of (Child, Relative, or Other)	482
		3-1st Grandchild (Great/Great-Great) or Spouse	483
		4-2nd Grandchild (Great/Great-Great) or Spouse	484
9th Household member and their spouse	490	1-Child, Relative, or Other	491
		2-Spouse of (Child, Relative, or Other)	492
		3-1st Grandchild (Great/Great-Great) or Spouse	493
		4-2nd Grandchild (Great/Great-Great) or Spouse	494
10th Household member and their spouse	500	1-Child, Relative, or Other	501
		2-Spouse of (Child, Relative, or Other)	502
		3-1st Grandchild (Great/Great-Great) or Spouse	503
		4-2nd Grandchild (Great/Great-Great) or Spouse	504

AHEAD Non-Resident Children Person and Helper Numbers

Non-Resident Child	PN	BRELATEP	HN
1st Non-Resident child and their family	120	1- Child	121
		2-Spouse of Child	122
		3-1st Grandchild (Great/Great-Great) or Spouse	123
		4-2nd Grandchild (Great/Great-Great) or Spouse	124
2nd Non-Resident child and their family	130	1- Child	131
		2-Spouse of Child	132
		3-1st Grandchild (Great/Great-Great) or Spouse	133
		4-2nd Grandchild (Great/Great-Great) or Spouse	134
3rd Non-Resident child and their Family	140	1- Child	141
		2-Spouse of Child	142
		3-1st Grandchild (Great/Great-Great) or Spouse	143
		4-2nd Grandchild (Great/Great-Great) or Spouse	144
4th Non-Resident child and their family	150	1- Child	151
		2-Spouse of Child	152
		3-1st Grandchild (Great/Great-Great) or Spouse	153
		4-2nd Grandchild (Great/Great-Great) or Spouse	154
5th Non-Resident child and their family	160	1- Child	161
		2-Spouse of Child	162
		3-1st Grandchild (Great/Great-Great) or Spouse	163
		4-2nd Grandchild (Great/Great-Great) or Spouse	164
6th Non-Resident child and their family	170	1- Child	171
		2-Spouse of Child	172
		3-1st Grandchild (Great/Great-Great) or Spouse	173
		4-2nd Grandchild (Great/Great-Great) or Spouse	174
7th Non-Resident child and their family	180	1- Child	181
		2-Spouse of Child	182
		3-1st Grandchild (Great/Great-Great) or Spouse	183
		4-2nd Grandchild (Great/Great-Great) or Spouse	184
8th Non-Resident child and their family	190	1- Child	191
		2-Spouse of Child	192
		3-1st Grandchild (Great/Great-Great) or Spouse	193
		4-2nd Grandchild (Great/Great-Great) or Spouse	194
9th Non-Resident child and their family	200	1- Child	201
		2-Spouse of Child	202
		3-1st Grandchild (Great/Great-Great) or Spouse	203
		4-2nd Grandchild (Great/Great-Great) or Spouse	200
10th Non-Resident child and their family	210	1- Child	211
		2-Spouse of Child	212
		3-1st Grandchild (Great/Great-Great) or Spouse	213

		4-2nd Grandchild (Great/Great-Great) or Spouse	214
--	--	--	-----

Additional Person and Helper Numbers

Person	PN	BRELATEP	HN
Spouse of Respondent	020	1-Spouse of Respondent	021
Deceased Child	100	-	-
All Children	110	1-Child of Respondent	111
"Not on List" Helper	820	1-Relative, Group or Other Individual	821
		3-Grandchild (Great/Great-Great) or Spouse	823
"Not on List" Helper	830	1-Relative, Group or Other Individual	831
		3-Grandchild (Great/Great-Great) or Spouse	833
"Not on List" Helper	840	1-Relative, Group or Other Individual	841
		3-Grandchild (Great/Great-Great) or Spouse	843
"Not on List" Helper	850	1-Relative, Group or Other Individual	851
		3-Grandchild (Great/Great-Great) or Spouse	853
"Not on List" Helper	860	1-Relative, Group or Other Individual	861
		3-Grandchild (Great/Great-Great) or Spouse	863
"Not on List" Helper	870	1-Relative, Group or Other Individual	871
		3-Grandchild (Great/Great-Great) or Spouse	873
"Not on List" Helper	880	1-Relative, Group or Other Individual	881
		3-Grandchild (Great/Great-Great) or Spouse	883
"Not on List" Helper	890	1-Relative, Group or Other Individual	891
		3-Grandchild (Great/Great-Great) or Spouse	893
"Not on List" Helper	900	1-Relative, Group or Other Individual	901
		3-Grandchild (Great/Great-Great) or Spouse	903

APPENDIX B - AHEAD WAVE 1 CODEBOOK
¹RECODES FOR CREATING EXPANDED PERSON VARIABLES
(See Codebook, Section D)

APPENDX.SAS: A merge that adds variables to the child/other household member records, including whether the child provided help with each of the six ADLs, with IADLs, or money management, whether child provides help with paying for medical expenses, whether the child is included in the will(s) of parents, whether the child has received financial assistance of various types. Information is taken from all four files.

This setup combines variables about household members with those about non-coresident children when appropriate. The revised variables are as follows:

- RELATE_F, Relationship to female respondent
- RELATE_M, Relationship to male respondent
 - replace V418, V421, V443, and V445
- SEXP, Sex of child/other household member
 - replaces V417 and V422
- AGEP, Age of child/other household member
 - replaces V422 and V446/V447
- EDUCP, Education of child/other household member
 - replaces V423 and V449
- MARSTATP, Marital status of child/other household member
 - replaces V419 and V444
- NUMKIDSP, Number of children of child/other household member
 - replaces V429 and V450
- AGESPP, Age of spouse of child/other household member
 - replaces V487 and V459
- EDUCSPP, Education of spouse of child/other household member
 - replaces V430 and V460
- WORKP, Work status of child/other household member
 - replaces V480 and V451
- WORKSPP, Work status of spouse of child/other household member
 - replaces V488 and V461
- V481C, MD category for D11, household member earnings
 - replaces V483, V484, and V485
- V489C, MD category for D18, earnings of the spouse of of other household member
 - replaces V491, V492, and
- V458C, category for D30-D32, household earnings for child living elsewhere
 - replaces V456, V457, and V458

The following variables are created based on the respondents' reports of who (if anyone) helps them with ADLs and IADLs. Separate variables indicate help provided by the child or other household member to a female and to a male respondent. For children not co-residing with the respondent, the help may be given by the child him- or herself, OR by his or her spouse, OR by one of his or her children (i.e., by a

¹This command file uses the variable LINEP, which has been replaced by PN in the second public release file.

grandchild of the respondent). For other household members, the help may be given by either spouse in a couple, but help by their children (i.e., by grandchildren of the respondent) cannot always be identified accurately. First, variables are created for each of six ADLs, with any of four IADLs, and with managing money:

- V775HF, Help to female R with walking
- V775HM, Help to male R with walking
- V783HF, Help to female R with bathing
- V783HM, Help to male R with bathing
- V791HF, Help to female R with dressing
- V791HM, Help to male R with dressing
- V799HF, Help to female R with eating
- V799HM, Help to male R with eating
- V805HF, Help to female R with getting in/out of bed
- V805HM, Help to male R with getting in/out of bed
- V823HF, Help to female R with toileting
- V823HM, Help to male R with toileting
- V913HF, First helper with IADLs for female R
- V913HM, First helper with IADLs for male R
- V924HF, Second helper with IADLs for female R
- V924HM, Second helper with IADLs for male R
- V950HF, Help to female R with managing money
- V950HM, Help to male R with managing money

There are also counts for the number of ADLs and total ADLs plus IADLs for which help is given. In addition to the separate counts for female and male respondents there are also variables that combine the counts from both respondents, in the case of couples:

- ADLHELPHF, Number of ADLs with which female respondent is helped by the child/other household member
- ADLHELPM, Number of ADLs with which male respondent is helped by the child/other household member
- ADLHELPT, Number of ADLs with which any respondent is helped by the child/other household member
- IADLHLPHF, Whether the child/hh member helps the female respondent with any of four IADLs
- IADLHLPM, Whether the child/hh member helps the male respondent with any of four IADLs
- IADLHLPT, Whether the child/hh member helps any respondent with any of four IADLs
- ALLHELPHF, Sum of ADLHELPHF + IADLHLPHF + V950HF, so whether child/other household member provides any type of help to female R
- ALLHELPM, Sum of ADLHELPM + IADLHLPM + V950HM, so whether child/other household member provides any type of help to male R
- ALLHELPT, Sum of ADLHELPT + IADLHLPT + V950HT, so whether child/other household member provides any type of help to any R

Then there is a summary variable that describes who provides help to both male and female respondents:

- WHOHELPT, where each digit before the decimal specifies a helper for a male respondent, and each digit AFTER the decimal specifies a helper for a female respondent. The digits correspond to the codes for the variable RELATEP -- that is, "1" indicates the child him- or herself, "2" indicates the spouse of the child, and "3" or "4" indicates a child of the child.

The following variables accumulate information about the amount of time spent helping the respondent(s), whether they are paid for that help and if so whether Medicare helps pay, and the amount paid, accumulating across helpers associated with each child/other hh member.

- TIMEHELP, total time spent helping either R, per week
- MDTIMEHL, count of helpers for which time per week is missing
- PAIDHELP, count of helpers who are paid for their help
- MEDCHELP, count of paid helpers for which Medicare pays part or all of the amount
- DLLRHELP, total amount paid per month
- MDDLRLHL, count of helpers for which amount paid is missing
- G100HELP, whether paid at least \$100 per month

Respondents who did not report any helpers were asked if there is anyone who would be willing and able to provide help with ADLs if needed in the future.

- FUTURHLF, whether the child (or spouse or child) is named by the female R as someone who would be willing and able to provide help her (or her husband) with ADLs if needed
- FUTURHLM, whether the child (or spouse or child) is named by the male R as someone who would be willing and able to provide help him (or his wife) with ADLs if needed
- FUTURHLT, whether the child (or spouse or child) is named by the either R as someone who would be willing and able to provide help that respondent (or spouse) with ADLs if needed

The following variables are based on information from all respondents:

- MOVENRF, whether this child is named by female respondent as the one she would move in with or closer to, if that respondent thinks the probability of moving in the next five years is at least 30% and, if she does move, that she will try to move in with, or closer to, one of her children
- MOVENRM, whether this child is named by male respondent as the one he would move in with or closer to, if that respondent thinks the probability of moving in the next five years is at least 30% and, if he does move, that he will try to move in with, or closer to, one of his children
- WILLBENF, whether this child is named by female respondent as a beneficiary in her will
- WILLBENM, whether this child is named by male respondent as a beneficiary in his will

The following variables are based on information from an only or lead respondent about assistance given TO the child BY the respondent(s):

- HELPDEED, whether the parent(s) have ever given the child a deed to a house
- HELP10YR, whether the parent(s) have given the child \$5000 or more in the last ten years
- HELP1YR, whether the parent(s) have given the child \$500 or more in the last twelve months ("), and if so:
- HELP1YRD, how much
- HELP1YRX, how much, imputing means for unfolding brackets
- CHLDCARE, whether the parent(s) have cared for a grandchild -- a child of this child -- for a year or longer

The following variables are based on information from an only or financial respondent:

- DEEDHOME, whether the name of the child (or child of

- the child) is on the deed or title to the home in owned by the respondent(s)
- OWNRRHOME, whether the child (or child of the child) owns the home in which the respondent(s) live

The following variables are based on information from an only or financial respondent about assistance given BY the child TO the respondent(s)

- GIVEMEDI, whether or not the child, or the child's spouse or children, have helped the parent(s) pay for health care costs in the last 12 months, and if so:
- GIVEMEDD, how much that help amounted to
Note that if the respondent named multiple donors, the total amount is divided by the number named
- GIVEFIN, whether or not the child, or the child's spouse or children, gave \$500 or more to the respondent(s) in the previous calendar year
- GIVEFIND, the amount given last year, in Dollars
- GIVEFINC, category of amount given, open-ended (=0) or unfolding (=1-8) or multiple amounts (=9)
- GIVEFINX, the amount given last year, in Dollars, with means of bracketed amounts imputed if the dollar amount was not given (see V1606C and V1606X, etc.)
- GIVENOW, whether the child also has given money this calendar year
- GIVEFUT, whether the respondent thinks of this as income s/he can count on in the future
- ADVISE_R, whether the parent(s) ask the child for help in making major decisions

The following variables are based on information from an only or financial respondent about life insurance carried by either that respondent or by his or her spouse. There are four sets of three variables, according to whether the policy is on the life of a Female or Male, and is Term or Whole:

- BENETIF, whether the child is named as a beneficiary of a term life insurance policy by an unmarried female respondent, or by the wife in a married couple, and if so:
 - FVALTIF, the face value of that policy, and
 - PREMTIF, the annual premium on that policy
- In generating the above two variables, I took crude account of the fact that in some cases there were multiple people named as beneficiaries, allocating a fraction of the total premium to the individual beneficiary, assuming all beneficiaries get equal amounts and allocating the same fraction of the annual premium to each beneficiary. If the respondent said that the beneficiaries are "all my children," I counted only the female's children, assuming that is more likely what was meant in the case of second marriages where each respondent had children from previous marriages.

The remaining sets of insurance variables have names of the following form:

- xxxxTIM, for term insurance on the life of a male
- xxxxWIF, for cash-value insurance on the life of a female
- xxxxWIM, for cash-value insurance on the life of a male

Finally, respondents who were asked Module 7 answered three questions about whether they got assistance or advice from anyone about financial affairs and making decisions, and if so if any of their children do so.

- V2195F, whether the child helps with managing day-to-day

```

financial affairs according to a female respondent
- V2195M, whether the child helps with managing day-to-day
financial affairs according to a male respondent
- V2198F, whether the child helps with managing the money
according to a female respondent
- V2198M, whether the child helps with managing the money
according to a male respondent
- V2201F, whether the child would be asked for advice
on financial matters, according to a female respondent
- V2201M, whether the child would be asked for advice
on financial matters, according to a male respondent
*-----*

```

```

libname AHEAD1 'V:\soc3\ahead\DATA\GAMMA ';
title 'APPENDX: Add variables from other files to PERSON file';
options ps=64 ls=72 pageno=1;

```

```

*
**
*** The first file management step is to pull variables from the
*** respondent-level file and add them to the household-level
*** file. This follows the pattern of EXAMPLE3, creating two
*** sets of respondent variables: one for female respondents,
*** the second for male respondents.
**
;
data hhfile1;
merge AHEAD1.AHGHH(keep=HHID ID1 V474A1 -- V474A10 V479A1 -- V479A10
V495 V499 V499C V499X V507 V508 V508C V508X V519 V520 V520C V520X
V526 V527 V527C V527X V537 V538 V538C V538X V549 V748A1 -- V748A10
V749 V1107A1 -- V1107A10 V1151A1 -- V1151A8 V1603 V1606 V1606C
V1606X V1611 V1612 V1615 V1618 V1618C V1618X V1623 V1624 V1627
V1630 V1630C V1630X V1635 V1636 V1885
V1887 -- V1889 V1890A2
V1890A3 V1891A1 -- V1891A10 V1893 V1895 -- V1897 V1898A2 V1898A3
V1899A1 -- V1899A10 V1901 V1903 -- V1905 V1906A2 V1906A3
V1907A1 -- V1907A10 V1909 V1912 V1913 V1914 V1915A2 V1915A3
V1916A1 -- V1916A10 V1920A1 -- V1920A10 wthhpop wthhnorm)
AHEAD1.AHGRC(keep=HHID ID SEX TYPE V775 V783 V791 V799 V805 V823 V913
V924 V950 V1010 V1294A1 -- V1294A10 V1693A1 -- V1693A10
V2148 V2195 V2198 V2201);
by HHID;
array resp[*] ID V775 V783 V791 V799 V805 V823 V913 V924 V950 V1010
V1294A1 -- V1294A10 V1693A1 -- V1693A10 V2148 V2195 V2198 V2201;
numvars = dim(resp);
array spvar[500] _temporary_;
array respf[*] ID V775F V783F V791F V799F V805F V823F
V913F V924F V950F V1010F
V1294A1F V1294A2F V1294A3F V1294A4F V1294A5F V1294A6F V1294A7F
V1294A8F V1294A9F V1294AXF V1693A1F V1693A2F V1693A3F V1693A4F
V1693A5F V1693A6F V1693A7F V1693A8F V1693A9F V1693AXF module7f
V2195F V2198F V2201F;
array respm[*] ID V775M V783M V791M V799M V805M V823M
V913M V924M V950M V1010M
V1294A1M V1294A2M V1294A3M V1294A4M V1294A5M V1294A6M V1294A7M
V1294A8M V1294A9M V1294AXM V1693A1M V1693A2M V1693A3M V1693A4M
V1693A5M V1693A6M V1693A7M V1693A8M V1693A9M V1693AXM module7m
V2195M V2198M V2201M;
drop i numvars ID ID1 SEX TYPE V775 V783 V791 V799 V805 V823 V913
V924 V950 V1010 V1294A1 -- V1294A10 V1693A1 -- V1693A10 V2148
V2195 V2198 V2201;
do i=1 to numvars;
spvar[i] = lag(resp[i]);
end;
*
**
*** Note that "finrsex" and "famrsex" are indicators of the gender of
*** the respondents who supplied the financial and family information
*** about married couples, since some of the questions about children

```

```

*** were asked in terms of the relationship of the child to "you" and
*** to "your spouse."
**
;
if first.HHID and last.HHID then do;
  finrsex = SEX;
  if SEX eq 1 then do i=1 to numvars;
    respm[i] = resp[i];
    respf[i] = .;
  end;
  else do i=1 to numvars;
    respm[i] = .;
    respf[i] = resp[i];
  end;
end;
else if last.HHID then do;
  if ID eq ID1 then finrsex = SEX;
  else finrsex = 3 - SEX;
  if SEX eq 1 then do i=1 to numvars;
    respm[i] = resp[i];
    respf[i] = spvar[i];
  end;
  else do i=1 to numvars;
    respm[i] = spvar[i];
    respf[i] = resp[i];
  end;
end;
if last.HHID;
run;

*
**
*** The next step gets a count of children of the
*** respondent (or of each respondent in a couple)
*** needed to allocate some amounts when the
*** respondent said "all my children."
*
*** This follows the pattern of EXAMPLE4.
**
;

data hhfile2;
  merge hhfile1(in=hhrec)
        AHEAD1.AHGPD(keep=HHID LINEP IDFM idnfm V418 V421
                     V443 V445);
  by HHID;
  if hhrec;
  drop LINEP IDFM IDNFM V418 V421 V443 V445;
  if V418 eq . and V443 lt 0 then V443=1;
  if V418 eq . and idnfm gt 0 and V445 lt 0 then V445=1;
  retain ctchildf ctchildm famrsex;
  if first.HHID then do;
    ctchildf = 0;
    ctchildm = 0;
    if ID eq IDFM then famrsex = 1; else famrsex = 2;
  end;
  if V418 in (1,2) or V443 in (1,2) then do;
    if famrsex eq 1 then ctchildm = ctchildm + 1;
    if famrsex eq 2 then ctchildf = ctchildf + 1;
  end;
  if V421 in (1,2) or V445 in (1,2) then do;
    if famrsex eq 1 then ctchildf = ctchildf + 1;
    if famrsex eq 2 then ctchildm = ctchildm + 1;
  end;
  if last.HHID then output;
run;

*
**

```

```

*** The next data management step is to merge Household-level
*** variables (including those merged onto the household
*** level from the Respondent-level file in the first step)
*** onto the Child/Other household member-level file.
**
;
data pfile1;
  merge hhfile2(in=hhrec)
        AHEAD1.AHGPD(in=chrec);
  by HHID;
  if chrec and hhrec;
  drop i V775M V783M V791M V799M V805M V823M V913M V924M V950M V1010M
        V775F V783F V791F V799F V805F V823F V913F V924F V950F V1010F
        V1294A1M V1294A2M V1294A3M V1294A4M V1294A5M
        V1294A6M V1294A7M V1294A8M V1294A9M V1294AXM
        V1693A1M V1693A2M V1693A3M V1693A4M V1693A5M
        V1693A6M V1693A7M V1693A8M V1693A9M V1693AXM
        V1294A1F V1294A2F V1294A3F V1294A4F V1294A5F
        V1294A6F V1294A7F V1294A8F V1294A9F V1294AXF
        V1693A1F V1693A2F V1693A3F V1693A4F V1693A5F
        V1693A6F V1693A7F V1693A8F V1693A9F V1693AXF
        V474A1 -- V474A10 V479A1 -- V479A10 V495 V499 V499C V499X
        V507 V508 V508C V508X V519 V520 V520C V520X V526 V526 V527C V527X
        V537 V538 V538C V538X V549 V748A1 -- V748A10 V749 V1107A1 -- V1107A10
        V1151A1 -- V1151A8 V1603 V1606 V1606C V1606X V1611 V1612 V1615
        V1618 V1618C V1618X V1623 V1624 V1627 V1630 V1630C V1630X V1635
        V1636 V1885 V1887 V1888 V1889 V1890A2 V1890A3 V1891A1 -- V1891A10
        V1893 V1895 V1896 V1897 V1898A2 V1898A3 V1899A1 -- V1899A10
        V1901 V1903 V1904 V1905 V1906A2 V1906A3 V1907A1 -- V1907A10
        V1909 V1912 V1913 V1914 V1915A2 V1915A3 V1916A1 -- V1916A10
        v1887a v1889a v1895a v1897a v1903a v1905a v1912a v1914a
        V1920A1 -- V1920A10 ctchldf ctchldm ctgive giveall
        finrsex famrsex child childf childm module7f module7m
        V417 -- V423 V480 V483 V484 V485 V429 V487 V430 V488
        V491 V492 V493 V442 -- V451 V456 V457 -- V461;
  hhchid = 100*HHID + LINEP;
  AGEP = .;
  RELATE_M = .;
  RELATE_F = .;
  child = 0;
  childm = 0;
  childf = 0;
  if V418 eq . and V443 lt 0 then V443=1;
  if V418 eq . and idnfm gt 0 and V445 lt 0 then V445=1;

  if LINEP le 39 then do;
    child = 1;
    SEXP = V442;
    if famrsex eq 1 then do;
      RELATE_M = V443;
      RELATE_F = V445;
    end;
  else do;
    RELATE_M = V445;
    RELATE_F = V443;
  end;
  MARSTATP = V444;
  if V446 ge 0 then AGEP = V446;
  else if V447 ge 1900 then AGEP = 1994 - V447;
  EDUCP = V449;
  WORKP = V451;
  NUMKIDSP = V450;
  AGESPP = V459;
  EDUCSPP = V460;
  WORKSPP = V461;
  V458C = V456;
  if V456 eq 5 then
    if V458 eq 5 then V458C = 1;
  else if V458 eq 1 then V458C = 2;

```

```

        else V458C = 5;
    else if V456 eq 1 then
        if V457 eq 5 then V458C = 3;
        else if V457 eq 1 then V458C = 4;
        else V458C = 6;
    else if V457 eq 1 then V458C = 4;
    else if V457 eq 5 then V458C = 7;
    V489C = .;
end;
else do;
    SEXP = V417;
    if famrsex eq 1 then do;
        RELATE_M = V418;
        RELATE_F = V421;
    end;
    else do;
        RELATE_M = V421;
        RELATE_F = V418;
    end;
    MARSTATP = V419;
    AGE = V422;
    EDUCP = V423;
    WORKP = V480;
    NUMKIDSP = V429;
    AGESPP = V487;
    EDUCSPP = V430;
    WORKSPP = V488;
    V481C = V481;
    if V481 ge 0 then V481C = 0;
    else if V483 eq 5 then
        if V485 eq 5 then V481C = 1;
        else if V485 eq 1 then V481C = 2;
        else V481C = 5;
    else if V483 eq 1 then
        if V484 eq 5 then V481C = 3;
        else if V484 eq 1 then V481C = 4;
        else V481C = 6;
    V489C = V489;
    if V489 ge 0 then V489C = 0;
    else if V491 eq 5 then
        if V493 eq 5 then V489C = 1;
        else if V493 eq 1 then V489C = 2;
        else V489C = 5;
    else if V491 eq 1 then
        if V492 eq 5 then V489C = 3;
        else if V492 eq 1 then V489C = 4;
        else V489C = 6;
    V458C = .;
end;
if RELATE_M in (1,2,3) then childm = 1;
if RELATE_F in (1,2,3) then childf = 1;
if childm or childf then child = 1;
array maler[9] V775M V783M V791M V799M V805M V823M V913M
V924M V950M;
array femaler[9] V775F V783F V791F V799F V805F V823F V913F
V924F V950F;
array adlhm[9] V775HM V783HM V791HM V799HM V805HM V823HM
V913HM V924HM V950HM;
array adlhf[9] V775HF V783HF V791HF V799HF V805HF V823HF
V913HF V924HF V950HF;
do i = 1 to 9;
    if RELATE_M ne . then do;
        if maler[i] eq LINEP then adlhm[i] = 1;
        else adlhm[i] = 0;
    end;
    else adlhm[i] = .;
    if RELATE_F ne . then do;
        if femaler[i] eq LINEP then adlhf[i] = 1;
        else adlhf[i] = 0;
    end;
end;

```

```

        end;
        else adlhlf[i] = .;
        end;
        adlhelpt = 0;
        iadlhlp = 0;
        allhelpt = 0;
        if RELATE_M ne . then do;
            adlhelpt = 0;
            do i = 1 to 6;
                if adlhlm[i] eq 1 then adlhelpt = adlhelpt + 1;
            end;
            adlhelpt = adlhelpt;
            if V913HM eq 1 or V924HM eq 1 then iadlhlp = 1;
            else iadlhlp = 0;
            iadlhlp = iadlhlp;
            allhelpt = adlhelpt + iadlhlp + V950HM;
            allhelpt = allhelpt;
        end;
        else do;
            adlhelpt = .;
            iadlhlp = .;
            allhelpt = .;
        end;
        if RELATE_F ne . then do;
            adlhelf = 0;
            do i = 1 to 6;
                if adlhlf[i] eq 1 then adlhelf = adlhelf + 1;
            end;
            adlhelf = adlhelf + adlhelf;
            if V913HF eq 1 or V924HF eq 1 then iadlhlpf = 1;
            else iadlhlpf = 0;
            iadlhlpf = iadlhlpf + iadlhlpf;
            allhelf = adlhelf + iadlhlpf + V950HF;
            allhelf = allhelf + allhelf;
        end;
        else do;
            adlhelf = .;
            iadlhlpf = .;
            allhelf = .;
        end;
    end;

*
**
*** The following variables apply only to children, since
*** other household members were not specifically identified
*** for these topics
**
;

if child then do;
    if V549 eq LINEP then CHLDCARE = 1; else CHLDCARE = 0;
    if V1010M eq LINEP then FUTURHLM = 1; else FUTURHLM = 0;
    if V1010F eq LINEP then FUTURHLF = 1; else FUTURHLF = 0;
    FUTURHLT = FUTURHLF + FUTURHLM;
    array numben3[4] V1890A3 V1898A3 V1906A3 V1915A3;
    array numben2[4] V1890A2 V1898A2 V1906A2 V1915A2;
    array prem[4] V1887 V1895 V1903 V1912;
    array fval[4] V1889 V1897 V1905 V1914;
    array preper[4] v1887a v1895a v1903a v1912a;
    array fvalper[4] v1889a v1897a v1905a v1914a;
    array pper[4] V1888 V1896 V1904 V1913;
    do i = 1 to 4;
        preper[i] = prem[i];
        fvalper[i] = fval[i];
        if numben3[i] gt 0 then do;
            if prem[i] gt 0 then preper[i] = prem[i]/3;
            if fval[i] gt 0 then fvalper[i] = fval[i]/3;
        end;
        else if numben2[i] gt 0 then do;

```

```

        if prem[i] gt 0 then preper[i] = prem[i]/2;
        if fval[i] gt 0 then fvalper[i] = fval[i]/2;
    end;
    if prem[i] gt 0 then do;
        if pper[i] eq 1 then preper[i] = 52 * preper[i];
        else if pper[i] eq 2 then preper[i] = 24 * preper[i];
        else if pper[i] eq 3 then preper[i] = 12 * preper[i];
        else if pper[i] eq 4 then preper[i] = 4 * preper[i];
        else if pper[i] eq 5 then preper[i] = 2 * preper[i];
    end;
end;
array movef[10] V1294A1F V1294A2F V1294A3F V1294A4F V1294A5F
               V1294A6F V1294A7F V1294A8F V1294A9F V1294AXF;
array willf[10] V1693A1F V1693A2F V1693A3F V1693A4F
               V1693A5F V1693A6F V1693A7F V1693A8F V1693A9F V1693AXF;
array movem[10] V1294A1M V1294A2M V1294A3M V1294A4M V1294A5M
               V1294A6M V1294A7M V1294A8M V1294A9M V1294AXM;
array willm[10] V1693A1M V1693A2M V1693A3M V1693A4M V1693A5M
               V1693A6M V1693A7M V1693A8M V1693A9M V1693AXM;
if RELATE_M in(1,2,3) then do;
    MOVENRM = 0;
    WILLBENM = 0;
    do i = 1 to 10;
        if movem[i] eq LINEP then MOVENRM = 1;
        if willm[i] eq LINEP or willm[i] eq 11 then WILLBENM = childm;
    end;
end;
else do;
    MOVENRM = .;
    WILLBENM = .;
end;
if RELATE_F in(1,2,3) then do;
    MOVENRF = 0;
    WILLBENF = 0;
    do i = 1 to 10;
        if movef[i] eq LINEP then MOVENRF = 1;
        if willf[i] eq LINEP or willf[i] eq 11 then WILLBENF = childf;
    end;
end;
else do;
    MOVENRF = .;
    WILLBENF = .;
end;

array v474[10] V474A1 -- V474A10;
array v479[10] V479A1 -- V479A10;
array v495a[5] V495 V507 V519 V526 V537;
array v499a[5] V499 V508 V520 V527 V538;
array v499xa[5] V499X V508X V520X V527X V538X;
array v748[10] V748A1 -- V748A10;
array v1107[10] V1107A1 -- V1107A10;
array v1151[8] V1151A1 -- V1151A8;
array v1603a[3] V1603 V1615 V1627;
array v1606a[3] V1606 V1618 V1630;
array v1606ca[3] V1606C V1618C V1630C;
array v1606xa[3] V1606X V1618X V1630X;
array v1611a[3] V1611 V1623 V1635;
array v1612a[3] V1612 V1624 V1636;
array v1891[10] V1891A1 -- V1891A10;
array v1899[10] V1899A1 -- V1899A10;
array v1907[10] V1907A1 -- V1907A10;
array v1916[10] V1916A1 -- V1916A10;
array v1920[10] V1920A1 -- V1920A10;
HELPDEED = 0;
HELP10YR = 0;
HELP1YR = 0;
HELP1YRD = 0;
HELP1YRX = 0;
GIVEMEDI = 0;

```

```

GIVEMEDD = 0;
GIVEFIN = 0;
GIVEFIND = 0;
GIVEFINC = .;
GIVEFINX = 0;
GIVENOW = .;
GIVEFUT = .;
DEEDHOME = 0;
OWNRHOME = 0;
array insure[4] V1885 V1893 V1901 V1909;
array benefr[4] BENETIF BENEWIF BENETIM BENEWIM;
array benemr[4] BENETIM BENEWIM BENETIF BENEWIF;
array premfr[4] PREMTIF PREMWIF PREMTIM PREMWIM;
array premmr[4] PREMTIM PREMWIM PREMTIF PREMWIF;
array fvalfr[4] FVALTIF FVALWIF FVALTIM FVALWIM;
array fvalmr[4] FVALTIM FVALWIM FVALTIF FVALWIF;
do i = 1 to 4;
  if finrsex eq 2 then do;
    if insure[i] eq 1 then do;
      benefr[i] = 0;
      premfr[i] = 0;
      fvalfr[i] = 0;
    end;
    else if insure[i] eq 5 then do;
      if (i in (1,2) and RELATE_F in (1,2,3)) or
        (i in (3,4) and RELATE_M in (1,2,3)) then do;
        benefr[i] = .N;
        premfr[i] = .N;
        fvalfr[i] = .N;
      end;
      else do;
        benefr[i] = .;
        premfr[i] = .;
        fvalfr[i] = .;
      end;
    end;
    else do;
      benefr[i] = insure[i];
      premfr[i] = insure[i];
      fvalfr[i] = insure[i];
    end;
  end;
  else do;
    if insure[i] eq 1 then do;
      benemr[i] = 0;
      premmr[i] = 0;
      fvalmr[i] = 0;
    end;
    else if insure[i] eq 5 then do;
      if (i in (1,2) and RELATE_M in (1,2,3)) or
        (i in (3,4) and RELATE_F in (1,2,3)) then do;
        benemr[i] = .N;
        premmr[i] = .N;
        fvalmr[i] = .N;
      end;
      else do;
        benemr[i] = .;
        premmr[i] = .;
        fvalmr[i] = .;
      end;
    end;
    else do;
      benemr[i] = insure[i];
      premmr[i] = insure[i];
      fvalmr[i] = insure[i];
    end;
  end;
end;
end;

```

```

ADVISE_R = 0;
ctgive = 0;

do i = 1 to 10;
  if v474[i] eq LINEP or v474[i] eq 11 then HELPDEED = HELPDEED + 1;
  if v479[i] eq LINEP or v479[i] eq 11 then HELP10YR = HELP10YR + 1;
  if v748[i] eq LINEP then do;
    GIVEMEDI = GIVEMEDI + 1;
    if V749 ge 0 then GIVEMEDD = GIVEMEDD + V749; else GIVEMEDD = V749;
  end;
  if v748[i] gt 0 then ctgive = ctgive + 1;
  if v1107[i] eq LINEP then DEEDHOME = 1;
  if v1891[i] eq LINEP then do;
    if finrsex eq 2 then do;
      BENETIF = 1;
      PREMTIF = v1887a;
      FVALTIF = v1889a;
    end;
    else do;
      BENETIM = 1;
      PREMTIM = v1887a;
      FVALTIM = v1889a;
    end;
  end;
  else if v1891[i] eq 11 then do;
    if finrsex eq 2 and childf then do;
      BENETIF = 1;
      PREMTIF = v1887a/ctchildf;
      FVALTIF = v1889a/ctchildf;
    end;
    else if finrsex eq 1 and childm then do;
      BENETIM = 1;
      PREMTIM = v1887a/ctchildm;
      FVALTIM = v1889a/ctchildm;
    end;
  end;
  if v1899[i] eq LINEP then do;
    if finrsex eq 2 then do;
      BENEWIF = 1;
      PREMWIF = v1895a;
      FVALWIF = v1897a;
    end;
    else do;
      BENEWIM = 1;
      PREMWIM = v1895a;
      FVALWIM = v1897a;
    end;
  end;
  else if v1899[i] eq 11 then do;
    if finrsex eq 2 and childf then do;
      BENEWIF = 1;
      PREMWIF = v1895a/ctchildf;
      FVALWIF = v1897a/ctchildf;
    end;
    else if finrsex eq 1 and childm then do;
      BENEWIM = 1;
      PREMWIM = v1895a/ctchildm;
      FVALWIM = v1897a/ctchildm;
    end;
  end;
  if v1907[i] eq LINEP then do;
    if finrsex eq 2 then do;
      BENETIM = 1;
      PREMTIM = v1903a;
      FVALTIM = v1905a;
    end;
    else do;
      BENETIF = 1;
      PREMTIF = v1903a;
    end;
  end;
end;

```

```

        FVALTIF = v1905a;
    end;
end;
else if v1907[i] eq 11 then do;
    if finrsex eq 2 and childm then do;
        BENETIM = 1;
        PREMTIM = v1903a/ctchildm;
        FVALTIM = v1905a/ctchildm;
    end;
    else if finrsex eq 1 and childf then do;
        BENETIF = 1;
        PREMTIF = v1903a/ctchildf;
        FVALTIF = v1905a/ctchildf;
    end;
end;
if v1916[i] eq LINEP then do;
    if finrsex eq 2 then do;
        BENEWIM = 1;
        PREMWIM = v1912a;
        FVALWIM = v1914a;
    end;
    else do;
        BENEWIF = 1;
        PREMWIF = v1912a;
        FVALWIF = v1914a;
    end;
end;
else if v1916[i] eq 11 then do;
    if finrsex eq 2 and childm then do;
        BENEWIM = 1;
        PREMWIM = v1912a/ctchildm;
        FVALWIM = v1914a/ctchildm;
    end;
    else if finrsex eq 1 and childf then do;
        BENEWIF = 1;
        PREMWIF = v1912a/ctchildf;
        FVALWIF = v1914a/ctchildf;
    end;
end;
if v1920[i] eq LINEP or v1920[i] eq 11 then ADVISE_R = 1;
end;
if ctgive gt 1 and GIVEMEDD ge 0 then GIVEMEDD = GIVEMEDD/ctgive;
do i = 1 to 5;
    if V495a[i] eq LINEP or V495a[i] eq 11 then do;
        HELP1YR = HELP1YR + 1;
        if HELP1YRD eq 0 then HELP1YRD = v499a[i];
        else if HELP1YRD > 0 and v499a[i] > 0
            then HELP1YRD = HELP1YRD + v499a[i];
        if HELP1YRX eq 0 then HELP1YRX = v499xa[i];
        else if HELP1YRX > 0 and v499xa[i] > 0
            then HELP1YRX = HELP1YRX + v499xa[i];
    end;
end;
do i = 1 to 8;
    if v1151[i] eq LINEP then OWNRHOME = 1;
end;
giveall = 0;
do i = 1 to 3;
    if v1603a[i] eq 11 and not giveall then do;
        giveall = 1;
        GIVEFIN = 1;
        if GIVEFIND eq 0 then GIVEFIND = v1606a[i];
        if GIVEFINC eq . then GIVEFINC = v1606ca[i];
        if GIVEFINX eq 0 then GIVEFINX = v1606xa[i];
        if GIVENOW eq . then GIVENOW = v1611a[i];
        if GIVEFUT eq . then GIVEFUT = v1612a[i];
    end;
    else if V1603a[i] eq LINEP then do;
        GIVEFIN = GIVEFIN + 1;
    end;
end;

```

```

        if giveall then do;
            GIVEFIND = v1606a[i];
            GIVEFINC = v1606ca[i];
            GIVEFINX = v1606xa[i];
            GIVENOW = v1611a[i];
            GIVEFUT = v1612a[i];
        end;
    else do;
        if GIVEFIND eq 0 then GIVEFIND = v1606a[i];
        else if v1606a[i] > 0 and GIVEFIND > 0
            then GIVEFIND = GIVEFIND + v1606a[i];
        if GIVEFINC eq . then GIVEFINC = v1606ca[i];
        else GIVEFINC = 9;
        if GIVEFINX eq 0 then GIVEFINX = v1606xa[i];
        else if v1606xa[i] > 0 and GIVEFINX > 0
            then GIVEFINX = GIVEFINX + v1606xa[i];
        if GIVENOW eq . then GIVENOW = v1611a[i];
        if GIVEFUT eq . then GIVEFUT = v1612a[i];
    end;
end;

if module7f eq 1 then do;
    if V2195F eq LINEP then V2195F = 1;
    else V2195F = 0;
    if V2198F eq LINEP then V2198F = 1;
    else V2198F = 0;
    if V2201F eq LINEP then V2201F = 1;
    else V2201F = 0;
end;
else do;
    V2195F = .;
    V2198F = .;
    V2201F = .;
end;

if module7m eq 1 then do;
    if V2195M eq LINEP then V2195M = 1;
    else V2195M = 0;
    if V2198M eq LINEP then V2198M = 1;
    else V2198M = 0;
    if V2201M eq LINEP then V2201M = 1;
    else V2201M = 0;
end;
else do;
    V2195M = .;
    V2198M = .;
    V2201M = .;
end;
end;

*
**
*** Set the above variables to INAP (.) for non-children
**
;
else do;
    CHLDCARE = .;
    FUTURHLF = .;
    FUTURHLM = .;
    FUTURHLT = .;
    MOVENRM = .;
    WILLBENM = .;
    MOVENRF = .;
    WILLBENF = .;
    HELPDEED = .;
    HELP10YR = .;
    HELP1YR = .;
    HELP1YRX = .;
    GIVEMEDI = .;
    GIVEMEDD = .;
    DEEDHOME = .;

```

```

OWNRHOME = .;
BENETIF = .;
BENEWIF = .;
BENETIM = .;
BENEWIM = .;
PREMTIF = .;
PREMWIF = .;
PREMTIM = .;
PREMWIM = .;
FVALTIF = .;
FVALWIF = .;
FVALTIM = .;
FVALWIM = .;
ADVISE_R = .;
HELPDEED = .;
HELP10YR = .;
HELP1YR = .;
HELP1YRX = .;
CHLDCARE = .;
GIVEMEDI = .;
GIVEMEDD = .;
GIVEFIN = .;
GIVEFIND = .;
GIVEFINC = .;
GIVEFINX = .;
GIVENOW = .;
GIVEFUT = .;
DEEDHOME = .;
OWNRHOME = .;
V2195M = .;
V2198M = .;
V2201M = .;
V2195F = .;
V2198F = .;
V2201F = .;
end;

label RELATE_M = 'Relationship to male R'
      RELATE_F = 'Relationship to female R'
      SEXP      = 'Sex of child/other hh member'
      MARSTATP  = 'Marital status'
      AGEP      = 'Age of child/other hh member'
      EDUCP     = 'Education of child/other hh member'
      WORKP     = 'Work status of child/other hh member'
      NUMKIDSP  = '# of children of child/hh member'
      AGESPP    = 'Age of spouse of child/hh member'
      EDUCSPP   = 'Education of spouse of child/hh member'
      WORKSPP   = 'Work status of spouse of child/hh member'
      V481C     = 'MD category for D11, hh member earnings'
      V489C     = 'MD category for D18, sp member earnings'
      V458C     = 'Category for D30-32, child hh income'
      V775HF    = 'Help female R: walking'
      V783HF    = 'Help female R: dressing'
      V791HF    = 'Help female R: bathing'
      V799HF    = 'Help female R: eating'
      V805HF    = 'Help female R: getting in/out of bed'
      V823HF    = 'Help female R: toileting'
      V913HF    = 'Help female R: IADLs first helper'
      V924HF    = 'Help female R: IADLs second helper'
      V950HF    = 'Help female R: manage money'
      FUTURHLF  = 'Female R reports would help if needed'
      ADLHELFP  = 'Help female R: number ADLs'
      IADLHLFP  = 'Help female R: IADLs'
      ALLHELFP  = 'Help female R: number ADLs, IADLs'
      V775HM    = 'Help male R: walking'
      V783HM    = 'Help male R: dressing'
      V791HM    = 'Help male R: bathing'
      V799HM    = 'Help male R: eating'
      V805HM    = 'Help male R: getting in/out of bed'

```

```

V823HM = 'Help male R: toileting'
V913HM = 'Help male R: IADLs first helper'
V924HM = 'Help male R: IADLs second helper'
V950HM = 'Help male R: manage money'
FUTURHLM = 'Male R reports would help if needed'
ADLHELPM = 'Help male R: number ADLs'
IADLHLPM = 'Help male R: IADLs'
ALLHELPM = 'Help male: number ADLs, IADLs'
ADLHELPT = 'Help either R: number ADLs'
IADLHLPT = 'Help either R: IADLs'
ALLHELPT = 'Help either R: number ADLs, IADLs'
FUTURHLT = 'Either R reports would help if needed'
MOVENRM = 'Male R expects to move near'
MOVENRF = 'Female R expects to move near'
WILLBENM = 'Male R names in will'
WILLBENF = 'Female R names in will'
HELPDEED = 'R gave deed to house'
HELP10YR = 'R gave $5000+ in last 10 years'
HELP1YR = 'R gave $500+ in last 12 months'
HELP1YRD = 'Amount given by R in last 12 months'
HELP1YRX = 'Amount given by R in last 12 months, imp'
CHLDCARE = 'R cared for grandchild 1+ years'
GIVEMEDI = 'Helped R with medical expenses'
GIVEMEDD = 'Dollar amount medical expenses paid'
GIVEFIN = 'Financial assistance to R last year'
GIVEFIND = 'Amount assistance to R last year'
GIVEFINC = 'Bracket code for amount assistance'
GIVEFINX = 'Amount assistance to R last year, imp'
GIVENOW = 'Assistance continues this year'
GIVEFUT = 'Assistance expected in future'
DEEDHOME = 'Named on title to R's home'
OWNRHOME = 'Owns R's home'
BENETIM = 'Beneficiary of term ins by male R'
PREMTIM = 'Annual premium, term ins from male R'
FVALTIM = 'Face value, term ins from male R'
BENETIF = 'Beneficiary of term ins by female R'
PREMTIF = 'Annual premium, term ins from female R'
FVALTIF = 'Face value, term ins from female R'
BENEWIM = 'Beneficiary of whole ins by male R'
PREMWIM = 'Annual premium, whole ins from male R'
FVALWIM = 'Face value, whole ins from male R'
BENEWIF = 'Beneficiary of whole ins by female R'
PREMWIF = 'Annual premium, whole ins from female R'
FVALWIF = 'Face value, whole ins from female R'
ADVISE_R = 'R consults on major decisions'
V2195F = 'Module 7: manages finances for fem R'
V2198F = 'Module 7: manages investments for fem R'
V2201F = 'Module 7: fem R consults on investments'
V2195M = 'Module 7: manages finances for male R'
V2198M = 'Module 7: manages investments for male R'
V2201M = 'Module 7: male R consults on investments';

```

```
run;
```

```

*
**
*** The next file management step is to add the helper-level
*** variables to the merged household-level file created in
*** the previous step.
**

```

```
;
```

```

proc sort data=pfile1 out=pfile2;
  by HHCHID;
run;
data helper1;
  set AHEAD1.AHGHP;
  HHCHID = 100*HHID;
  if LINEHP ge 0 then HHCHID = HHCHID + LINEHP;
run;

```

```

proc sort data=helper1 out=helper2;
  by HHCHID;
run;
data AHEAD1.AHGPX;
  merge helper2 pfile2(in=chrec);
  by HHCHID;
  if chrec;
  retain whohelpm whohelpf TIMEHELP MDTIMEHL PAIDHELP MEDCHELP
  DLLRHELP MDDLRLHL G100HELP;
  if first.HHCHID then do;
    whohelpm = 0;
    whohelpf = 0;
    TIMEHELP = 0;
    MDTIMEHL = 0;
    PAIDHELP = 0;
    MEDCHELP = 0;
    DLLRHELP = 0;
    MDDLRLHL = 0;
    G100HELP = 0;
  end;
  if LINEHP gt 0 then do;
    if ID eq IDM then whohelpm = 10 * whohelpm + RELATEP;
    if ID eq IDF then whohelpf = (whohelpf + RELATEP)/10;
    if V993 gt 0 then do;
      if V992 eq 1 then TIMEHELP = TIMEHELP + 7 * V993;
      else if V992 eq 2 then TIMEHELP = TIMEHELP + 3.5 * V993;
      else if V992 eq 3 then TIMEHELP = TIMEHELP + V993;
      else if V992 eq 4 then TIMEHELP = TIMEHELP + 1;
    end;
    else MDTIMEHL = MDTIMEHL + 1;
    if V994 eq 1 then PAIDHELP = PAIDHELP + 1;
    if V995 eq 1 then MEDCHELP = MEDCHELP + 1;
    if V997 eq 1 then monthly = V996;
    else if V997 eq 2 then monthly = 4 * V996;
    else if V997 eq 3 then monthly = 30 * V996;
    else if V997 eq 5 then monthly = V996/12;
    else monthly = .;
    if V997 ge 0 and V996 ge 0 then do;
      if V994 eq 1 then DLLRHELP = DLLRHELP + monthly;
    end;
    else MDDLRLHL = MDDLRLHL + 1;
    if monthly ge 100 or V998 eq 1 then G100HELP = G100HELP + 1;
  end;
  if last.HHCHID;
  WHOHELPT = whohelpm + whohelpf;
  if WHOHELPT eq 0 then do;
    PAIDHELP = .;
    DLLRHELP = .;
    G100HELP = .;
  end;
  if PAIDHELP le 0 then MEDCHELP = .;
  label IDF = 'Female respondent ID'
  IDM = 'Male respondent ID'
  WHOHELPT = 'String of RELATEPs, helpers of either R'
  TIMEHELP = 'Total time helped per week'
  MDTIMEHL = 'Number of helpers with MD on time'
  PAIDHELP = 'Whether paid for help (count)'
  MEDCHELP = 'If paid, if Medicare helps (count)'
  DLLRHELP = 'Total paid per month'
  MDDLRLHL = 'Number of helpers with MD on pay'
  G100HELP = 'Whether paid at least $100/month';
  drop monthly ID LINEHP RELATEP IWN V990 -- GRKIDREL HHCHID
  whohelpm whohelpf X1;
run;
proc contents data=AHEAD1.AHGPX;
  title 'Listing of variables in revised child/other hh member file';
run;

```

