


HRS 2016 Production
SECTION I: PHYSICAL MEASURES AND BIOMARKERS

SECTION I FLOW



SECTION I SPECIFICATION

SecI.V800_FTF

I800_FTF

ENTER CURRENT MODE OF INTERVIEW

TELEPHONE.....1

FACE-TO-FACE.....2

V846 BRANCHPOINT: IF V800=2 AND X090=3(ENHANCED-FTF) AND A007T=1 (R IS LIVING)
AND A009=1 (SELF-R) AND A028 = 1,CONTINUE

ELSE, GO TO V845

SecI.V846_testnumber

I846_testnumber

Now I am going to ask you to do a few simple activities for me. Researchers are interested in how performance on these activities relates to some of the other factors I have asked you about in the interview.

I will ask you to do these activities: a hearing test, a breathing test, a test of hand strength, [A019 >= 65: a walking test, / [empty]], a balance test, and blood pressure, height, [C139 < 300: weight/ [empty]], and waist measurements.

My primary concern is for your safety, so I will ask you if you feel it would be safe for you to complete each activity. If you have any concerns about the activity, please let me know and we will skip it.

Please do not eat, drink, smoke, or brush your teeth while we are conducting the measurements. I will also be asking you to remove bulky clothing and to take off your shoes during some of the measurements.

Continue.....1

CONSENT-ADMINISTRATION (PHYSICAL MEASURES)

SecI.I600_PmconsentIntro

I600_PmconsentIntro

Before we begin, I'd like to have you read and sign a form explaining your rights as a participant in this part of the study.

If R refuses to view or sign the consent form, enter CTRL-R. Otherwise, enter [1] to administer the consent form.

While the R is reviewing the form, sign a paper copy which can be left with them for their records.

Continue.....1

REF → Go to **V954_WhyNoConsentPhysMeas**

SecI.V802_Pmconsent

I802_PmconsentIntro

Did R sign the physical measures consent form?

If yes, the consent was not properly saved. To re-launch and re-sign

- 1) Enter [1] Yes
- 2) Click the "Suppress" button on the prompt which appears
- 3) You will then return to the physical measures consent introduction, where you can enter [1] to re-launch the consent form.

Yes.....1 → Go to BP_Intro
No.....5

V954_WhyNoConsentPhysMeas**I954_WhyNoConsentPhysMeas¹**

Why didn't R sign the physical measures consent form? (Enter all that apply)

R felt it would not be safe.....1 → Go to Salcsnt
Iwer felt it would not be safe.....2 → Go to Salcsnt
R refused or was not willing to complete the measurements.....3 → Go to Salcsnt
R could not complete the measurement due to health reasons.....6 → Go to Salcsnt
No suitable space.....7 → Go to Salcsnt
Other (Specify).....97 → Go to I955_WhyNoConsentPhysMeas_Specify

V955_WhyNoConsentPhysMeas_Specify

What other reason?

EXPLAIN:

Open End_____

¹ This variable is at the end of the PhysMeas section and before the Saliva section in the Blaise instrument.

V803 BRANCHPOINT: GO TO I638_Salcsnt

SECTION I ELIGIBILITY RULES

SecI.V803_eligible I803_eligible

PHYSICAL MEASURES AND BIOMARKERS ELIGIBILITY

This respondent is eligible for these measurements unless noted otherwise:

- @/ blood pressure
- @/ hearing test
- @/ breathing
- @/ hand strength
- @/ balance tests (with ^FLV803TanStand second full-tandem)
- @/ walking test ^flv803
- @/ height
- @/ weight ^FLweight
- @/ waist
- @/ saliva ^FLsaliva
- @/ blood spot assays

On the front cover of the Walking-Height-Weight-Waist-Administration Booklet, mark whether the respondent is eligible to complete the walking test and weight measurement.

The booklet may then be set aside until needed during the walking speed test.

Continue.....1

ELIGIBILITY-LOGICS

Balance Tests FLV803TanStand
based on age:

```
IF piSecAContinuInterviewA019_RAge >= 70 THEN
  FLV803TanStand := '30'
ELSEIF piSecAContinuInterviewA019_RAge < 70 THEN
  FLV803TanStand := '60'
ENDIF
```

Walking Test ^flv803
is eligible IF piSecAContinuInterviewA019_RAge >= 65

Weight ^FLweight
is eligible IF piSecCWeighC139_ < 300

Saliva ^FLsaliva
is eligible IF piRvarsZ258_PWSalivaValid = no OR piRvarsZ258_PWSalivaValid =
EMPTY

BLOOD PRESSURE INTRODUCTION

SecI.V[XXX]_BPIntro
I601_BP_Intro

Equipment needed: Omron BP 760N Monitor, Batteries or AC Adapter, Health Assessment Pamphlet

Now let's talk about the first activity. I'd like to measure your blood pressure using a monitor and cuff which I will secure around your left arm. I will ask you to relax and remain seated and quiet during the measurements.

Continue.....1

SecI.V[XXX]_BPDemo
I602_BP_Demo

BLOOD PRESSURE MEASUREMENT

Demonstration: Use your left arm to demonstrate

First, I will place the cuff on your left arm approximately one half inch above the elbow.

I will ask you to:

- Sit comfortably with your feet flat on the floor
- Lay your arm on a flat surface
- Palm facing up
- With the center of your upper arm at the same height as your heart.

I will then press the Start button. The cuff will inflate and deflate.

After we have completed three measures, I will give you your results.

Continue.....1

SecI.V[XXX]_BPRashL
I662_BP_Rash_L

Do you have a rash, a cast, edema (swelling) in the arm, open sores or wounds, or a significant bruise where the blood pressure cuff will be in contact on your left arm?

YES.....1

NO.....5 -> Go to BPDIR

SecI.V[XXX]_BPRashR
I663_BP_Rash_R

Do you have a rash, a cast, edema (swelling) in the arm, open sores or wounds, or a significant bruise where the blood pressure cuff will be in contact on your right arm?

YES.....1 -> Go to V855

NO.....5

SecI.V[XXX]_BPDIR
I961_BP_DIR

Do you understand these directions and feel it would be safe for you to do this measurement?

YES.....1

NO.....5 -> Go to V855

SecI.V[XXX]_BPISTRCT
I603_BP_Instruct

BLOOD PRESSURE MEASUREMENT

Setup Checklist:

- 1) Bulky clothing removed from upper arm.
 - 2) R sitting, feet flat on the floor. Legs not crossed, arm on surface.
 - 3) Cuff placed $\frac{1}{2}$ inch above the elbow with pneumatic tube centered in middle of arm (as shown in diagram printed on cuff).
 - 4) Palm facing upward; cuff at the level of the heart.
 - 5) Cuff secured (Sewn hook material pressed firmly against the cuff; cuff makes direct contact with the R's skin if possible. You can fit your index and middle fingers between the cuff and the arm).
 - 6) R instructed to rest their arm comfortably in position.
 - 7) Monitor body positioned so that readings are not visible to the respondent.
- ♦ Enter [1] to continue

Continue.....1



SecI2.V857_BloodPressure1_Time
I857_BloodPressure1_time

BLOOD PRESSURE MEASUREMENT

- ◆ Instruct the R to remain still.
- ◆ Press the START/STOP button and record measurements

First Reading – TIME of reading

□□:□□ AM/PM

SecI2.V859_BloodPressure1_Systolic
I859_BloodPressure1_Systolic

BLOOD PRESSURE MEASUREMENT

First Reading – SYSTOLIC

- ◆ Enter 993 if R tried but was unable to do it or if an unresolvable equipment problem occurs.
- ◆ Enter 999 if R chose not to do it.

V860 BRANCHPOINT: IF V859 = {993 OR 999}, GO TO V854

SecI2.V860_BloodPressure1_DIASTOLIC
I860_BloodPressure1_Diastolic

BLOOD PRESSURE MEASUREMENT

First Reading - DIASTOLIC

SecI2.V861_BloodPressure1_Pulse
I861_BloodPressure1_Pulse

BLOOD PRESSURE MEASUREMENT

First Reading - PULSE

SecI.V[XXX]_BPTimer1-2
I604_BP_Timer_2

BLOOD PRESSURE MEASUREMENT

Enter [1] to continue upon completion of countdown.

Before proceeding, check the Respondent's position to ensure:

- ◆ they are sitting comfortably with their feet flat on the floor
- ◆ their palm is facing up
- ◆ the center of their upper arm is at the same height as their heart

Please do not comment on the respondent's results between measurements. You may let the R know that you will share their readings once all three have been taken.

Continue.....1

SecI2.V862_BloodPressure2_Time
I862_BloodPressure2_Time

BLOOD PRESSURE MEASUREMENT

Ensure that you've allowed 45 seconds to elapse since first measurement.

Second Reading - TIME of reading

□□:□□ AM/PM

SecI2.V864_BloodPressure2_Systolic
I864_BloodPressure2_Systolic

BLOOD PRESSURE MEASUREMENT

Second Reading – SYSTOLIC

- ♦ Enter 993 if R tried but was unable to do it or if an unresolvable equipment problem occurs.
- ♦ Enter 999 if R chose not to do it.

V865 BRANCHPOINT: IF V864= {993 OR 999}, GO TO I963

SecI2.V865_BloodPressure2_DIASTOLIC
I865_BloodPressure2_Diastolic

BLOOD PRESSURE MEASUREMENT

Second Reading – DIASTOLIC

SecI2.V866_BloodPressure2_Pulse
I866_BloodPressure2_Pulse

BLOOD PRESSURE

Second Reading – PULSE

EMERGENCY BP PROTOCOL CHECKPOINT: IF I859 >= 210 AND I864 >= 210 OR
I860 >= 120 AND I865 >= 120, GO TO I668_BP_HYPCRS
ELSE, CONTINUE

SecI.V[XXX]_BPTimer2-3
I605_BP_Timer_3

BLOOD PRESSURE MEASUREMENT

Enter [1] to continue upon completion of countdown.

Before proceeding, check the Respondent's position to ensure:

- ◆ they are sitting comfortably with their feet flat on the floor
- ◆ their palm is facing up
- ◆ the center of their upper arm is at the same height as their heart

Please do not comment on the respondent's results between measurements. You may let the R know that you will share their readings once all three have been taken.

Continue.....1

SecI2.V867_BloodPressure3_Time
I867_BloodPressure3_Time

BLOOD PRESSURE MEASUREMENT

Third Reading - TIME of reading

□□:□□ AM/PM

SecI2.V869_BloodPressure3_Systolic
I869_BloodPressure3_Systolic
BLOOD PRESSURE MEASUREMENT

Third Reading - SYSTOLIC

- ◆ Enter 993 if R tried but was unable to do it or if an unresolvable equipment problem occurs.
- ◆ Enter 999 if R chose not to do it.

V870 BRANCHPOINT: IF V869= {993 OR 999}, GO TO I963

SecI2.V870_BloodPressure3_DIASTOLIC
I870_BloodPressure3_Diastolic
BLOOD PRESSURE MEASUREMENT

Third Reading - DIASTOLIC

SecI2.V871_BloodPressure3_Pulse

I871_BloodPressure3_Pulse

BLOOD PRESSURE MEASUREMENT

Third Reading -PULSE

EMERGENCY BP PROTOCOL CHECKPOINT: IF I859 >= 210 AND I869 >= 210 OR
I864 >= 210 AND I869 >= 210 OR I860 >= 120 AND I870 >= 120
OR I865 >= 120 AND I870 >= 120, CONTINUE

ELSE, GO TO I963_BPCARD

SecI.I668_BP_HypCrs

This respondent's blood pressure is severely high. Please read the following to determine whether the respondent feels comfortable continuing the interview.

According to our measurements, your blood pressure today is severely high.

If you are not feeling well, a doctor might recommend that you seek medical care to evaluate your high blood pressure.

Do you feel well enough to continue the interview or would you like to stop and continue at a later date?

- ◆ Even if the R prefers to stop the interview, you must answer this question. You will be prompted to provide the R's results and complete the BP observations before suspending.

R feels well enough to continue.....1

R prefers to stop the interview.....5

SecI.V[XXX]_BPresCard

I963_BP_Card

Record the respondent's measurements on the inside cover of the Health Assessment Pamphlet.

Give the pamphlet to the respondent.

Measure	Time	Systolic	Diastolic	Pulse
1	I857	I859	I860	I861
2	I862	I864	I865	I866
3	I867	I869	I870	I871

[Because these readings fall outside what national organizations consider normal, refer the respondent to the recommendation in the pamphlet about seeing a physician to have their blood pressure checked again]

Continue.....1

SecI2.V854_BloodPressureComplete
I854_BloodPressureComplete
BLOOD PRESSURE MEASUREMENT

Did R complete at least one blood pressure measurement?

YES.....1

NO.....5 -> Go to V855

SecI2.V872_BloodPressureArm
I872_BloodPressureArm
BLOOD PRESSURE MEASUREMENT

Which arm was used to conduct the measurements?

Left arm.....1

Right arm.....2

SecI2.V874_BloodPressurePosition
I874_BloodPressurePosition
BLOOD PRESSURE MEASUREMENT

What was R's position for this test?

Standing.....1

Sitting.....2

Lying down.....3

V669 BRANCHPOINT: IF I668 = 5, CONTINUE

ELSE, GO TO BRINTRO

I669_BP_HypCrS_Susp

Please suspend the interview at this time.

I855 BRANCHPOINT: GO TO BRINTRO

SecI2.V855_BloodPressureWhyNotComplete_
I855_BPWhyNotComplete
BLOOD PRESSURE MEASUREMENT

Why didn't R complete the blood pressure measurement? (Enter all that apply)

R felt it would not be safe.....1 -> Go to BRIntro
IWER felt it would not be safe.....2 -> Go to BRIntro
R refused or was not willing to complete the test.....3 -> Go to BRIntro
R tried but was unable to complete test.....4 -> Go to BRIntro
R did not understand the instructions.....5 -> Go to BRIntro
R had a rash, a cast, edema, open sores or wounds, or significant bruise where the
blood cuff would contact R's arm.....6 -> Go to BRIntro
No suitable space.....7 -> Go to BRIntro
Problem with equipment or supplies.....8-> Go to BRIntro
Other (specify).....97

SecI2.V856_BloodPressureNotComplete_Specify
I856_BPNotComplete_Specify
BLOOD PRESSURE MEASUREMENT

What other reason?

EXPLAIN:

Open End_____

HEARING TEST BRANCHPOINT: GO TO BRINTRO

HEARING TEST INTRODUCTION

SecI.I670_HrIntro
Equipment needed: HearCheck Device, Disposable Ear Cup

We would like to conduct a brief hearing test.

If necessary: On its own this test can't tell me if there are any problems with your hearing. If you have any concerns about your hearing, please consult your doctor.

Continue.....1

SecI.I671_HrDemo

Demonstrate using the HearCheck device:

I will place this device over each of your ears. The device will play a series of tones, and I will ask you to raise your finger each time you hear a sound. Like this:

- ◆ Remove any obstructions from your ears (long hair, glasses, jewelry, etc.)
- ◆ Press device against your ear
- ◆ Explain that you will say "Ready, begin" to begin the test
- ◆ You will ask the R to raise their finger when they hear each sound; demonstrate by lifting your finger 2-3 times

Continue.....1

SecI.I672_HrImplant

Do you have a cochlear implant?

YES.....1 → Go to I685_HrWhyNoComplete
NO.....5

SecI.I673_HrInfection

Do you have an ear infection in either ear at the moment?

YES.....1 → Go to I685_HrWhyNoComplete
NO.....5

SecI.I946_HrHrAid_Ask

[In Section C, the respondent reported that they may sometimes wear a hearing aid.]

If necessary: Are you currently wearing a hearing aid in one or both ears?

YES.....1
NO.....5 → Go to I675_HrDir

SecI.I674_HrHrAid

Would you be willing to remove your hearing aid(s) for the purposes of this test?

Respondent should not remove hearing aid(s) until directed in a few moments.

YES.....1
NO.....5 → Go to I685_HrWhyNoComplete

SecI.I675_HrDir

Do you understand these directions and feel it would be safe for you to do this measurement?


YES.....1

NO.....5 → Go to SecI.I685_HrWhyNoComplete

SecI.I676_HrLInstruct1

- 1) Ask the respondent to ensure both of their ears are free of obstructions that would prevent the ear-cup from fully enclosing the ear (R should remove glasses, earrings, headwear, etc. and pull hair away from ear)
- 2) Ensure the hearing test is being conducted in a quiet environment (no noise from radio, television, pets or other sources)
- 3) Insert a new disposable ear-cup into the HearCheck device

Continue.....1



SecI.I947_HrInitiate

We will begin the test on your left ear. I will say "Ready, begin" and you will listen for the tones played by the device, raising your finger when you hear a sound.

Please let me know at any point if you feel uncomfortable.

Continue.....1

SecI.I677_HrLInstruct2

LEFT EAR -TESTS 1 AND 2

[F1 - Help]

- 1) Ask the respondent to remove any hearing aid(s) they are currently wearing. Make sure they will be able to see or hear you signaling the start and end of the tests.
- 2) Gently place the cup of the device over the respondent's left ear
- 3) Say **"Ready, begin."**
- 4) Press the Start button to initiate test 1 (1000 Hz).
- 5) Count the number of times the respondent raises their finger during test 1.
- 6) Press Start button within 20 seconds to continue with test 2 (3000 Hz).
- 7) Count the number of times the respondent raises their finger during test 2.

Press [F1] if the device turns off between test 1 and test 2.

F1 Help Text: If the device turns off between test 1 and test 2, you will need to remove it from the respondent's ear, let the first test play, then return the device to the respondent's ear to begin the second test.

Continue.....1

SecI.I678_HrLTest1

LEFT EAR - TEST 1, 1000 Hz

Enter the number of times the R raised their finger during test 1 (1000 Hz)

Enter 993 if you were unable to complete this test

Enter 999 if R chose not to do it

I679 BRANCHPOINT: IF HRLTEST1 = 993 OR 999, GO TO I682_HEARINGTEST
--

ELSE, CONTINUE

SecI.I679_HrLTest2

LEFT EAR - TEST 2, 3000 Hz

Enter the number of times the R raised their finger during test 2 (3000 Hz)

Enter 993 if you were unable to complete this test

Enter 999 if R chose not to do it

I948 BRANCHPOINT: IF HRLTEST1 = 993 OR 999, GO TO I682_HEARINGTEST
--

ELSE, CONTINUE

SecI.I948_HrRInstruct1**RIGHT EAR - TESTS 1 AND 2**

[F1 - Help]

- 1) Move the device to the R's right ear
- 2) Press Start button to start test 1 (1000 Hz) on the right ear
- 3) Count the number of times the respondent raises their finger during test 1
- 4) Press Start button within 20 seconds to continue with test 2 (3000 Hz)
- 5) Count the number of times the respondent raises their finger during test 2

Press [F1] if the device turns off between test 1 and test 2.

F1 Help Text: If the device turns off between test 1 and test 2, you will need to remove it from the respondent's ear, let the first test play, then return the device to the respondent's ear to begin the second test.

Continue.....1

SecI.I680_HrRTest1**RIGHT EAR - TEST 1, 1000 Hz**

Enter the number of times the R raised their finger during test 1 (1000 Hz)

Enter 993 if you were unable to complete this test

Enter 999 if R chose not to do it

I681 BRANCHPOINT: IF HRLTEST1 = 993 OR 999, GO TO I682_HEARINGTEST
--

ELSE, CONTINUE

SecI.I681_HrRTest2**RIGHT EAR - TEST 2, 3000 Hz**

- 1) Enter the number of times the respondent raised their finger during test 2 (3000 Hz)
- 2) Remove the disposable ear cup

Enter 993 if you were unable to complete this test

Enter 999 if R chose not to do it

I682 BRANCHPOINT: IF HRLTEST1 = 993 OR 999, GO TO I682_HEARINGTEST
--

ELSE, CONTINUE

SecI.I682_HearingTest

Did R complete at least one of the four hearing tests?

YES.....1

NO.....5 -> Go to I685_HrWhyNoComplete

SecI.I683_HrProblems

Which of the following occurred during the hearing test?

Select all that apply

None.....1

Background noise interfered with the hearing test.....2

Problem with equipment or supplies.....3

Had to restart the test.....4

Respondent removed obstructions (glasses, earrings, etc.)5

Respondent removed hearing aid.....6

Respondent took action to reduce background noise (turned down television, asked HH members for quiet, etc.)7

Respondent raised their finger more than three times for a single test.....8

Other (specify)97 → Go to **I684_HrProblems_Other**

I684 BRANCHPOINT: GO TO **I606_BrIntro**

SecI.I684_HrProblems_Other

Hearing Test

What other problems?

Explain:

Open-End_____, Go to **I606_BrIntro**

SecI.I685_HrWhyNoComplete

Why didn't R complete the hearing tests? (Enter all that apply)

R felt it would not be safe.....1→ Go to I606_BR_Intro

IWER felt it would not be safe.....2→ Go to I606_BR_Intro

R refused or was not willing to complete the test.....3→ Go to I606_BR_Intro

R tried but was unable to complete test.....4→ Go to I606_BR_Intro

R did not understand the instructions.....5→ Go to I606_BR_Intro

Background noise prevented execution of the hearing test.....6→ Go to I606_BR_Intro

Problem with equipment or supplies.....8-> Go to I606_BR_Intro

R unwilling to remove glasses, earrings, headwear, etc.....9→ Go to I606_BR_Intro

Other (specify)97

SecI.I686_HrWhyNoComplete_Other

Hearing Test

What other reason?

Explain:

Open End _____

BREATHING INTRODUCTION

SecI.V[XXX]_BRIntro
I606_BR_Intro

Equipment needed: Peak flow meter, Disposable mouthpiece packaged in plastic bag

Next I'm going to ask you to perform a simple measurement that will measure how fast you can expel air from your lungs. It is important that you blow as hard and as fast as you can. I would like you to perform the measurement three times.

Continue.....1

SecI.V[XXX]_BRDemo
I607_BR_Demo
Demonstration

In a moment I'll ask you to stand up. Take as deep a breath as possible. Open your mouth and close your lips firmly around the outside of the mouthpiece, and then blow as hard and as fast as you can into the mouthpiece. Like this..."

- Stand up, holding the meter in both hands
- Do not obstruct the sliding gauge
- Take a deep breath and then place lips around the outside of the plastic mouthpiece.
- Blow as hard and as fast as you can.
- Remove plastic mouthpiece.

Continue.....1



SecI.I964_BR_Dir
I964_BR_DIR

Do you understand these directions and feel it would be safe for you to do this measurement?

YES.....1

NO.....5 → Go to V805

SecI.I608_BR_Instruct2

BREATHING TEST

Setup Checklist:

- ♦ R given the disposable mouthpiece
- ♦ R firmly inserted the disposable mouthpiece
- ♦ Gauge facing away from R's hand
- ♦ R's hands do not obstruct the gauge

Instructions to R

When you are ready please stand up and take a deep breath. Place your lips firmly around the outside of the mouthpiece. Remember to blow as hard and fast as you can.

- ♦ Enter [1] to continue

Continue.....1

SecI2.V807_Puff1
I807_Puff1

BREATHING TEST

Measurement

First Reading - Record to the nearest 10 L/min

Enter 30 if reading is less than 60.
Enter 890 if reading is past last tick mark.
Enter 993 if R tried but was unable to do it.
Enter 999 if R chose not to do it.

I609 BRANCHPOINT: IF I807 = {993 OR 999}, GO TO I804

SecI.I609_BR_Instruct3

BREATHING TEST

- ◆ Reset the gauge
- ◆ After 30 seconds, ask R to complete a second reading, blowing as hard and as fast as he/she can
- ◆ Enter [1] to continue upon completion of countdown.

Continue.....1

SecI2.V808_Puff2
I808_Puff2

BREATHING TEST

Measurement

Second Reading - Record to the nearest 10 L/min

Enter 30 if reading is less than 60.
Enter 890 if reading is past last tick mark.
Enter 993 if R tried but was unable to do it.
Enter 999 if R chose not to do it.

I610 BRANCHPOINT: IF I808 = {993 OR 999}, GO TO I804

SecI.I610_BR_Instruct4**BREATHING TEST**

- ◆ Reset the gauge
- ◆ After 30 seconds, ask R to complete a third reading, blowing as hard and as fast as he/she can
- ◆ Enter [1] to continue upon completion of countdown.

Continue.....1

SecI2.V809_Puff3
I809_Puff3**BREATHING TEST****Measurement**

Third Reading - Record to the nearest 10 L/min

Enter 30 if reading is less than 60.
Enter 890 if reading is past last tick mark.
Enter 993 if R tried but was unable to do it.
Enter 999 if R chose not to do it.

SecI2.V804_BreathTest
I804_BreathTest**BREATHING TEST**

Did R complete at least one trial of the breathing test?

YES.....1 -> Go to V810

NO.....5

SecI2.V805_
I805_**BREATHING TEST**

WHY DIDN'T R COMPLETE THE BREATHING TEST? (Enter all that apply)

R felt it would not be safe.....1 → Go to HSIntro
IWER felt it would not be safe.....2 → Go to HSIntro
R refused or was not willing to complete the test.....3 → Go to HSIntro
R tried but was unable to complete test.....4 → Go to HSIntro
R did not understand the instructions.....5 → Go to HSIntro
Other (specify).....97

**SecI2.V806_
I806_**

BREATHING TEST

WHAT OTHER REASON?

EXPLAIN:

*Open End*_____, Go to HSIntro

**SecI2.V810_Reffort
I810_Reffort**

BREATHING TEST

HOW MUCH EFFORT DID R GIVE TO THIS TEST?

R gave full effort.....1

R was prevented from giving full effort by illness, pain, or other symptoms
or discomforts.....2

R did not appear to give full effort, but no obvious reason for this.....3

**SecI2.V811_Rposition
I811_Rposition**

BREATHING TEST

WHAT WAS R'S POSITION FOR THIS TEST?

Standing1

Sitting2

Lying down3

I612 BRANCHPOINT: GO TO WSIntro

HAND-STRENGTH INTRODUCTION

Progression #	Order/Routing	Variable Asked	Hand tested	Notes
1	(1) R practices with RIGHT;	I613_HS_Instrct_Adjust	R	Practice/Adjustment hand = R
	(2) LEFT measurement 1;	I816_LeftFirst	L	
	(3) RIGHT measurement 1;	I851_RightFirst	R	
	(4) LEFT measurement 2;	I852_LeftSecond	L	
	(5) RIGHT measurement 2.	I853_RightSecond	R	
2	(1) R practices with LEFT;	I613_HS_Instrct_Adjust	L	Practice/Adjustment hand = L
	(2) RIGHT measurement 1;	I851_RightFirst	R	
	(3) LEFT measurement 1;	I816_LeftFirst	L	
	(4) RIGHT measurement 2;	I853_RightSecond	R	
	(5) LEFT measurement 2.	I852_LeftSecond	L	
3	(1) R practices with RIGHT;	I613_HS_Instrct_Adjust	R	Practice/Adjustment hand = R
	(2) 30-second timer;	Break for Timer Question	NA	I816_LeftFirst = 993
	(3) RIGHT measurement 1;	I851_RightFirst	R	
	(4) 30-second timer;	Break for Timer Question	NA	I852_LeftSecond = 993
	(5) RIGHT measurement 2	I853_RightSecond	R	
4	(1) R practices with LEFT;	I613_HS_Instrct_Adjust	L	Practice/Adjustment hand = L
	(2) 30-second timer;	Break for Timer Question	NA	I851_RightFirst = 993
	(3) LEFT measurement 1;	I816_LeftFirst	L	
	(4) 30-second timer;	Break for Timer Question	NA	I853_RightSecond = 993
	(5) LEFT measurement 2	I852_LeftSecond	L	

		Reported Injuries/Pain (I966_HSPain)			
		I966_HSPain = No	I966_HSPain = Yes & I967_HSHand = [Value from Below]		
		No Injuries/Pain, Both Hands Testable	= 1 (Both hands untestable)	= 2 (LEFT hand untestable; will test RIGHT hand only)	= 3 (RIGHT hand untestable; will test LEFT hand only)
Dominant Hand (I815_gripdominanthand)	= 1 (RIGHT hand is dominant)	Progression 1	N/A	Progression 3	Progression 4
	= 2 (LEFT hand is dominant)	Progression 2	N/A	Progression 3	Progression 4
	= 3 (Equal dominance; effectively the same as though the RIGHT hand is dominant)	Progression 1	N/A	Progression 3	Progression 4

SecI.I612_HS_Intro

Equipment needed: Dynamometer

[Introduction]---[Demonstration]---[Safety]---[Setup]---[Measure]---[Observations]
 [Introduction]---[Demo]---[Sfty]---[Stp]---[Msr]---[Obs]
 [Introduction]---[D]---[E]---[S]---[M]---[O]

Now I would like to assess the strength of your hand in a gripping action.

Continue.....1

SecI.I611_HS_Demo

[Introduction]---[**Demonstration**]---[Safety]---[Setup]---[Measure]---[Observations]
[Intro]---[**Demonstration**]---[Sfty]---[Stp]---[Msr]---[Obs]
[I]---[**Demonstration**]---[E]---[S]---[M]---[O]

I will ask you to squeeze this handle as hard as you can, just for a couple of seconds and then let go. I will take alternately two measurements from your right and your left hands.

- ◆ Stand, holding the dynamometer with the gauge facing outward
- ◆ Hold your forearm parallel to the floor (elbow at a right angle; see image at right)
- ◆ Squeeze the handle for a few seconds
- ◆ Enter [1] to continue

Continue.....1



SecI.V[XXX]_HSPain**I966_HSPain**

[Introduction]---[Demonstration]---[**Safety (1 of 2)**]---[Setup]---[Measure]---
[Observations]
[Intro]---[Demo]---[**Safety (1 of 2)**]---[Stp]---[Msr]---[Obs]
[I]---[D]---[**Eligibility (1 of 2)**]---[S]---[M]---[O]

Before we begin, I'd like to make sure it is safe for you to do this measurement. Have you experienced any severe swelling, inflammation, pain, or injury in one or both hands within the last month or had surgery on your hands or wrists in the last 6 months?

YES.....1 → Go to HSHand

NO.....5 → Go to HSDir

SecI.V[XXX]_HSHand**I967_HSHand**

[Introduction]---[Demonstration]---[**Safety**]---[Setup]---[Measure]---[Observations]
[Intro]---[Demo]---[**Safety**]---[Stp]---[Msr]---[Obs]
[I]---[D]---[**Eligibility**]---[S]---[M]---[O]

In which hand (have you experienced severe swelling, inflammation, pain or injury in the last month or had surgery in the last six months)?

If the R has had surgery or experienced any swelling, inflammation, pain or injury in either hand, do not conduct the measurement on that hand.

BOTH HANDS.....1 → Go to V813

LEFT HAND ONLY.....2

RIGHT HAND ONLY.....3

SecI.V[XXX]_HSDir**I968_HS_DIR**

[Introduction]---[Demonstration]---[**Safety (2 of 2)**]---[Setup]---[Measure]---
[Observations]
[Intro]---[Demo]---[**Safety (2 of 2)**]---[Stp]---[Msr]---[Obs]
[I]---[D]---[**Eligibility (2 of 2)**]---[S]---[M]---[O]

Do you understand these directions and feel it would be safe for you to do this measurement?

YES.....1

NO.....5 → Go to V813

SecI2.V815_gripdominant
I815_gripdominant

[Introduction]---[Demonstration]---[Safety]---[Setup (1 of 2)]---[Measure]---
[Observations]
[Intro]---[Demo]---[Sfty]---[Setup (1 of 2)]---[Msr]---[Obs]
[I]---[D]---[E]---[Setup (1 of 2)]---[M]---[O]

Which is your dominant hand?

Right hand.....1
Left hand.....2
Both hands equally dominant.....3

SecI.V[XXX]_HSInstrct_Adjust
I613_HS_Instrct_Adjust

HAND STRENGTH TEST

[Introduction]---[Demonstration]---[Safety]---[Setup (2 of 2)]---[Measure]---
[Observations]
[Intro]---[Demo]---[Sfty]---[Setup (2 of 2)]---[Msr]---[Obs]
[I]---[D]---[E]---[Setup (2 of 2)]---[M]---[O]

Setup Checklist:


- 1) Rings or hand jewelry removed
- 2) Dynamometer adjusted to the [right/left] hand (see image)
- 3) R standing up, forearm parallel to the floor (elbow held at a right angle)
- 4) Gauge facing away from R's body
- 5) Arrow set at "0"

Note: Conduct one practice with R's [right/left] hand:

We can practice with your [right/left] hand

Squeeze the handle as hard as you can for a couple of seconds then let go.

- ◆ Enter [1] to continue



Continue.....1

SecI2.V816_leftfirst

I816_LeftFirst

HAND STRENGTH TEST

[Introduction]---[Demonstration]---[Safety]---[Setup]---[Measure (1 of X)]---[Observations]

[Intro]---[Demo]---[Sfty]---[Stp]---[Measure (1 of X)]---[Obs]

[I]---[D]---[E]---[S]---[Measure (1 of X)]---[O]

Remember: Reset the gauge between measures.

Left Hand, First Measure:

Enter the result to the nearest 0.5 kilogram.

Enter 993 if R was unable to perform this measurement

Enter 999 if R chose not to do it

SecI2.V851_RIGHTfirst

I851_RightFirst

HAND STRENGTH TEST

[Introduction]---[Demonstration]---[Safety]---[Setup]---[Measure (2 of X)]---
[Observations]
[Intro]---[Demo]---[Sfty]---[Stp]---[Measure (2 of X)]---[Obs]
[I]---[D]---[E]---[S]---[Measure (2 of X)]---[O]

Remember: Reset the gauge between measures.

Right Hand, First Measure:

Enter the result to the nearest 0.5 kilogram.

Enter 993 if R was unable to perform this measurement

Enter 999 if R chose not to do it

SecI2.V852_leftsecond

I852_LeftSecond

HAND STRENGTH TEST

[Introduction]---[Demonstration]---[Safety]---[Setup]---[Measure (3 of 4)]---
[Observations]
[Intro]---[Demo]---[Sfty]---[Stp]---[Measure (3 of 4)]---[Obs]
[I]---[D]---[E]---[S]---[Measure (3 of 4)]---[O]

Remember: Reset the gauge between measures.

Left Hand, Second Measure:

Enter the result to the nearest 0.5 kilogram.

Enter 993 if R was unable to perform this measurement

Enter 999 if R chose not to do it

SecI2.V853_RIGHTSecond

I853_RightSecond

HAND STRENGTH TEST

[Introduction]---[Demonstration]---[Safety]---[Setup]---[Measure (4 of 4)]---
[Observations]
[Intro]---[Demo]---[Sfty]---[Stp]---[Measure (4 of 4)]---[Obs]
[I]---[D]---[E]---[S]---[Measure (4 of 4)]---[O]

Remember: Reset the gauge between measures.

Right Hand, Second Measure:

Enter the result to the nearest 0.5 kilogram.

Enter 993 if R was unable to perform this measurement

Enter 999 if R chose not to do it

SecI.V813_

I813_

HAND STRENGTH TEST

[Introduction]---[Demonstration]---[Safety]---[Setup]---[Measure]---[**Observations (1 of 5)**]

[Intro]---[Demo]---[Sfty]---[Stp]---[Msr]---[**Observations (1 of 5)**]

[I]---[D]---[E]---[S]---[Measure (4 of 4)]---[**Observations (1 of 5)**]

WHY DIDN'T R COMPLETE THE HAND STRENGTH TEST? (Enter all that apply)

R felt it would not be safe.....1→ Go to STIntro

IWER felt it would not be safe.....2→ Go to STIntro

R refused or was not willing to complete the test.....3→ Go to STIntro

R tried but was unable to complete test.....4→ Go to STIntro

R did not understand the instructions.....5→ Go to STIntro

R had surgery, injury, swelling, etc. on both hands.....6→ Go to STIntro

Other (specify)97

SecI2.V814_

I814_

HAND STRENGTH TEST

[Introduction]---[Demonstration]---[Safety]---[Setup]---[Measure]---[**Observations**]

[Intro]---[Demo]---[Sfty]---[Stp]---[Msr]---[**Observations**]

[I]---[D]---[E]---[S]---[Measure (4 of 4)]---[**Observations**]

WHAT OTHER REASON?

EXPLAIN:

Open End_____, Go to STIntro

SecI2.V812_

I812_

HAND STRENGTH TEST

[Introduction]---[Demonstration]---[Safety]---[Setup]---[Measure]---[**Observations (2 of 5)**]

[Intro]---[Demo]---[Sfty]---[Stp]---[Msr]---[**Observations (2 of 5)**]

[I]---[D]---[E]---[S]---[Measure (4 of 4)]---[**Observations (2 of 5)**]

Did R complete at least one trial of the hand strength test?

YES.....1

NO.....5 -> Go to V813

SecI2.V817_gripReffort
I817_GripREffort
HAND STRENGTH TEST

[Introduction]---[Demonstration]---[Safety]---[Setup]---[Measure]---[**Observations (3 of 5)**]

[Intro]---[Demo]---[Sfty]---[Stp]---[Msr]---[**Observations (3 of 5)**]

[I]---[D]---[E]---[S]---[Measure (4 of 4)]---[**Observations (3 of 5)**]

How much effort did the R give to this test?

R gave full effort1

R was prevented from giving full effort by illness, pain, or other symptoms or discomforts2

R did not appear to give full effort, but no obvious reason for this3

SecI2.V818_Rposition
I818_Rposition
HAND STRENGTH TEST

[Introduction]---[Demonstration]---[Safety]---[Setup]---[Measure]---[**Observations (4 of 5)**]

[Intro]---[Demo]---[Sfty]---[Stp]---[Msr]---[**Observations (4 of 5)**]

[I]---[D]---[E]---[S]---[Measure (4 of 4)]---[**Observations (4 of 5)**]

What was the R's position for this test?

Standing1

Sitting2

Lying down3

SecI2.V819_
I819_
HAND STRENGTH TEST

[Introduction]---[Demonstration]---[Safety]---[Setup]---[Measure]---[**Observations (5 of 5)**]

[Intro]---[Demo]---[Sfty]---[Stp]---[Msr]---[**Observations (5 of 5)**]

[I]---[D]---[E]---[S]---[Measure (4 of 4)]---[**Observations (5 of 5)**]

Did the R rest their arm on a support while performing this test?

Both hands - 1

Left hand only - 2

Right hand only - 3

No - 5

SEMI-TANDEM INTRODUCTION

SecI.V[XXX]_STIntro I614_ST_Intro

Equipment needed: Stopwatch, Show Card

The next measure involves standing in different positions. I will first describe and show each position to you. Then I'd like you to try to do it. If you cannot do a particular position, or if you feel it would be unsafe to try to do it, tell me and we'll move on to the next one. Let me emphasize that I do not want you to try to do any activity that you feel might be unsafe.

Continue.....1

SecI.V[XXX]_STIntro_2 I615_ST_Intro2

For the first one, I want you to try to stand with the side of the heel of one foot touching the big toe of the other foot for about 10 seconds. You may use your arms, bend your knees, or move your body to maintain your balance, but try not to move your feet. You may put either foot in front, whichever is more comfortable for you. Like this...



Demonstrate the semi-tandem balance test

- ♦ Stand and place the heel of one foot touching the big toe of the other foot
- ♦ Show Balance Test Card to the Respondent

Continue.....1

SecI.V[XXX]_STNoBa I970_STNoBa

Before we begin, do you have any problems from recent surgery, injury or other health conditions that might prevent you from standing up from a chair and balancing?

YES.....1

No.....5 → Go to **I971_ST_DIR**

SecI.V[XXX]_STDisc I616_STDisc

Discuss with him/her whether s/he should attempt each measurement given his/her physical problems after describing each measurement. Do not assume a respondent is too physically limited to attempt a measurement without discussing it with him/her.

Would the respondent like to proceed with this balance measurement?

YES1

NO5 → Go to V877

SecI.V[XXX]_STDir
I971_ST_DIR

Do you understand these directions and feel it would be safe for you to do this measurement?

YES1

NO5 → Go to V877

SecI.V[XXX]_STInstrct_1
I617_ST_Instruct1

BALANCE TEST – SEMI-TANDEM STAND

- 1) Ensure R is wearing appropriate footwear (shoes with very low or no heel).
- 2) Ensure floor is level, preferably has no carpet or low-pile carpet.
- 3) Ask the R to stand up.

Continue.....1

SecI.V[XXX]_STInstrct_2
I618_ST_Instruct2

BALANCE TEST – SEMI-TANDEM STAND

- 4) Stand to the side of the respondent.
- 5) Instruct the R to try to stand with the side of the heel of one foot touching the big toe of the other foot for about 10 seconds.
- 6) Instruct the R that they may put either foot in front, whichever is more comfortable for them.
- 7) Instruct the R that they may use their arms, bend their knees or move their body to maintain balance, but they should try not to move their feet.
- 8) If necessary, provide gentle support to the respondent's arm to help them get into the semi-tandem position.
- 9) Instruct the R to try to hold this position until you tell them to stop.
- 10) Let go of R's arm. Say ***"Ready, begin."*** and start the stopwatch immediately.
- 11) Stop the stopwatch and say ***"Stop"*** after **10** seconds or when the participant steps out of position or grabs your arm.

Continue.....1

SecI2.V879_SemiTandemHoldFullTime
I879_SemiTandemHoldFullTime

BALANCE TEST – SEMI-TANDEM STAND

Did R hold semi-tandem stand for full 10 seconds without stepping out of place or grabbing hold of anything?

Yes1 → Go to V881
No5

SecI2.V876_STSTAND
I876_STSTAND

BALANCE TEST – SEMI-TANDEM STAND

Did R attempt to complete the semi-tandem stand?

Yes.....1
No.....5 → Go to V877

SecI2.V880_SemiTandemTime
I880_SemiTandemTime

BALANCE TEST – SEMI-TANDEM STAND

Record time in seconds to two decimal places

□□.□□

SecI2.V881_SemiTandemCompensatory
I881_SemiTandemCompensatory

BALANCE TEST – SEMI-TANDEM STAND

Did R use any compensatory movements of his/her trunk, arms or legs to steady him/herself during semi-tandem stand?

Yes.....1
No.....5
DK.....8

I877 BRANCHPOINT: IF ELIGIBLE FOR FULL TANDEM (A019_RAge >= 70), GO TO I619_FTINTRO ELSE, GO TO I620_SBSINTRO

SecI2.V877_STSTAND_WhyNotComplete
I877_STSTAND_WhyNotComplete

BALANCE TEST – SEMI-TANDEM STAND

Why didn't R attempt to complete the semi-tandem stand? (Enter all that apply)

R felt it would not be safe.....1 → Go to SBSIntro
IWER felt it would not be safe.....2 → Go to SBSIntro
R refused or was not willing to complete the test.....3 → Go to SBSIntro
R did not understand the instructions.....5 → Go to SBSIntro
R had surgery, injury, or other health condition that prevented R from standing.....6 → Go to SBSIntro
Other (specify).....97

SecI2.V878_STSTAND_WhyNotCompleteSPC
I878_STSTAND_WhyNotCompleteSPC

BALANCE TEST – SEMI-TANDEM STAND

What other reason?

EXPLAIN:

Open End_____

SIDE-BY-SIDE INTRODUCTION

SecI.V[XXX]_SBSIntro
I620_SBS_Intro

Equipment needed: Stopwatch, Show Card

Now I will show you the next movement. I want you to try to stand with your feet together, side-by-side for about 10 seconds. You may use your arms, bend your knees, or move your body to maintain your balance, but try not to move your feet. Try to hold this position until I tell you to stop. Like this...



Demonstrate the measurement

- ♦ Stand with feet together

Enter [1] to continue

Continue.....1

SecI.V[XXX]_SBSDir
I973_SBS_DIR

Do you understand these directions and feel it would be safe for you to do this measurement?

YES.....1

NO.....5 → Go to V884

SecI.V[XXX]_SBSIstrct_1

I621_SBS_Instruct1

BALANCE TEST – SIDE-BY-SIDE STAND

- 1) Ensure R is wearing appropriate footwear (shoes with very low or no heel).
- 2) Ensure floor is level, preferably has no carpet or low-pile carpet.
- 3) Ask the R to stand up.

Enter [1] to continue

Continue.....1

SecI.V[XXX]_SBSIstrct_2

I622_SBS_Instruct2

BALANCE TEST – SIDE-BY-SIDE STAND

- 4) Stand to the side of the respondent.
- 5) Instruct the R to try to stand with feet together, side-by-side for about 10 seconds.
- 6) Instruct the R that they may use their arms, bend their knees or move their body to maintain balance, but they should try not to move their feet.
- 7) If necessary, provide gentle support to the respondent's arm to help them get into the side-by-side position.
- 8) Instruct the R to try to hold this position until you tell them to stop.
- 9) Let go of R's arm. Say ***"Ready, begin."*** and start the stopwatch immediately.
- 10) Stop the stopwatch and say ***"Stop"*** after **10** seconds or when the participant steps out of position or grabs your arm.

Enter [1] to continue

Continue.....1

SecI2.V886_SideBySideHoldFullTime

I886_SideBySideHoldFullTime

BALANCE TEST – SIDE-BY-SIDE STAND

Did R hold side-by-side stand for full 10 seconds without stepping out of place or grabbing hold of anything?

Yes1 → assign "10.00" in V887 and go to V888
No5

SecI2.V883_SideBySideComplete
I883_SideBySideComplete

BALANCE TEST – SIDE-BY-SIDE STAND

Did R attempt to complete the side-by-side stand?

Yes.....1

No.....5 → Go to V884

SecI2.V887_SideBySideTime
I887_SideBySideTime

BALANCE TEST – SIDE-BY-SIDE STAND

Record time in seconds to two decimal places

□□.□□

SecI2.V888_SideBySideCompensatory
I888_SideBySideCompensatory

BALANCE TEST – SIDE-BY-SIDE STAND

Did R use any compensatory movements of his/her trunk, arms or legs to steady him/herself during side-by-side stand?

Yes.....1

No.....5

DK.....8

I884 BRANCHPOINT: IF ELIGIBLE FOR WALKING SPEED (A019_RAge >= 65), GO TO WSINTRO ELSE, GO TO HWWPreface

SecI2.V884_SideBySideWhyNotComplete
I884_SideBySideWhyNotComplete

BALANCE TEST – SIDE-BY-SIDE STAND

Why didn't R attempt to complete the side-by-side stand? (Enter all that apply)

R felt it would not be safe.....1

IWER felt it would not be safe.....2

R refused or was not willing to complete the test.....3

R did not understand the instructions.....5

R had surgery, injury, or other health condition that prevented R from standing.....6

Other (specify).....97 → Go to V885

I885 BRANCHPOINT: IF ELIGIBLE FOR WALKING SPEED (A019_RAge >= 65), GO TO
WSIntro
ELSE GO TO HWWPreface

SecI2.V885_SideBySideNotComplete_Specify
I885_SideBySideNotComplete_Specify

BALANCE TEST – SIDE-BY-SIDE STAND

What other reason?

EXPLAIN:

*Open End*_____

I619 BRANCHPOINT: IF ELIGIBLE FOR WALKING SPEED (A019_RAge >= 65), GO TO
WSIntro
ELSE GO TO HWWPreface

FULL-TANDEM INTRODUCTION

SecI.V[XXX]_FTIntro
I619_FT_Intro

Equipment needed: Stopwatch, Show Card

Now I want you to try to stand with the heel of one foot in front of and touching the toes of the other foot for about [30/60] seconds. You may put either foot in front, whichever is more comfortable for you. You may use your arms, bend your knees, or move your body to maintain your balance, but try not to move your feet. Try to hold this position until I tell you to stop. Like this...



Demonstrate the measurement

- ♦ Stand and place the heel of one foot touching the toes of the other foot.

Continue.....1

SecI.V[XXX]_FTDir
I975_FT_DIR

Do you understand these directions and feel it would be safe for you to do this measurement?

YES1

NO5 → Go to V894

SecI.V[XXX]_FTIstrct1
I623_FT_Instruct1

BALANCE TEST – FULL TANDEM STAND

- 1) Ensure R is wearing appropriate footwear (shoes with very low or no heel).
- 2) Ensure floor is level, preferably has no carpet or low-pile carpet.
- 3) Ask the R to stand up

Continue.....1

SecI.V[XXX]_FTIstrct2
I624_FT_Instruct2

BALANCE TEST – FULL TANDEM STAND

- 4) Stand to the side of the respondent.
- 5) Instruct the R to try to stand with the heel of one foot in front of and touching the toes of the other foot for about [30/60] seconds.
- 6) Instruct the R that they may use their arms, bend their knees or move their body to maintain balance, but they should try not to move their feet.
- 7) If necessary, provide gentle support to the respondent's arm to help them get into the full-tandem position.
- 8) Instruct the R to try to hold this position until you tell them to stop.
- 9) Let go of R's arm. Say **"Ready, begin."** and start the stopwatch immediately.
- 10) Stop the stopwatch and say **"Stop"** after **[30/60]** seconds or when the participant steps out of position or grabs your arm.

Continue.....1

SecI2.V896_FullTandemHoldFullTime
I896_FullTandemHoldFullTime

BALANCE TEST – FULL TANDEM STAND

Did R hold full tandem stand for full [30/60] seconds without stepping out of place or grabbing hold of anything?

Yes.....1

No.....5

I893 BRANCHPOINT: IF V896 = 1 AND R >= 70 YEARS OF AGE, ASSIGN "30.00" TO V897
AND GO TO V898

IF V896 = 1 AND R < 70 YEARS OF AGE, ASSIGN "60.00" IN V897
AND GO TO V898

SecI2.V893_FullTandemComplete
I893_FullTandemComplete

BALANCE TEST – FULL TANDEM STAND

Did R attempt to complete the full tandem stand?

Yes.....1

No.....5 → Go to 894

SecI2.V897_FullTandemTime
I897_FullTandemTime

BALANCE TEST – FULL TANDEM STAND

Record time in seconds to two decimal places

□□.□□

SecI2.V898_FullTandemCompensatory
I898_FullTandemCompensatory

BALANCE TEST – FULL TANDEM STAND

Did R use any compensatory movements of his/her trunk, arms or legs to steady him/herself during full tandem stand?

Yes1

No5

DK8

I894 BRANCHPOINT: IF ELIGIBLE FOR WALKING SPEED (A019_RAge >= 65), GO TO
WSIntro

ELSE, GO TO HWWPreface

SecI2.V894_FullTandemWhyNotComplete
I894_FullTandemWhyNotComplete

BALANCE TEST – FULL TANDEM STAND

Why didn't R attempt to complete the full -tandem stand? (Enter all that apply)

R felt it would not be safe.....1

IWER felt it would not be safe.....2

R refused or was not willing to complete the test.....3

R did not understand the instructions.....5

R had surgery, injury, or other health condition that prevented R from standing.....6

Other (specify)97 → Go to **V895**

I895 BRANCHPOINT: IF ELIGIBLE FOR WALKING SPEED (A019_RAge >= 65), GO TO
WSIntro
ELSE GO TO HWWPreface

SecI2.V895_FullTandemNotComplete_Specify
I895_FullTandemNotComplete_Specify

BALANCE TEST – FULL TANDEM STAND


What other reason?

EXPLAIN:

Open End_____

I977 BRANCHPOINT: IF ELIGIBLE FOR WALKING SPEED (A019_RAge >= 65), GO TO
WSIntro
ELSE, GO TO HWWPreface

WALKING SPEED INTRODUCTION



SecI.V[XXX]_WSIntro
I977_WS_Intro

Equipment Needed: Tape measure, Stopwatch, Masking Tape, Administration Booklet

Next, I would like to assess whether you can walk a very short distance comfortably (using a walking stick or other aid if necessary). Do you have any problems from recent surgery, injury, or other health conditions that might prevent you from walking?

No apparent restriction.....1

Yes, recent surgery.....2 → Go to V821

Yes, injury.....3 → Go to V821

Yes, other health condition.....4 → Go to V821

SecI.V[XXX]_WSDemoIntro
I625_WS_DemoIntro

On the next screen is a demonstration video to be shared with the respondent. Once you reach the next screen, please turn your screen/laptop so the respondent is able to see this video.

Please review this brief video which demonstrates how this measure will be conducted.

Press [1] to play demonstration video.

SecI.V[XXX]_WSDemoVideo
I626_WS_DemoVideo

I will set up a short course with masking tape. I will then ask you to walk the course at your normal pace. We will conduct this measurement once in each direction.

Enter [1] to continue

Press [F10] to replay video

Continue.....1

SecI.V[XXX]_WSDir
I978_WS_DIR

Do you understand these directions and feel it would be safe for you to do this measurement?

YES.....1


NO.....5 → Go to V821

SecI.V[XXX]_WSIstrct_1
I627_WS_Instruct1

Now let's find a place where we can conduct the measurement. We will need a clear space about 12 feet long in a non-carpeted area, if possible.

- ♦ Ask the respondent if you may place several pieces of masking tape on their floor.
- ♦ Set up the course (98.5 Inches)


Continue.....1



WSIstrct_2
I628_WS_Instruct2

- ◆ Please rely on Paper Administration Booklet for instructions to complete this measure.
- ◆ Remain on this screen until you have recorded all data for this measure in the Administration Booklet. Once the measurement has been completed, press [1] to continue.

Continue.....1



SecI2.V823_Twalk1sttrialtime
I823_Twalk1sttrialtime

WALKING SPEED TEST

Time from first trial

Record time in seconds to two decimal places

Enter 993 if R tried but was unable to do it.
Enter 999 if R chose not to do it.

SecI2.V824_Twalk2ndtrialtime
I824_Twalk2ndtrialtime

WALKING SPEED TEST

Time from second trial

Record time in seconds to two decimal places

Enter 993 if R tried but was unable to do it.
Enter 999 if R chose not to do it.

I820 BRANCHPOINT: IF BOTH I823 AND I824 CONTAIN EITHER A 993 OR 999 VALUE,
ASSIGN I820=5, AND GO TO I821

SecI2.V820_
I820_

WALKING SPEED TEST

Did R complete at least one trial of the walking test?

YES.....1
NO.....5 -> Go to V821

SecI2.V828_Twalktypeofaid
I828_Twalktypeofaid

WALKING SPEED TEST

What type of aid was used?

None.....1
Walking stick or cane.....2
Elbow crutches.....3
Walking frame.....4
Other (specify).....7 → Go to **V829**

I829 BRANCHPOINT: GO TO **I660**

SecI2.V829STwalktypeofaid_S
I829_Twalktypeofaid_S

WALKING SPEED TEST

What other type of aid?

Specify:

Open End_____

SecI2.V[XXX]_TwalkRdirect
I660_TwalkRdirect
WALKING SPEED TEST

Did the respondent complete this measurement according to the stated directions?

R followed directions.....1 → Go to **HWWPreface**
R did not appear to walk at their normal pace.....2 → Go to **HWWPreface**
R did not continue walking beyond the end of the course.....3 → Go to **HWWPreface**
Other 97

SecI2.V[XXX]_TwalkRdirect_S
I661_TwalkRdirect_S
WALKING SPEED TEST

In what other way was this test not completed according to stated instructions?

Specify:

Open End _____ → Go to **HWWPreface**

SecI2.V821_
I821_
WALKING SPEED TEST

Why didn't R complete the walking test? (Enter All that apply)

R felt it would not be safe.....1 → Go to **HWWPreface**
IWER felt it would not be safe.....2 → Go to **HWWPreface**
R refused or was not willing to complete the test.....3 → Go to **HWWPreface**
R tried but was unable to complete test.....4 → Go to **HWWPreface**
R did not understand the instructions.....5 → Go to **HWWPreface**
R had surgery, injury, or other health condition that prevented R from walking.....6 → Go to **HWWPreface**
No suitable space available.....7 → Go to **HWWPreface**
Other (specify).....97


SecI2.V822_
I822_
WALKING SPEED TEST

WHAT OTHER REASON?

EXPLAIN:

Open End _____

HEIGHT/WEIGHT/WAIST PREFACE



HEIGHT INTRODUCTION

SecI.V[XXX]_HWPreface I630_HWW_Preface

Next, I would like to take [two/three] simple measures including your height, [weight] and waist circumference. First, I will describe these measurements and ask if you would feel comfortable and safe completing each of the measurements. We will then complete the measurements one after the other.

Continue.....1

SecI.V[XXX]_HTIntro I631_HT_Intro

To complete the height measurement, I'll be asking you to take off your shoes and stand up against a wall. I will then place a rafter square on top of your head and mark your height on a post-it note.

On the next screen is an image demonstrating how this measurement will be conducted. Please turn your screen/laptop so the respondent is able to see this image.

Continue.....1

SecI.V[XXX]_HTImg I629_HT_Img

Height Measurement Demonstration



I632 BRANCHPOINT: IF ELIGIBLE FOR WEIGHT ($C139_ < 300$), CONTINUE TO I632

ELSE, GO TO WAIIntro

WEIGHT INTRODUCTION

SecI.V[XXX]_WTIntro
I632_WT_Intro

Then I would like to measure your weight. To measure your weight, I will ask you to stand on a scale, with your shoes off, while I read the display.

Continue.....1

WAIST INTRODUCTION

SecI.V[XXX]_WAIIntro
I633_WA_Intro

Then I will ask you to perform a simple measurement of your waist circumference. I will ask you to place a soft measuring tape around your waist, holding it securely at the level of your navel.

I will then ask you to take a normal breath and exhale, holding your breath at the end of the exhale. I will then record the measurement.

On the next screen is an image demonstrating how this measurement will be conducted. Please turn your screen/laptop so the respondent is able to see this image.

Continue.....1

SecI.V[XXX]_WADemoVid
I635_WA_DemoVid

Waist Measurement

Continue.....1



SecI.I687_HWWDIr

Height[, Weight] and Waist Circumference Measurements

Intro - Demo - **Safety** - Setup - Measure - Obs

Do you understand these directions and feel it would be safe for you to do the height[, weight] and waist-circumference measurements?

Select all that apply

Height	1 → Go to HWWPaperBk
Weight	2 → Go to HWWPaperBk
Waist-Circumference	3 → Go to HWWPaperBk
All	4 → Go to HWWPaperBk
None	5 → Go to HWWPaperBk

SecI.V[XXX]_HWWPaperBk

I637_HWW_PaperBk

This respondent will be completing:


- ♦ HEIGHT[will not be conducted]
- ♦ WEIGHT[will not be conducted]
- ♦ WAIST[will not be conducted]

Please note in the administration booklet any of these three measures which the R has not understood or has felt would be unsafe. These measures should not be conducted.

The collection of the appropriate measures should be done using the administration booklet. Remain on this screen until you have recorded all necessary measurements and observations.

Once all data and observations have been recorded in the booklet, please set it aside. You will be prompted to enter the data at the end of the Physical Measures and Biomarkers section.

Continue.....1



SALIVA INTRODUCTION

SecI.V[XXX]_Salcnsnt I638_Salcnsnt

The next measure involves collecting a saliva sample. This simply involves depositing a small amount of saliva into a collection container. Before we begin, I would like to have you read and sign this consent form.

If R refuses to view or sign the consent form, enter CTRL-R. Otherwise, enter [1] to administer the consent form.

While the R is reviewing the form, sign a paper copy which can be left with them for their records.

Continue.....1

SecI.V913_SalivaConsent I913_SalivaConsent

SALIVA SAMPLE

Did R sign the saliva consent form?

If yes, the consent was not properly saved. To re-launch and re-sign

- 1) Enter [1] Yes
- 2) Click the "Suppress" button on the prompt which appears
- 3) You will then return to the saliva consent introduction, where you can enter [1] to re-launch the saliva consent form.

Yes.....1 → Go to I667_SalDemo
No.....5

SecI.V941_WhyNoConsentSaliva
I941_WhyNoConsentSaliva
SALIVA SAMPLE

Why didn't R sign the saliva consent form? (Enter all that apply)

R felt it would not be safe.....1 → Go to **BLDIntro**
Iwer felt it would not be safe.....2 → Go to **BLDIntro**
R refused or was not willing to complete the measurement.....3 → Go to **BLDIntro**
R did not understand the instructions.....5 → Go to **BLDIntro**
R could not complete the measurement due to health reasons.....6 → Go to **BLDIntro**
No suitable space.....7 → Go to **BLDIntro**
R ate, drank, smoked, or brushed teeth in last 30 minutes.....8 → Go to **BLDIntro**
Problem with equipment or supplies.....9-> Go to **Bldintro**
Other (Specify).....97

I942_NoConsentSaliva_Specify

SALIVA SAMPLE

What other reason?

EXPLAIN:

Open End_____, go to **BldCnsnt**

SecI.I667_SalDemo

Saliva Sample

Intro -- **Demo** -- Safety -- Setup -- Measure -- Obs

Equipment Needed: "Sample" Container, Administration Booklet, Small Placemat, Complete Saliva Collection Kit, Barcode Scanner, Gloves, Tissues

- 1...Share the "Sample" saliva kit with the respondent
- 2...Point out the marked line to which the respondent should fill the container



Continue.....1

SecI.V[XXX]_SalDir
I987_Sal_DIR

Do you understand these directions and feel it would be safe for you to do this measurement?

Yes1
No5 → Go to V916_SalivaWhyNotComplete

SecI2.V914_SalivaEatDrankEtc.
I914_SalivaEatDrankEtc

SALIVA SAMPLE

Did the R eat, drink, smoke or brush his/her teeth after starting the physical measures?

Yes.....1
No.....5

SecI.V[XXX]_SalIstrct1
I640_Sal_Instruct1

SALIVA SAMPLE

- 1)..Ask the respondent to begin preparing to fill the saliva container (rubbing cheeks, etc.)
- 2)..Place the small placemat on the surface where you will be collecting the saliva. Open the saliva collection kit.
- 3)..Remove the Oragene collection container and the plastic bag with the absorbent sheet.
- 4)..Open the Oragene collection case and place a saliva barcode label on the blue cap of the collection container.
- 5)..Confirm that the barcode label matches the ID printed on the saliva lab authorization form
- 6)..Tear the Saliva Authorization Form from the booklet, setting the booklet aside.

Continue.....1

SecI.V[XXX]_SalIstrct_2
I644_Sal_Instruct2

SALIVA SAMPLE

- 7) Put on a pair of vinyl gloves.
- 8) Remove the Oragene saliva collection container from the plastic case and hand the clear portion to the Respondent.
- 9) Instruct them to spit into the container until the bottom portion is full.
- 10) Allow about 3 minutes for the R to fill the vial.

Enter [1] to scan the Respondent's saliva barcode ID.

Continue.....1

SecI.V933_SalivaBarCodeID
I933_SalivaBarCodeID

SALIVA BARCODE ID ENTRY

Equipment Needed: Barcode Scanner

Using barcode scanner, scan ID from the Saliva barcode label in this field. Press [ENTER] to continue to the saliva collection tips, which may be shared with the respondent.

- o Enter 999 if a saliva sample will not be collected, Go to V916_SalivaWhyNotComplete
- o Enter 993 if barcode scanner is unavailable

SecI.V[XXX]_SalBarcodeIDMan1
I641_SalBarcodeIDMan1

SALIVA BARCODE ID MANUAL ENTRY

Record first three digits of Saliva ID without dashes or spaces

SecI.V[XXX]_SalBarcodeIDMan2
I642_SalBarcodeIDMan2

SALIVA BARCODE ID MANUAL ENTRY


Record the five letters in the Saliva ID without dashes or spaces

SecI.V[XXX]_SalBarcodeIDMan3
I643_SalBarcodeIDMan3

SALIVA BARCODE ID MANUAL ENTRY

Record last three digits of Saliva ID without dashes or spaces

Press [ENTER] to continue to the saliva collection tips, which may be shared with the respondent.



SecI.V[XXX]_SalTips
I645_SalTips

SALIVA COLLECTION

Fill Collection Container to Desired Level

-Close your mouth and wiggle your tongue or rub your cheeks
-Place a few grains of sugar/artificial sweetener on the tip of your tongue
-Think of your favorite foods

Continue.....1

SecI.I639_SalDefer**Saliva Sample - Completion Checkpoint**

Would you like to allow additional time for the respondent to fill the saliva collection vial?

If no, enter [1] to finish the saliva collection

If yes, enter [5] to allow more time. You will finish the saliva collection (shipping and observations) after the blood-spot observations.

- 1 - Continue
- 5 - go to I648

SecI.V[XXX]_SalIstrct_3
I646_Sal_Instruct3**SALIVA SAMPLE**

Be sure that you are wearing gloves before proceeding with these steps.

- 11) When the Respondent has reached the level necessary, put the container on a flat surface.
- 12) Screw the cap onto the container. Make sure the cap is closed securely.
- 13) Once the cap is on tightly, gently mix for 10 seconds.
- 14) Place collection container in the plastic bag with the absorbent material.
- 15) Remove gloves.

Continue.....1

SecI.V[XXX]_SalIstrct_4
I647_Sal_Instruct4**SALIVA SAMPLE**

- 16) Record the date and time the saliva collection was finished on the Saliva Authorization Form.
- 17) Place the bag containing the collection container and the completed Authorization Form in the padded envelope.
- 18) Mail the specimen to the lab as soon as possible (if not the same day as the collection, store sample at room temperature).

Continue.....1

SecI2.V918_SalivaFillVial
I918_SalivaFillVial

SALIVA SAMPLE

Did R fill the vial to the desired level?

Yes1 → assign "1" to **V915** and go to **V919**
No5

SecI2.V915_SalivaComplete
I915_SalivaComplete

SALIVA SAMPLE

Did R attempt to complete the saliva sample?

Yes1
No5 → Go to **I916_SalivaWhyNotComplete**

SecI2.V919_SalivaProblems
I919_SalivaProblems

SALIVA SAMPLE

What, if any, problems occurred? (Enter all that apply)

None1
Solution in cover leaked before vial was sealed2
Saliva spilled3
R was unable to produce enough saliva4
Other (specify).....97 → Go to **I920_SalivaProblem_Specify**

I920 BRANCHPOINT: GO TO **BLDIntro**

SecI2.V920_SalivaProblem_Specify
I920_SalivaProblem_Specify

SALIVA SAMPLE

What other problem?

Open End_____, GO TO **BLDIntro**

SecI2.V916_SalivaWhyNotComplete
I916_SalivaWhyNotComplete

SALIVA SAMPLE

Why didn't R complete the saliva sample? (Enter all that apply)

R felt it would not be safe.....1 → Go to Bldintro
IWER felt it would not be safe2 → Go to Bldintro
R refused or was not willing to complete the measurement3 → Go to Bldintro
R did not understand the instructions5 → Go to Bldintro
Problem with equipment or supplies.....8-> Go to Bldintro
Other (specify)97

SecI2.V917_SalivaNotComplete_Specify
I917_SalivaNotComplete_Specify

SALIVA SAMPLE

What other reason?

EXPLAIN:

Open End_____

BLOOD INTRODUCTION

SecI.V[XXX]_BLDIntro
I648_BLDIntro

I'd like to collect a small sample of your blood using just a finger prick. We would be very grateful if you would agree to provide us with a sample of blood. This is an important part of the study, as the analysis of blood samples will tell us a lot about the health of the population. Before we begin, I would like to have you read and sign this consent form.

If R refuses to view or sign the consent form, enter CTRL-R. Otherwise, enter [1] to administer the consent form.

While the R is reviewing the form, sign a paper copy which can be left with them for their records.

Continue.....1

SecI.V922_BloodConsent
I922_BloodConsent

BLOOD SAMPLE

Did R sign the blood spot consent form?

If yes, the consent was not properly saved. To re-launch and re-sign

- 1) Enter [1] Yes
- 2) Click the "Suppress" button on the prompt which appears
- 3) You will then return to the blood consent introduction, where you can enter [1] to re-launch the consent form.

Yes.....1 → Go to BldIntro_2
No.....5

SecI.V943_WhyNoConsentBlood
I943_WhyNoConsentBlood

BLOOD SAMPLE

Why didn't R sign the blood consent form? (Enter all that apply)

R felt it would not be safe.....1 → Go to **PMTHANK**
Iwer felt it would not be safe.....2 → Go to **PMTHANK**
R refused or was not willing to complete the measurement.....3 → Go to **PMTHANK**
R did not understand the instructions.....5 → Go to **PMTHANK**
R has hemophilia or is on medication that thins the blood (anticoagulant); other health reason).....6 → Go to **PMTHANK**
No suitable space.....7 → Go to **PMTHANK**
Problem with equipment or supplies.....9 → Go to **PMTHANK**
Other (Specify).....97

V944_WhyNoConsentBlood_Specify
I944_NoConsentBlood_Specify

BLOOD SAMPLE

What other reason?

EXPLAIN:

Open End_____, go to **PMTHANK**

SecI.V[XXX]_BldIntro_2

I649_BldIntro_2

Blood Sample

Equipment Needed: Administration Booklet, Small Placemat, Complete Blood Collection Kit, Gloves, Small Biohazard Container, Barcode Scanner, Drying Box

As I mentioned, I'd like to collect a small sample of your blood. I will clean your finger with an alcohol wipe, then using a small instrument I will prick your finger and collect enough blood to fill up to ten small circles on two collection cards.

Continue.....1

SecI.V[XXX]_BldDir

I989_Bld_DIR

Do you understand these directions and feel it would be safe for you to do this measurement?

YES1

NO5 → Go to V924

SecI.V[XXX]_BldIstrct_1

I650_Bld_Instruct1

BLOOD SAMPLE

- 1) Ask R to rub hands together or massage them so blood is flowing to finger tips.
- 2) Place the small placemat on the surface where you will be collecting the sample (if not already present).
- 3) Open the Blood Collection Kit, remove the contents and place on a hard, clean, and dry surface (If any item is opened or broken, do not use).
- 4) Write the date and time of the blood collection on the lab authorization form.
- 5) Tear the Blood Authorization Form from the booklet.
- 6) Confirm that adhesive barcode labels match printed ID on the lab authorization form.
- 7) Place one barcode ID label on each of the Whatman blood collection cards
 - o **Do not** write the respondent's name on the sample collection cards.

Continue.....1

SecI.V934_BloodBarCodeID1
I934_BloodBarCodeID1

BLOOD BARCODE ID 1 ENTRY

Equipment Needed: Barcode Scanner

Using barcode scanner, scan ID from the 1st blood card.

- o Enter 999 if a blood sample will not be collected -> Go to V924_BloodWhyNotComplete
- o Enter 993 if barcode scanner is unavailable

SecI.V[XXX]_BldBarCodeID1Man1
I651_BldBarCodeID1Man1

BLOOD BARCODE ID 1 MANUAL ENTRY

Record first three digits of Blood ID 1 without dashes or spaces

SecI.V[XXX]_BldBarCodeID1Man2
I652_BldBarCodeID1Man2

BLOOD BARCODE ID 1 MANUAL ENTRY

Record the five letters in the Blood ID 1 without dashes or spaces

SecI.V[XXX]_BldBarCodeID1Man3
I653_BldBarCodeID1Man3

BLOOD BARCODE ID 1 MANUAL ENTRY

Record last three digits of Blood ID 1

SecI.V[XXX]_BloodBarCodeID2
I935_BloodBarCodeID2

BLOOD BARCODE ID 2 ENTRY

Equipment Needed: Barcode Scanner

Using barcode scanner, scan ID from the 2nd blood card.

- o Enter 999 if a blood sample will not be collected -> Go to V924_BloodWhyNotComplete
- o Enter 993 if barcode scanner is unavailable

SecI.V[XXX]_BldBarCodeID1Man1
I654_BldBarCodeID2Man1

BLOOD BARCODE ID 2 MANUAL ENTRY

Record first three digits of Blood ID 1 without dashes or spaces

SecI.V[XXX]_BldBarCodeID1Man2
I655_BldBarCodeID2Man2

BLOOD BARCODE ID 2 MANUAL ENTRY

Record the five letters in the Blood ID 1 without dashes or spaces

SecI.V[XXX]_BldBarCodeID1Man3
I656_BldBarCodeID2Man3

BLOOD BARCODE ID MANUAL ENTRY

Record last three digits of Blood ID 1

SecI.V[XXX]_BldIstrct_2
I657_Bld_Instruct2

BLOOD SAMPLE

- 1) Put on a pair of vinyl gloves.
- 2) Clean the R's finger with the alcohol prep pad and make sure the R's finger is dry before proceeding.
- 3) Remove blue tip from lancet in order to activate it. While holding the R's hand firmly, place the lancet on the side of the pad of the R's middle or ring finger or the R's thumb.
- 4) Prick the finger with the lancet. If necessary, instruct the R to gently squeeze his/her finger from the base several times to form a large drop of blood.
- 5) With the sterile gauze pad, wipe away the first drop of blood.
- 6) When the next large drop of blood is formed, allow the blood to drop onto the center of the left-most circle on the first blood collection card.
- 7) Once the R completely fills one of the circles, assist the R with filling the other two circles on the collection card and then fill the three spots on the second card for storage.
- 8) If the R is able and willing, fill the remaining two spots on the first card and then continue to fill the remaining two spots on the second card.
- 9) Provide the R with a bandage.
- 10) Place the used gauze pad, alcohol wipe and wrappers in the plastic bag.
- 11) Place used lancet into the small biohazard container.
- 12) Place both blood spot cards into the cardboard box with flaps tucked behind and spots facing outward. Allow a minimum of two hours of drying time.
- 13) Remove gloves and put in same plastic bag, then take home to discard.
- 14) Keep bag of shipment materials, loaded drying box and completed lab-authorization form together. After cards have dried, you will then prepare the samples for shipment.
- 15) Refer to the Blood Sample Packing and Shipment Instructions sheet for shipment instructions.

Continue.....1

SecI2.V929_BloodSpotCard1
I929_BloodSpotCard1

BLOOD SAMPLE

How many circles were filled on the first card?

Zero.....	0
One	1
Two.....	2
Three.....	3
Four.....	4
Five.....	5

SecI2.V945_BloodSpotCard2
I945_BloodSpotCard2

BLOOD SAMPLE

How many circles were filled on the storage card?

Zero.....	0
One	1
Two.....	2
Three.....	3
Four.....	4
Five.....	5

I923 BRANCHPOINT: IF BOTH V929 AND V945 = 0, DK OR RF, CONTINUE TO V923 ELSE ASSIGN "1" TO V923, AND GO TO V926
--

SecI2.V923_BloodComplete
I923_BloodComplete

BLOOD SAMPLE

Did R attempt to complete the blood sample?

Yes	1
No	5 → Go to V924

SecI2.V926_BloodWhatProblems
I926_BloodWhatProblems

BLOOD SAMPLE

What, if any, problems occurred during the collection of the blood sample? (Enter all that apply)

None.....	1 → Go to I658
R became lightheaded, fainted, or became nauseous.....	2 → Go to I658
R had difficulty getting finger to stop bleeding.....	3 → Go to I658
Other (specify)	97

SecI2.V927_BloodProblem_Specify
I927_BloodProblem_Specify

BLOOD SAMPLE

What other problem?

Open End _____ → Go to **I658**

SecI2.V924_BloodWhyNotComplete
I924_BloodWhyNotComplete
BLOOD SAMPLE

Why didn't R complete the blood sample? (Enter all that apply)

R felt it would not be safe.....1 → Go to PMTHANK
IWER felt it would not be safe2 → Go to PMTHANK
R refused or was not willing to complete the measurement3 → Go to PMTHANK
R did not understand the instructions5 → Go to PMTHANK
R has hemophilia or is on medication that thins the blood (anticoagulant); other health reason6 → Go to PMTHANK
Problem with equipment or supplies.....8 → Go to PMTHANK
Other (specify)97

SecI2.V925_BloodNotComplete_Specify
I925_BloodNotComplete_Specify
BLOOD SAMPLE

What other reason?

EXPLAIN:

Open End_____

I646 BRANCHPOINT: IF I639 = 1, GO TO I658

SecI.V[XXX]_SalIstrct_3
I646_Sal_Instruct3

SALIVA SAMPLE

Be sure that you are wearing gloves before proceeding with these steps.

- 7) When the Respondent has reached the level necessary, put the container on a flat surface.
- 8) Screw the cap onto the container. Make sure the cap is closed securely.
- 9) Once the cap is on tightly, gently mix for 10 seconds.
- 10) Place collection container in the plastic bag with the absorbent material.
- 11) Remove gloves.

Continue.....1

SecI.V[XXX]_SalIstrct_4

I647_Sal_Instruct4

SALIVA SAMPLE

- 12) Record the date and time the saliva collection was finished on the Saliva Authorization Form.
- 13) Place the bag containing the collection container and the completed Authorization Form in the padded envelope.
- 14) Mail the specimen to the lab as soon as possible (if not the same day as the collection, store sample at room temperature).

Continue.....1

SecI2.V918_SalivaFillVial

I918_SalivaFillVial

SALIVA SAMPLE

Did R fill the vial to the desired level?

Yes1 → assign "1" to **V915** and go to **V919**
No5

SecI2.V915_SalivaComplete

I915_SalivaComplete

SALIVA SAMPLE

Did R attempt to complete the saliva sample?

Yes1
No5 → Go to **I916_SalivaWhyNotComplete**

SecI2.V919_SalivaProblems

I919_SalivaProblems

SALIVA SAMPLE

What, if any, problems occurred? (Enter all that apply)

None1
Solution in cover leaked before vial was sealed2
Saliva spilled3
R was unable to produce enough saliva4
Other (specify).....97 → Go to **I920_SalivaProblem_Specify**

I920 BRANCHPOINT: GO TO BLDIntro

SecI2.V920_SalivaProblem_Specify
I920_SalivaProblem_Specify

SALIVA SAMPLE

What other problem?

Open End_____, GO TO **BLDIntro**

SecI2.V916_ SalivaWhyNotComplete
I916_SalivaWhyNotComplete

SALIVA SAMPLE

Why didn't R complete the saliva sample? (Enter all that apply)

R felt it would not be safe.....1 → Go to Bldintro
IWER felt it would not be safe2 → Go to Bldintro
R refused or was not willing to complete the measurement3 → Go to Bldintro
R did not understand the instructions5 → Go to Bldintro
Problem with equipment or supplies.....8-> Go to Bldintro
Other (specify)97

SecI2.V917_SalivaNotComplete_Specify
I917_SalivaNotComplete_Specify

SALIVA SAMPLE

What other reason?

EXPLAIN:

Open End_____

SecI.V[XXX]_PMThank
I658_PMThank

Thank you for your cooperation. This concludes the physical measures and biomarkers portion.

Provide respondent with a supplemental document to review.

[Please review this pamphlet which details the measures we've just collected. I have a few things I need to enter into the computer and we'll continue the interview in about one minute.]

Continue.....1

SecI.V[XXX]_DataEntryIntro
I659_I660_DataEntryIntro

HEIGHT/WEIGHT/WAIST DATA ENTRY

After recording Height, Weight (if eligible) and Waist measurements and observations in the administration booklet, you will now be prompted to enter these data.

Continue.....1

SecI2.V831_
I831_
HEIGHT MEASUREMENT

WERE YOU ABLE TO MEASURE R'S HEIGHT?

Yes1
No.....5 → Go to V832

SecI2.V834_Heightinches
I834_Heightinches

HEIGHT MEASUREMENT

Enter respondent's height in inches. Round to the nearest quarter inch.

□□.□□

SecI2.V837_
I837_
HEIGHT MEASUREMENT

Was R wearing shoes during measurement?

Yes1
No5

I832 BRANCHPOINT: IF ELIGIBLE FOR WEIGHT (C139_ < 300), GO TO I838 ELSE, GO TO I904
--

SecI2.V832_

I832_

HEIGHT MEASUREMENT

WHY WEREN'T YOU ABLE TO MEASURE R'S HEIGHT? (ENTER ALL THAT APPLY)

- R felt it would not be safe1
- IWER felt it would not be safe2
- R refused or was not willing to complete the measurement3
- R tried but was unable to complete the measurement4
- R did not understand the instructions5
- Respondent too tall, interviewer could not reach6
- No suitable space available7
- Other (specify)97 → Go to **V833**

I833 BRANCHPOINT: IF ELIGIBLE FOR WEIGHT (C139_ < 300), GO TO V838

ELSE, GO TO V904

SecI2.V833_

I833_

HEIGHT MEASUREMENT

WHAT OTHER REASON?

EXPLAIN:

*Open End*_____

I838 BRANCHPOINT: IF R REPORTED WEIGHT 300 OR MORE LBS (C139>= 300), GO TO V904

SecI2.V838_

I838_

WEIGHT MEASUREMENT

WERE YOU ABLE TO MEASURE R'S WEIGHT?

- Yes1
- No.....5 → Go to V839

SecI2.V841_Weightpounds
I841_Weightpounds
WEIGHT MEASUREMENT

Enter respondent's weight in pounds as recorded on scale (to the nearest 0.5 pound).

- ♦ ENTER [993] if R tried but received an error message, Go to V839
- ♦ ENTER [999] if R chose not to do it, Go to V839

□□□.□

SecI2.V842_WEIGHTFlooring
I842_WeightFlooring
WEIGHT MEASUREMENT

Record type of floor surface

If you used the support tile, please record the surface on which the tile was placed.

Linoleum/tile/wood1 → Go to V844
Low-pile carpet2 → Go to **I666_SupportTile**
High-pile carpet.....3 → Go to **I666_SupportTile**
Concrete.....4 → Go to V844
Not sure.....5 → Go to **I666_SupportTile**
Other (specify).....7

SecI2.V843_WEIGHTFlooring_SP
I843_WeightFlooring_SP
WEIGHT MEASUREMENT

What other type of floor surface?

Open End_____

I666_SupportTile
WEIGHT MEASUREMENT

Did you use the scale-support tile?

Yes1
No5

SecI2.V844_
I844_
WEIGHT MEASUREMENT

Was R wearing shoes during measurement?

Yes1
No5

I839 BRANCHPOINT: GO TO V904

SecI2.V839_

I839_

WEIGHT MEASUREMENT

WHY WEREN'T YOU ABLE TO MEASURE R'S WEIGHT? (ENTER ALL THAT APPLY)

R felt it would not be safe1

IWER felt it would not be safe2

R refused or was not willing to complete the measurement3

R tried but was unable to complete the measurement4

R did not understand the instructions5

Respondent was too heavy; did not attempt6

No suitable space available7

Scale did not work8

Other (specify)97 → Go to V840

I840 BRANCHPOINT: GO TO V904

SecI2.V840_

I840_

WEIGHT MEASUREMENT

WHAT OTHER REASON?

EXPLAIN:

Open End_____

SecI2.V904_WaistComplete

I904_WaistComplete

WAIST CIRCUMFERENCE

Were you able to measure R's waist circumference?

Yes1

No5 → Go to I905_WaistWhyNotComplete

SecI2.V907_WaistMeasurement
I907_WaistMeasurement
WAIST CIRCUMFERENCE

Enter respondent's waist measurement to the nearest quarter inch.

- ♦ ENTER [993] if R tried but was unable to do it, GO TO **V905**
- ♦ ENTER [999] if R chose not to do it, GO TO **V905**

□□□.□□

SecI2.V908_WaistDifficulties
I908_WaistDifficulties
WAIST CIRCUMFERENCE

What difficulties occurred during this measurement?

- None1
- R had breathing difficulties2
- R was unable to hold breath at end of exhale3
- R was prevented from giving full effort by illness, pain, or other symptoms or discomforts.....4
- R did not appear to give full effort, but no obvious reason for this.....5
- Other (specify)97 → Go to V909

I909 BRANCHPOINT: GO TO **V911**

SecI2.V909_WaistDifficulty_Specify
I909_WaistDifficulty_Specify
WAIST CIRCUMFERENCE

WHAT OTHER DIFFICULTY?

EXPLAIN:

Open End _____

SecI2.V911_WaistWhoMeasured
I911_WaistWhoMeasured

WAIST CIRCUMFERENCE

Who completed the measurement?

- R completed the measurement1
- IWER completed the measurement2

SecI2.V912_WaistBulkyClothes

I912_WaistBulkyClothes

WAIST CIRCUMFERENCE

Was R wearing bulky clothing during this measurement?

Yes1

No5

I905 BRANCHPOINT: GO TO **V845**

SecI2.V905_WaistWhyNotComplete

I905_WaistWhyNotComplete

WAIST CIRCUMFERENCE

Why weren't you able to measure R's waist? (Enter all that apply)

R felt it would not be safe.....1

IWER felt it would not be safe.....2

R refused or was not willing to complete the measurement.....3

R tried but was unable to complete the measurement.....4

R did not understand the instructions.....5

R is not able to stand.....6

Other (specify).....97 → Go to **I906_WaistNotComplete_Specify**

I906 BRANCHPOINT: GO TO **V845**

SecI2.V906_WaistNotComplete_Specify

I906_WaistNotComplete_Specify

WAIST CIRCUMFERENCE

What other reason?

EXPLAIN:

Open End_____

SecI2.V845_
I845_

IF V802 = 1:

You have completed entering the physical measurements and biomarkers.
Enter [1] to continue and complete this interview.

ELSE:

This respondent will not be asked to complete physical measures.
Enter [1] to continue with the interview.

Continue.....1

SecI.V936_PhysMeasBio_CompletionFlag
I936_PhysMeasBio_CompletionFlag

1 = Completed at least one measurements

5 = Did not complete any measurements

. = Not in enhanced FTF sample or not asked to complete any measures