



---

PROJECTION, LASER, LIGHT, FX  
AND SOUND



**EPSON**

# projection equipment

Name ..... Pieces in stock ..... Price for 1 pcs per day .....

**Epson EB-L1750U**

Technology: LCD: 3 × 1.03" P-Si TFT  
Color Light Output: 15'000 lm  
Resolution: WUXGA (1920x1200)  
High Definition: 4K enhancement  
Contrast Ratio: 2,500,000 : 1

4 pcs in stock

15'000'000 idr / day

**Epson EB-805F**

Ultra Short Throw projector  
Color Light Output: 6'000 lm  
Resolution: 1080p  
Contrast Ratio: 2,500,000 : 1

2 pcs in stock

5'000'000 idr / day

**Epson ELPLM15**

middle-throw zoom lens  
zoom ratio - 1 to 1.6  
throw ratio - 1.57 to 2.56

11 pcs in stock

2'500'000 idr / day

**Epson ELPLU03S**

short-throw #1 zoom lens  
zoom ratio - 1 to 1.2  
throw ratio - 0.48 to 0.57

4 pcs in stock

2'500'000 idr / day

**laser projector**

Light flow: 10 Wt  
Animation laser, built-in FB4  
R:3W/638 G:3W/520 B:4W/445nm

2 pcs in stock

4'000'000 idr / day

# light equipment

Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------



## suka wall washer

60\*15W RGBW  
Optic: 25° lens  
Consumption: 600W  
Weight: 16 kg  
IP65

24 pcs in stock

400'000 idr / day



## suka moving strobe

144\*5W Warm white  
480\*0.5W RGB; 8+4 sections control  
Tilt: 185°  
Consumption: 1000W  
Size: 502 x 137 x 326 mm  
Weight: 11,2 kg  
IP66

30 pcs in stock

500'000 idr / day



## suka par

24\*15W RGBW  
Optic: 25° lens  
Consumption: 280W  
Size: 345 x 285 x 196 mm  
Weight: 7.2kg  
IP65

50 pcs in stock

200'000 idr / day



## suka zoom par

7\*60W RGBW  
Optic: 5-45° zoom lens  
Consumption: 300W  
Size: 296 x 220 x 436 mm  
Weight: 7.8kg  
IP65

50 pcs in stock

400'000 idr / day



## suka battery par

9\*18W RGBAW UV  
Optic: 15° lens  
Battery powered / wireless control  
Size: 270 x 270 x 330mm  
Weight: 5.5kg  
IP65

20 pcs in stock

350'000 idr / day



## suka battery 3 bar

3\*18W RGBAW UV  
battery powered / wireless control  
IP65

30 pcs in stock

250'000 idr / day

# light equipment

Name ..... Pieces in stock ..... Price for 1 pcs per day .....



## suka video pixel bar

64 pixel RGB  
Size: 1000 x 30 x 50 mm  
Weight: 0.32 kg  
IP65

1100 pcs in stock

200'000 idr / day



## suka bar

54\*3W RGB  
Optic: 10\*60° lens  
Consumption: 53W  
Size: 395 x 53 x 81 mm  
Weight: 2.1kg  
IP65

125 pcs in stock

400'000 idr / day

## suka pixel bar

18\*10W RGBW  
Optics: 15° lens  
Consumption: 200W  
Optional Pixel control  
Size: 980 x 81 x 150 mm  
Weight: 2.5 kg  
IP66

55 pcs in stock

450'000 idr / day

## suka battery bar

12\*18W RGBWA  
Optics: 15° lens  
battery powered / wireless control  
Size: 502 x 70 x 175 mm  
Weight: 2.5 kg  
IP65

10 pcs in stock

400'000 idr / day



## suka tilt battery bar

9\*18W RGBAW UV  
Optics: 17° lens  
Battery powered / wireless control  
Weight: 2.2 kg  
IP65

20 pcs in stock

400'000 idr / day

# light equipment



Name	Pieces in stock	Price for 1 pcs per day
<b>suka moving beam</b> 400W 1 gobo wheel 1 color wheel Multicolor 2 interchangeable rotating prisms IP 66	50 pcs in stock	450'000 idr / day
<b>suka BSW</b> 400W 1 gobo wheel 1 color wheel Multicolor 2 interchangeable rotating prisms IP 66	4 pcs in stock	450'000 idr / day
<b>suka portman</b> 7*100W Warm white RGB Aura IP 65	2 pcs in stock	900'000 idr / day
<b>suka industrial fan XXL</b> RGB Color dmx control Rotation control 2M diameter IP 20	2 pcs in stock	3 000'000 idr / day
<b>suka industrial fan XL</b> RGB Color dmx control Rotation control 1.5M diameter IP 20	2 pcs in stock	2'000'000 idr / day
<b>suka maple leaf</b> 3*60W Amber, 36*3W RGB, 1*40W RGBW Infinite Pan Movement Consumption: 250W Size: 50*50*23cm Weight: 8kg IP 65	6 pcs in stock	900'000 idr / day
<b>suka blinder</b> Imported COB, Aura: 16pcs RGB Optic: 11° lens Easy to Joint Consumption: 60W Size: 140 x 180 x 250 mm Weight: 2.4 kg IP65	75 pcs in stock	200'000 idr / day

Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------

**Void Acoustics Nexus 6**

2 pcs in stock

10'000'000 idr / day

- Two-way bi-amped sculpted loudspeaker array
- Frequency Response: 78 Hz - 21 kHz ±3 dB
- Power Handling2: LF: 2 x 1350 W AES, HF: 2 x 320 W AES
- Maximum Output3: 137 dB cont, 140 dB peak
- Weight: 75.5 kg (166.5 lbs)

**Void Acoustics Nexus Q**

2 pcs in stock

7'500'000 idr / day

- Four high power 12" transducers
- Frequency Response: 60 Hz - 150 Hz ±3dB
- Power Handling2: 2 x 2000 W AES
- Maximum Output3: 145 dB cont, 151 dB peak
- Weight: 130 kg (286.6 lbs)

**Void Acoustics Nexus XL**

6 pcs in stock

7'500'000 idr / day

- Single high power 21" transducer
- Frequency Response: 30 Hz - 150 Hz ±3dB
- Power Handling2: 2000 W AES
- Maximum Output3: 135 dB cont; 141 dB peak
- Weight: 90 kg (198.4 lbs)

**Void Acoustics Airten V2**

2 pcs in stock

4'000'000 idr / day

- Compact high output dual 10" loudspeaker
- Frequency Response: 60 Hz - 20 kHz ±3 dB
- Power Handling2: 500 W AES
- Maximum Output3: 125 dB cont, 131 dB peak
- Weight: 20 kg (44.1 lbs)

**Void Acoustics Stasys 118**

2 pcs in stock

4'000'000 idr / day

- 18" neodymium low frequency driver with 4" coil
- Frequency response: 40 Hz - 200 Hz ±3 dB
- Power handling2: 1200 W AES
- Maximum output3: 128 dB cont, 134 dB peak
- Weight: 47 kg (103.6 lbs)

# sound equipment

Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------



**K-Array Firenze-KH7** 16 pcs in stock 4'500'000 idr / day

Active line array element

- 4x Coaxial 12" Neodymium magnet driver with 3" voice coil + compression driver with 2" voice coil
- Frequency Response: 90 Hz - 18 kHz (-6 dB)
- Max SPL: 141 dB peak

Amp Module:

- 4-ch., switch mode, class D
- Output Power: 4x 2000 W @ 4 Ω 1% THD+N
- Power Consumption: 600 W @ 8 Ω load, Pink noise 1/8 rated power

Weight: 52 kg (114.64 lb)



**K-Array Firenze-KS8** 12 pcs in stock 3'500'000 idr / day

Active subwoofer

- Transducers: 2x 21" Neodymium magnet woofer with 5.31" voice coil
- Frequency Response: 25 Hz - 120 Hz (-6 dB)
- Max SPL: 148 dB peak

Amp Module:

- Switching-mode, class D with IPAL® technology
- Output Power: 8500 W @ 1Ω
- Power Consumption: 400 VA

Weight: 148 kg (326.3 lb)



**K-Array Mastiff-KM112** 4 pcs in stock 1'500'000 idr / day

- Power handling 800W+200W
- Max Power 1200W
- Impedance 8 + 8 Ohm
- Frequency Range (-10dB) LF: 98dB HF: 105dB
- Max SPL 127dB (cont.) - 133dB (peak)

Weight 17.0 Kg (37.47 lb)



**K-Array KRM33** 4 pcs in stock 1'000'000 idr / day

Point source

- Transducers: 3 x 3.15" neodymium magnet woofer. 1 x 6" passive radiator
- Frequency Response: 70 Hz - 20 kHz (-6 dB)
- Max SPL: 121 dB (peak)

Amp Module:

- 2 ch. switch-mode, class D
- Output Power: 2 x 125 W @ 4 Ω

Weight: 5.2 kg (11.59 lbs)

# sound equipment

Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------



## K-Array KY102M

Line array

- Transducers: 8 x 4" neodymium magnet woofers
  - Frequency Response: 120 Hz – 20 kHz (-6 dB)
  - Max SPL: 138 dB (peak)
  - Rated Power: 1200 W
  - Coverage: V. 7° – 30° | H. 90°
  - Nominal Impedance: 8 Ω / 32 Ω selectable
- Dimensions: 116 x 1000 x 134 mm  
Weight: 14.9 kg (32.8 lb)

4 pcs in stock

2'000'000 idr / day



## K-Array KS4P I

Passive subwoofer

- Transducers: 2 x 18" neodymium magnet woofer
  - Frequency Response: 30 Hz – 150/450 Hz (-6 dB)
  - Max SPL: 141 dB peak
  - Rated Power: 2800W peak
- Dimensions: 1106 x 500 x 580 mm  
Weight: 148 kg (326.3 lb)

2 pcs in stock

2'000'000 idr / day



## K-Array Kommander-KA208

8ch switching mode, Class D Amplifier

- Output Power: 8 x 2500W @ 4Ω
  - Impedance: minimum 4 Ω (2 Ω tolerant)
  - Frequency Response: 20 Hz – 20 kHz (±1 dB)
  - Consumption: 1200 W @ 4 Ω load, Pink noise, 1/8 rated power
- Dimensions: 430 x 87 x 430 mm

1 pcs in stock

3'000'000 idr / day



## K-Array Pinnacle-K-FoH2

2 x Python-KP52 I

Line array

- Transducers: 6 x 3.15" neodymium magnet woofers
- Frequency Response: 120 Hz – 18 kHz (-6 dB)
- Sensitivity (1W/1m): 96 dB SPL
- Max SPL: 128 dB (peak)

1 x Thunder-KS2 I

Active subwoofer

- Transducers: 18" neodymium magnet woofer
- 137 dB

2 x Floor stand

2 pcs in stock

4'500'000 idr / day

# sound equipment



Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------

## RCF EVOX8

ACTIVE TWO-WAY ARRAY

- 1400 Watt
- 12" Woofer, 2.5" v.c.
- 8 x 2" Ultra compact fullrange, 1.0 v.c.
- 128 dB max SPL



## KRK ROKIT RP8 G4

8" Powered Near-Field Studio Monitor 1400 Watt

- Frequency Response: 36Hz - 40KHz
- Max SPL: 111 dB
- Power Output: 203 Watts

Weight 22.6 lb / 10.25 kg



## Yamaha DBR15

15" 2-way Powered Loudspeaker

- Frequency range (-10dB): 50Hz – 20kHz
- Number of fans: 132dB SPL
- Output power: Dynamic:1000 W (LF: 800 W, HF: 200 W) / Continuous: 465 W (LF: 400 W, HF: 65 W)
- Power consumption: 74W(1/8 Power Consumption), 18W(Idles)

Weight: 19.3 kg (42.6 lbs)



## Yamaha DXS15mkII

15" Powered Subwoofer

- Frequency range (-10dB): 40 Hz – 150 Hz
- Number of fans: 136dB SPL
- Output power: Dynamic:1020W / Continuous: 800W
- Power consumption: 100W

Weight: 36.0 kg (79.4lbs)



## Yamaha DSR115

15" 2-way Active Loudspeaker

- Frequency response (-3dB): 55Hz ~ 18kHz
- Number of fans: 136dB SPL
- Output power: Dynamic:Dynamic: 1500W (LF: 1020W, HF: 480W), Continuous: 1300W (LF: 850W HF: 450W)
- Power consumption: 100W

Weight: 19.3 kg (42.6 lbs)



## Yamaha DDX18

18" Powered Subwoofer

- Frequency range (-10dB): 32Hz – 120Hz
- Number of fans: 135dB SPL
- Output power: Dynamic:1020W / Continuous: 800W
- Power consumption: 100W

Weight: 49.7kg (110lbs)

# back-line equipment

Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------



## Midas MR18

18-input/8-bus portable digital mixer  
for iPad/Android Tablets

1 pcs in stock

700'000 idr / day



## Midas M32

Digital Console for Live and Studio with 40 Input-Channels, 32 Midas Microphone Preamplifiers and 25 Mix Buses

1 pcs in stock

4'000'000 idr / day



## Yamaha MGP16X

16-Channel Premium Mixing Console, 10 Mic Inputs with 48V Phantom Power and HPF per Channel, 16 Line Inputs (8 mono and 4 stereo), 4 GROUP Buses + ST Bus, 2 AUX Sends + 2 FX Sends

1 pcs in stock

500'000 idr / day



## Soundcraft Notepad 12FX

12-channel analog mixer

1 pcs in stock

300'000 idr / day



## Yamaha P45

88 Graded Hammer Standard keys realistic acoustic piano feel, full-stereo AWM sampling piano sound Stand included

1 pcs in stock

1'000'000 idr / day



## Shure SM58

Frequency response tailored for vocals, with brightened midrange and bass rolloff

2 pcs in stock

150'000 idr / day

# DJ equipment

Name ..... Pieces in stock ..... Price for 1 pcs per day .....

**Pioneer CDJ-3000**

- Eight Hot Cue and Dedicated Beat Jump Buttons
  - 96 kHz/32-bit Floating Point Audio Processing In All Formats
  - 9-Inch High Res Screen with All New Features
- Size: 323 x 453 x 118 mm  
Weight: 5.49kg (12.1lb)

4 pcs in stock

1'500'000 idr / day

**Pioneer DJM-900 NXS2**

- High Performance 4-Channel Pro DJ Mixer
- 24bit/96kHz high performance audio interface
  - Enhanced EQ and fader curves
  - 2 USB ports, 4 Phono Inputs, & DVS support
- Size: 333 x 108 x 414 mm  
Weight: 8 kg (17.6 lb)

2 pcs in stock

1'000'000 idr / day

**Pioneer XDJ RR**

- Stand-alone Rekordbox DJ System
- 7-Inch Full Color Screen
  - 4 Multi-colored performance pads per deck
  - NXS2 inspired club layout
- Size: 625 x 74 x 389 mm  
Weight: 5.2 kg (11.46lb)

1 pcs in stock

800'000 idr / day

**suka mirror DJ table**

fast mountable rack table

1 pcs in stock

1'000'000 idr / day

**suka video DJ table**

fast mountable rack table

1 pcs in stock

5'000'000 idr / day

# FX equipment

Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------



## Antari HZ - 1000

HZ-1000 is the most advanced haze machine among Antari's

- Fluid consumption: 2.2 ml/min
  - Fluid tank capacity: 6.4 Liters
  - Operating time: 40 hrs max. output
- Consumption: 1150W  
Size: 690 x 510 x 610 mm  
Weight: 74.6 kg (164.46 lbs)

1 pcs in stock

2'000'000 idr / day



## Antari F - 7 Smaze

Switchable Fog and Faze machine

- Fluid consumption: Fog Mode : 140ml/min
  - Faze Mode : 28ml/min
  - Fluid tank capacity: 5 Liters
  - Operating time Faze Mode : 2.8 hrs at max. output
- Consumption: 1600W  
Size: 728 x 428 x 719 mm  
Weight: 52.5 kg (115.74 lbs)

1 pcs in stock

2'000'000 idr / day



## Antari HZ - 400

Professional Haze machine

- Fluid consumption: 1.1 ml/min
  - Fluid tank capacity: 2.5 Liters
  - Operating time: 37 hrs at max. output
- Consumption: 470W  
Size: 500 x 320 x 319 mm  
Weight: 18.5 kg (40.79 lbs)

1 pcs in stock

1'250'000 idr / day

# light control equipment

Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------



## suka video pixel bar controller

8\*680pixel  
1400W consumption  
Max connect 80m bar  
IP20

16 pcs in stock

1'500'000 idr / day



## suka artnet v2

8-channel DMX controller

6 pcs in stock

750'000 idr / day



## suka dmx splitter

8-channel DMX splitter

4 pcs in stock

400'000 idr / day



## suka MA2 command wing

light control system

1 pcs in stock

2'000'000 idr / day



## suka MA2 fader wing

light control system

1 pcs in stock

2'000'000 idr / day



## DELL touch screen for MA - P2418HT

Diagonal Size: 24"  
Native Resolution: Full HD (1080p) 1920 x 1080 at 60 Hz  
Color Support: 16.7 million colors  
Power Consumption: 18 Watt

2 pcs in stock

500'000 idr / day



## MOTU M2

2-in/2-out USB audio interface with  
studio-quality sound

1 pcs in stock

500'000 idr / day

# video control equipment

Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------



## magnimage MIG-F4-1U

Multi-Screen Splicing Processor 4K  
Mosaic Box

3 pcs in stock

1'000'000 idr / day



## suka mediaserver light S

Intel® Core™ i7-1360P Processor  
512GB Gen 4 NVMe SSD  
2x 8GB DDR4

1 pcs in stock

5'000'000 idr / day



## suka mediaserver light

Touchdesigner + Resolume based  
CPU Intel Core™ i7-12700K  
GPU Nvidia Geforce 2080 Ti  
RAM DDR4 32GB  
SSD 1TB

1 pcs in stock

8'000'000 idr / day



## suka mediaserver pro

Touchdesigner + Resolume based  
CPU Dual Intel® Xeon® Silver 4314  
GPU NVIDIA® RTXTM A5000 - 4 pc  
RAM DDR4-3200 256 GB  
SSD 4TB

1 pcs in stock

14'000'000 idr / day



## novation launch controll xl

- 24 rotary pots with 300 degree motion
- 24 multi-colour indicator LEDs - one for each pot
- Eight 60mm Faders
- 16 assignable multi-colour backlit buttons

1 pcs in stock

500'000 idr / day



## APC SMC3000RMi2U

APC Smart-UPS C, Line Interactive, 3kVA,  
Rackmount 2U, 230V, 8x IEC C13+1x IEC C19 outlets,  
AVR, Graphic LCD

1 pcs in stock

1'000'000 idr / day

# accessories

Name ..... Pieces in stock ..... Price for 1 pcs per day .....

collab+  
art + tech

## collab+ bar curtain

curtain for collab+ bar

100 pcs in stock

50'000 idr / day



## C stand

grip stand for lightning

4 pcs in stock

300'000 idr / day



## tripod stand

stand for sound and lightning

2 pcs in stock

200'000 idr / day



## monitor stand

stand for monitor speakers

2 pcs in stock

200'000 idr / day



## tripod winch stand

stand for sound and lightning

2 pcs in stock

450'000 idr / day



## microphone stand

Height : 105-168cm


Weight : 3.5 Kg

2 pcs in stock

100'000 idr / day

# extra

Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------



## Cable trap

yellow jacket rubber 3 channel  
cable protector  
Size: 1 m

40 pcs in stock

50'000 idr / day



## Air fan

Diametr: 16"  
Level speed: 3  
Consumption: 80 watt

6 pcs in stock

100'000 idr / day



## Waterproof projector box

AC box for 2 projector  
Weight: 110 kg

4 pcs in stock

5'000'000 idr / day



## Aluminium deck

Size: 1m x 2m x 1m  
Weight: 40 kg

2 pcs in stock

1'200'000 idr / day

# power distribution

Name	Pieces in stock	Price for 1 pcs per day
 <b>Trueconn male / female</b> 3m power link	30 pcs in stock	10'000 idr / day
 <b>Trueconn male / female</b> 5m power link	60 pcs in stock	15'000 idr / day
 <b>Trueconn male / female</b> 10m power link	40 pcs in stock	20'000 idr / day
 <b>Trueconn male / plug</b> 1,5 m power plug	180 pcs in stock	10'000 idr / day
 <b>PowerCON male / female</b> 5m power link	30 pcs in stock	15'000 idr / day
 <b>PowerCON male / plug</b> 1,5 m power plug	60 pcs in stock	10'000 idr / day
 <b>Power distributor</b> 2 m power plug	7 pcs in stock	50'000 idr / day
 <b>Power extension</b> 50 m power plug	3 pcs in stock	50'000 idr / day

# signal distribution

Name	Pieces in stock	Price for 1 pcs per day
 <b>DMX male / female</b> 1,5m power link	120 pcs in stock	10'000 idr / day
 <b>DMX male / female</b> 2m power link	130 pcs in stock	10'000 idr / day
 <b>DMX male / female</b> 5m power link	350 pcs in stock	15'000 idr / day
 <b>DMX male / female</b> 10m power link	210 pcs in stock	20'000 idr / day
 <b>DMX male / female</b> 20m power link	75 pcs in stock	20'000 idr / day
 <b>DMX male / female</b> 75m power link	25 pcs in stock	20'000 idr / day
 <b>DMX wireless</b> Wireless transmitter+receiver	60 pcs in stock	50'000 idr / day

# video signal distribution

Name ..... Pieces in stock ..... Price for 1 pcs per day .....



## kramer 602R/T

Detachable DVI Optical Transmitter  
& Receiver

6 pcs in stock

250'000 idr / day



## UTP cable

50 m

4 pcs in stock

150'000 idr / day



## HDMI cable

10 m

4 pcs in stock

150'000 idr / day

# void accessories

Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------



## Void Acoustics Stack Bracket

- Installation Stack Bracket for Nexus 6
- Stainless Steel

2 pcs in stock

2'000'000 idr / day



## Void Acoustics Mobile Cabinet

- System Rack
- SpeakOn sockets front / rear
- Pre-built system rack for Nexus system
- 1 pc. Patch panel
- 1 pc. 32A 3P PDU with glanded 32A input cable

2 pcs in stock

2'000'000 idr / day



## Power supplier

- Full Power supply Accessories for Sound systems

1 pcs in stock

1'500'000 idr / day



## Powersoft X4

4 pcs in stock

5'000'000 idr / day

### Power amplifier

- Output: 4 x 1600 W at 8Ω
- Bridge Mode: 6000W at 8Ω
- AC Power: Universal, Single Phase, Bi-Phase or Three Phase acceptance, switching mode with PFC 85 V - 440 V
- Noise Floor: -70 dBV (20 Hz - 20 kHz, A weighted)
- THD+N : < 0.5% (typically < 0.01%)
- IMD: < 0.5% (typically < 0.01%)
- Damping factor: > 5000 @ 8Ω, 20Hz - 500Hz



## Powesoft T604

1 pcs in stock

3'000'000 idr / day

### Power amplifier

- Output: 4 x 1250 W at 8Ω
- Bridge Mode: 3000W at 8Ω
- AC Power: 100-240 V ±10%, 50-60 Hz
- Frequency response: 20 Hz - 20 kHz ±0.5 dB, 1 W @ 8 Ω S/N Ratio: > 110 dB (20 Hz - 20 kHz)
- Crosstalk separation: < -70 dB @ 1kHz
- THD+N : < 0.1% (typical < 0.5%)
- IMD: < 0.1% (typical < 0.5%)

# K-Array accessories

Name	Pieces in stock	Price for 1 pcs per day
------	-----------------	-------------------------


**K-Array KH7-FLYV**

Bumper for up to 7 KH7 in Vertical cluster.


**K-Array KH7-FLYV**

Bumper for up to 12 KH7 in Horizontal cluster.


**K-Array KH7-BASE**

Base for up to 2 KH7 in Vertical or 3 KH7 in Horizontal.


**K-Array K8-SIGIN**

2mt with in LK25 and out XRL+RJ45


**K-Array K8-SIG2**


Multi cable signal + control 2 mt


**K-Array K8-SIG10**

Multi cable signal + control 10 mt


**K-Array K8-SIG25**

Multi cable signal + control 25 mt



**FOR EACH  
SPECIAL DAY**

---

 **suka rental**