
Physical Simulation
Domain Randomization
Spatially multiplexing
Model Targets and Inputs
Google Scanned Objects
MuJoCo Physics Engine
Depth map $\tilde{D}$
Taxim
Bg mask $\tilde{M}_{\text{bg}}$
Obj vision image $\tilde{V}_{\text{obj}}$
Contact mask $\tilde{M}_c$
Raw tactile image $\tilde{T}_{\text{raw}}$
Blurred bg $\tilde{V}_{\text{bg}}$
Raw vision image $\tilde{V}_{\text{raw}}$
Real tac bg image T_{bg}
Jitted vision image $\tilde{V}_{\text{jit}}$
Jitted tactile image $\tilde{T}_{\text{jit}}$
Jitted tac bg image $T_{\text{bg,jit}}$
Vision light map L_v
Relit vision image $\tilde{V}_{\text{relit}}$
Residual branch only
Wavy mask $\tilde{M}_{\text{wavy}}$
Generated image $\tilde{I}_{\text{mux}}$
Straight mask $\tilde{M}_{\text{stg}}$
Ref image $\tilde{I}_{\text{ref}}$
Vision groundtruth: Relit vision image $\tilde{V}_{\text{relit}}$
Tactile groundtruth: Jitted tactile image $\tilde{T}_{\text{jit}}$
Reference image: Ref image $\tilde{I}_{\text{ref}}$
Fused image: Generated image $\tilde{I}_{\text{mux}}$