STAT 4100 Lecture Note

Week One (Sep 7 & 9, 2022)

Zhiyang Zhou (zhiyang.zhou@umanitoba.ca, zhiyanggeezhou.github.io)

2022/Sep/05 12:29:49

Fire Safety Orientation

IN THE CASE OF A FIRE ALARM:

- · Remain calm
 - · if it is safe, evacuate the classroom or lab
 - · go to the closest fire exit
 - · do not use the elevators
- If you need assistance to evacuate the building, inform your professor or instructor immediately.
- If you need to report an incident or a person left behind during a building evacuation, report it to a fire warden or call security services 204-474-9341.
 - Do not reenter the building until the "all clear" is declared by a fire warden, security services or the fire department.
- Important: only those trained in the use of a fire extinguisher should attempt to operate one!





Contact

- Zhiyang (Gee) Zhou
 - Email: zhiyang.zhou@umanitoba.ca
 - Homepage: zhiyanggeezhou.github.io
 - Office: 330 Machray Hall
- Ke (Kelly) Wang
 - Email: wangk9@myumanitoba.ca
 - Office: TBA

Timeline

- Lectures
 - Mon/Wed/Fri 13:30–14:20 at St. Paul's College 258
- Labs
 - Wed 16:30–18:00 at Buller 315
- Office Hours
 - (instructor) Mon 14:30–15:30 (or by appointment) at 330 Macray Hall
 - (TA) TBD

Grading

- Assignment 20%
 - Submitted via Crowdmark
 - Attaching sourse codes if R is used in computation
 - Always including necessary interpretation
- Midterm 30%
 - In the week of Oct 17
 - Open-book, 3-hour, and online
- Final 50%
 - Open-book and in-person (?)

Meterials

- References
 - (CB) Casella & Berger. 2002. Statistical Inference, 2nd Ed.
 - * 2 hardcopies reserved at Jim Peebles Science and Technology Library
 - (HMC) Hogg, Mckean & Craig. 2018. Introduction to Mathematical Statistics, 8th Ed.
 - * Hardcopy of 6th Ed. available
- Lecture notes
 - zhiyanggeezhou.github.io
 - UM Learn
 - Subject to change from time to time without prior notice

Outline

- Topics to be covered
 - Prerequisite
 - Estimation (finite/large sample, optimality)
 - Confidence interval (finite/large sample, interpretation)
 - Hypothesis testing (finite/large sample, optimality, interpretation)

— George Box, Journal of American Statistical Association 1976

Statistical modelling & inference

- What are statistical models?
 - Distributions of random variables (r.v.s) of interest
- Statistical inference
 - To answer questions on the underlying statistical models, e.g.,
 - * What the model is?
 - * Is the r.v. distributed as N(0,1)?

Definitions on random variables (CB/HMC Chp. 1)

• Definition of r.v.: a real-valued function defined on a sample space Ω , i.e.,

$$X = X(\omega), \quad \omega \in \Omega$$

• Cumulative distribution function (cdf) of r.v. X

$$F_X(x) = \Pr(X \le x)$$

[&]quot;All models are wrong, but some are useful."

- Right continuous
- Non-decreasing
- Ranging from 0 to 1, i.e., $F_X(-\infty) = 0$ and $F_X(\infty) = 1$

Exercise Lec1.1

• Given $p \in (0,1)$, suppose

$$F(x) = \left\{ \begin{array}{ll} 1 - (1-p)^{\lfloor x \rfloor}, & x \geq 1, \\ 0, & \text{otherwise,} \end{array} \right.$$

where |x| represents the integer part of x. Show that F is a cdf.

• Hint: Check the right-continuity of F at positive integers.

Definitions on random variables (con'd)


- X is a discrete r.v.
 - X takes countably many values
 - probability mass function (pmf): $p_X(x) = Pr(X = x)$
- X is a continuous r.v.
 - cdf F_X is absolutely continuous, i.e., $\exists f_X$, s.t.

$$F_X(x) = \int_{-\infty}^x f_X(z) dz, \quad \forall x \in \mathbb{R}.$$


 $-f_X$ is the probability density function (pdf) of X

- * $f_X(x) = (d/dx)F_X(x)$ if f_X is continuous at $x \in \mathbb{R}$
- Neither discrete nor continuous
 - -X is a mixed r.v., e.g.,

$$F_X(x) = \begin{cases} 1, & x \ge 1/2; \\ x^2, & 0 \le x < 1/2; \\ 0, & \text{otherwise.} \end{cases}$$



- X is following the Cantor distribution



Univariate transformation (CB Sec. 2.1 & 2.4)

Support (CB pp. 50)

- In general, for real-valued function g- $\sup(g) = \{x \in \text{domain}(g) : g(x) \neq 0\} \subset \text{domain}(g)$
- For discrete r.v. X
 - pmf $p_X(\cdot)$
 - $-\operatorname{supp}(X) = \operatorname{supp}(p_X) = \{x \in \mathbb{R} : p_X(x) > 0\}$
 - e.g., Support of Binom(n, p) is $\{0, \ldots, n\}$
- For continuous r.v. X
 - $-\operatorname{pdf} f_X(\cdot)$
 - $\text{ supp}(X) = \text{supp}(f_X) = \{x \in \mathbb{R} : f_X(x) > 0\}$
 - e.g., Support of N(0,1) is \mathbb{R}

Indicator function

• $I_A(x) = 1$ if $x \in A$ and zero otherwise

Find pmf of Y = g(X) given the pmf of X

- 1. Figure out supp $(Y) = \{y : y = g(x), x \in \text{supp}(X)\}$
- 2. Calculate $p_Y(y) = \Pr(Y = y) = \Pr(X \in \{x \in \text{supp}(X) : g(x) = y\})$

Example Lec2.1

Let X have the pmf $p_X(x) = 2^x I_{\{-1,-2,\ldots\}}(x)$. Find the pmf of $Y = X^4$.

Find cdf of Y = g(X) given the distribution of X

• Calculate
$$F_Y(y) = \Pr\{g(X) \le y\} = \Pr[X \in g^{-1}\{(-\infty, y]\}] - g^{-1}\{(-\infty, y]\} = \{x : g(x) \le y\}$$

Example Lec2.2

Let X have the uniform pdf $f_X(x) = \pi^{-1} I_{(-\pi/2,\pi/2)}(x)$. Find the cdf of $Y = \tan X$.

Find pdf of Y = q(X) given the distribution of X

- 1. Figure out supp $(Y) = \{y : y = g(x), x \in \text{supp}(X)\}$
- 2. (Generically) If the cdf F_Y is known OR pdf f_X is easy to be integrated, then

$$f_Y(y) = \frac{\mathrm{d}}{\mathrm{d}y} F_Y(y) = \frac{\mathrm{d}}{\mathrm{d}y} \int_{\{x:g(x) \le y\}} f_X(x) \mathrm{d}x$$

• The integration of f_X is often avoidable by employing the Leibniz Rule (CB Thm. 2.4.1):

$$\frac{\mathrm{d}}{\mathrm{d}y} \int_{a(y)}^{b(y)} f(x) \mathrm{d}x = f\{b(y)\} \frac{\mathrm{d}}{\mathrm{d}y} b(y) - f\{a(y)\} \frac{\mathrm{d}}{\mathrm{d}y} a(y)$$

with a(y) and b(y) both differentiable with respect to y.

2. (Alternatively) According to CB Ex. 2.7(b), i.e., an extension of CB Thm. 2.1.5 & 2.1.8 and HMC Thm 1.7.1.

$$f_Y(y) = \sum_{k=1}^k f_X\{g_k^{-1}(y)\} \left| \frac{\mathrm{d}}{\mathrm{d}y} g_k^{-1}(y) \right| I_{B_k}(y)$$

- g_k is strictly monotonic on A_k and $g(x) = g_k(x)$ for all $x \in A_k$ $-\{A_1,\ldots,A_K\} \text{ is a partition of } \operatorname{supp}(X), \text{ i.e., } A_k\cap A_{k'}=\emptyset \text{ if } k\neq k' \text{ and } \bigcap_{k=1}^K A_k=\operatorname{supp}(X)$ • g_k^{-1} is continuously differentiable on $B_k=\{g_k(x):x\in A_k\}$ • Jacobian (determinant) of $g_k^{-1}\colon (\mathrm{d}/\mathrm{d}y)g_k^{-1}(y)$

Example Lec2.2'

Let X have the uniform pdf $f_X(x) = \pi^{-1} I_{(-\pi/2,\pi/2)}(x)$. Find the pdf of $Y = \tan X$.

Example Lec2.3

 $X \sim \text{Weibull(shape} = \alpha, \text{scale} = \beta), \text{ viz. } f_X(x) = (\alpha/\beta)(x/\beta)^{\alpha-1} \exp\{-(x/\beta)^{\alpha}\}I_{(0,\infty)}(x). \text{ Find the pdf of } f_X(x) = (\alpha/\beta)(x/\beta)^{\alpha-1} \exp\{-(x/\beta)^{\alpha}\}I_{(0,\infty)}(x).$ $Y = \ln(X)$.

Example Lec2.4

Let X have the pdf $f_X(x) = 2^{-1}I_{(0,2)}(x)$. Find the pdf of $Y = X^2$.

Example Lec2.5

Let $f_X(x) = 3^{-1}I_{(-1,2)}(x)$. Find the pdf of $Y = X^2$.