```
org.xbmc.android.remote.activity
                                     HomeActivity
HttpApiThread.info().getSystemInfo(new HttpApiHandler<String>(this) {
  public void run() {
     homeVersionTextView.setText("XBMC" + value);
SystemInfo.SYSTEM_BUILD_VERSION);
                                                    org.xbmc.android.backend.httpapi
                                     HttpApiThread
                                                                                                                 HttpApiHandler
public void run() {
                                                                                                   public abstract class HttpApiHandler<T>
 Looper.prepare();
                                                                                                     implements Runnable {
 mHandler = new Handler();
                                                                                                     public T value;
 mInfoConnection.setHandler(mHandler);
                                                                                                     protected final Activity mActivity;
                                                                   ControlWrapper
 Looper.loop();
                                                                                                     public HttpApiHandler(Activity activity) {
                                                                                                       mActivity = activity;
                     InfoWrapper
                                                                                                     public Activity getActivity() {
                                                                                                       return mActivity;
  public void getSystemInfo(
    final HttpApiHandler<String> handler,
                                                                     MusicWrapper
    final int field) {
    mHandler.post(new Runnable() {
      public void run() {
        handler.value = ConnectionManager.
          getHttpClient(handler.getActivity()).
          info.getSystemInfo(field);
                                                                     VideoWrapper
        handler.getActivity().runOnUiThread(handler);
    });
                               org.xbmc.httpapi.client
                                       HttpClient
                     - InfoClient
                                                                   ControlClient
 public String getSystemInfo(int field) {
  return mConnection.getString(
     "GetSystemInfo",
    String.valueOf(field)
                                                                    MusicClient
  );
                                                                    VideoClient
```