Execution Environment

Host name LENOVO - DESKTOP-KNHN0AA

Local OS Windows 10 64bit

Katalon version 8.2.5.208 Browser null

Summary

ID Test Suites/

Description

Total 5

Passed 0 Failed 5
Error 0 Incomplete 0

Skipped 0

Start 2022-04-11 11:08:09 End 2022-04-11 11:08:30

Elapsed 21,159s

#	ID	Description	Status
1	Test Cases//		FAILED
2	Test Cases//		FAILED
3	Test Cases// ()		FAILED
4	Test Cases//		FAILED
5	Test Cases//		FAILED

ID Test Cases//

Description

Tag

Start 2022-04-11 11:08:09 End 2022-04-11 11:08:15

Elapsed 5,470s Status FAILED

Details

Description openBrowser("") 1 Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Case Main Phase$ (TestSuiteExecutor.java:202) $at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase$ (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649664447146.run(TempTestSuite1649664447146.groovy:36) Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Response: 402, Code: TCS10004, Message: Not enough execution time quota at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.iava:136) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. iava:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openga.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:

Elapsed

4.554s

Status

Description 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. $OpenBrowserKeyword \$_openBrowser_closure 1. do Call (OpenBrowserKeyword.groovy: 74)$ at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.kevword.WebUiBuiltInKevwords.openBrowser (WebUiBuiltInKeywords.aroovv:64) at com.kms.katalon.core.webui.kevword.WebUiBuiltlnKevwords\$openBrowser.call (Unknown Source) at Script1645088979531.run(Script1645088979531.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.11', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) $at\ org. open qa. selenium. json. Json Type Coercer. lambda \$null \$6 (Json Type Coercer.$ java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession

(ProtocolHandshake.java:112) ... 32 more

Elapsed

ID Test Cases//

Description

Tag

Start 2022-04-11 11:08:15 End 2022-04-11 11:08:18

Elapsed 3,461s Status FAILED

Details

Description callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) 1 Unable to call Test Case 'Test Cases//' (Root cause: com.kms. katalon.core.exception.StepFailedException: Call Test Case 'Test Cases// ' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) $at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case$ (CallTestCaseKeyword.groovy:81) $at\ com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute$ (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649664447146.run(TempTestSuite1649664447146.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)

Elapsed

1.781s

Status

Description at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execu$ java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) Caused by: org.openga.selenium.WebDriverException; Unable to parse remote response: Response: 402. Code: TCS10004. Message: Not enough execution time quota at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) $at\ com. kms. katalon. core. we bui. driver. Driver Factory. start Remote Browser$ (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKevwordMain.groovv:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser

Elapsed

Description (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Script1645088979531.run(Script1645088979531.groovy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.kevword.builtin. CallTestCaseKeyword\$ callTestCase closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1645089988723.run(Script1645089988723.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.11', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) $at\ org. open qa. selenium. json. Json Type Coercer. lambda \$null\$6 (Json Type Coercer.$ java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openga.selenium.json.Json.toType(Json.java:55) at org.openga.selenium.json.Json.toType(Json.java:50) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.iava:112) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.iava:74) at org.openga.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.iava:136) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)

at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute

Elapsed

Description (CRemoteWebDriver.java:30) at org.openga.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.kevword.internal.KevwordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.

Elapsed

```
groovy:334)
at .run( :20)
... 13 more
)
```

ID Test Cases// ()

Description

Tag

Start 2022-04-11 11:08:18 End 2022-04-11 11:08:21

Elapsed 3,077s
Status FAILED

Details

Elapsed

1,386s

Status

#	Description	
1	openBrowser("")	
ı	openbiowsei()	
	Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.	
	StepFailedException: Unable to open browser with url: "	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed	
	(WebUIKeywordMain.groovy:64)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)	
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.	
	openBrowser(OpenBrowserKeyword.groovy:81)	
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute	
	(OpenBrowserKeyword.groovy:67)	
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser	
	(WebUiBuiltInKeywords.groovy:64)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call	
	(Unknown Source)	
	at ().run(():20)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.	
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.	
	java:442)	
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.	
	java:433)	
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
	(TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:404)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.	
	java:281)	
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase	
	(TestSuiteExecutor.java:202)	
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164)	
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:	
	105)	
	$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. start Test Suite (Test Case Main. java: test Case Main. java:$	
	185)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)	
	at TempTestSuite1649664447146.run(TempTestSuite1649664447146.groovy:36)	
	Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response:	
	Response: 402, Code: TCS10004, Message: Not enough execution time quota	
	at org.openqa.selenium.remote.ProtocolHandshake.createSession	
	(ProtocolHandshake.java:115) at org.openga.selenium.remote.ProtocolHandshake.createSession	
	(ProtocolHandshake.java:74)	
	at org.openqa.selenium.remote.HttpCommandExecutor.execute	
	(HttpCommandExecutor.java:136)	
	$at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$	
	java:552)	
	at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30)	
	at org.openqa.selenium.remote.RemoteWebDriver.startSession	
	(RemoteWebDriver.java:213)	
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:</init>	

Elapsed

```
Description
131)
          at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init>
(CRemoteWebDriver.java:20)
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver
(DriverFactory.java:542)
          at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser
(DriverFactory.java:326)
          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:251)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.openBrowser
(WebUiBuiltInKeywords.aroovv:64)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at Script1645090011559.run(Script1645090011559.groovy:20)
          ... 13 more
Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R.
Last 1 characters read: R
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.11', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: CRemoteWebDriver
          at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122)
          at\ org. open qa. selenium. json. Json Type Coercer. lambda \$null \$6 (Json Type Coercer.
java:140)
          at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java:
126)
          at org.openqa.selenium.json.Json.toType(Json.java:69)
         at org.openqa.selenium.json.Json.toType(Json.java:55)
         at org.openqa.selenium.json.Json.toType(Json.java:50)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:112)
         ... 32 more
```

ID Test Cases//

Description

Tag

Start 2022-04-11 11:08:21 End 2022-04-11 11:08:26

Elapsed 4,679s Status FAILED

Details

Description 1 callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Unable to call Test Case 'Test Cases//' (Root cause: com.kms. katalon.core.exception.StepFailedException: Call Test Case 'Test Cases// ' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$ callTestCase closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) $at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case$ (CallTestCaseKeyword.groovy:81) $at\ com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute$ (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) $at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords.$ groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)$ java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649664447146.run(TempTestSuite1649664447146.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: ' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)

Elapsed

2.592s

Status

Description at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) $at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase$ (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$ java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Response: 402, Code: TCS10004, Message: Not enough execution time quota at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openga.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) $at\ com. kms. katalon. core. we bui. driver. Driver Factory. start Remote Browser$ (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)

Elapsed

Description at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Script1645088979531.run(Script1645088979531.groovy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecut$ java:433) $at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase$ (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$ java:281) $at\ com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:$ 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1645638970189.run(Script1645638970189.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.11', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) $at\ or g. open qa. selenium. js on. Js on Type Coercer. lambda \$null \$6 (Js on Type Coercer.$ java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openga.selenium.json.Json.toType(Json.java:55) at org.openga.selenium.json.Json.toType(Json.java:50) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74)

at org.openqa.selenium.remote.HttpCommandExecutor.execute

Elapsed

Description (HttpCommandExecutor.java:136) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) $at\ org. open qa. selenium. remote. Remote Web Driver. start Session$ (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) $at\ com. kms. katalon. core. we bui. driver. Driver Factory. create New Remote Web Driver$ (DriverFactory.java:542) $at\ com. kms. katalon. core. we bui. driver. Driver Factory. start Remote Browser$ (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) $at\ com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.pt) \\$ java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.$ java:433) $at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase$ (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$ java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)

Elapsed

ID Test Cases//

Description

Tag

Start 2022-04-11 11:08:26 End 2022-04-11 11:08:30

Elapsed 3,989s Status FAILED

Details

Description callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) 1 Unable to call Test Case 'Test Cases//' (Root cause: com.kms. katalon.core.exception.StepFailedException: Call Test Case 'Test Cases// ' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) $at\ com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute$ (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649664447146.run(TempTestSuite1649664447146.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)

Elapsed

1.620s

Status

Description at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execu$ java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) Caused by: org.openga.selenium.WebDriverException; Unable to parse remote response: Response: 402. Code: TCS10004. Message: Not enough execution time quota at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) $at\ com. kms. katalon. core. we bui. driver. Driver Factory. start Remote Browser$ (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKevwordMain.groovv:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser

Elapsed

Description (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Script1645088979531.run(Script1645088979531.groovy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.kevword.builtin. CallTestCaseKeyword\$ callTestCase closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1647328237941.run(Script1647328237941.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.11', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) $at\ org. open qa. selenium. json. Json Type Coercer. lambda \$null \$6 (Json Type Coercer. lambda \$0 (Json Type Coercer.$ java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openga.selenium.json.Json.toType(Json.java:50) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.iava:112) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.iava:74) at org.openga.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.iava:136) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)

at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute

Elapsed

Description (CRemoteWebDriver.java:30) at org.openga.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.kevword.internal.KevwordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.

Elapsed

```
groovy:334)
at .run( :20)
... 13 more
)
```