

Execution Environment

Host name	LENOVO - DESKTOP-KNHN0AA
Local OS	Windows 10 64bit
Katalon version	8.2.5.208
Browser	Chrome 100.0.4896.75

Summary

ID	Test Suites/		
Description			
Total	7		
Passed	3	Failed	4
Error	0	Incomplete	0
Skipped	0		
Start	2022-04-14 16:09:02	End	2022-04-14 16:15:22
Elapsed	6m - 19,831s		

#	ID	Description	Status
1	Test Cases//	,	FAILED
2	Test Cases//	+	FAILED
3	Test Cases//		FAILED
4	Test Cases// /		PASSED
5	Test Cases// /		FAILED
6	Test Cases// ()		PASSED
7	Test Cases// .		PASSED

Information

ID	Test Cases//		
Description	,		
Tag			
Start	2022-04-14 16:09:24	End	2022-04-14 16:09:32
Elapsed	7,742s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1,673s	PASSED
2	 Current window maximized	0,125s	PASSED
3	 Navigate to 'https://stars-stage.hawk.ru:8080' successfully	5,527s	PASSED


#	Description	Elapsed	Status
4	<p>Unable to set text 'null' of object 'Object Repository/Page_/input__sc-lnrBVv eqPACj' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/Page_/input__sc-lnrBVv eqPACj')</p> <pre> at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call (Unknown Source) at .run(:29) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649941155960.run(TempTestSuite1649941155960.groovy:36) Caused by: java.lang.IllegalArgumentException: Text is null at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:48) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) </pre>	0,375s	FAILED

#	Description	Elapsed	Status
---	-------------	---------	--------

```

    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:980)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call
(Unknown Source)
    at Script1649230872447.run(Script1649230872447.groovy:29)
    ... 16 more
)

```



Information

ID	Test Cases//		
Description	+		
Tag			
Start	2022-04-14 16:09:53	End	2022-04-14 16:10:00
Elapsed	6,466s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------


#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649941155960.run(TempTestSuite1649941155960.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/Page_/input__sc-lnrBVv eqPACj' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)</p>	6,431s	FAILED

#	Description	Elapsed	Status
---	-------------	---------	--------

```

    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:980)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call
(Unknown Source)
    at .run(:29)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:433)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:281)
    at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
    at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
    ... 23 more
Caused by: java.lang.IllegalArgumentException: Text is null
    at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:48)
    at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
    ... 38 more
)

```



Information

ID	Test Cases//		
Description			
Tag			
Start	2022-04-14 16:10:22	End	2022-04-14 16:10:28
Elapsed	6,489s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------


#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649941155960.run(TempTestSuite1649941155960.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/Page_/input__sc-lnrBVv eqPACj' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)</p>	6,449s	FAILED

#	Description	Elapsed	Status
---	-------------	---------	--------

```

        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:980)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call
(Unknown Source)
        at .run(:29)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:433)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:281)
        at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
        ... 23 more
Caused by: java.lang.IllegalArgumentException: Text is null
        at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:48)
        at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        ... 38 more
)

```



Information

ID	Test Cases// /		
Description			
Tag			
Start	2022-04-14 16:10:28	End	2022-04-14 16:10:57
Elapsed	28,482s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase(""), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases// ' successfully	10,856s	PASSED
2	 Object: 'Object Repository/Avangard New/Object (/ase ()/report' is clicked on	8,282s	PASSED
3	 Object: 'Object Repository/Avangard New/Object (/ase ()/game stat' is clicked on	0,677s	PASSED
4	 Text " is set on object 'Object Repository/Avangard New/Object (/ase ()/input__school game stat'	1,098s	PASSED
5	sendKeys(findTestObject("Object Repository/Avangard New/Object (/ase ()/input__school game stat"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object (/ase ()/input__school game stat'	0,600s	PASSED
6	2 Text " is set on object 'Object Repository/Avangard New/Object (/ase ()/input__team school game'	1,026s	PASSED

#	Description	Elapsed	Status
7	sendKeys(findTestObject("Object Repository/Avangard New/Object (/)/ase ()/input__team school game"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object (/)/ase ()/input__team school game'	0,591s	PASSED
8	3 Text " is set on object 'Object Repository/Avangard New/Object (/)/ase ()/input__amplua'	1,355s	PASSED
9	sendKeys(findTestObject("Object Repository/Avangard New/Object (/)/ase ()/input__amplua"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object (/)/ase ()/input__amplua'	0,588s	PASSED
10	 Actual text and expected text of test object 'Object Repository/Avangard New/Object (/)/ase ()/match stat' are matched.	1,409s	PASSED
11	verifyElementText(findTestObject("Avangard New/Object (/)/ase ()/game stat time"), ". ") Actual text and expected text of test object 'Object Repository/Avangard New/Object (/)/ase ()/game stat time' are matched.	0,350s	PASSED
12	 Object 'Object Repository/Avangard New/Object (/)/ase ()/stat mach number' is visible	0,361s	PASSED
13	 Object 'Object Repository/Avangard New/Object (/)/ase ()/grade stat gamne' is visible	0,341s	PASSED
14	closeBrowser() Browser is closed	0,662s	PASSED

Information

ID	Test Cases// /		
Description			
Tag			
Start	2022-04-14 16:13:27	End	2022-04-14 16:14:16
Elapsed	49,295s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase(""), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases// ' successfully	8,249s	PASSED
2	 Object: 'Object Repository/Avangard New/Object (/ase ()/report' is clicked on	6,862s	PASSED
3	 Object: 'Object Repository/admin/reports/period/Page_/div_' is clicked on	31,880s	PASSED

#	Description	Elapsed	Status
4	<p>verifyTextPresent(" ", true)</p> <p>Unable to verify text ' ' is present using regular expression (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify text ' ' is present using regular expression at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. verifyTextPresent(VerifyTextPresentKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. execute(VerifyTextPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent (WebUiBuiltInKeywords.groovy:1723) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyTextPresent\$8.call(Unknown Source) at .run(:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649941155960.run(TempTestSuite1649941155960.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Text ' ' is not present on page using regular expression at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyTextPresentKeyword\$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword. groovy:79)</p>	2,232s	FAILED

Information

ID	Test Cases// ()		
Description			
Tag			
Start	2022-04-14 16:14:16	End	2022-04-14 16:14:53
Elapsed	37,242s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	verifyElementText(findTestObject("Avangard New/Object ()/Case ()/role admin"), "") NOT_RUN: verifyElementText(findTestObject("Avangard New/Object ()/Case ()/role admin"), "")	0,001s	NOT_RUN
2	Call Test Case 'Test Cases//' successfully	8,716s	PASSED
3	scrollToElement(findTestObject("Avangard New/Object ()/Case ()/role admin"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/role admin' successfully	6,222s	PASSED

()

#	Description	Elapsed	Status
4	<p>if (verifyElementText(findTestObject("Avangard New/Object ()/Case ()/role admin"), "", OPTIONAL) == true)</p> <p>Actual text " and expected text " of test object 'Object Repository/Avangard New/Object ()/Case ()/role admin' are NOT matched. (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text " and expected text " of test object 'Object Repository/Avangard New/Object ()/Case ()/role admin' are NOT matched.</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:57)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword\$_verifyElementText_closure1.call (VerifyElementTextKeyword.groovy)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.verifyElementText (VerifyElementTextKeyword.groovy:72)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.execute (VerifyElementTextKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementText (WebUiBuiltInKeywords.groovy:4733)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyElementText\$10.call (Unknown Source)</p> <p>at ().run(():28)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:442)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1649941155960.run (TempTestSuite1649941155960.groovy:36)</p> <p>)</p>	0,513s	PASSED

()

#	Description	Elapsed	Status
5	<div></div>	0,558s	PASSED
Object: 'Object Repository/Avangard New/Object (/)/Case ()/students' is clicked on			
6	<div><pre>setText(findTestObject("Avangard New/Object (/)/Case ()/input__school"), "")</pre><p>Text "" is set on object 'Object Repository/Avangard New/Object (/)/Case ()/input__school'</p></div>	1,632s	PASSED
7	<div><pre>sendKeys(findTestObject("Avangard New/Object (/)/Case ()/input__school"), Keys.chord(ENTER))</pre><p>Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object (/)/Case ()/input__school'</p></div>	0,599s	PASSED
8	<div><pre>setText(findTestObject("Object Repository/Avangard New/Object (/)/Case ()/input"), player_for_test_1)</pre><p>Text " is set on object 'Object Repository/Avangard New/Object (/)/Case ()/input'</p></div>	1,482s	PASSED
9	<div><p>Object: 'Object Repository/Avangard New/Object (/)/Case ()/player profile' is clicked on</p></div>	1,962s	PASSED
10	<div><p>Actual text and expected text of test object 'Object Repository/Avangard New/Object (/)/Case ()/personal date' are matched.</p></div>	0,688s	PASSED

()

#	Description	Elapsed	Status
11	Object: 'Object Repository/Avangard New/Object (/Case ()/button_predstaviteli' is clicked on	0,515s	PASSED
12	verifyElementText(findTestObject("Avangard New/Object (/Case ()/string family"), "") Actual text and expected text of test object 'Object Repository/Avangard New/Object (/Case ()/string family' are matched.	0,457s	PASSED
13	Object: 'Object Repository/Avangard New/Object (/Case ()/button_status' is clicked on	0,723s	PASSED
14	Object: 'Object Repository/Avangard New/Object (/Case ()/button_game' is clicked on	1,383s	PASSED
15	Object 'Object Repository/Avangard New/Object (/Case ()/zveno 1 verif' is present	1,015s	PASSED
16	verifyElementPresent(findTestObject("Avangard New/Object (/Case ()/game spisok"), 0) Object 'Object Repository/Avangard New/Object (/Case ()/game spisok' is present	0,315s	PASSED
17	Object: 'Object Repository/Avangard New/Object (/Case ()/button_rank' is clicked on	0,517s	PASSED
18	Object 'Object Repository/Avangard New/Object (/Case ()/canvas' is present	1,339s	PASSED

()

#	Description	Elapsed	Status
19	Object: 'Object Repository/Avangard New/Object (/Case ()/button_stat' is clicked on	0,512s	PASSED
20	verifyElementText(findTestObject("Avangard New/Object (/Case ()/div_math"), "") Actual text and expected text of test object 'Object Repository/Avangard New/Object (/Case ()/div_math' are matched.	2,109s	PASSED
21	Object: 'Object Repository/Avangard New/Object (/Case ()/button_game grade' is clicked on	0,527s	PASSED
22	scrollToElement(findTestObject("Avangard New/Object (/Case ()/attack in grade"), 0) Scroll to object 'Object Repository/Avangard New/Object (/Case ()/attack in grade' successfully	0,988s	PASSED
23	verifyElementText(findTestObject("Avangard New/Object (/Case ()/attack in grade"), " ") Actual text and expected text of test object 'Object Repository/Avangard New/Object (/Case ()/attack in grade' are matched.	0,439s	PASSED
24	scrollToElement(findTestObject("Avangard New/Object (/Case ()/strelka"), 0) Scroll to object 'Object Repository/Avangard New/Object (/Case ()/strelka' successfully	0,385s	PASSED
25	Object: 'Object Repository/Avangard New/Object (/Case ()/strelka' is clicked on	0,532s	PASSED
26	Object: 'Object Repository/Avangard New/Object (/Case ()/button_grade naviki' is clicked on	0,620s	PASSED

()

#	Description	Elapsed	Status
27	verifyElementText(findTestObject("Avangard New/Object (/Case (/div_1 etap1"), " 1") Actual text and expected text of test object 'Object Repository/Avangard New/Object (/Case (/div_1 etap1' are matched.	1,038s	PASSED
28	verifyElementText(findTestObject("Avangard New/Object (/Case (/div_speed"), "") Actual text and expected text of test object 'Object Repository/Avangard New/Object (/Case (/div_speed' are matched.	0,327s	PASSED
29	closeBrowser() Browser is closed	0,862s	PASSED

Information

ID	Test Cases// .		
Description			
Tag			
Start	2022-04-14 16:14:53	End	2022-04-14 16:15:22
Elapsed	28,467s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase(""), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully	8,257s	PASSED
2	 Object: 'Object Repository/Avangard New/Object ()/Case ()/rank palyer' is clicked on	7,302s	PASSED
3	click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/school rank")) NOT_RUN: click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/school rank"))	0,000s	NOT_RUN
4	 Text "" ' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input__rank'	1,065s	PASSED
5	sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input__rank"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ()/input__rank'	0,685s	PASSED

.

#	Description	Elapsed	Status
6	<code>click(findTestObject("Avangard New/Object ()/Case ()/team rank"))</code> Object: 'Object Repository/Avangard New/Object ()/Case ()/team rank' is clicked on	0,599s	PASSED
7	 Text ' ' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input__react-select-4-input'	1,032s	PASSED
8	<code>sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input__react-select-4-input"), Keys.chord(ENTER))</code> Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ()/input__react-select-4-input'	0,561s	PASSED
9	<code>scrollToElement(findTestObject("Avangard New/Object ()/Case ()/Univarsal player"), 0)</code> Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/Univarsal player' successfully	0,941s	PASSED
10	<code>click(findTestObject("Avangard New/Object ()/Case ()/Univarsal player"))</code> Object: 'Object Repository/Avangard New/Object ()/Case ()/Univarsal player' is clicked on	0,878s	PASSED
11		0,010s	PASSED
12	<code>if (verifyElementText(findTestObject("Avangard New/Object ()/Case ()/team rank"), "-2005", OPTIONAL) == true)</code> NOT_RUN: <code>if (verifyElementText(findTestObject("Avangard New/Object ()/Case ()/team rank"), "-2005", OPTIONAL) == true)</code>	0,000s	NOT_RUN
13	<code>verifyElementText(findTestObject("Avangard New/Object ()/Case ()/grade points rank"), point)</code> NOT_RUN: <code>verifyElementText(findTestObject("Avangard New/Object ()/Case ()/grade points rank"), point)</code>	0,000s	NOT_RUN

#	Description	Elapsed	Status
14	. NOT_RUN: comment("")	0,000s	NOT_RUN
15	Object: 'Object Repository/Avangard New/Object (/)/Case (/)/button grade skill rank' is clicked on	1,057s	PASSED
16	verifyElementText(findTestObject("Object Repository/Avangard New/Object (/)/Case (/)/Etap 1 rank"), " 1") Actual text and expected text of test object 'Object Repository/Avangard New/Object (/)/Case (/)/Etap 1 rank' are matched.	0,811s	PASSED
17	verifyElementText(findTestObject("Avangard New/Object (/)/Case (/)/speed rank"), "") Actual text and expected text of test object 'Object Repository/Avangard New/Object (/)/Case (/)/speed rank' are matched.	0,325s	PASSED
18	Object: 'Object Repository/Avangard New/Object (/)/Case (/)/button game stat rank' is clicked on	0,499s	PASSED
19	verifyElementText(findTestObject("Avangard New/Object (/)/Case (/)/math rank"), "") Actual text and expected text of test object 'Object Repository/Avangard New/Object (/)/Case (/)/math rank' are matched.	0,853s	PASSED
20	verifyElementVisible(findTestObject("Object Repository/Avangard New/Object (/)/Case (/)/grade math rank")) Object 'Object Repository/Avangard New/Object (/)/Case (/)/grade math rank' is visible	0,632s	PASSED
21	Object: 'Object Repository/Avangard New/Object (/)/Case (/)/button grade game tank' is clicked on	0,493s	PASSED

.

#	Description	Elapsed	Status
22	verifyElementText(findTestObject("Avangard New/Object (/Case (/average grade rank"), " Actual text and expected text of test object 'Object Repository/Avangard New/Object (/Case (/average grade rank' are matched.	2,085s	PASSED