Execution Environment

Host name	LENOVO - DESKTOP-KNHN0AA
Local OS	Windows 10 64bit
Katalon version	8.2.5.208
Browser	Chrome 100.0.4896.75

Summary

ID	Test Suites/		
Description			
Total	7		
Passed	3	Failed	4
Error	0	Incomplete	0
Skipped	0		
Start	2022-04-13 22:56:35	End	2022-04-13 23:03:43
Elapsed	7m - 8,010s		

#	ID	Description	Status
1	Test Cases//	,	FAILED
2	Test Cases//	+	FAILED
3	Test Cases//		FAILED
4	Test Cases// /		PASSED
5	Test Cases// /		FAILED
6	Test Cases// ( )		PASSED
7	Test Cases// .		PASSED

Information

ID	Test Cases//		
Description	,		
Tag			
Start	2022-04-13 22:56:59	End	2022-04-13 22:57:05
Elapsed	5,748s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1,714s	PASSED
2	Current window maximized	0,129s	PASSED
3	Navigate to 'https://stars-stage.hawk.ru:8080' successfully	3,520s	PASSED

#	Description	Elapsed	Status
4		0,342s	FAILED

Unable to set text 'null' of object 'Object Repository/Page_/input__sc-lnrBVv eqPACj' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/Page_/input__sc-lnrBVv eqPACj'
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call (Unknown Source)
at .run(:29)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
at TempTestSuite1649879459001.run(TempTestSuite1649879459001.groovy:36)
Caused by: java.lang.IllegalArgumentException: Text is null
at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:48)
at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call (Unknown Source)
at Script1649230872447.run(Script1649230872447.groovy:29)
... 16 more
)



Information

ID	Test Cases//		
Description	+		
Tag			
Start	2022-04-13 22:57:25	End	2022-04-13 22:57:32
Elapsed	6,629s		
Status	FAILED		

Details

#	Description	Elapsed	Status

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)	6,591s	FAILED

Unable to call Test Case 'Test Cases//' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases//' failed
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:74)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)
at .run(:20)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:442)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:433)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:412)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:404)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:281)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:363)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:363)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:363)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:202)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:164)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:105)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)
at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
at TempTestSuite1649879459001.run(TempTestSuite1649879459001.groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/Page_/input__sc-lnrBVv eqPACj'
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call (Unknown Source)
at .run(:29)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281)
at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142)
at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
... 23 more
Caused by: java.lang.IllegalArgumentException: Text is null
at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:48)
at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
... 38 more
)



Information

ID	Test Cases//		
Description			
Tag			
Start	2022-04-13 22:57:55	End	2022-04-13 22:58:04
Elapsed	8,494s		
Status	FAILED		

Details

#	Description	Elapsed	Status

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)	8,449s	FAILED

Unable to call Test Case 'Test Cases//' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases//' failed
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:74)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)
at .run(:20)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:442)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:433)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:412)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:404)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:281)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:363)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:363)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:363)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:202)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:164)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:105)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)
at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
at TempTestSuite1649879459001.run(TempTestSuite1649879459001.groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/Page_/input__sc-lnrBVv eqPACj'
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call (Unknown Source)
at .run(:29)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281)
at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142)
at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
... 23 more
Caused by: java.lang.IllegalArgumentException: Text is null
at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:48)
at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
... 38 more
)



Information

ID	Test Cases// /		
Description			
Tag			
Start	2022-04-13 22:58:04	End	2022-04-13 22:58:31
Elapsed	27,450s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully	10,308s	PASSED
2	Object: 'Object Repository/Avangard New/Object ()/ase ( )/report' is clicked on	7,537s	PASSED
3	Object: 'Object Repository/Avangard New/Object ()/ase ( )/game stat' is clicked on	0,735s	PASSED
4	Text '' is set on object 'Object Repository/Avangard New/Object ()/ase ( )/input__school game stat'	1,040s	PASSED
5	sendKeys(findTestObject("Object Repository/Avangard New/Object ()/ase ( )/input__school game stat"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/ase ( )/input__school game stat'	0,614s	PASSED
6	2 Text '' is set on object 'Object Repository/Avangard New/Object ()/ase ( )/input__team school game'	1,030s	PASSED

#	Description	Elapsed	Status
7	sendKeys(findTestObject("Object Repository/Avangard New/Object ()/ase ( )/input__team school game"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/ase ( )/input__team school game'	0,638s	PASSED
8	3 Text '' is set on object 'Object Repository/Avangard New/Object ()/ase ( )/input__amplua'	1,313s	PASSED
9	sendKeys(findTestObject("Object Repository/Avangard New/Object ()/ase ( )/input__amplua"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/ase ( )/input__amplua'	0,603s	PASSED
10	 Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/ase ( )/match stat' are matched.	1,420s	PASSED
11	verifyElementText(findTestObject("Avangard New/Object ()/ase ( )/game stat time"), ". ") Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/ase ( )/game stat time' are matched.	0,351s	PASSED
12	 Object 'Object Repository/Avangard New/Object ()/ase ( )/stat mach number' is visible	0,434s	PASSED
13	 Object 'Object Repository/Avangard New/Object ()/ase ( )/grade stat gamne' is visible	0,418s	PASSED
14	closeBrowser() Browser is closed	0,641s	PASSED

Information

ID	Test Cases// /		
Description			
Tag			
Start	2022-04-13 23:01:20	End	2022-04-13 23:02:23
Elapsed	1m - 2,989s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully	11,497s	PASSED
2	Object: 'Object Repository/Avangard New/Object ()/ase ( )/report' is clicked on	11,386s	PASSED
3	Object: 'Object Repository/admin/reports/period/Page_/div_' is clicked on	31,911s	PASSED

#	Description	Elapsed	Status
4	verifyTextPresent(' ', true)	8,061s	FAILED

Unable to verify text ' ' is present using regular expression
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify text
' ' is present using regular expression
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.
verifyTextPresent(VerifyTextPresentKeyword.groovy:83)
at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.
execute(VerifyTextPresentKeyword.groovy:68)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent
(WebUiBuiltInKeywords.groovy:1723)
at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$verifyTextPresent$8.call(Unknown Source)
at .run(
:28)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:433)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:281)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:363)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:363)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:363)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:202)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:164)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
105)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
at TempTestSuite1649879459001.run(TempTestSuite1649879459001.groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Text '
' is not present on page using regular expression
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.builtin.
VerifyTextPresentKeyword$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword.
groovy:79)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword$_verifyTextPresent_closure1.call(VerifyTextPresentKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)
... 22 more
)



( )

Information

ID	Test Cases// ( )		
Description			
Tag			
Start	2022-04-13 23:02:23	End	2022-04-13 23:03:00
Elapsed	37,322s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/role admin"), "") NOT_RUN: verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/role admin"), "")	0,001s	NOT_RUN
2	 Call Test Case 'Test Cases//' successfully	11,248s	PASSED
3	scrollToElement(findTestObject("Avangard New/Object ()/Case ( )/role admin"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ( )/role admin' successfully	4,890s	PASSED

( )

#	Description	Elapsed	Status
4	if (verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/role admin"), "", OPTIONAL) == true) Actual text '' and expected text '' of test object 'Object Repository/Avangard New/Object ()/Case ( )/role admin' are NOT matched. (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text '' and expected text '' of test object 'Object Repository/Avangard New/Object ()/Case ( )/role admin' are NOT matched. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:57) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword$_verifyElementText_closure1.call(VerifyElementTextKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4733) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$verifyElementText$10.call(Unknown Source) at ( ).run(( ):28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source) at TempTestSuite1649879459001.run(TempTestSuite1649879459001.groovy:36))	0,500s	PASSED

( )

#	Description	Elapsed	Status
5	 Object: 'Object Repository/Avangard New/Object ()/Case ( )/students' is clicked on	0,563s	PASSED
6	setText(findTestObject("Avangard New/Object ()/Case ( )/input__school"), """ ") Text """ ' is set on object 'Object Repository/Avangard New/Object ()/Case ( )/input__school'	1,493s	PASSED
7	sendKeys(findTestObject("Avangard New/Object ()/Case ( )/input__school"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ( )/input__school'	0,595s	PASSED
8	setText(findTestObject("Object Repository/Avangard New/Object ()/Case ( )/input"), player_for_test_1) Text '' is set on object 'Object Repository/Avangard New/Object ()/Case ( )/input'	1,683s	PASSED
9	Object: 'Object Repository/Avangard New/Object ()/Case ( )/player profile' is clicked on	1,962s	PASSED
10	Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/personal date' are matched.	0,682s	PASSED

( )

#	Description	Elapsed	Status
11	Object: 'Object Repository/Avangard New/Object ()/Case ( )/button_predstaviteli' is clicked on	0,563s	PASSED
12	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/string family"), "") Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/string family' are matched.	0,496s	PASSED
13	Object: 'Object Repository/Avangard New/Object ()/Case ( )/button_status' is clicked on	0,728s	PASSED
14	Object: 'Object Repository/Avangard New/Object ()/Case ( )/button_game' is clicked on	1,337s	PASSED
15	Object 'Object Repository/Avangard New/Object ()/Case ( )/zveno 1 verif' is present	0,992s	PASSED
16	verifyElementPresent(findTestObject("Avangard New/Object ()/Case ( )/game spisok"), 0) Object 'Object Repository/Avangard New/Object ()/Case ( )/game spisok' is present	0,314s	PASSED
17	Object: 'Object Repository/Avangard New/Object ()/Case ( )/button_rank' is clicked on	0,549s	PASSED
18	Object 'Object Repository/Avangard New/Object ()/Case ( )/canvas' is present	1,031s	PASSED

( )

#	Description	Elapsed	Status
19	Object: 'Object Repository/Avangard New/Object ()/Case ( )/button_stat' is clicked on	0,528s	PASSED
20	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/div_math"), "") Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/div_math' are matched.	1,062s	PASSED
21	Object: 'Object Repository/Avangard New/Object ()/Case ( )/button_game grade' is clicked on	0,555s	PASSED
22	scrollToElement(findTestObject("Avangard New/Object ()/Case ( )/attack in grade"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ( )/attack in grade' successfully	1,034s	PASSED
23	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/attack in grade"), " ") Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/attack in grade' are matched.	0,456s	PASSED
24	scrollToElement(findTestObject("Avangard New/Object ()/Case ( )/strelka"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ( )/strelka' successfully	0,360s	PASSED
25	Object: 'Object Repository/Avangard New/Object ()/Case ( )/strelka' is clicked on	0,464s	PASSED
26	Object: 'Object Repository/Avangard New/Object ()/Case ( )/button_grade naviki' is clicked on	0,682s	PASSED

( )

#	Description	Elapsed	Status
27	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/div_1 etap1"), " 1") Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/div_1 etap1' are matched.	1,126s	PASSED
28	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/div_speed"), "") Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/div_speed' are matched.	0,350s	PASSED
29	closeBrowser() Browser is closed	0,661s	PASSED

.

Information

ID	Test Cases// .		
Description			
Tag			
Start	2022-04-13 23:03:00	End	2022-04-13 23:03:43
Elapsed	43,194s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully	8,342s	PASSED
2	Object: 'Object Repository/Avangard New/Object ()/Case ( )/rank palyer' is clicked on	21,268s	PASSED
3	click(findTestObject("Object Repository/Avangard New/Object ()/Case ( )/school rank")) NOT_RUN: click(findTestObject("Object Repository/Avangard New/Object ()/Case ( )/school rank"))	0,000s	NOT_RUN
4	Text """ ' is set on object 'Object Repository/Avangard New/Object ()/Case ( )/input__rank'	1,183s	PASSED
5	sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ( )/input__rank"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ( )/input__rank'	0,574s	PASSED

.

#	Description	Elapsed	Status
6	click(findTestObject("Avangard New/Object ()/Case ( )/team rank")) Object: 'Object Repository/Avangard New/Object ()/Case ( )/team rank' is clicked on	0,587s	PASSED
7	 Text ' ' is set on object 'Object Repository/Avangard New/Object ()/Case ( )/input__react-select-4-input'	1,028s	PASSED
8	sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ( )/input__react-select-4-input"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ( )/input__react-select-4-input'	0,578s	PASSED
9	scrollToElement(findTestObject("Avangard New/Object ()/Case ( )/Univarsal player"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ( )/Univarsal player' successfully	0,871s	PASSED
10	click(findTestObject("Avangard New/Object ()/Case ( )/Univarsal player")) Object: 'Object Repository/Avangard New/Object ()/Case ( )/Univarsal player' is clicked on	0,553s	PASSED
11		0,008s	PASSED
12	if (verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/team rank"), "-2005", OPTIONAL) == true) NOT_RUN: if (verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/team rank"), "-2005", OPTIONAL) == true)	0,000s	NOT_RUN
13	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/grade points rank"), point) NOT_RUN: verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/grade points rank"), point)	0,000s	NOT_RUN

.

#	Description	Elapsed	Status
14	. NOT_RUN: comment("")	0,001s	NOT_RUN
15	 Object: 'Object Repository/Avangard New/Object ()/Case ( )/button grade skill rank' is clicked on	0,918s	PASSED
16	verifyElementText(findTestObject("Object Repository/Avangard New/Object ()/Case ( )/Etap 1 rank"), " 1") Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/Etap 1 rank' are matched.	0,739s	PASSED
17	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/speed rank"), "") Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/speed rank' are matched.	0,546s	PASSED
18	 Object: 'Object Repository/Avangard New/Object ()/Case ( )/button game stat rank' is clicked on	0,521s	PASSED
19	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/math rank"), "") Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/math rank' are matched.	0,947s	PASSED
20	verifyElementVisible(findTestObject("Object Repository/Avangard New/Object ()/Case ( )/grade math rank")) Object 'Object Repository/Avangard New/Object ()/Case ( )/grade math rank' is visible	0,672s	PASSED
21	 Object: 'Object Repository/Avangard New/Object ()/Case ( )/button grade game tank' is clicked on	0,479s	PASSED

.

#	Description	Elapsed	Status
22	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/average grade rank"), "") Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/average grade rank' are matched.	2,974s	PASSED