Execution Environment

Host name	LENOVO - DESKTOP-KNHN0AA
Local OS	Windows 10 64bit
Katalon version	8.2.5.208
Browser	null

Summary

ID	Test Suites/		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2022-03-14 22:10:37	End	2022-03-14 22:40:54
Elapsed	30m - 16,374s		

#	ID	Description	Status
1	Test Cases//		FAILED
2	Test Cases//		FAILED

Information

ID	Test Cases//		
Description			
Tag			
Start	2022-03-14 22:10:40	End	2022-03-14 22:25:49
Elapsed	15m - 8,950s		
Status	FAILED		

Details

#	Description	Elapsed	Status

#	Description	Elapsed	Status
1	openBrowser("")	15m - 6,185s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
        at .run(:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:433)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:281)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:202)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:164)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
105)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1647285021232.run(TempTestSuite1647285021232.groovy:36)
Caused by: org.openqa.selenium.remote.UnreachableBrowserException: Could not start a
new session. Possible causes are invalid address of the remote server or browser start-up
failure.
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: CRemoteWebDriver
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:573)
        at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute
(CRemoteWebDriver.java:30)
        at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
        at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)

at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init>
(CRemoteWebDriver.java:20)
        at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver
(DriverFactory.java:542)
        at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser
(DriverFactory.java:326)
        at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:251)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
        at Script1645286086604.run(Script1645286086604.groovy:20)
        ... 13 more
Caused by: java.net.SocketTimeoutException: timeout
        at okhttp3.internal.http2.Http2Stream$StreamTimeout.newTimeoutException
(Http2Stream.java:616)
        at okhttp3.internal.http2.Http2Stream$StreamTimeout.exitAndThrowIfTimedOut
(Http2Stream.java:624)
        at okhttp3.internal.http2.Http2Stream.takeResponseHeaders(Http2Stream.java:
146)
        at okhttp3.internal.http2.Http2Codec.readResponseHeaders(Http2Codec.java:
127)
        at okhttp3.internal.http.CallServerInterceptor.intercept(CallServerInterceptor.java:
88)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:45)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
        at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
        at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
(RetryAndFollowUpInterceptor.java:126)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:

#	Description	Elapsed	Status

121)
      at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)
      at okhttp3.RealCall.execute(RealCall.java:77)
      at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:
103)
      at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:105)
      at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
      at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
      at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
      ... 29 more
)

Information

ID	Test Cases//		
Description			
Tag			
Start	2022-03-14 22:25:49	End	2022-03-14 22:40:54
Elapsed	15m - 5,020s		
Status	FAILED		

Details

#	Description	Elapsed	Status

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)	15m - 4,510s	FAILED

Unable to call Test Case 'Test Cases//' (Root cause: com.kms.katalon.
core.exception.StepFailedException: Call Test Case 'Test Cases//' failed
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:74)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
        at .run(:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:433)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:281)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:202)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:164)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
105)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1647285021232.run(TempTestSuite1647285021232.groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser
with url: ''
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call

#	Description	Elapsed	Status

(Unknown Source)
       at .run(:20)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:433)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:281)
       at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
       at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
       ... 20 more
Caused by: org.openqa.selenium.remote.UnreachableBrowserException: Could not start a
new session. Possible causes are invalid address of the remote server or browser start-up
failure.
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: CRemoteWebDriver
       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:573)
       at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute
(CRemoteWebDriver.java:30)
       at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
       at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
       at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init>
(CRemoteWebDriver.java:20)
       at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver
(DriverFactory.java:542)
       at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser
(DriverFactory.java:326)
       at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:251)
       at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
       at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
       at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
       at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call

#	Description	Elapsed	Status

(Unknown Source)
    at Script1645286086604.run(Script1645286086604.groovy:20)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:433)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:281)
    at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
    at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
    at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
    at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:74)
    at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
    at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
    at Script1645287289852.run(Script1645287289852.groovy:20)
    ... 13 more
Caused by: java.net.SocketTimeoutException: timeout
    at okhttp3.internal.http2.Http2Stream$StreamTimeout.newTimeoutException
(Http2Stream.java:616)
    at okhttp3.internal.http2.Http2Stream$StreamTimeout.exitAndThrowIfTimedOut
(Http2Stream.java:624)
    at okhttp3.internal.http2.Http2Stream.takeResponseHeaders(Http2Stream.java:
146)
    at okhttp3.internal.http2.Http2Codec.readResponseHeaders(Http2Codec.java:
127)
    at okhttp3.internal.http.CallServerInterceptor.intercept(CallServerInterceptor.java:
88)
    at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
    at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:45)
    at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
    at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
    at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
    at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
    at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
    at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)

at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
(RetryAndFollowUpInterceptor.java:126)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)

at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)

at okhttp3.RealCall.execute(RealCall.java:77)

at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:
103)

at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:105)

at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)

at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)

at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute
(CRemoteWebDriver.java:30)

at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)

at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)

at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init>
(CRemoteWebDriver.java:20)

at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver
(DriverFactory.java:542)

at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser
(DriverFactory.java:326)

at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:251)

at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)

at .run(:20)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:433)

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281)		
	at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)		
	at .run(:20)		
	... 13 more		
	)		