Execution Environment

Host name LENOVO - DESKTOP-KNHN0AA

Local OS Windows 10 64bit

Katalon version 8.2.5.208

Browser Chrome 100.0.4896.75

Summary

ID Test Suites/

Description

Total 5

Passed 5 Failed 0 Error 0 Incomplete 0

Skipped 0

Start 2022-04-14 15:59:27 End 2022-04-14 16:03:22

Elapsed 3m - 54,754s

| # ID | Description | Status |
|-------------------|-------------|--------|
| 1 Test Cases// | | PASSED |
| 2 Test Cases// | | PASSED |
| 3 Test Cases// () | | PASSED |
| 4 Test Cases// | | PASSED |
| 5 Test Cases// | | PASSED |

ID Test Cases//

Description

Tag

Start 2022-04-14 15:59:28 End 2022-04-14 15:59:39

Elapsed 11,125s Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 2,334s | PASSED |
| 2 | maximizeWindow() Current window maximized | 0,156s | PASSED |
| 3 | Navigate to 'https://stars-stage.hawk.ru:8080' successfully | 5,660s | PASSED |
| 4 | setText(findTestObject("Object Repository/vra/Page_/inputsc-InrBVv eqPACj"), doktor_login) Text 'TestDoctor@mail.ru' is set on object 'Object Repository/vra/Page_/inputsc-InrBVv eqPACj' | 1,067s | PASSED |
| 5 | setText(findTestObject("Object Repository/vra/Page_/inputsc-InrBVv eqPACj_1"), doktor_password, STOP_ON_FAILURE) Text 'testdoctor@mail.ru' is set on object 'Object Repository/vra/Page_/inputsc-InrBVv eqPACj_1' | 0,950s | PASSED |
| 6 | click(findTestObject("Object Repository/vrach/Page_/Page_/go")) Object: 'Object Repository/vrach/Page_/Page_/go' is clicked on | 0,515s | PASSED |

ID Test Cases//

Description

Tag

Start 2022-04-14 15:59:39 End 2022-04-14 15:59:55

Elapsed 16,301s Status PASSED

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | callTestCase(findTestCase("/ "), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases// ' successfully | 8,421s | PASSED |
| 2 | click(findTestObject("Object Repository/vrach/profile/Page_/span_TestDoctormail.ru")) Object: 'Object Repository/vrach/profile/Page_/span_TestDoctormail.ru' is clicked on | 4,709s | PASSED |
| 3 | click(findTestObject("Object Repository/vrach/profile/Page_/save")) Object: 'Object Repository/vrach/profile/Page_/save' is clicked on | 0,600s | PASSED |
| 4 | verifyTextPresent(" ", true) Text ' ' is present on page using regular expression | 1,207s | PASSED |
| 5 | click(findTestObject("Object Repository/vrach/profile/Page_/exit")) Object: 'Object Repository/vrach/profile/Page_/exit' is clicked on | 0,478s | PASSED |
| 6 | closeBrowser() Browser is closed | 0,605s | PASSED |

ID Test Cases// ()

Description

Tag

Start 2022-04-14 15:59:55 End 2022-04-14 16:00:18

Elapsed 22,891s Status PASSED

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 1,201s | PASSED |
| 2 | maximizeWindow() Current window maximized | 0,126s | PASSED |
| 3 | Navigate to 'https://stars-stage.hawk.ru:8080/' successfully | 3,670s | PASSED |
| 4 | setText(findTestObject("Avangard New/Object ()/login ()"), "psychotest@test.ru") Text 'psychotest@test.ru' is set on object 'Object Repository/Avangard New/Object ()/login ()' | 1,058s | PASSED |
| 5 | setText(findTestObject("Avangard New/Object ()/password ()"), "psychotest@test.ru", STOP_ON_FAILURE) Text 'psychotest@test.ru' is set on object 'Object Repository/Avangard New/Object ()/password ()' | 0,935s | PASSED |
| 6 | click(findTestObject("Object Repository/vrach/psychotest/Page_/go")) Object: 'Object Repository/vrach/psychotest/Page_/go' is clicked on | 0,477s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|---------|
| 7 | click(findTestObject("Object Repository/vrach/psychotest/Page_/psychotest")) | 5,987s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/psychotest' is clicked on | | |
| 8 | verifyTextPresent(" ", false) | 0,544s | PASSED |
| | Text ' ' is present on page | | |
| 9 | click(findTestObject("Object Repository/vrach/psychotest/Page_/school")) | 0,002s | NOT_RUN |
| | NOT_RUN: click(findTestObject("Object Repository/vrach/psychotest/Page_/school")) | | |
| 10 | click(findTestObject("Object Repository/vrach/psychotest/Page_/avanguard")) | 0,000s | NOT_RUN |
| | NOT_RUN: click(findTestObject("Object Repository/vrach/psychotest/Page_/avanguard")) | | |
| 11 | click(findTestObject("Object Repository/vrach/psychotest/Page_/team")) | 0,565s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/team' is clicked on | | |
| 12 | click(findTestObject("Object Repository/vrach/psychotest/Page_/varteam")) | 0,698s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/varteam' is clicked on | | |
| 13 | click(findTestObject("Object Repository/vrach/psychotest/Page_/player")) | 1,812s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/player' is clicked on | | |
| 14 | click(findTestObject("Object Repository/vrach/psychotest/Page_/varplayer")) | 0,616s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/varplayer' is clicked on | | |
| 15 | click(findTestObject("Object Repository/vrach/psychotest/Page_/date")) | 0,823s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/date' is clicked on | | |
| 16 | click(findTestObject("Object Repository/vrach/psychotest/Page_/enter_date")) | 0,650s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/enter_date' is clicked on | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 17 | verifyTextPresent(" ", false) | 0,752s | PASSED |
| | Text ' 'is present on page | | |
| 18 | scrollToElement(findTestObject("Object Repository/vrach/psychotest/Page_/thinking"), 0) Scroll to object 'Object Repository/vrach/psychotest/Page_/thinking' successfully | 0,408s | PASSED |
| 19 | setText(findTestObject("Object Repository/vrach/psychotest/Page_/thinking"), "9") Text '9' is set on object 'Object Repository/vrach/psychotest/Page_/thinking' | 1,172s | PASSED |
| 20 | click(findTestObject("Object Repository/vrach/psychotest/Page_/button_save")) Object: 'Object Repository/vrach/psychotest/Page_/button_save' is clicked on | 0,470s | PASSED |
| 21 | closeBrowser() Browser is closed | 0,607s | PASSED |

ID Test Cases//

Description

Tag

Start 2022-04-14 16:00:18 End 2022-04-14 16:01:19

Elapsed 1m - 1,426s Status PASSED

| # | Description | Elapsed | Status |
|---|---|---------|---------|
| 1 | callTestCase(findTestCase("/ "), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases// ' successfully | 8,183s | PASSED |
| 2 | Object: 'Object Repository/Avangard New/Object ()/Case ()/span_pitanie' is clicked on | 4,647s | PASSED |
| 3 | Object: 'Object Repository/Avangard New/Object ()/Case ()/place_choose school' is clicked on | 0,708s | PASSED |
| 4 | Object: 'Object Repository/Avangard New/Object ()/Case ()/div_Avangard' is clicked on | 0,641s | PASSED |
| 5 | Object: 'Object Repository/Avangard New/Object ()/Case ()/place choose team' is clicked on | 0,593s | PASSED |
| 6 | NOT_RUN: click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/div_omsk")) | 0,001s | NOT_RUN |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 7 | setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input_team imt"), school) Text ' ' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_team imt' | 1,043s | PASSED |
| 8 | sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input_team imt"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ()/input_team imt' | 0,579s | PASSED |
| 9 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_edit' is clicked on | 1,390s | PASSED |
| 10 | Object: 'Object Repository/Avangard New/Object ()/Case ()/span_add' is clicked on | 0,612s | PASSED |
| 11 | click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/div_place recomendation1")) Object: 'Object Repository/Avangard New/Object ()/Case ()/div_place recomendation1' is clicked on | 3,102s | PASSED |
| 12 | Object: 'Object Repository/Avangard New/Object ()/Case ()/div_uglevodi1' is clicked on | 0,612s | PASSED |
| 13 | setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/body_opisaniee"), " 1") Text ' 1' is set on object 'Object Repository/Avangard New/Object ()/Case ()/body_opisaniee' | 1,147s | PASSED |
| 14 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_task' is clicked on | 0,706s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|---------|
| 15 | Text ' ' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_task' | 1,301s | PASSED |
| 16 | scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_save"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_save' successfully | 0,456s | PASSED |
| 17 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save' is clicked on | 0,475s | PASSED |
| 18 | Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert verif' are matched. | 1,153s | PASSED |
| 19 | Object: 'Object Repository/Avangard New/Object ()/Case ()/span_home' is clicked on | 0,532s | PASSED |
| 20 | NOT_RUN: callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) | 0,001s | NOT_RUN |
| 21 | NOT_RUN: comment("") | 0,000s | NOT_RUN |
| 22 | callTestCase(findTestCase("/ ()"), [:], STOP_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("/ ()"), [:], STOP_ON_FAILURE) | 0,001s | NOT_RUN |

| # | Description | Elapsed | Status |
|----|---|---------|---------|
| 23 | Call Test Case 'Test Cases// ' successfully | 9,079s | PASSED |
| 24 | Object: 'Object Repository/Avangard New/Object ()/Case ()/span_pitanie' is clicked on | 14,756s | PASSED |
| 25 | Object: 'Object Repository/Avangard New/Object ()/Case ()/place_choose school' is clicked on | 0,927s | PASSED |
| 26 | Object: 'Object Repository/Avangard New/Object ()/Case ()/div_Avangard' is clicked on | 0,596s | PASSED |
| 27 | Object: 'Object Repository/Avangard New/Object ()/Case ()/place choose team' is clicked on | 0,594s | PASSED |
| 28 | NOT_RUN: click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/div_omsk")) | 0,000s | NOT_RUN |
| 29 | setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputteam imt"), school) Text ' ' is set on object 'Object Repository/Avangard New/Object ()/Case ()/inputteam imt' | 1,036s | PASSED |
| 30 | sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputteam imt"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ()/inputteam imt' | 0,562s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 31 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_edit' is clicked on | 1,177s | PASSED |
| 32 | Object: 'Object Repository/Avangard New/Object ()/Case ()/span_add' is clicked on | 0,582s | PASSED |
| 33 | scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_delete"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_delete' successfully | 1,517s | PASSED |
| 34 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_delete' is clicked on | 0,483s | PASSED |
| 35 | Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert delete' are matched. | 0,883s | PASSED |
| 36 | Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ()/span_add' are matched. | 0,357s | PASSED |
| 37 | closeBrowser() Browser is closed | 0,613s | PASSED |

ID Test Cases//

Description

Tag

Start 2022-04-14 16:01:20 End 2022-04-14 16:03:22

Elapsed 2m - 2,444s
Status PASSED

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | callTestCase(findTestCase("/ "), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases// ' successfully | 9,350s | PASSED |
| 2 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_add' is clicked on | 3,707s | PASSED |
| 3 | click(findTestObject("Avangard New/Object ()/Case ()/school")) Object: 'Object Repository/Avangard New/Object ()/Case ()/school' is clicked on | 0,678s | PASSED |
| 4 | Object: 'Object Repository/Avangard New/Object ()/Case ()/avanguard' is clicked on | 0,708s | PASSED |
| 5 | click(findTestObject("Avangard New/Object ()/Case ()/team")) Object: 'Object Repository/Avangard New/Object ()/Case ()/team' is clicked on | 0,669s | PASSED |
| 6 | Object: 'Object Repository/Avangard New/Object ()/Case ()/var_team' is clicked on | 0,711s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 7 | click(findTestObject("Avangard New/Object ()/Case ()/player")) Object: 'Object Repository/Avangard New/Object ()/Case ()/player' is clicked on | 0,679s | PASSED |
| 8 | Object: 'Object Repository/Avangard New/Object ()/Case ()/var_player' is clicked on | 0,696s | PASSED |
| 9 | click(findTestObject("Avangard New/Object ()/Case ()/tip")) Object: 'Object Repository/Avangard New/Object ()/Case ()/tip' is clicked on | 0,652s | PASSED |
| 10 | Object: 'Object Repository/Avangard New/Object ()/Case ()/travma' is clicked on | 0,613s | PASSED |
| 11 | click(findTestObject("Avangard New/Object ()/Case ()/stady 1")) Object: 'Object Repository/Avangard New/Object ()/Case ()/stady 1' is clicked on | 0,587s | PASSED |
| 12 | Object: 'Object Repository/Avangard New/Object ()/Case ()/choise_stady' is clicked on | 0,666s | PASSED |
| 13 | click(findTestObject("Avangard New/Object ()/Case ()/tip travm")) Object: 'Object Repository/Avangard New/Object ()/Case ()/tip travm' is clicked on | 0,694s | PASSED |
| 14 | Object: 'Object Repository/Avangard New/Object ()/Case ()/choise_travm' is clicked on | 0,708s | PASSED |

| # | Description | Elapsed | Status |
|----|---|-------------|--------|
| 15 | Text ' ' is set on object 'Object Repository/Avangard New/Object ()/Case ()/dop opisanie' | 1,466s | PASSED |
| 16 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save' is clicked on | 0,689s | PASSED |
| 17 | Text ' ' is present on page | 2,228s | PASSED |
| 18 | callTestCase(findTestCase("/ ()"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases// ()' successfully | 27,125s | PASSED |
| 19 | callTestCase(findTestCase("/ ()"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases// ()' successfully | 1m - 9,572s | PASSED |
| 20 | closeBrowser() Browser is closed | 0,003s | PASSED |