Execution Environment

Host name LENOVO - DESKTOP-KNHN0AA

Local OS Windows 10 64bit

Katalon version 8.2.5.208

Browser Chrome 97.0.4692.71

Summary

ID Test Suites/

Description

Total 7

Passed 2 Failed 5
Error 0 Incomplete 0

Skipped 0

Start 2022-04-05 10:19:34 End 2022-04-05 11:00:20

Elapsed 40m - 46,130s

#	ID	Description	Status
1	Test Cases//		PASSED
2	Test Cases//		FAILED
3	Test Cases//		PASSED
4	Test Cases//		FAILED
5	Test Cases//		FAILED
6	Test Cases//		FAILED
7	Test Cases//		FAILED

ID Test Cases//

Description

Tag

Start 2022-04-05 10:19:36 End 2022-04-05 10:21:34

Elapsed 1m - 57,929s

Status PASSED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1m - 36,906s	PASSED
2	maximizeWindow() Current window maximized	0,506s	PASSED
3	navigateToUrl(url) Navigate to 'https://stars-stage.hawk.ru:8080' successfully	7,186s	PASSED
4	setText(findTestObject("Object Repository/manager/Page_/inputsc-InrBVv eqPACj"), coach_login) Text 'levashev.ps@hc-avangard.com' is set on object 'Object Repository/manager/Page_/inputsc-InrBVv eqPACj'	4,775s	PASSED
5	setText(findTestObject("Object Repository/manager/Page_/inputsc-InrBVv eqPACj_1"), coach_password) Text 'Darden41087' is set on object 'Object Repository/manager/Page_/inputsc-InrBVv eqPACj_1'	4,189s	PASSED
6	click(findTestObject("manager/Page_/go")) Object: 'Object Repository/manager/Page_/go' is clicked on	2,036s	PASSED

ID Test Cases//

Description

Tag

Start 2022-04-05 10:21:34 End 2022-04-05 10:26:33

Elapsed 4m - 59,780s

Status FAILED


#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully	3m - 52,893s	PASSED
2	Object: 'Object Repository/Avangard New/Object ()/Case ()/lines' is clicked on	11,425s	PASSED
3	Object: 'Object Repository/Avangard New/Object ()/Case ()/clear' is clicked on	7,402s	PASSED
4	Object: 'Object Repository/Avangard New/Object ()/Case ()/button_yes' is clicked on	2,099s	PASSED
5	Object: 'Object Repository/Avangard New/Object ()/Case ()/choice_player' is clicked on	2,325s	PASSED
6	Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/line_position' successfully	2,044s	PASSED

#	Description	Elapsed	Status
7	Object: 'Object Repository/Avangard New/Object ()/Case ()/line_position' is clicked on	2,172s	PASSED
8	Object: 'Object Repository/Avangard New/Object ()/Case ()/player 1' is clicked on	2,253s	PASSED
9	Object: 'Object Repository/Avangard New/Object ()/Case ()/pos2' is clicked on	1,981s	PASSED
10	scrollToElement(findTestObject("Avangard New/Object ()/Case ()/player3"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/player3' successfully	1,791s	PASSED
11	Object: 'Object Repository/Avangard New/Object ()/Case ()/player3' is clicked on	1,906s	PASSED
12	Object: 'Object Repository/Avangard New/Object ()/Case ()/po3' is clicked on	2,007s	PASSED
13	scrollToElement(findTestObject("Avangard New/Object ()/Case ()/player4"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/player4' successfully	1,942s	PASSED
14	Object: 'Object Repository/Avangard New/Object ()/Case ()/player4' is clicked on	1,985s	PASSED

#	Description	Elapsed	Status
15	Object: 'Object Repository/Avangard New/Object ()/Case ()/pos4' is clicked on	2,043s	PASSED
16	scrollToElement(findTestObject("Avangard New/Object ()/Case ()/player5"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/player5' successfully	2,111s	PASSED
17	click(findTestObject("Avangard New/Object ()/Case ()/player5")) Object: 'Object Repository/Avangard New/Object ()/Case ()/player5' is clicked on	2,094s	PASSED
18	verifyTextPresent(" ", false) Text ' 'is present on page	2,261s	PASSED
19		2,030s	PASSED

Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save' is clicked on

```
Description
                                                                                                                                                                                                                                              Elapsed
                                                                                                                                                                                                                                                                                          Status
            verifyTextPresent(" ", false)
                                                                                                                                                                                                                                               12.276s
                                                                                                                                                                                                                                                                                         FAILED
20
             Unable to verify text ' 'is present (Root cause: com.kms.
             katalon.core.exception.StepFailedException: Unable to verify text '
             ' is present
                                     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
             (WebUIKeywordMain.groovy:64)
                                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
             (WebUlKeywordMain.groovy:26)
                                    at\ com. kms. katalon. core. webui. keyword. builtin. Verify Text Present Keyword.
             verifyTextPresent(VerifyTextPresentKeyword.groovy:83)
                                    at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.
             execute(VerifyTextPresentKeyword.groovy:68)
                                    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
             executeKeywordForPlatform(KeywordExecutor.groovy:74)
                                    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent
             (WebUiBuiltInKeywords.groovy:1723)
                                    at com.kms.katalon.core.webui.keyword.
             WebUiBuiltInKeywords$verifyTextPresent$5.call(Unknown Source)
                                    at .run(:71)
                                    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                                    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
             java:119)
                                    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
             java:442)
                                    at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
             java:433)
                                    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
             (TestCaseExecutor.java:412)
                                    at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
             (TestCaseExecutor.java:404)
                                    at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.e
             java:281)
                                    at\ com. kms. katalon. core. main. Test Suite Executor. access Test Case Main Phase
             (TestSuiteExecutor.java:202)
                                    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
             (TestSuiteExecutor.java:164)
                                    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
             105)
                                    at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
             185)
                                    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
             Source)
                                    at TempTestSuite1649143156543.run(TempTestSuite1649143156543.groovy:36)
             Caused by: com.kms.katalon.core.exception.StepFailedException: Text '
              ' is not present on page
                                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
             (WebUlKeywordMain.groovy:64)
                                    at com.kms.katalon.core.webui.keyword.builtin.
             VerifyTextPresentKeyword$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword.
             groovy:79)
                                    at com.kms.katalon.core.webui.keyword.builtin.
             VerifyTextPresentKeyword$ verifyTextPresent_closure1.call(VerifyTextPresentKeyword.
                                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
             (WebUlKeywordMain.groovy:20)
                                    ... 19 more
```



ID Test Cases//

Description

Tag

Start 2022-04-05 10:26:33 End 2022-04-05 10:31:44

Elapsed 5m - 10,645s

Status PASSED

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully	4m - 52,460s	PASSED
2	Object: 'Object Repository//reports/IMT/Page_/Page_/div_ (1)' is clicked on	10,940s	PASSED
3	Object: 'Object Repository//reports/IMT/Page_/Page_/save' is clicked on	1,981s	PASSED
4	Text ' ' is present on page	2,422s	PASSED
5	Object: 'Object Repository//reports/IMT/Page_/Page_/root' is clicked on	1,996s	PASSED
6	closeBrowser() Browser is closed	0,521s	PASSED

ID Test Cases//

Description

Tag

Start 2022-04-05 10:31:44 End 2022-04-05 10:36:24

Elapsed 4m - 39,422s

Status FAILED


Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)	3m - 44,457s	PASSED
	Call Test Case 'Test Cases//' successfully		
2		13,540s	PASSED
	Object: 'Object Repository/Avangard New/Object ()/Case ()/report' is clicked on		
3		2,742s	PASSED

Object: 'Object Repository/Avangard New/Object ()/Case ()/statsreport' is clicked on

Description Elapsed Status 4 36.304s **FAILED** Unable to click on object 'Object Repository/Avangard New/Object ()/Case ()/team' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Avangard New/Object ()/Case ()/team' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at .run(:29) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Case Main Phase$ (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649143156543.run(TempTestSuite1649143156543.groovy:36) Caused by: org.openga.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="css-1hwfws3">...</div> is not clickable at point (922, 133). Other element would receive the click: <div class="Select_SelectContainer-sc-d2163e-0" dlyxuE SelectContainer disabled">...</div> (Session info: chrome=97.0.4692.71) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.2.114', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: com.kms.katalon.selenium.driver.CRemoteWebDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 97.0.4692.71 (adefa7837d02a..., userDataDir: /tmp/.com.google.Chrome.pTjFzn}, goog:chromeOptions: {debuggerAddress: localhost: 43787}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:

```
normal, platform: LINUX, platformName: LINUX, proxy: Proxy(direct), se:cdp: ws://172.
48.55.136:4444/ses..., se:cdpVersion: 97.0.4692.71, se:vnc: ws://172.48.55.136:4444/ses...,
se:vncEnabled: true, se:vncLocalAddress: ws://172.48.55.136:7900, setWindowRect: true,
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,
webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: aa54e4ecc08ccf396b5ee7daf84dff7b
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute
(CRemoteWebDriver.java:30)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
         at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
         at com.sun.proxy.$Proxy11.click(Unknown Source)
         at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
         at org.openqa.selenium.WebElement$click.call(Unknown Source)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$3.call
(Unknown Source)
         at Script1645285819922.run(Script1645285819922.groovy:29)
         ... 13 more
```



ID Test Cases//

Description

Tag

Start 2022-04-05 10:36:24 End 2022-04-05 10:41:37

Elapsed 5m - 13,288s


Status FAILED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)	4m - 4,885s	PASSED
	Call Test Case 'Test Cases//' successfully		
2	Object: 'Object Repository/Avangard New/Object ()/Case ()/span_home' is clicked on	13,430s	PASSED
3	Object: 'Object Repository/Avangard New/Object ()/Case ()/edit home' is clicked on	2,320s	PASSED
4	Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_save_home' successfully	3,236s	PASSED
5	Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save_home' is clicked	3,364s	PASSED

Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save_home' is clicked on

Description Elapsed Status verifyElementText(findTestObject("Avangard New/Object ()/Case () 43.517s **FAILED** 6 /alert home add"), " 1 7 .") Verify element text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert home add' FAILED. (Root cause: com.kms.katalon.core.exception. StepFailedException: Verify element text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert home add' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementText\$7.call(Unknown Source) at .run(:34) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) $at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase$ (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649143156543.run(TempTestSuite1649143156543.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Avangard New/Object ()/Case ()/alert home add' located by '(.//*[normalize-space(text()) and normalize-space(.)=' ']) [1]/following::p[1]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. $Verify Element Text Keyword \$_verify Element Text_closure 1. call (Verify Element Text Keyword.$



ID Test Cases//

Description

Tag

Start 2022-04-05 10:41:37 End 2022-04-05 10:47:48

Elapsed 6m - 11,573s

Status FAILED

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully	3m - 49,721s	PASSED
2	Object: 'Object Repository/Avangard New/Object ()/Case ()/grade for game' is clicked on	12,127s	PASSED
3	Object: 'Object Repository/Avangard New/Object ()/Case ()/edit' is clicked on	4,494s	PASSED
4	Object 'Object Repository/Avangard New/Object ()/Case ()/edit 4' is clickable	5,389s	PASSED
5	Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_' successfully	35,794s	PASSED
6	Object: 'Object Repository/Avangard New/Object ()/Case ()/button_' is clicked on	34,957s	PASSED

Description 7 Verify element text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert save' FAILED. (Root cause: com.kms.katalon.core.exception. StepFailedException: Verify element text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert save' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementText\$7.call(Unknown Source) at .run(:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Case Main Phase$ (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649143156543.run(TempTestSuite1649143156543.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Avangard New/Object ()/Case ()/alert save' located by '//p[(text() = ' ' or . = ' ')]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKevwordMain.groovv:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$ verifyElementText closure1.call(VerifyElementTextKeyword. groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword


Elapsed

46.742s

Status

FAILED

(WebUIKeywordMain.groovy:20) ... 19 more



ID Test Cases//

Description

Tag

Start 2022-04-05 10:47:48 End 2022-04-05 11:00:20

Elapsed 12m - 31,985s

Status FAILED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	3m - 22,893s	PASSED
2	maximizeWindow() Current window maximized	0,479s	PASSED
3	navigateToUrl(url) Navigate to 'https://stars-stage.hawk.ru:8080' successfully	6,201s	PASSED
4	setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input_sc-InrBVv eqPACj"), OFP_trainer_login) Text 'voityk.av@hc-avangard.com' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_sc-InrBVv eqPACj'	4,422s	PASSED
5	setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputsc-lnrBVv eqPACj_1"), OFP_trainer_password) Text 'voityk.av' is set on object 'Object Repository/Avangard New/Object ()/Case ()/inputsc-lnrBVv eqPACj_1'	4,308s	PASSED
6	click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/go")) Object: 'Object Repository/Avangard New/Object ()/Case ()/go' is clicked on	1,861s	PASSED

#	Description	Elapsed	Status
7	Object: 'Object Repository/Avangard New/Object ()/Case ()/buttom fiz testing' is clicked on	15,410s	PASSED
8	Object: 'Object Repository/Avangard New/Object ()/Case ()/div_exercises' is clicked on	2,408s	PASSED
9	setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputexercise"), "FMS ()") Text 'FMS ()' is set on object 'Object Repository/Avangard New/Object ()/Case ()/inputexercise'	3,888s	PASSED
10	sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputexercise"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ()/inputexercise'	2,075s	PASSED
11	Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 1' is cleared	2,433s	PASSED
12	Text '21' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 1'	3,953s	PASSED
13	Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 2' is cleared	2,007s	PASSED
14	Text '15' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 2'	3,811s	PASSED

#	Description	Elapsed	Status
15	Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3' is cleared	1,949s	PASSED
16	Text '7' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3'	3,740s	PASSED
17	scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input_FMS 6"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 6' successfully	1,879s	PASSED
18	clearText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input_FMS 6"), STOP_ON_FAILURE) Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 6' is cleared	1,927s	PASSED
19	Text '0' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 6'	4,125s	PASSED
20	Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 4' is cleared	1,824s	PASSED
21	Text '3,7' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 4'	4,016s	PASSED
22	Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 5' is cleared	2,110s	PASSED

#	Description	Elapsed	Status
23	Text '1000' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 5'	3,696s	PASSED
24	Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/stage 2' successfully	1,702s	PASSED
25	Object: 'Object Repository/Avangard New/Object ()/Case ()/stage 2' is clicked on	2,053s	PASSED
26	2 Text ' 2' is set on object 'Object Repository/Avangard New/Object ()/Case ()/inputetapi'	3,672s	PASSED
27	sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputetapi"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ()/inputetapi'	1,855s	PASSED
28	Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3' is cleared	2,467s	PASSED
29	Text '10,4' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3'	3,728s	PASSED
30	scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_save"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_save' successfully	1,723s	PASSED

#	Description	Elapsed	Status
31	click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_save")) Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save' is clicked on	1,947s	PASSED
32	Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert fiz testing' are matched.	2,902s	PASSED
33	scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_close fiz test"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_close fiz test' successfully	1,837s	PASSED
34	Object: 'Object Repository/Avangard New/Object ()/Case ()/button_close fiz test' is clicked on	2,140s	PASSED
35	2 Object: 'Object Repository/Avangard New/Object ()/Case ()/buttonclose 2 fiz test' is clicked on	2,366s	PASSED
36	callTestCase(findTestCase("/ (.)"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases// (.)' successfully	4m - 35,665s	PASSED

```
Description
                                                                                                                                                                                                                                            Elapsed
                                                                                                                                                                                                                                        2m - 44.004s
            callTestCase(findTestCase("/ (
37
             . )"), [:], STOP_ON_FAILURE)
             Unable to call Test Case 'Test Cases//
             ( . )' (Root cause: com.kms.katalon.core.
             exception. StepFailedException: Call Test Case 'Test Cases//
              ( . )' failed
                                    at com.kms.katalon.core.keyword.builtin.
             CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
                                    at com.kms.katalon.core.keyword.builtin.
             CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
                                    at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
             (KeywordMain.groovy:74)
                                   at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case
             (CallTestCaseKeyword.groovy:81)
                                    at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
            (CallTestCaseKeyword.groovy:44)
                                    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
             executeKeywordForPlatform(KeywordExecutor.groovy:74)
                                    at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
            groovy:334)
                                    at .run(:139)
                                    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194)
                                    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
            java:119)
                                    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
            java:442)
                                    at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
            java:433)
                                   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
             (TestCaseExecutor.java:412)
                                   at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
             (TestCaseExecutor.java:404)
                                    at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.e
            java:281)
                                    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
             (TestSuiteExecutor.java:202)
                                    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
             (TestSuiteExecutor.java:164)
                                   at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
             105)
                                    at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
             185)
                                    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
             Source)
                                    at TempTestSuite1649143156543.run(TempTestSuite1649143156543.groovy:36)
             Caused by: com.kms.katalon.core.exception.StepFailedException: Verify element text of
             test object 'Object Repository/Avangard New/Object ()/ase (
            )/div_7' FAILED.
                                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
             (WebUIKeywordMain.groovy:64)
                                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
             (WebUIKeywordMain.groovy:26)
                                    at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.
            verifyElementText(VerifyElementTextKeyword.groovy:72)
                                    at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.
             execute(VerifyElementTextKeyword.groovy:40)
```

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

Status

FAILED

```
executeKeywordForPlatform(KeywordExecutor.groovy:74)
                    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
verifyElementText(WebUiBuiltInKeywords.groovy:4749)
                    at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$verifyElementText$7.call(Unknown Source)
                   at (.
).run( ( .
 ):40)
                    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                    at\ com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.pt) \\
java:442)
                    at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
java:433)
                   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
                   at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:404)
                   at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:281)
                    at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
                   at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                    ... 20 more
Caused by: com.kms.katalon.core.exception.StepFailedException: Actual text '-' and
expected text '7' of test object 'Object Repository/Avangard New/Object ()/ase
( )/div_7' are NOT matched.
                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
                    at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementTextKeyword$_verifyElementText_closure1.doCall
(VerifyElementTextKeyword.groovy:57)
                    at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementTextKeyword$_verifyElementText_closure1.call(VerifyElementTextKeyword.
groovy)
                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
                    ... 35 more
```

