Execution Environment

Host name LENOVO - DESKTOP-KNHN0AA

Local OS Windows 10 64bit

Katalon version 8.2.5.208 Browser null

Summary

ID Test Suites/ ()

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-04-11 11:39:16 End 2022-04-11 11:39:26

Elapsed 9,976s

#	ID	Description	Status
1	Test Cases//		FAILED

Information

ID Test Cases//

Description

Tag

Start 2022-04-11 11:39:25 End 2022-04-11 11:39:26

Elapsed 1,556s Status FAILED

Details

Description Elapsed Status

Description callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) 1 Unable to call Test Case 'Test Cases//' (Root cause: com.kms.katalon. core.exception.StepFailedException: Call Test Case 'Test Cases//' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) $at\ com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute$ (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$ (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649666280603.run(TempTestSuite1649666280603.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) $at\ com.kms.katalon.core.webui.keyword.builtin. Open Browser Keyword.$ openBrowser(OpenBrowserKeyword.groovy:81)

Elapsed

1.514s

Status

FAILED

Description at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) $at\ com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.pt) \\$ java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.kevword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 23 more Caused by: org.openga.selenium.WebDriverException: Unable to parse remote response: Response: 402, Code: TCS10004, Message: Not enough execution time quota at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.kevword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.

Elapsed

Status

Description openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Script1645118523381.run(Script1645118523381.groovy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. iava:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) $at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case$ (CallTestCaseKeyword.groovy:81) $at\ com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute$ (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1645277148715.run(Script1645277148715.groovy:20) ... 16 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.11', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openga.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openga.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openga.selenium.json.Json.toType(Json.java:69) at org.openga.selenium.json.Json.toType(Json.java:55) at org.openga.selenium.json.Json.toType(Json.java:50) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) at org.openqa.selenium.remote.ProtocolHandshake.createSession

Elapsed

Status

Description (ProtocolHandshake.java:74) at org.openga.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.kevword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call$ (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor$ java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$ callTestCase closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) $at\ com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase$

Elapsed

Status

Description Elapsed Status

```
(CallTestCaseKeyword.groovy:81)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)
at .run(:20)
... 16 more
)
```