### **Execution Environment**

Host name LENOVO - DESKTOP-KNHN0AA

Local OS Windows 10 64bit

Katalon version 8.2.5.208

Browser Chrome 100.0.4896.75

### Summary

ID Test Suites/

Description

Total 4

Passed 3 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-04-14 16:06:56 End 2022-04-14 16:08:45

Elapsed 1m - 49,449s

# ID	Description	Status
1 Test Cases//		PASSED
2 Test Cases//		PASSED
3 Test Cases//		PASSED
4 Test Cases//		FAILED

ID Test Cases//

Description

Tag

Start 2022-04-14 16:06:56 End 2022-04-14 16:07:06

Elapsed 9,663s
Status PASSED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1,942s	PASSED
2	maximizeWindow()  Current window maximized	0,137s	PASSED
3	navigateToUrl(url)  Navigate to 'https://stars-stage.hawk.ru:8080' successfully	4,603s	PASSED
4	setText(findTestObject("Object Repository/manager/Page_/inputsc-InrBVv eqPACj"), player_login)  Text 'danilaganin7218@icloud.com' is set on object 'Object Repository/manager/Page_/inputsc-InrBVv eqPACj'	1,134s	PASSED
5	setText(findTestObject("Object Repository/manager/Page_/inputsc-InrBVv eqPACj_1"), player_password)  Text 'danilaganin7218' is set on object 'Object Repository/manager/Page_/inputsc-InrBVv eqPACj_1'	0,938s	PASSED
6	click(findTestObject("manager/Page_/go"))  Object: 'Object Repository/manager/Page_/go' is clicked on	0,549s	PASSED

ID Test Cases//

Description

Tag

Start 2022-04-14 16:07:06 End 2022-04-14 16:07:30

Elapsed 24,584s
Status PASSED

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)	8,679s	PASSED
	Call Test Case 'Test Cases//' successfully		
2	Object: 'Object Repository/Avangard New/Object ()/Case ( )/skill' is clicked on	5,470s	PASSED
3	1 Object: 'Object Repository/Avangard New/Object ()/Case ( )/span_1' is clicked on	1,103s	PASSED
4	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/fast fast"), "")  Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/fast fast' are matched.	0,389s	PASSED
5	scrollToElement(findTestObject("Avangard New/Object ()/Case ()/button_save"), 0)  Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_save' successfully	0,417s	PASSED
6	Object: 'Object Repository/Avangard New/Object ()/Case ( )/button_save' is clicked on	0,570s	PASSED

#	Description	Elapsed	Status
7	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/alert skill"), " .")  Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/alert skill' are matched.	0,771s	PASSED
8	Object: 'Object Repository/Avangard New/Object ()/Case ( )/report' is clicked on	0,899s	PASSED
9	Object: 'Object Repository/Avangard New/Object ()/Case ( )/repor skill' is clicked on	0,635s	PASSED
10	Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ()/div_1' are matched.	0,866s	PASSED
11	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/div_katanie"), "")  Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/div_katanie' are matched.	0,394s	PASSED
12	Object: 'Object Repository/Avangard New/Object ()/Case ( )/skill' is clicked on	0,945s	PASSED
13	8 Object: 'Object Repository/Avangard New/Object ()/Case ( )/span_8' is clicked on	0,796s	PASSED
14	scrollToElement(findTestObject("Avangard New/Object ()/Case ( )/button_save"), 0)  Scroll to object 'Object Repository/Avangard New/Object ()/Case ( )/button_save' successfully	0,326s	PASSED

#	Description	Elapsed	Status
15		0,654s	PASSED
	Object: 'Object Repository/Avangard New/Object ()/Case ( )/button_save' is clicked on		
16		0,767s	PASSED
	Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert skill' are matched.		
17	closeBrowser()	0,591s	PASSED

Browser is closed

ID Test Cases//

Description

Tag

Start 2022-04-14 16:07:30 End 2022-04-14 16:07:47

Elapsed 16,983s Status PASSED

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases//' successfully	9,263s	PASSED
2	Object: 'Object Repository/Avangard New/Object ()/Case ( )/span_reports' is clicked on	5,215s	PASSED
3	Object: 'Object Repository/Avangard New/Object ()/Case ( )/div_report_skills' is clicked on	0,634s	PASSED
4	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/div_8"), "8")  Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/div_8' are matched.	0,949s	PASSED
5	Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/div_name' are matched.	0,331s	PASSED
6	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/speed"), "")  Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/speed' are matched.	0,334s	PASSED

ID Test Cases//

Description

Tag

Start 2022-04-14 16:07:47 End 2022-04-14 16:08:45

Elapsed 57,929s
Status FAILED

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases//' successfully	9,078s	PASSED
2	Object: 'Object Repository/Avangard New/Object ()/Case ( )/report' is clicked on	5,464s	PASSED
3	Object: 'Object Repository/Avangard New/Object ()/Case ( )/psixolog' is clicked on	0,722s	PASSED
4	<pre>if (verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/div_ganin"), " ",     OPTIONAL) == true)  Object: 'Object Repository/Avangard New/Object ()/Case ( )/div_30.06.2021' is clicked on</pre>	1,990s	PASSED
5	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/div_ganin"), " ")  NOT_RUN: verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/div_ganin"), " ")	0,001s	NOT_RUN

#	Description	Elapsed	Status
6	scrollToElement(findTestObject("Avangard New/Object ()/Case ( )/reaction easy"), 0)  Scroll to object 'Object Repository/Avangard New/Object ()/Case ( )/reaction easy' successfully	1,047s	PASSED
7	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/reaction easy"), " ")  Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/reaction easy' are matched.	0,324s	PASSED
8	verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/reaction hard"), " ")  Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ( )/reaction hard' are matched.	0,393s	PASSED
9	scrollToElement(findTestObject("Avangard New/Object ()/Case ( )/button burg date (1)"), 0)  Scroll to object 'Object Repository/Avangard New/Object ()/Case ( )/button burg date (1)' successfully	0,396s	PASSED
10	click(findTestObject("Avangard New/Object ()/Case ( )/tab"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/tab' is clicked on	0,512s	PASSED
11	<pre>if (verifyElementText(findTestObject("Avangard New/Object ()/Case ( )/div_ganin"), " ", OPTIONAL) == true) Object: 'Object Repository/Avangard New/Object ()/Case ( )/div_21-22' is clicked on</pre>	1,697s	PASSED

#	Description	Elapsed	Status
12	scrollToElement(findTestObject("Avangard New/Object ()/Case ( )/xarakteristika"), 0)	35,340s	FAILED
	Unable to scroll to object 'Object Repository/Avangard New/Object ()/Case ( )/xarakteristika' (Root cause: com.kms.katalon.core.exception.  StepFailedException: Unable to scroll to object 'Object Repository/Avangard New/Object ()/Case ( )/xarakteristika'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ScrollToElementKeyword. scrollToElement(ScrollToElementKeyword.groovy:88)		
	at com.kms.katalon.core.webui.keyword.builtin.ScrollToElementKeyword.execute (ScrollToElementKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.scrollToElement (WebUiBuiltInKeywords.groovy:4061)		
	at com.kms.katalon.core.webui.keyword.  WebUiBuiltInKeywords\$scrollToElement\$5.call(Unknown Source)  at .run(:		
	66)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:442)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:433)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1649941153936.run(TempTestSuite1649941153936.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/Avangard New/Object ()/Case ( )/xarakteristika' located by '//*/text()[normalize-space(.)		
	="]/parent::*i not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.		

# Description Elapsed Status

ScrollToElementKeyword\$\_scrollToElement\_closure1.doCall(ScrollToElementKeyword.groovy:79)

at com.kms.katalon.core.webui.keyword.builtin.

ScrollToElementKeyword\$\_scrollToElement\_closure1.call(ScrollToElementKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

at com.kms.katalon.core.webui.keyword.builtin.ScrollToElementKeyword.

scrollToElement(ScrollToElementKeyword.groovy:88)

 $at\ com. kms. katalon. core. webui. keyword. builtin. Scroll To Element Keyword. execute (Scroll To Element Keyword. groovy: 68)$ 

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.scrollToElement (WebUiBuiltInKeywords.groovy:4061)

at com.kms.katalon.core.webui.keyword.

WebUiBuiltInKeywords\$scrollToElement\$5.call(Unknown Source)

at Script1649405864063.run(Script1649405864063.groovy:66)

... 13 more

