Execution Environment

Host name LENOVO - DESKTOP-KNHN0AA

Local OS Windows 10 64bit

Katalon version 8.2.5.208

Browser Chrome 100.0.4896.75

Summary

ID Test Suites/

Description

Total 5

Passed 4 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-04-14 16:03:38 End 2022-04-14 16:06:40

Elapsed 3m - 1,944s

| # ID | Description | Status |
|----------------|-------------|--------|
| 1 Test Cases// | | PASSED |
| 2 Test Cases// | | PASSED |
| 3 Test Cases// | | FAILED |
| 4 Test Cases// | | PASSED |
| 5 Test Cases// | | PASSED |

ID Test Cases//

Description

Tag

Start 2022-04-14 16:03:38 End 2022-04-14 16:03:49

Elapsed 10,861s Status PASSED

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 2,081s | PASSED |
| 2 | maximizeWindow() Current window maximized | 0,138s | PASSED |
| 3 | navigateToUrl(url) Navigate to 'https://stars-stage.hawk.ru:8080' successfully | 5,652s | PASSED |
| 4 | setText(findTestObject("Object Repository/manager/Page_/inputsc-InrBVv eqPACj"), coach_login) Text 'ageev.da@hc-avangard.com' is set on object 'Object Repository/manager/Page_/inputsc-InrBVv eqPACj' | 1,204s | PASSED |
| 5 | setText(findTestObject("Object Repository/manager/Page_/inputsc-lnrBVv eqPACj_1"), coach_password) Text 'zz4waxq6' is set on object 'Object Repository/manager/Page_/inputsc-lnrBVv eqPACj_1' | 0,914s | PASSED |
| 6 | click(findTestObject("manager/Page_/go")) Object: 'Object Repository/manager/Page_/go' is clicked on | 0,501s | PASSED |

ID Test Cases//

Description

Tag

Start 2022-04-14 16:03:49 End 2022-04-14 16:04:05

Elapsed 16,110s
Status PASSED

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) | 8,512s | PASSED |
| | Call Test Case 'Test Cases//' successfully | | |
| | | | |
| 2 | | 4,013s | PASSED |
| | Object: 'Object Repository//reports/IMT/Page_/Page_/div_ (1)' is clicked on | | |
| | | | |
| 3 | | 0,682s | PASSED |
| | | | |
| | Object: 'Object Repository//reports/IMT/Page_/Page_/save' is clicked on | | |
| 4 | | 1,310s | PASSED |
| 7 | Text ' ' is present on page | 1,0103 | TAGGED |
| | Toxi is prosont on page | | |
| 5 | | 0,586s | PASSED |
| | | | |
| | Object: 'Object Repository//reports/IMT/Page_/Page_/root' is clicked on | | |
| 6 | along Provincer() | 0.6950 | DASSED |
| О | closeBrowser() | 0,685s | PASSED |
| | Browser is closed | | |
| | | | |

ID Test Cases//

Description

Tag

Start 2022-04-14 16:04:05 End 2022-04-14 16:04:59

Elapsed 53,673s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) | 8,151s | PASSED |
| | Call Test Case 'Test Cases//' successfully | | |
| 2 | Object: 'Object Repository/Avangard New/Object ()/Case ()/span_home' is clicked on | 5,750s | PASSED |
| 3 | Object: 'Object Repository/Avangard New/Object ()/Case ()/edit home' is clicked on | 0,829s | PASSED |
| 4 | Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_save_home' successfully | 0,873s | PASSED |
| 5 | | 0,760s | PASSED |

Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save_home' is clicked on

Description Elapsed Status verifyElementText(findTestObject("Avangard New/Object ()/Case () 36.241s **FAILED** 6 /alert home add"), " 1 7 .") Verify element text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert home add' FAILED. (Root cause: com.kms.katalon.core.exception. StepFailedException: Verify element text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert home add' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementText\$7.call(Unknown Source) at .run(:34) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) $at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase$ (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649941151062.run(TempTestSuite1649941151062.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Avangard New/Object ()/Case ()/alert home add' located by '(.//*[normalize-space(text()) and normalize-space(.)=' ']) [1]/following::p[1]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. $Verify Element Text Keyword \$_verify Element Text_closure 1. call (Verify Element Text Keyword.$

Description

groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
.... 19 more
)

Bageriue, передача, броск: Не удобней стороней

млюции обратным жатом

ведение, передача, броск: Удобней стороней

млюции обратным жатом

ведение, передача, броск: Неудобней стороней


млюции обратным жатом

ведение, передача, броск: Неудобней стороней

млюции обратным жатом

добавить

добави



ID Test Cases//

Description

Tag

Start 2022-04-14 16:04:59 End 2022-04-14 16:06:20

Elapsed 1m - 20,700s

Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 1,711s | PASSED |
| 2 | maximizeWindow() Current window maximized | 0,126s | PASSED |
| 3 | navigateToUrl(url) Navigate to 'https://stars-stage.hawk.ru:8080' successfully | 3,569s | PASSED |
| 4 | setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputsc-InrBVv eqPACj"), OFP_trainer_login) Text 'voityk.av@hc-avangard.com' is set on object 'Object Repository/Avangard New/Object ()/Case ()/inputsc-InrBVv eqPACj' | 1,068s | PASSED |
| 5 | setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input_sc-InrBVv eqPACj_1"), OFP_trainer_password) Text 'voityk.av' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_sc-InrBVv eqPACj_1' | 0,909s | PASSED |
| 6 | click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/go")) Object: 'Object Repository/Avangard New/Object ()/Case ()/go' is clicked on | 0,572s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 7 | Object: 'Object Repository/Avangard New/Object ()/Case ()/buttom fiz testing' is clicked on | 4,540s | PASSED |
| 8 | Object: 'Object Repository/Avangard New/Object ()/Case ()/div_exercises' is clicked on | 0,844s | PASSED |
| 9 | setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputexercise"), "FMS ()") Text 'FMS ()' is set on object 'Object Repository/Avangard New/Object ()/Case ()/inputexercise' | 1,060s | PASSED |
| 10 | sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputexercise"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ()/inputexercise' | 0,580s | PASSED |
| 11 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 1' is cleared | 1,161s | PASSED |
| 12 | Text '21' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 1' | 1,005s | PASSED |
| 13 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 2' is cleared | 0,473s | PASSED |
| 14 | Text '15' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 2' | 0,980s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 15 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3' is cleared | 0,537s | PASSED |
| 16 | Text '7' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3' | 0,866s | PASSED |
| 17 | scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input_FMS 6"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 6' successfully | 0,327s | PASSED |
| 18 | clearText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input_FMS 6"), STOP_ON_FAILURE) Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 6' is cleared | 0,459s | PASSED |
| 19 | Text '0' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 6' | 0,857s | PASSED |
| 20 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 4' is cleared | 0,454s | PASSED |
| 21 | Text '3,7' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 4' | 0,870s | PASSED |
| 22 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 5' is cleared | 0,451s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 23 | Text '1000' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 5' | 0,872s | PASSED |
| 24 | scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_save"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_save' successfully | 0,320s | PASSED |
| 25 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save' is clicked on | 0,480s | PASSED |
| 26 | Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert fiz testing' are matched. | 1,749s | PASSED |
| 27 | Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/stage 2' successfully | 0,330s | PASSED |
| 28 | Object: 'Object Repository/Avangard New/Object ()/Case ()/stage 2' is clicked on | 0,469s | PASSED |
| 29 | 2 Text ' 2' is set on object 'Object Repository/Avangard New/Object ()/Case ()/inputetapi' | 1,193s | PASSED |
| 30 | sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputetapi"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ()/inputetapi' | 0,578s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 31 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3' is cleared | 0,806s | PASSED |
| 32 | Text '10,4' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3' | 1,320s | PASSED |
| 33 | scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_save"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_save' successfully | 0,319s | PASSED |
| 34 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save' is clicked on | 0,477s | PASSED |
| 35 | Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert fiz testing' are matched. | 0,878s | PASSED |
| 36 | scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_close fiz test"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_close fiz test' successfully | 0,416s | PASSED |
| 37 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_close fiz test' is clicked on | 0,475s | PASSED |
| 38 | 2 Object: 'Object Repository/Avangard New/Object ()/Case ()/buttonclose 2 fiz test' is clicked on | 0,778s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 39 | callTestCase(findTestCase("/ (.)"), [:], STOP_ON_FAILURE) | 25,889s | PASSED |
| | Call Test Case 'Test Cases// (.)' successfully | | |
| | | | |
| 40 | callTestCase(findTestCase("/ (.)"), [:], STOP_ON_FAILURE) | 19,614s | PASSED |
| | Call Test Case 'Test Cases// (.)' successfully | | |
| | | | |
| | | | |

ID Test Cases//

Description

Tag

Start 2022-04-14 16:06:20 End 2022-04-14 16:06:40

Elapsed 20,228s
Status PASSED

| # | Description | Elapsed | Status |
|---|---|---------|---------|
| 1 | callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully | 8,607s | PASSED |
| 2 | Object: 'Object Repository/Avangard New/Object ()/ase ()/report' is clicked on | 4,146s | PASSED |
| 3 | Object: 'Object Repository/Avangard New/Object ()/ase ()/game stat' is clicked on | 0,726s | PASSED |
| 4 | NOT_RUN: setText(findTestObject("Avangard New/Object ()/ase ()/inputschool game stat"), "") | 0,001s | NOT_RUN |
| 5 | sendKeys(findTestObject("Object Repository/Avangard New/Object ()/ase ()/input_school game stat"), Keys.chord(ENTER)) NOT_RUN: sendKeys(findTestObject("Object Repository/Avangard New/Object ()/ase ()/input_school game stat"), Keys.chord(ENTER)) | 0,000s | NOT_RUN |
| 6 | 2 NOT_RUN: setText(findTestObject("Avangard New/Object ()/ase ()/inputteam school game"), school) | 0,001s | NOT_RUN |

| # | Description | Flancod | Status |
|----|---|-------------------|---------|
| 7 | sendKeys(findTestObject("Object Repository/Avangard New/Object ()/ase ()/inputteam school game"), Keys.chord(ENTER)) NOT_RUN: sendKeys(findTestObject("Object Repository/Avangard New/Object ()/ase (| Elapsed 0,000s | NOT_RUN |
| |)/input_team school game"), Keys.chord(ENTER)) | 1.000 | 240052 |
| 8 | Text " is set on object 'Object Repository/Avangard New/Object ()/ase ()/inputamplua' | 1,398s | PASSED |
| 9 | sendKeys(findTestObject("Object Repository/Avangard New/Object ()/ase ()/inputamplua"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/ase ()/inputamplua' | 0,581s | PASSED |
| 10 | Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/ase ()/match stat' are matched. | 2,691s | PASSED |
| 11 | verifyElementText(findTestObject("Avangard New/Object ()/ase ()/game stat time"), ". ") Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/ase ()/game stat time' are matched. | 0,327s | PASSED |
| 12 | Object 'Object Repository/Avangard New/Object ()/ase ()/stat mach number' is visible | 0,372s | PASSED |
| 13 | Object 'Object Repository/Avangard New/Object ()/ase ()/grade stat gamne' is visible | 0,453s | PASSED |
| 14 | closeBrowser() Browser is closed | 0,673s | PASSED |