Execution Environment

Host name LENOVO - DESKTOP-KNHN0AA

Local OS Windows 10 64bit

Katalon version 8.2.5.208

Browser Chrome 97.0.4692.71

Summary

ID Test Suites/

Description

Total 7

Passed 2 Failed 5
Error 0 Incomplete 0

Skipped 0

Start 2022-04-04 12:40:11 End 2022-04-04 13:23:46

Elapsed 43m - 35,496s

| # | ID | Description | Status |
|---|--------------|-------------|--------|
| 1 | Test Cases// | | PASSED |
| 2 | Test Cases// | | FAILED |
| 3 | Test Cases// | | PASSED |
| 4 | Test Cases// | | FAILED |
| 5 | Test Cases// | | FAILED |
| 6 | Test Cases// | | FAILED |
| 7 | Test Cases// | | FAILED |

ID Test Cases//

Description

Tag

Start 2022-04-04 12:40:12 End 2022-04-04 12:42:05

Elapsed 1m - 53,475s

Status PASSED

| # | Description | Elapsed | Status |
|---|--|--------------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 1m - 28,454s | PASSED |
| 2 | maximizeWindow() Current window maximized | 0,565s | PASSED |
| 3 | navigateToUrl(url) Navigate to 'https://stars-stage.hawk.ru:8080' successfully | 7,840s | PASSED |
| 4 | setText(findTestObject("Object Repository/manager/Page_/inputsc-InrBVv eqPACj"), coach_login) Text 'levashev.ps@hc-avangard.com' is set on object 'Object Repository/manager/Page_/inputsc-InrBVv eqPACj' | 5,626s | PASSED |
| 5 | setText(findTestObject("Object Repository/manager/Page_/inputsc-InrBVv eqPACj_1"), coach_password) Text 'Darden41087' is set on object 'Object Repository/manager/Page_/inputsc-InrBVv eqPACj_1' | 4,717s | PASSED |
| 6 | click(findTestObject("manager/Page_/go")) Object: 'Object Repository/manager/Page_/go' is clicked on | 2,362s | PASSED |

ID Test Cases//

Description

Tag

Start 2022-04-04 12:42:05 End 2022-04-04 12:55:04

Elapsed 12m - 58,617s

Status FAILED

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully | 5m - 57,005s | PASSED |
| 2 | Object: 'Object Repository/Avangard New/Object ()/Case ()/lines' is clicked on | 14,675s | PASSED |
| 3 | Object: 'Object Repository/Avangard New/Object ()/Case ()/clear' is clicked on | 8,320s | PASSED |
| 4 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_yes' is clicked on | 2,222s | PASSED |
| 5 | Object: 'Object Repository/Avangard New/Object ()/Case ()/choice_player' is clicked on | 3,283s | PASSED |
| 6 | Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/line_position' successfully | 1,915s | PASSED |


| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | Object: 'Object Repository/Avangard New/Object ()/Case ()/line_position' is clicked on | 2,060s | PASSED |
| 8 | Object: 'Object Repository/Avangard New/Object ()/Case ()/player 1' is clicked on | 2,017s | PASSED |
| 9 | Object: 'Object Repository/Avangard New/Object ()/Case ()/pos2' is clicked on | 2,013s | PASSED |
| 10 | scrollToElement(findTestObject("Avangard New/Object ()/Case ()/player3"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/player3' successfully | 1,810s | PASSED |
| 11 | Object: 'Object Repository/Avangard New/Object ()/Case ()/player3' is clicked on | 2,235s | PASSED |
| 12 | Object: 'Object Repository/Avangard New/Object ()/Case ()/po3' is clicked on | 2,106s | PASSED |
| 13 | scrollToElement(findTestObject("Avangard New/Object ()/Case ()/player4"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/player4' successfully | 2,866s | PASSED |
| 14 | Object: 'Object Repository/Avangard New/Object ()/Case ()/player4' is clicked on | 2,049s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 15 | Object: 'Object Repository/Avangard New/Object ()/Case ()/pos4' is clicked on | 2,059s | PASSED |
| 16 | scrollToElement(findTestObject("Avangard New/Object ()/Case ()/player5"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/player5' successfully | 2,855s | PASSED |
| 17 | click(findTestObject("Avangard New/Object ()/Case ()/player5")) Object: 'Object Repository/Avangard New/Object ()/Case ()/player5' is clicked on | 1,959s | PASSED |
| 18 | verifyTextPresent(" ", false) Text ' 'is present on page | 2,194s | PASSED |
| 19 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save' is clicked on | 1,917s | PASSED |
| 20 | verifyTextPresent(" ", false) Text ' 'is present on page | 6,595s | PASSED |

Description Elapsed Status
21 5m - 54.094s FAILED

Unable to call Test Case 'Test Cases//C ()' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases//C ()' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) $at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case$ (CallTestCaseKeyword.groovy:81) $at\ com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute$ (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:74) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649065192337.run(TempTestSuite1649065192337.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Verify element text of test object 'Object Repository/Avangard New/Object ()/Case ()/ganin player' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.

```
verifyElementText(WebUiBuiltInKeywords.groovy:4749)
                     at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$verifyElementText$6.call(Unknown Source)
                    at C ().run(C
():24)
                     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
                     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:433)
                    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
                    at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:404)
                    at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at con.kms.katalon.execute (Test Case Executor.execute) at con.kms.kata
java:281)
                    at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
                    at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                     ... 20 more
Caused by: com.kms.katalon.core.exception.StepFailedException: Actual text "
and expected text " of test object 'Object Repository/Avangard New/Object ()
/Case ()/ganin player' are NOT matched.
                     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUlKeywordMain.groovy:64)
                    at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementTextKeyword$_verifyElementText_closure1.doCall
(VerifyElementTextKeyword.groovy:57)
                    at com.kms.katalon.core.webui.keyword.builtin.
Verify Element Text Keyword \$\_verify Element Text\_closure 1. call (Verify Element Text Keyword.
groovy)
                     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
                     ... 35 more
```



ID Test Cases//

Description

Tag

Start 2022-04-04 12:55:04 End 2022-04-04 12:59:21

Elapsed 4m - 17,679s

Status PASSED

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully | 3m - 57,109s | PASSED |
| 2 | Object: 'Object Repository//reports/IMT/Page_/Page_/div_ (1)' is clicked on | 12,804s | PASSED |
| 3 | Object: 'Object Repository//reports/IMT/Page_/Page_/save' is clicked on | 1,905s | PASSED |
| 4 | Text'' is present on page | 2,877s | PASSED |
| 5 | Object: 'Object Repository//reports/IMT/Page_/Page_/root' is clicked on | 1,959s | PASSED |
| 6 | closeBrowser() Browser is closed | 0,547s | PASSED |

ID Test Cases//

Description

Tag

Start 2022-04-04 12:59:21 End 2022-04-04 13:04:05

Elapsed 4m - 43,976s

Status FAILED


Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) | 3m - 41,440s | PASSED |
| | Call Test Case 'Test Cases//' successfully | | |
| 2 | | 22,845s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/Case ()/report' is clicked on | | |
| 3 | | 2,284s | PASSED |

Object: 'Object Repository/Avangard New/Object ()/Case ()/statsreport' is clicked on

Description Elapsed Status 34.947s 4 **FAILED** Unable to click on object 'Object Repository/Avangard New/Object ()/Case ()/team' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Avangard New/Object ()/Case ()/team' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at .run(:29) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor$ java:281) $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Case Main Phase$ (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649065192337.run(TempTestSuite1649065192337.groovy:36) Caused by: org.openga.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="css-1hwfws3">...</div> is not clickable at point (922, 133). Other element would receive the click: <div class="Select_SelectContainer-sc-d2163e-0" dlyxuE SelectContainer disabled">...</div> (Session info: chrome=97.0.4692.71) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.2.113', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: com.kms.katalon.selenium.driver.CRemoteWebDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 97.0.4692.71 (adefa7837d02a..., userDataDir: /tmp/.com.google.Chrome.b3le0p}, goog:chromeOptions: {debuggerAddress: localhost: 45553}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:

```
normal, platform: LINUX, platformName: LINUX, proxy: Proxy(direct), se:cdp: ws://172.
48.51.89:4444/sess..., se:cdpVersion: 97.0.4692.71, se:vnc: ws://172.48.51.89:4444/sess...,
se:vncEnabled: true, se:vncLocalAddress: ws://172.48.51.89:7900, setWindowRect: true,
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,
webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: ee05137520f5fffb2c05ee89808b7c24
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute
(CRemoteWebDriver.java:30)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
         at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
         at com.sun.proxy.$Proxy11.click(Unknown Source)
         at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
         at org.openqa.selenium.WebElement$click.call(Unknown Source)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$3.call
(Unknown Source)
         at Script1645285819922.run(Script1645285819922.groovy:29)
         ... 13 more
```



ID Test Cases//

Description

Tag

Start 2022-04-04 13:04:05 End 2022-04-04 13:07:18

Elapsed 3m - 12,700s


Status FAILED

Details

on

| # | Description | Elapsed | Status |
|---|--|--------------|--------|
| 1 | callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) | 1m - 58,382s | PASSED |
| | Call Test Case 'Test Cases//' successfully | | |
| 2 | Object: 'Object Repository/Avangard New/Object ()/Case ()/span_home' is clicked on | 18,890s | PASSED |
| 3 | Object: 'Object Repository/Avangard New/Object ()/Case ()/edit home' is clicked on | 3,687s | PASSED |
| 4 | Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_save_home' successfully | 3,832s | PASSED |
| 5 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save_home' is clicked | 2,288s | PASSED |

Description Elapsed Status verifyElementText(findTestObject("Avangard New/Object ()/Case () 43.164s **FAILED** 6 /alert home add"), " 1 7 .") Verify element text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert home add' FAILED. (Root cause: com.kms.katalon.core.exception. StepFailedException: Verify element text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert home add' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementText\$6.call(Unknown Source) at .run(:34) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) $at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase$ (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649065192337.run(TempTestSuite1649065192337.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Avangard New/Object ()/Case ()/alert home add' located by '(.//*[normalize-space(text()) and normalize-space(.)=' ']) [1]/following::p[1]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. $Verify Element Text Keyword \$_verify Element Text_closure 1. call (Verify Element Text Keyword.$



ID Test Cases//

Description

Tag

Start 2022-04-04 13:07:18 End 2022-04-04 13:11:11

Elapsed 3m - 52,571s

Status FAILED

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully | 2m - 43,469s | PASSED |
| 2 | Object: 'Object Repository/Avangard New/Object ()/Case ()/grade for game' is clicked on | 13,145s | PASSED |
| 3 | Object: 'Object Repository/Avangard New/Object ()/Case ()/edit' is clicked on | 3,002s | PASSED |
| 4 | Object 'Object Repository/Avangard New/Object ()/Case ()/edit 4' is clickable | 3,398s | PASSED |
| 5 | Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_' successfully | 1,738s | PASSED |
| 6 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_' is clicked on | 2,453s | PASSED |

Description 7 Verify element text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert save' FAILED. (Root cause: com.kms.katalon.core.exception. StepFailedException: Verify element text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert save' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementText\$6.call(Unknown Source) at .run(:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.e$ java:281) $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Case Main Phase$ (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1649065192337.run(TempTestSuite1649065192337.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Avangard New/Object ()/Case ()/alert save' located by '//p[(text() = ' ' or . = ' ')]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKevwordMain.groovv:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$ verifyElementText closure1.call(VerifyElementTextKeyword. groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword


Elapsed

42.958s

Status

FAILED

(WebUIKeywordMain.groovy:20) ... 19 more



ID Test Cases//

Description

Tag

Start 2022-04-04 13:11:11 End 2022-04-04 13:23:46

Elapsed 12m - 35,337s

Status FAILED

| # | Description | Elapsed | Status |
|---|--|--------------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 4m - 29,944s | PASSED |
| 2 | maximizeWindow() Current window maximized | 0,475s | PASSED |
| 3 | navigateToUrl(url) Navigate to 'https://stars-stage.hawk.ru:8080' successfully | 7,072s | PASSED |
| 4 | setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputsc-InrBVv eqPACj"), OFP_trainer_login) Text 'voityk.av@hc-avangard.com' is set on object 'Object Repository/Avangard New/Object ()/Case ()/inputsc-InrBVv eqPACj' | 3,891s | PASSED |
| 5 | setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input_sc-InrBVv eqPACj_1"), OFP_trainer_password) Text 'voityk.av' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_sc-InrBVv eqPACj_1' | 3,835s | PASSED |
| 6 | click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/go")) Object: 'Object Repository/Avangard New/Object ()/Case ()/go' is clicked on | 1,906s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 7 | Object: 'Object Repository/Avangard New/Object ()/Case ()/buttom fiz testing' is clicked on | 20,459s | PASSED |
| 8 | Object: 'Object Repository/Avangard New/Object ()/Case ()/div_exercises' is clicked on | 2,764s | PASSED |
| 9 | setText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputexercise"), "FMS ()") Text 'FMS ()' is set on object 'Object Repository/Avangard New/Object ()/Case ()/inputexercise' | 3,847s | PASSED |
| 10 | sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputexercise"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ()/inputexercise' | 1,831s | PASSED |
| 11 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 1' is cleared | 2,345s | PASSED |
| 12 | Text '21' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 1' | 3,776s | PASSED |
| 13 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 2' is cleared | 1,933s | PASSED |
| 14 | Text '15' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 2' | 3,625s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 15 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3' is cleared | 2,322s | PASSED |
| 16 | Text '7' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3' | 3,781s | PASSED |
| 17 | scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input_FMS 6"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 6' successfully | 1,778s | PASSED |
| 18 | clearText(findTestObject("Object Repository/Avangard New/Object ()/Case ()/input_FMS 6"), STOP_ON_FAILURE) Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 6' is cleared | 2,043s | PASSED |
| 19 | Text '0' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 6' | 4,364s | PASSED |
| 20 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 4' is cleared | 2,049s | PASSED |
| 21 | Text '3,7' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 4' | 3,910s | PASSED |
| 22 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 5' is cleared | 2,001s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 23 | Text '1000' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 5' | 3,818s | PASSED |
| 24 | Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/stage 2' successfully | 1,797s | PASSED |
| 25 | Object: 'Object Repository/Avangard New/Object ()/Case ()/stage 2' is clicked on | 1,907s | PASSED |
| 26 | 2 Text ' 2' is set on object 'Object Repository/Avangard New/Object ()/Case ()/inputetapi' | 3,654s | PASSED |
| 27 | sendKeys(findTestObject("Object Repository/Avangard New/Object ()/Case ()/inputetapi"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Avangard New/Object ()/Case ()/inputetapi' | 1,880s | PASSED |
| 28 | Text of object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3' is cleared | 3,455s | PASSED |
| 29 | Text '10,4' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_FMS 3' | 3,678s | PASSED |
| 30 | scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_save"), 0) Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_save' successfully | 1,905s | PASSED |

| ,, | Description | | Otal |
|----|--|--------------|--------|
| # | Description | Elapsed | Status |
| 31 | click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_save")) | 2,032s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save' is clicked on | | |
| 32 | | 2,891s | PASSED |
| | Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert fiz testing' are matched. | | |
| 33 | scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_close fiz test"), 0) | 1,705s | PASSED |
| | Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_close fiz test' successfully | | |
| 34 | | 2,193s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_close fiz test' is clicked on | | |
| 35 | 2 | 2,051s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/Case ()/buttonclose 2 fiz test' is clicked on | | |
| 36 | callTestCase(findTestCase("/ (.)"), [:], STOP_ON_FAILURE) | 3m - 27,962s | PASSED |
| | Call Test Case 'Test Cases// (.)' successfully | | |

```
Description
                                                                                                                                                                                                                                            Elapsed
            callTestCase(findTestCase("/ (
                                                                                                                                                                                                                                        2m - 42.088s
37
             . )"), [:], STOP_ON_FAILURE)
             Unable to call Test Case 'Test Cases//
             ( . )' (Root cause: com.kms.katalon.core.
             exception. StepFailedException: Call Test Case 'Test Cases//
              ( . )' failed
                                    at com.kms.katalon.core.keyword.builtin.
             CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
                                    at com.kms.katalon.core.keyword.builtin.
             CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
                                    at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
             (KeywordMain.groovy:74)
                                   at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case
             (CallTestCaseKeyword.groovy:81)
                                    at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
            (CallTestCaseKeyword.groovy:44)
                                    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
             executeKeywordForPlatform(KeywordExecutor.groovy:74)
                                    at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
            groovy:334)
                                    at .run(:139)
                                    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194)
                                    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
            java:119)
                                    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
            java:442)
                                    at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
            java:433)
                                   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
             (TestCaseExecutor.java:412)
                                   at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
             (TestCaseExecutor.java:404)
                                    at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.e
            java:281)
                                    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
             (TestSuiteExecutor.java:202)
                                    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
             (TestSuiteExecutor.java:164)
                                   at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
             105)
                                    at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
             185)
                                    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
             Source)
                                    at TempTestSuite1649065192337.run(TempTestSuite1649065192337.groovy:36)
             Caused by: com.kms.katalon.core.exception.StepFailedException: Verify element text of
             test object 'Object Repository/Avangard New/Object ()/ase (
            )/div_7' FAILED.
                                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
             (WebUIKeywordMain.groovy:64)
                                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
             (WebUIKeywordMain.groovy:26)
                                    at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.
            verifyElementText(VerifyElementTextKeyword.groovy:72)
                                    at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.
             execute(VerifyElementTextKeyword.groovy:40)
```

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

Status

FAILED

```
executeKeywordForPlatform(KeywordExecutor.groovy:74)
                    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
verifyElementText(WebUiBuiltInKeywords.groovy:4749)
                    at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$verifyElementText$6.call(Unknown Source)
                   at (.
).run( ( .
 ):40)
                    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                    at\ com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.pt) \\
java:442)
                    at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
java:433)
                   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
                   at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:404)
                   at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:281)
                    at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
                   at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                    ... 20 more
Caused by: com.kms.katalon.core.exception.StepFailedException: Actual text '-' and
expected text '7' of test object 'Object Repository/Avangard New/Object ()/ase
( )/div_7' are NOT matched.
                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
                    at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementTextKeyword$_verifyElementText_closure1.doCall
(VerifyElementTextKeyword.groovy:57)
                    at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementTextKeyword$_verifyElementText_closure1.call(VerifyElementTextKeyword.
groovy)
                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
                    ... 35 more
```

