

()

Execution Environment

| | |
|-----------------|--------------------------|
| Host name | LENOVO - DESKTOP-KNHN0AA |
| Local OS | Windows 10 64bit |
| Katalon version | 8.2.5.208 |
| Browser | Chrome 100.0.4896.75 |

Summary

| | | | |
|-------------|---------------------|------------|---------------------|
| ID | Test Suites/ () | | |
| Description | | | |
| Total | 1 | | |
| Passed | 1 | Failed | 0 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 2022-04-14 16:15:47 | End | 2022-04-14 16:17:18 |
| Elapsed | 1m - 31,454s | | |

| # | ID | Description | Status |
|---|--------------|-------------|--------|
| 1 | Test Cases// | | PASSED |

Information

| | | | |
|-------------|---------------------|-----|---------------------|
| ID | Test Cases// | | |
| Description | | | |
| Tag | | | |
| Start | 2022-04-14 16:15:47 | End | 2022-04-14 16:17:18 |
| Elapsed | 1m - 31,170s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|---------|---------|
| 1 | callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases//' successfully | 9,412s | PASSED |
| 2 | Object: 'Object Repository/Avangard New/Object (/Case (/span_sostav' is clicked on | 5,192s | PASSED |
| 3 | click(findTestObject("Object Repository/Avangard New/Object (/Case (/team sostav")) NOT_RUN: click(findTestObject("Object Repository/Avangard New/Object (/Case (/team sostav")) | 0,002s | NOT_RUN |
| 4 | NOT_RUN: setText(findTestObject("Object Repository/Avangard New/Object (/Case (/input__team sostav"), "") | 0,000s | NOT_RUN |
| 5 | sendKeys(findTestObject("Object Repository/Avangard New/Object (/Case (/input__team sostav"), Keys.chord(ENTER)) NOT_RUN: sendKeys(findTestObject("Object Repository/Avangard New/Object (/Case (/input__team sostav"), Keys.chord(ENTER)) | 0,000s | NOT_RUN |
| 6 | Object: 'Object Repository/Avangard New/Object (/Case (/clear' is clicked on | 4,408s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|---------|
| 7 | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_yes' is clicked on | 0,672s | PASSED |
| 8 | NOT_RUN: click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/verif palyer null ln")) | 0,001s | NOT_RUN |
| 9 | Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ()/player null' are matched. | 0,529s | PASSED |
| 10 | Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/choice_player' successfully | 0,409s | PASSED |
| 11 | Object: 'Object Repository/Avangard New/Object ()/Case ()/choice_player' is clicked on | 0,525s | PASSED |
| 12 | Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/line_position' successfully | 0,514s | PASSED |
| 13 | Object: 'Object Repository/Avangard New/Object ()/Case ()/line_position' is clicked on | 0,479s | PASSED |
| 14 | Object: 'Object Repository/Avangard New/Object ()/Case ()/player 1' is clicked on | 0,657s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 15 | Object: 'Object Repository/Avangard New/Object (/Case (/pos2' is clicked on | 0,593s | PASSED |
| 16 | scrollToElement(findTestObject("Object Repository/Avangard New/Object (/Case (/player3"), 0, STOP_ON_FAILURE) Scroll to object 'Object Repository/Avangard New/Object (/Case (/player3' successfully | 0,512s | PASSED |
| 17 | Object: 'Object Repository/Avangard New/Object (/Case (/player3' is clicked on | 0,470s | PASSED |
| 18 | Object: 'Object Repository/Avangard New/Object (/Case (/po3' is clicked on | 0,597s | PASSED |
| 19 | scrollToElement(findTestObject("Object Repository/Avangard New/Object (/Case (/player4"), 0, STOP_ON_FAILURE) Scroll to object 'Object Repository/Avangard New/Object (/Case (/player4' successfully | 0,442s | PASSED |
| 20 | Object: 'Object Repository/Avangard New/Object (/Case (/player4' is clicked on | 0,473s | PASSED |
| 21 | Object: 'Object Repository/Avangard New/Object (/Case (/pos4' is clicked on | 0,594s | PASSED |
| 22 | scrollToElement(findTestObject("Object Repository/Avangard New/Object (/Case (/player5"), 0, STOP_ON_FAILURE) Scroll to object 'Object Repository/Avangard New/Object (/Case (/player5' successfully | 0,513s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 23 | click(findTestObject("Object Repository/Avangard New/Object (/Case (/player5"), STOP_ON_FAILURE) Object: 'Object Repository/Avangard New/Object (/Case (/player5' is clicked on | 0,481s | PASSED |
| 24 | verifyTextPresent(" ", false, STOP_ON_FAILURE) Text ' ' is present on page | 0,813s | PASSED |
| 25 | Object: 'Object Repository/Avangard New/Object (/Case (/button_save' is clicked on | 0,484s | PASSED |
| 26 | verifyTextPresent(" ", false) Text ' ' is present on page | 4,004s | PASSED |
| 27 | callTestCase(findTestCase("/C ()"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/C ()' successfully | 25,920s | PASSED |
| 28 | callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/' successfully | 8,563s | PASSED |
| 29 | Object: 'Object Repository/Avangard New/Object (/Case (/span_sostav' is clicked on | 4,376s | PASSED |
| 30 | Object: 'Object Repository/Avangard New/Object (/Case (/clear' is clicked on | 3,836s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 31 | Object: 'Object Repository/Avangard New/Object (/Case (/button_yes' is clicked on | 0,619s | PASSED |
| 32 | Object: 'Object Repository/Avangard New/Object (/Case (/button_save' is clicked on | 0,587s | PASSED |
| 33 | Text ' : ' is present on page | 1,470s | PASSED |
| 34 | Scroll to object 'Object Repository/Avangard New/Object (/Case (/exit profile' successfully | 0,332s | PASSED |
| 35 | click(findTestObject("Object Repository/Avangard New/Object (/Case (/exit profile")) Object: 'Object Repository/Avangard New/Object (/Case (/exit profile' is clicked on | 0,476s | PASSED |
| 36 | Text 'levashev.ps@hc-avangard.com' is set on object 'Object Repository/Avangard New/Object (/Case (/input_login Levashev' | 2,296s | PASSED |
| 37 | setEncryptedText(findTestObject("Avangard New/Object (/Case (/input__password Levashev"), "G3QhECOIcrTdOvw/hygZOA==") Text ***** has been set on object 'Object Repository/Avangard New/Object (/Case (/input__password Levashev' | 0,749s | PASSED |
| 38 | Object: 'Object Repository/Avangard New/Object (/Case (/div_enter' is clicked on | 0,484s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 39 | Object: 'Object Repository/Avangard New/Object (/)/Case (/)/span_sostav' is clicked on | 6,090s | PASSED |
| 40 | Object: 'Object Repository/Avangard New/Object (/)/Case (/)/button_' is clicked on | 0,846s | PASSED |
| 41 | () Object: 'Object Repository/Avangard New/Object (/)/Case (/)/button__1' is clicked on | 0,699s | PASSED |
| 42 | closeBrowser() Browser is closed | 0,618s | PASSED |