## Execution Environment

| | |
|---|---|
| Host name | LENOVO - DESKTOP-KNHN0AA |
| Local OS | Windows 10 64bit |
| Katalon version | 8.2.5.208 |
| Browser | Chrome 97.0.4692.71 |

## Summary

| | | | |
|---|---|---|---|
| ID | Test Suites/ | | |
| Description | | | |
| Total | 4 | | |
| Passed | 3 | Failed | 1 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 2022-02-25 08:54:23 | End | 2022-02-25 09:13:03 |
| Elapsed | 18m - 39,781s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases// | | FAILED |
| 2 | Test Cases// | | PASSED |
| 3 | Test Cases// () | | PASSED |
| 4 | Test Cases// | | PASSED |

## Information

ID          Test Cases//

Description

Tag

Start       2022-02-25 08:54:26          End          2022-02-25 08:59:32

Elapsed     5m - 6,609s

Status      FAILED

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | callTestCase(findTestCase("/ "), [:], STOP_ON_FAILURE)<br><br>Call Test Case 'Test Cases// ' successfully | 3m - 44,516s | PASSED |
| 2 | Object: 'Object Repository/Avangard New/Object ()/Case ()/span_pitanie' is clicked on | 8,509s | PASSED |
| 3 | Object: 'Object Repository/Avangard New/Object ()/Case ()/place_choose school' is clicked on | 2,612s | PASSED |
| 4 | Object: 'Object Repository/Avangard New/Object ()/Case ()/div_Avangard' is clicked on | 2,117s | PASSED |
| 5 | Object: 'Object Repository/Avangard New/Object ()/Case ()/place choose team' is clicked on | 2,097s | PASSED |
| 6 | Object: 'Object Repository/Avangard New/Object ()/Case ()/div_omsk' is clicked on | 2,652s | PASSED |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 7 | | 8,115s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_edit' is clicked on | | |
| 8 | | 2,246s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/Case ()/span_add' is clicked on | | |
| 9 | click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/div_place recomendation1")) | 2,294s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/Case ()/div_place recomendation1' is clicked on | | |
| 10 | click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/div__uglevodi1")) | 2,052s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/Case ()/div__uglevodi1' is clicked on | | |
| 11 | | 1,957s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/Case ()/button_task' is clicked on | | |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 12 | | 40,901s | FAILED |

Unable to set text ' ' of object 'Object Repository/Avangard New/Object ()/Case ()/input_task' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to set text ' ' of object 'Object Repository/Avangard New/Object ()/Case ()/input_task'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call (Unknown Source)
      at    .run(
  :51)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
      at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
      at TempTestSuite1645768439158.run(TempTestSuite1645768439158.groovy:36)
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Avangard New/Object ()/Case () /input_task' located by '//div[@id='root']/div/div/div[2]/div/div[3]/div/div[2]/div/div/div[2] /div/div/div[2]/div[3]/div/div/div/div/div/input' not found
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370)
      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
        at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:980)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call
(Unknown Source)
        at Script1645638970189.run(Script1645638970189.groovy:51)
        ... 13 more
)

## Information

| | |
|---|---|
| ID | Test Cases// |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2022-02-25 08:59:32 | End | 2022-02-25 09:02:13 |
| Elapsed | 2m - 41,100s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | callTestCase(findTestCase("/ "), [:], STOP_ON_FAILURE)<br><br>Call Test Case 'Test Cases// ' successfully | 2m - 20,841s | PASSED |
| 2 | click(findTestObject("Object Repository/vrach/profile/Page_/span_TestDoctormail.ru"))<br><br>Object: 'Object Repository/vrach/profile/Page_/span_TestDoctormail.ru' is clicked on | 12,191s | PASSED |
| 3 | click(findTestObject("Object Repository/vrach/profile/Page_/save"))<br><br>Object: 'Object Repository/vrach/profile/Page_/save' is clicked on | 2,198s | PASSED |
| 4 | verifyTextPresent(" ", true)<br><br>Text ' ' is present on page  using regular expression | 2,165s | PASSED |
| 5 | click(findTestObject("Object Repository/vrach/profile/Page_/exit"))<br><br>Object: 'Object Repository/vrach/profile/Page_/exit' is clicked on | 2,319s | PASSED |
| 6 | closeBrowser()<br><br>Browser is closed | 0,512s | PASSED |

# ()

## Information

| | |
|---|---|
| ID | Test Cases// () |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2022-02-25 09:02:13 | End | 2022-02-25 09:04:34 |
| Elapsed | 2m - 20,223s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") | 1m - 23,448s | PASSED |
| | Browser is opened with url: '' | | |
| 2 | maximizeWindow() | 0,467s | PASSED |
| | Current window maximized | | |
| 3 | | 6,021s | PASSED |
| | Navigate to 'https://stars-stage.hawk.ru:8080/' successfully | | |
| 4 | setText(findTestObject("Avangard New/Object ()/login ( )"), "psychoTEST@mail.ru") | 3,852s | PASSED |
| | Text 'psychoTEST@mail.ru' is set on object 'Object Repository/Avangard New/Object ()/login ( )' | | |
| 5 | setText(findTestObject("Avangard New/Object ()/password ( )"), "psychoTEST@mail.ru", STOP_ON_FAILURE) | 4,010s | PASSED |
| | Text 'psychoTEST@mail.ru' is set on object 'Object Repository/Avangard New/Object ()/password ( )' | | |
| 6 | click(findTestObject("Object Repository/vrach/psychotest/Page_/go")) | 2,297s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/go' is clicked on | | |

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | click(findTestObject("Object Repository/vrach/psychotest/Page_/psychotest")) | 9,205s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/psychotest' is clicked on | | |
| 8 | verifyTextPresent(" ", false) | 1,851s | PASSED |
| | Text ' ' is present on page | | |
| 9 | click(findTestObject("Object Repository/vrach/psychotest/Page_/school")) | 2,029s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/school' is clicked on | | |
| 10 | click(findTestObject("Object Repository/vrach/psychotest/Page_/avanguard")) | 1,969s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/avanguard' is clicked on | | |
| 11 | click(findTestObject("Object Repository/vrach/psychotest/Page_/team")) | 1,974s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/team' is clicked on | | |
| 12 | click(findTestObject("Object Repository/vrach/psychotest/Page_/varteam")) | 2,113s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/varteam' is clicked on | | |
| 13 | click(findTestObject("Object Repository/vrach/psychotest/Page_/player")) | 2,371s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/player' is clicked on | | |
| 14 | click(findTestObject("Object Repository/vrach/psychotest/Page_/varplayer")) | 1,974s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/varplayer' is clicked on | | |
| 15 | click(findTestObject("Object Repository/vrach/psychotest/Page_/date")) | 2,266s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/date' is clicked on | | |
| 16 | click(findTestObject("Object Repository/vrach/psychotest/Page_/enter_date")) | 2,255s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/enter_date' is clicked on | | |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 17 | verifyTextPresent("   ", false) | 3,505s | PASSED |
| | Text '   ' is present on page | | |
| 18 | scrollToElement(findTestObject("Object Repository/vrach/psychotest/Page_/thinking"), 0) | 1,965s | PASSED |
| | Scroll to object 'Object Repository/vrach/psychotest/Page_/thinking' successfully | | |
| 19 | setText(findTestObject("Object Repository/vrach/psychotest/Page_/thinking"), "9") | 3,702s | PASSED |
| | Text '9' is set on object 'Object Repository/vrach/psychotest/Page_/thinking' | | |
| 20 | click(findTestObject("Object Repository/vrach/psychotest/Page_/button_save")) | 2,023s | PASSED |
| | Object: 'Object Repository/vrach/psychotest/Page_/button_save' is clicked on | | |

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases// | | |
| Description | | | |
| Tag | | | |
| Start | 2022-02-25 09:04:34 | End | 2022-02-25 09:13:03 |
| Elapsed | 8m - 29,401s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | callTestCase(findTestCase("/ "), [:], STOP_ON_FAILURE)<br><br>Call Test Case 'Test Cases// ' successfully | 2m - 5,947s | PASSED |
| 2 | click(findTestObject("Avangard New/Object ()/doctor case (   )/button_add"))<br><br>Object: 'Object Repository/Avangard New/Object ()/doctor case (   )/button_add' is clicked on | 9,064s | PASSED |
| 3 | click(findTestObject("Avangard New/Object ()/doctor case (   )/school"))<br><br>Object: 'Object Repository/Avangard New/Object ()/doctor case (   )/school' is clicked on | 2,719s | PASSED |
| 4 | click(findTestObject("Avangard New/Object ()/doctor case (   )/avanguard"))<br><br>Object: 'Object Repository/Avangard New/Object ()/doctor case (   )/avanguard' is clicked on | 2,362s | PASSED |
| 5 | click(findTestObject("Avangard New/Object ()/doctor case (   )/team"))<br><br>Object: 'Object Repository/Avangard New/Object ()/doctor case (   )/team' is clicked on | 2,144s | PASSED |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 6 | click(findTestObject("Avangard New/Object ()/doctor case (   )/var_team"))<br><br>Object: 'Object Repository/Avangard New/Object ()/doctor case (   )/var_team' is clicked on | 2,553s | PASSED |
| 7 | click(findTestObject("Avangard New/Object ()/doctor case (   )/player"))<br><br>Object: 'Object Repository/Avangard New/Object ()/doctor case (   )/player' is clicked on | 2,074s | PASSED |
| 8 | click(findTestObject("Avangard New/Object ()/doctor case (   )/var_player"))<br><br>Object: 'Object Repository/Avangard New/Object ()/doctor case (   )/var_player' is clicked on | 2,224s | PASSED |
| 9 | click(findTestObject("Avangard New/Object ()/doctor case (   )/tip"))<br><br>Object: 'Object Repository/Avangard New/Object ()/doctor case (   )/tip' is clicked on | 2,123s | PASSED |
| 10 | click(findTestObject("Avangard New/Object ()/doctor case (   )/travma"))<br><br>Object: 'Object Repository/Avangard New/Object ()/doctor case (   )/travma' is clicked on | 2,115s | PASSED |
| 11 | click(findTestObject("Avangard New/Object ()/doctor case (   )/stady 1"))<br><br>Object: 'Object Repository/Avangard New/Object ()/doctor case (   )/stady 1' is clicked on | 2,197s | PASSED |
| 12 | click(findTestObject("Avangard New/Object ()/doctor case (   )/choise_stady"))<br><br>Object: 'Object Repository/Avangard New/Object ()/doctor case (   )/choise_stady' is clicked on | 2,083s | PASSED |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 13 | click(findTestObject("Avangard New/Object ()/doctor case (  )/tip travm")) | 2,080s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/doctor case (  )/tip travm' is clicked on | | |
| 14 | click(findTestObject("Avangard New/Object ()/doctor case (  )/choise_travm")) | 2,298s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/doctor case (  )/choise_travm' is clicked on | | |
| 15 | setText(findTestObject("Avangard New/Object ()/doctor case (  )/dop opisanie"), " ") | 5,012s | PASSED |
| | Text ' ' is set on object 'Object Repository/Avangard New/Object ()/doctor case (  )/dop opisanie' | | |
| 16 | click(findTestObject("Avangard New/Object ()/doctor case (  )/button_save")) | 2,507s | PASSED |
| | Object: 'Object Repository/Avangard New/Object ()/doctor case (  )/button_save' is clicked on | | |
| 17 | verifyTextPresent("  ", false) | 3,091s | PASSED |
| | Text '  ' is present on page | | |
| 18 | callTestCase(findTestCase("/    ()"), [:], STOP_ON_FAILURE) | 1m - 46,923s | PASSED |
| | Call Test Case 'Test Cases//    ()' successfully | | |
| 19 | callTestCase(findTestCase("/  ()"), [:], STOP_ON_FAILURE) | 1m - 55,329s | PASSED |
| | Call Test Case 'Test Cases//  ()' successfully | | |
| 20 | callTestCase(findTestCase("/   ()"), [:], STOP_ON_FAILURE) | 1m - 53,075s | PASSED |
| | Call Test Case 'Test Cases//   ()' successfully | | |

| #  | Description    | Elapsed | Status  |
|----|----------------|---------|---------|
| 21 | closeBrowser() | 0,579s  | PASSED  |

Browser is closed