Execution Environment

Host name LENOVO - DESKTOP-KNHN0AA

Local OS Windows 10 64bit

Katalon version 8.2.5.208 Browser null

Summary

ID Test Suites/

Description

Total 2

Passed 0 Failed 2 Error 0 Incomplete 0

Skipped 0

Start 2022-03-14 21:19:11 End 2022-03-14 21:19:27

Elapsed 16,787s

#	ID	Description	Status
1	Test Cases//		FAILED
2	Test Cases//		FAILED

Information

ID Test Cases//

Description

Tag

Start 2022-03-14 21:19:12 End 2022-03-14 21:19:24

Elapsed 12,602s Status FAILED

Details

Description Elapsed Status

#	Description		
1	openBrowser("")		
'	openbiowsei()		
	Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: "		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)		
	at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:164)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1647281937241.run(TempTestSuite1647281937241.groovy:36)		
	Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Invalid Organization Id		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute		
	(CRemoteWebDriver.java:30)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:</init>		
	at org.openya.seieniam.remote.Nemotevvebbnvet.Simis/(Nemotevvebbnvet.jdva.		

Elapsed

11,156s

Status

FAILED

```
Description
131)
          at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init>
(CRemoteWebDriver.java:20)
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver
(DriverFactory.java:542)
          at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser
(DriverFactory.java:326)
          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:251)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword \$\_openBrowser\_closure 1. do Call (OpenBrowserKeyword.groovy: 74)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.kevword.WebUiBuiltInKevwords.openBrowser
(WebUiBuiltInKeywords.aroovv:64)
          at com.kms.katalon.core.webui.kevword.WebUiBuiltlnKevwords$openBrowser.call
(Unknown Source)
          at Script1645286086604.run(Script1645286086604.groovy:20)
          ... 13 more
Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: I. Last
1 characters read: I
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: CRemoteWebDriver
          at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122)
          at\ org. open qa. selenium. json. Json Type Coercer. lambda \$null \$6 (Json Type Coercer.
java:140)
          at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java:
126)
          at org.openqa.selenium.json.Json.toType(Json.java:69)
          at org.openqa.selenium.json.Json.toType(Json.java:55)
          at org.openqa.selenium.json.Json.toType(Json.java:50)
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
```

(ProtocolHandshake.java:112) ... 32 more Elapsed

Status

Information

ID Test Cases//

Description

Tag

Start 2022-03-14 21:19:24 End 2022-03-14 21:19:27

Elapsed 2,991s Status FAILED

Details

Description Elapsed Status

Description callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE) 1 Unable to call Test Case 'Test Cases//' (Root cause: com.kms.katalon. core.exception.StepFailedException: Call Test Case 'Test Cases//' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) $at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case$ (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$ java:281) $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Case Main Phase$ (TestSuiteExecutor.java:202) $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$ (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) $at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:$ 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1647281937241.run(TempTestSuite1647281937241.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: ' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call

Elapsed

1.762s

Status

FAILED

Description (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) $at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$ java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) $at\ com. kms. katalon. core. main. Test Case Executor. access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)$ java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openga.selenium.WebDriverException: Unable to parse remote response: Invalid Organization Id at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.iava:115) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) $at\ com. kms. katalon. core. we bui. driver. Driver Factory. start Remote Browser$ (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)

Elapsed

Status

Description Elapsed at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Script1645286086604.run(Script1645286086604.groovy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) $at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase$ (TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) $at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at con.kms.katalon.execute (Test Case Executor.execute) at con.kms.kata$ java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$ callTestCase closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KevwordMain.groovv:74) at com.kms.katalon.core.kevword.builtin.CallTestCaseKevword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1645287289852.run(Script1645287289852.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: I. Last 1 characters read: I Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) $at\ org. open qa. selenium. js on. Js on Type Coercer. coerce (Js on Type Coercer. java:$

Status

126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.iava:74) at org.openga.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.iava:136) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. iava:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30)

Description at org.openga.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) $at\ com. kms. katalon. core. we bui. driver. Driver Factory. open Web Driver$ (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.kevword.internal.KevwordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.d$ java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$ java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.kevword.builtin.CallTestCaseKevword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)

Elapsed

Status

Description Elapsed Status

```
at .run(:20)
... 13 more
```