

Execution Environment

|                 |                          |
|-----------------|--------------------------|
| Host name       | LENOVO - DESKTOP-KNHN0AA |
| Local OS        | Windows 10 64bit         |
| Katalon version | 8.2.5.208                |
| Browser         | null                     |

Summary

|             |                     |            |                     |
|-------------|---------------------|------------|---------------------|
| ID          | Test Suites/        |            |                     |
| Description |                     |            |                     |
| Total       | 2                   |            |                     |
| Passed      | 0                   | Failed     | 2                   |
| Error       | 0                   | Incomplete | 0                   |
| Skipped     | 0                   |            |                     |
| Start       | 2022-03-14 21:19:17 | End        | 2022-03-14 21:19:35 |
| Elapsed     | 17,962s             |            |                     |

| # | ID           | Description | Status |
|---|--------------|-------------|--------|
| 1 | Test Cases// |             | FAILED |
| 2 | Test Cases// |             | FAILED |

---

Information

|             |                     |     |                     |
|-------------|---------------------|-----|---------------------|
| ID          | Test Cases//        |     |                     |
| Description |                     |     |                     |
| Tag         |                     |     |                     |
| Start       | 2022-03-14 21:19:18 | End | 2022-03-14 21:19:29 |
| Elapsed     | 11,102s             |     |                     |
| Status      | FAILED              |     |                     |

Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | <p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)</p> <p>at .run(:20)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:442)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:433)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:281)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:105)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1647281939009.run(TempTestSuite1647281939009.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Invalid Organization Id</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:</p> | 7,128s  | FAILED |

| #    | Description  | Elapsed | Status |
|------|--|---------|--------|
| 131) | <pre> at com.kms.katalon.selenium.driver.CRemoteWebDriver.&lt;init&gt; (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1645286086604.run(Script1645286086604.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: I. Last 1 characters read: I Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) ... 32 more ) </pre> |         |        |

---

Information

|             |                     |     |                     |
|-------------|---------------------|-----|---------------------|
| ID          | Test Cases//        |     |                     |
| Description |                     |     |                     |
| Tag         |                     |     |                     |
| Start       | 2022-03-14 21:19:29 | End | 2022-03-14 21:19:35 |
| Elapsed     | 5,296s              |     |                     |
| Status      | FAILED              |     |                     |

Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | <p>callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1647281939009.run(TempTestSuite1647281939009.groovy:36)</p> <p>Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call</p> | 3,327s  | FAILED |

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | (Unknown Source)<br>at .run(:20)<br>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br>java:119)<br>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br>java:442)<br>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br>java:433)<br>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br>(TestCaseExecutor.java:412)<br>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br>(TestCaseExecutor.java:404)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:281)<br>at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:<br>142)<br>at com.kms.katalon.core.keyword.builtin.<br>CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)<br>... 20 more<br>Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response:<br>Invalid Organization Id<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession<br>(ProtocolHandshake.java:115)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession<br>(ProtocolHandshake.java:74)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute<br>(HttpCommandExecutor.java:136)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.<br>java:552)<br>at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute<br>(CRemoteWebDriver.java:30)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession<br>(RemoteWebDriver.java:213)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:<br>131)<br>at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init><br>(CRemoteWebDriver.java:20)<br>at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver<br>(DriverFactory.java:542)<br>at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser<br>(DriverFactory.java:326)<br>at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver<br>(DriverFactory.java:251)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:20)<br>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.<br>openBrowser(OpenBrowserKeyword.groovy:81)<br>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute<br>(OpenBrowserKeyword.groovy:67)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser<br>(WebUiBuiltInKeywords.groovy:64) |         |        |

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call<br>(Unknown Source)<br>at Script1645286086604.run(Script1645286086604.groovy:20)<br>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br>java:119)<br>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br>java:442)<br>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br>java:433)<br>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br>(TestCaseExecutor.java:412)<br>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br>(TestCaseExecutor.java:404)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:281)<br>at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:<br>142)<br>at com.kms.katalon.core.keyword.builtin.<br>CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)<br>at com.kms.katalon.core.keyword.builtin.<br>CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)<br>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword<br>(KeywordMain.groovy:74)<br>at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase<br>(CallTestCaseKeyword.groovy:81)<br>at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute<br>(CallTestCaseKeyword.groovy:44)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.<br>groovy:334)<br>at Script1645287289852.run(Script1645287289852.groovy:20)<br>... 13 more<br>Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: I. Last<br>1 characters read: I<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os.<br>arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'<br>Driver info: driver.version: CRemoteWebDriver<br>at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122)<br>at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer.<br>java:140)<br>at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java:<br>126)<br>at org.openqa.selenium.json.Json.toType(Json.java:69)<br>at org.openqa.selenium.json.Json.toType(Json.java:55)<br>at org.openqa.selenium.json.Json.toType(Json.java:50)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession<br>(ProtocolHandshake.java:112)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession<br>(ProtocolHandshake.java:74)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute<br>(HttpCommandExecutor.java:136)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.<br>java:552)<br>at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute<br>(CRemoteWebDriver.java:30) |         |        |



| #    | Description   | Elapsed | Status |
|------|---|---------|--------|
| 131) | at org.openqa.selenium.remote.RemoteWebDriver.startSession<br>(RemoteWebDriver.java:213)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:<br>131)<br>at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init><br>(CRemoteWebDriver.java:20)<br>at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver<br>(DriverFactory.java:542)<br>at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser<br>(DriverFactory.java:326)<br>at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver<br>(DriverFactory.java:251)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:20)<br>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.<br>openBrowser(OpenBrowserKeyword.groovy:81)<br>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute<br>(OpenBrowserKeyword.groovy:67)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser<br>(WebUiBuiltInKeywords.groovy:64)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call<br>(Unknown Source)<br>at .run(:20)<br>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br>java:119)<br>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br>java:442)<br>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br>java:433)<br>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br>(TestCaseExecutor.java:412)<br>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br>(TestCaseExecutor.java:404)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:281)<br>at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:<br>142)<br>at com.kms.katalon.core.keyword.builtin.<br>CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)<br>at com.kms.katalon.core.keyword.builtin.<br>CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)<br>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword<br>(KeywordMain.groovy:74)<br>at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase<br>(CallTestCaseKeyword.groovy:81)<br>at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute<br>(CallTestCaseKeyword.groovy:44)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.<br>groovy:334) |         |        |

---

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

|   |                             |  |  |
|---|-----------------------------|--|--|
|   | at .run(:20)<br>... 13 more |  |  |
| ) |                             |  |  |