### **Execution Environment**

Host name LENOVO - DESKTOP-KNHN0AA

Local OS Windows 10 64bit

Katalon version 8.2.5.208

Browser Chrome 97.0.4692.71

Summary

ID Test Suites/

Description

Total 4

Passed 2 Failed 2 Error 0 Incomplete 0

Skipped 0

Start 2022-04-04 12:40:09 End 2022-04-04 13:23:35

Elapsed 43m - 26,674s

# ID	Description	Status
1 Test Cases//		FAILED
2 Test Cases//		PASSED
3 Test Cases// ()		FAILED
4 Test Cases//		PASSED

ID Test Cases//

Description

Tag

Start 2022-04-04 12:40:10 End 2022-04-04 12:51:59

Elapsed 11m - 48,369s

Status FAILED

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/ "), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases// ' successfully	3m - 47,766s	PASSED
2	Object: 'Object Repository/Avangard New/Object ()/Case ()/span_pitanie' is clicked on	11,960s	PASSED
3	Object: 'Object Repository/Avangard New/Object ()/Case ()/place_choose school' is clicked on	2,638s	PASSED
4	Object: 'Object Repository/Avangard New/Object ()/Case ()/div_Avangard' is clicked on	2,071s	PASSED
5	Object: 'Object Repository/Avangard New/Object ()/Case ()/place choose team' is clicked on	1,923s	PASSED
6	Object: 'Object Repository/Avangard New/Object ()/Case ()/div_omsk' is clicked on	1,894s	PASSED

44	Description	Elancod	Status
#	Description	Elapsed	Status
7	Object: 'Object Repository/Avangard New/Object ()/Case ()/button_edit' is clicked on	5,919s	PASSED
8	Object: 'Object Repository/Avangard New/Object ()/Case ()/span_add' is clicked on	34,740s	PASSED
9	click(findTestObject("Object Repository/Avangard New/Object ()/Case ()/div_place recomendation1"))  Object: 'Object Repository/Avangard New/Object ()/Case ()/div_place recomendation1' is clicked on	3,420s	PASSED
10	Object: 'Object Repository/Avangard New/Object ()/Case ()/div_uglevodi1' is clicked on	2,222s	PASSED
11	setText(findTestObject("Avangard New/Object ()/Case ()/body_opisaniee"), " 1")  Text ' 1' is set on object 'Object Repository/Avangard New/Object ()/Case ()/body_opisaniee'	7,664s	PASSED
12	Object: 'Object Repository/Avangard New/Object ()/Case ()/button_task' is clicked on	2,118s	PASSED
13	Text ' ' is set on object 'Object Repository/Avangard New/Object ()/Case ()/input_task'	5,895s	PASSED
14	scrollToElement(findTestObject("Object Repository/Avangard New/Object ()/Case ()/button_save"), 0)  Scroll to object 'Object Repository/Avangard New/Object ()/Case ()/button_save' successfully	2,171s	PASSED


#	Description	Elapsed	Status
15	Object: 'Object Repository/Avangard New/Object ()/Case ()/button_save' is clicked on	2,133s	PASSED
16	Actual text and expected text of test object 'Object Repository/Avangard New/Object ()/Case ()/alert verif' are matched.	6,402s	PASSED
17	Object: 'Object Repository/Avangard New/Object ()/Case ()/span_home' is clicked on	2,093s	PASSED
18	NOT_RUN: callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)	0,002s	NOT_RUN
19	NOT_RUN: comment("")	0,000s	NOT_RUN

```
Description
                                                                                             Elapsed
                                                                                                               Status
callTestCase(findTestCase("/
                                                                                           6m - 19,053s
                                                                                                              FAILED
( )"), [:], STOP_ON_FAILURE)
Unable to call Test Case 'Test Cases//
( )' (Root cause: com.kms.katalon.core.
exception. StepFailedException: Call Test Case 'Test Cases//
 ( )'
failed
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
          at com.kms.katalon.core.keyword.builtin.
Call Test Case Keyword \$\_call Test Case\_closure 1. call (Call Test Case Keyword. groovy)
          at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:74)
         at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case
(CallTestCaseKeyword.groovy:81)
          at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords.
groovy:334)
               .run(
         at
   :73)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:433)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:281)
         at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:202)
         at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:164)
         at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
105)
         at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
         at\ com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown)
Source)
          at TempTestSuite1649065188672.run(TempTestSuite1649065188672.groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set text
' ' of object 'Object Repository/Avangard New/Object ()/Case
()/input__react-select-4-input'
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
```

# Description Elapsed Status

```
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
                  at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
                  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:980)
                  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call
(Unknown Source)
                 at (
  ).run( (
   ):26)
                  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
                  at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
java:433)
                  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
                 at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:404)
                 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:281)
                  at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
                 at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$ callTestCase closure1.doCall(CallTestCaseKeyword.groovy:59)
                  ... 20 more
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web
element with id: 'Object Repository/Avangard New/Object ()/Case ()
/input react-select-4-input located by '//div[@id='root']/div/div/div[2]/div/div[2]/div/div[3]
/div/div/div/div/div/input' not found
                  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1370)
                  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
                  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
                  at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
                  at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
                  ... 35 more
```

# Description Elapsed Status



ID Test Cases//

Description

Tag

Start 2022-04-04 12:51:59 End 2022-04-04 12:57:27

Elapsed 5m - 28,103s

Status PASSED

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)	5m - 7,698s	PASSED
	Call Test Case 'Test Cases// ' successfully		
2	click(findTestObject("Object Repository/vrach/profile/Page_/span_TestDoctormail.ru"))	11,845s	PASSED
	Object: 'Object Repository/vrach/profile/Page_/span_TestDoctormail.ru' is clicked on		
3	click(findTestObject("Object Repository/vrach/profile/Page_/save"))	1,994s	PASSED
	Object: 'Object Repository/vrach/profile/Page_/save' is clicked on		
4	verifyTextPresent(" ", true)	3,623s	PASSED
	Text ' ' is present on page using regular expression		
5	click(findTestObject("Object Repository/vrach/profile/Page_/exit"))	1,942s	PASSED
	Object: 'Object Repository/vrach/profile/Page_/exit' is clicked on		
6	closeBrowser()	0,523s	PASSED
	Browser is closed		

ID Test Cases// ()

Description

Tag

Start 2022-04-04 12:57:27 End 2022-04-04 13:04:18


Elapsed 6m - 50,902s

Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	4m - 16,116s	PASSED
2	maximizeWindow()  Current window maximized	0,493s	PASSED
3	Navigate to 'https://stars-stage.hawk.ru:8080/' successfully	6,741s	PASSED
4	setText(findTestObject("Avangard New/Object ()/login ( )"), "psychotest@test.ru")  Text 'psychotest@test.ru' is set on object 'Object Repository/Avangard New/Object ()/login ( )'	3,829s	PASSED
5	setText(findTestObject("Avangard New/Object ()/password ( )"), "psychotest@test.ru", STOP_ON_FAILURE)  Text 'psychotest@test.ru' is set on object 'Object Repository/Avangard New/Object ()/password ( )'	3,789s	PASSED
6	click(findTestObject("Object Repository/vrach/psychotest/Page_/go"))  Object: 'Object Repository/vrach/psychotest/Page_/go' is clicked on	1,976s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/vrach/psychotest/Page_/psychotest"))	12,610s	PASSED
	Object: 'Object Repository/vrach/psychotest/Page_/psychotest' is clicked on		
8	verifyTextPresent(" ", false)	1,691s	PASSED
	Text '' is present on page		
9	click(findTestObject("Object Repository/vrach/psychotest/Page_/school"))	2,006s	PASSED
	Object: 'Object Repository/vrach/psychotest/Page_/school' is clicked on		
10	click(findTestObject("Object Repository/vrach/psychotest/Page_/avanguard"))	33,230s	PASSED
	Object: 'Object Repository/vrach/psychotest/Page_/avanguard' is clicked on		
11	click(findTestObject("Object Repository/vrach/psychotest/Page_/team"))	1,851s	PASSED
	Object: 'Object Repository/vrach/psychotest/Page_/team' is clicked on		
12	click(findTestObject("Object Repository/vrach/psychotest/Page_/varteam"))	33,984s	PASSED
	Object: 'Object Repository/vrach/psychotest/Page_/varteam' is clicked on		
13	click(findTestObject("Object Repository/vrach/psychotest/Page_/player"))	2,301s	PASSED
	Object: 'Object Repository/vrach/psychotest/Page_/player' is clicked on		

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/vrach/psychotest/Page_/varplayer"))	47,701s	FAILED
	Unable to click on object 'Object Repository/vrach/psychotest/Page_/varplayer' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/vrach/psychotest/Page_/varplayer'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$4.call (Unknown Source)		
	at ().run( ():47) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1649065188672.run(TempTestSuite1649065188672.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/vrach/psychotest/Page_/varplayer' located by '//div [@id='react-select-4-option-3']' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		



Тестовый Тест1

ID Test Cases//

Description

Tag

Start 2022-04-04 13:04:18 End 2022-04-04 13:23:35

Elapsed 19m - 17,680s

Status PASSED

#	Description	Elapsed	Status
1	callTestCase(findTestCase("/ "), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases// ' successfully	4m - 45,182s	PASSED
2	click(findTestObject("Avangard New/Object ()/Case ( )/button_add"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/button_add' is clicked on	15,538s	PASSED
3	click(findTestObject("Avangard New/Object ()/Case ( )/school"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/school' is clicked on	5,724s	PASSED
4	click(findTestObject("Avangard New/Object ()/Case ( )/avanguard"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/avanguard' is clicked on	2,376s	PASSED
5	click(findTestObject("Avangard New/Object ()/Case ( )/team"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/team' is clicked on	2,016s	PASSED

#	Description	Elapsed	Status
6	click(findTestObject("Avangard New/Object ()/Case ( )/var_team"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/var_team' is clicked on	2,181s	PASSED
7	click(findTestObject("Avangard New/Object ()/Case ( )/player"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/player' is clicked on	2,076s	PASSED
8	click(findTestObject("Avangard New/Object ()/Case ( )/var_player"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/var_player' is clicked on	2,225s	PASSED
9	click(findTestObject("Avangard New/Object ()/Case ( )/tip"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/tip' is clicked on	1,942s	PASSED
10	click(findTestObject("Avangard New/Object ()/Case ( )/travma"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/travma' is clicked on	2,001s	PASSED
11	click(findTestObject("Avangard New/Object ()/Case ( )/stady 1"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/stady 1' is clicked on	2,151s	PASSED
12	click(findTestObject("Avangard New/Object ()/Case ( )/choise_stady"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/choise_stady' is clicked on	2,033s	PASSED

#	Description	Elapsed	Status
13	click(findTestObject("Avangard New/Object ()/Case ( )/tip travm"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/tip travm' is clicked on	2,217s	PASSED
14	click(findTestObject("Avangard New/Object ()/Case ( )/choise_travm"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/choise_travm' is clicked on	2,359s	PASSED
15	setText(findTestObject("Avangard New/Object ()/Case ( )/dop opisanie"), " ")  Text ' ' is set on object 'Object Repository/Avangard New/Object ()/Case ( )/dop opisanie'	4,704s	PASSED
16	click(findTestObject("Avangard New/Object ()/Case ( )/button_save"))  Object: 'Object Repository/Avangard New/Object ()/Case ( )/button_save' is clicked on	2,400s	PASSED
17	verifyTextPresent(" ", false)  Text ' ' is present on page	4,847s	PASSED
18	callTestCase(findTestCase("/ ( )"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases// ( )' successfully	3m - 29,331s	PASSED
19	callTestCase(findTestCase("/ ( )"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases// ( )' successfully	4m - 54,097s	PASSED

#	Description	Elapsed	Status
20	callTestCase(findTestCase("/ ( )"), [:], STOP_ON_FAILURE)	5m - 11,197s	PASSED
	Call Test Case 'Test Cases// ( )' successfully		
21	closeBrowser()	0,473s	PASSED

Browser is closed