

Execution Environment

Host name	LENOVO - DESKTOP-KNHN0AA
Local OS	Windows 10 64bit
Katalon version	8.2.5.208
Browser	null

Summary

ID	Test Suites/		
Description			
Total	7		
Passed	0	Failed	7
Error	0	Incomplete	0
Skipped	0		
Start	2022-03-14 22:10:35	End	2022-03-14 22:11:16
Elapsed	40,775s		

#	ID	Description	Status
1	Test Cases//		FAILED
2	Test Cases//		FAILED
3	Test Cases//		FAILED
4	Test Cases//		FAILED
5	Test Cases//		FAILED
6	Test Cases//		FAILED
7	Test Cases//		FAILED

Information

ID	Test Cases//		
Description			
Tag			
Start	2022-03-14 22:10:36	End	2022-03-14 22:10:51
Elapsed	14,832s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)</p> <p>at .run(:20)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:442)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:433)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:281)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:105)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1647285017287.run(TempTestSuite1647285017287.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Response: 402, Code: TCS10005, Message: Not enough parallel quota</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:</p>	11,724s	FAILED

#	Description	Elapsed	Status
131)	<pre> at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1645118523381.run(Script1645118523381.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) ... 32 more) </pre>		

Information

ID	Test Cases//		
Description			
Tag			
Start	2022-03-14 22:10:51	End	2022-03-14 22:10:58
Elapsed	6,711s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1647285017287.run(TempTestSuite1647285017287.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p>	6,337s	FAILED

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Response: 402, Code: TCS10005, Message: Not enough parallel quota at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		

#	Description	Elapsed	Status
	<pre> (WebUiBuiltinKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords\$openBrowser.call (Unknown Source) at Script1645118523381.run(Script1645118523381.groovy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1645277148715.run(Script1645277148715.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute </pre>		

#	Description	Elapsed	Status
	(CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		

#	Description	Elapsed	Status
	groovy:334) at .run(:20) ... 13 more)		

Information

ID	Test Cases//		
Description			
Tag			
Start	2022-03-14 22:10:58	End	2022-03-14 22:11:03
Elapsed	5,224s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1647285017287.run(TempTestSuite1647285017287.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p>	4,801s	FAILED

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Response: 402, Code: TCS10005, Message: Not enough parallel quota at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		

#	Description	Elapsed	Status
	<pre> (WebUiBuiltinKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords\$openBrowser.call (Unknown Source) at Script1645118523381.run(Script1645118523381.groovy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1645192115503.run(Script1645192115503.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute </pre>		

#	Description	Elapsed	Status
	(CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		

#	Description	Elapsed	Status
	groovy:334) at .run(:20) ... 13 more)		

Information

ID	Test Cases//		
Description			
Tag			
Start	2022-03-14 22:11:03	End	2022-03-14 22:11:05
Elapsed	2,398s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1647285017287.run(TempTestSuite1647285017287.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p>	1,716s	FAILED

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Response: 402, Code: TCS10005, Message: Not enough parallel quota at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		

#	Description	Elapsed	Status
	<pre> (WebUiBuiltinKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords\$openBrowser.call (Unknown Source) at Script1645118523381.run(Script1645118523381.groovy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1645285819922.run(Script1645285819922.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute </pre>		

#	Description	Elapsed	Status
	(CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		

#	Description	Elapsed	Status
	groovy:334) at .run(:20) ... 13 more)		

Information

ID	Test Cases//		
Description			
Tag			
Start	2022-03-14 22:11:05	End	2022-03-14 22:11:08
Elapsed	2,758s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1647285017287.run(TempTestSuite1647285017287.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p>	2,420s	FAILED

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Response: 402, Code: TCS10005, Message: Not enough parallel quota at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		

#	Description	Elapsed	Status
	<pre> (WebUiBuiltinKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords\$openBrowser.call (Unknown Source) at Script1645118523381.run(Script1645118523381.groovy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1645372861322.run(Script1645372861322.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute </pre>		

#	Description	Elapsed	Status
	(CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		

#	Description	Elapsed	Status
	groovy:334) at .run(:20) ... 13 more)		

Information

ID	Test Cases//		
Description			
Tag			
Start	2022-03-14 22:11:08	End	2022-03-14 22:11:12
Elapsed	3,558s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1647285017287.run(TempTestSuite1647285017287.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p>	3,309s	FAILED

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Response: 402, Code: TCS10005, Message: Not enough parallel quota at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		

#	Description	Elapsed	Status
	(WebUiBuiltinKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords\$openBrowser.call (Unknown Source) at Script1645118523381.run(Script1645118523381.groovy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1645291305622.run(Script1645291305622.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute		

#	Description	Elapsed	Status
	(CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		

#	Description	Elapsed	Status
	groovy:334) at .run(:20) ... 13 more)		

Information

ID	Test Cases//		
Description			
Tag			
Start	2022-03-14 22:11:12	End	2022-03-14 22:11:16
Elapsed	3,751s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("/"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1647285017287.run(TempTestSuite1647285017287.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p>	3,390s	FAILED

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Response: 402, Code: TCS10005, Message: Not enough parallel quota at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		

#	Description	Elapsed	Status
	<pre> (WebUiBuiltinKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords\$openBrowser.call (Unknown Source) at Script1645118523381.run(Script1645118523381.groovy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1645446825030.run(Script1645446825030.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-KNHN0AA', ip: '192.168.0.10', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute </pre>		

#	Description	Elapsed	Status
	(CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver (DriverFactory.java:542) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:326) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:251) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at .run(:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		

#	Description	Elapsed	Status
	groovy:334) at .run(:20) ... 13 more)		